Office of Environmental Health Hazard Assessment



Lauren Zeise, Ph.D., Director Headquarters • 1001 | Street • Sacramento, California 95814 Mailing Address: P.O. Box 4010 • Sacramento, California 95812-4010 Oakland Office • Mailing Address: 1515 Clay Street, 16th Floor • Oakland, California 94612



Governor

MEMORANDUM

TO:

Charlton H. Bonham, Director

California Department of Fish and Wildlife

1416 Ninth Street, 12th Floor Sacramento, California 95814

FROM:

Lauren Zeise, Ph.D.

Director

DATE:

January 16, 2018

SUBJECT:

RECOMMENDATION TO OPEN THE COMMERCIAL ROCK CRAB

FISHERY BETWEEN BODEGA HEAD AND SALT POINT IN SONOMA

COUNTY

The Office of Environmental Health Hazard Assessment (OEHHA) has determined, in consultation with the California Department of Public Health (CDPH), that consumption of rock crab taken from state waters in Sonoma County north of 38° 18' N Latitude (near Bodega Head) to 38° 34' N Latitude (near Salt Point) no longer poses a significant threat for domoic acid exposure. OEHHA and CDPH recommend that this portion of the commercial rock crab fishery be opened. This determination is based on data from repeated sampling of rock crab and analysis of these samples by CDPH laboratories.

OEHHA recommends that the commercial rock crab fishery closure remain in effect in state waters north of Salt Point in Sonoma County to the Oregon border until such time as samples show that the remaining closed area (north of 38° 34' N Latitude) can be opened safely.

Domoic acid poisoning in humans may occur within minutes to hours after consumption of affected seafood and can result in signs and symptoms ranging from vomiting and diarrhea to permanent loss of short-term memory (Amnesic Shellfish Poisoning), coma, or death.

Current federal action levels for domoic acid are 20 parts per million (ppm) for all fish. with the exception of 30 ppm in the viscera of Dungeness crabs. OEHHA and CDPH are using the 30 ppm action level for rock crab viscera. State and federal laws prohibit

California Environmental Protection Agency

Sacramento: (916) 324-7572 Oakland: (510) 622-3200

Charlton H. Bonham January 16, 2018 Page 2

the commercial distribution of seafood products that contain domoic acid levels above the action level. The sampling results for rock crab caught in state waters are provided in the table below.

While the recreational fishery remains open, CDPH and OEHHA strongly recommend that consumers avoid eating the viscera (internal organs, also known as "butter" or "guts") of lobster or crabs, as the viscera usually contain much higher levels of domoic acid than the meat.

If you have questions, please contact me at <u>Lauren.Zeise@oehha.ca.gov</u> or (916) 322-6325.

Rock Crab Sampling Results

PORT	AREA	SAMPLE COLLECTION DATE	NUMBER OF SAMPLES	VISCERA SAMPLE RESULTS: RANGE	AVERAGE LEVEL IN VISCERA	SAMPLES EXCEEDING ACTION LEVEL (30 ppm in viscera)
Bodega Bay	Russian River	7/23/17	6	<2.5-18 ppm	6 ppm	0%
	Salt Point	7/23/17	4	Non-detectable	Non- detectable	0%
	Russian River	8/8/17	5	<2.5-50 ppm	10 ppm	20%
	Salt Point	8/8/17	5	<2.5-2.7 ppm	0.5 ppm	0%
	Russian River	9/12/17	6	<2.5-9.2 ppm	3.9 ppm	0%
	Salt Point	9/12/17	6	<2.5-7.1 ppm	3.7 ppm	0%
	Russian River	12/20/17	6	<2.5-7.4 ppm	1.2 ppm	0%
	Russian River	12/28/17	6	<2.5-14 ppm	3.3 ppm	0%