



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Proc	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
32 H&R	.327	LEAD FREE	32HR60X	60	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
327 FEDERAL	.327	LEAD FREE	327F75X	75	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
380 ACP	.355	LEAD FREE	380A80X	80	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
9MM	.355	LEAD FREE	9MM77X	77	COPPER	LESS THAN 1%	MAGTECH COPPER HOLLOW POINT
9MM	.355	FRANGIBLE	9MMFRG	90	COMPRESSED COPPER/TIN	LESS THAN 1%	SINTERFIRE FRANGIBLE ROUND NOSE
9MM+P	.355	LEAD FREE	9MM115X	115	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
10MM	.401	LEAD FREE	10MM125X	125	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
10MM	.401	LEAD FREE	10MM155X	155	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
10MM	.401	FRANGIBLE	10MMFRG	125	COMPRESSED COPPER/TIN	LESS THAN 1%	SINTERFIRE FRANGIBLE FLAT POINT
40 S&W	.401	LEAD FREE	40125X	125	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
40 S&W	.401	FRANGIBLE	40S&WFRG	125	COMPRESSED COPPER/TIN	LESS THAN 1%	SINTERFIRE FRANGIBLE FLAT POINT



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
38 SUPER+P	.355	LEAD FREE	38S115X	115	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
9X25 DILLON	.355	LEAD FREE	9X2580X	80	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
357 SIG	.355	LEAD FREE	357S80X	80	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
357 SIG	.355	LEAD FREE	357S115X	115	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
38 SPECIAL+P	.357	LEAD FREE	38SP110X	110	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
357 MAGNUM	.357	LEAD FREE	357M110X	110	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
41 MAGNUM	.411	LEAD FREE	41M180X	180	COPPER	LESS THAN 1%	BARNES XPB HOLLOW POINT
45 ACP	.451	LEAD FREE MANN LOAD	45A160XM	160	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
45 ACP+P	.451	LEAD FREE	45A160X	160	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
450 SMC	.451	LEAD FREE	450S160X	160	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
44 SPECIAL	.429	LEAD FREE	44S200X	200	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT




Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	uct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
44 MAGNUM	.429	LEAD FREE	44M200X	200	COPPER	LESS THAN 1%	BARNES XPB HOLLOW POINT
44 MAGNUM	.429	LEAD FREE	44M225X	225	COPPER	LESS THAN 1%	BARNES XPB HOLLOW POINT
45 AUTO RIM	.451	LEAD FREE	45AR160X	160	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
45 COLT	.451	LEAD FREE	45C160X	160	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
45 COLT+P	.451	LEAD FREE	45P225X	225	COPPER	LESS THAN 1%	BARNES XPB HOLLOW POINT
454 CASULL	.451	LEAD FREE	454C225X	225	COPPER	LESS THAN 1%	BARNES XPB HOLLOW POINT
500 S&VV	.500	LEAD FREE	500275X	275	COPPER	LESS THAN 1%	BARNES XPB HOLLOW POINT
223 REMINGTON	.224	LEAD FREE	223R55X	55	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT
223 REMINGTON	.224	LEAD FREE	223R62X	62	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
223 REMINGTON	.224	FRANGIBLE	223RFRG	45	COMPRESSED COPPER/TIN	LESS THAN 1%	SINTERFIRE FRANGIBLE BULLET
22-250	.224	LEAD FREE	2225055X	55	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT





Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
243 WIN	.243	LEAD FREE	243W85X	85	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
257 ROBERTS	.257	LEAD FREE	257R100X	100	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
257 WEATHERBY	.257	LEAD FREE	257W100X	100	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
25-06 REM	.257	LEAD FREE	2506100X	100	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
264 WIN MAG	.264	LEAD FREE	264W127X	127	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
6.5 CREEDMOOR	.264	LEAD FREE	65CM127X	127	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
6.5X55 SWEDISH	.264	LEAD FREE	65S127X	127	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
26 NOSLER	.264	LEAD FREE	26N127X	127	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
260 REM	.264	LEAD FREE	260R127X	127	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
6.5-284 NORMA	.264	LEAD FREE	65284127X	127	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
6.8 REM SPC	.277	LEAD FREE	68R95X	95	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
6.8 REM SPC	.277	LEAD FREE	68R110X	110	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
270 WIN	.277	LEAD FREE	270W110X	110	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
270 WIN	.277	LEAD FREE	270W129X	129	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
270 WIN	.277	LEAD FREE	270W130MRX	130	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
270 WSM	.277	LEAD FREE	270SM110X	110	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
270 WSM	.277	LEAD FREE	270SM129X	129	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
270 WSM	.277	LEAD FREE	270SM130MRX	130	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
7MM-08	.284	LEAD FREE	7M08140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
7MM-08	.284	LEAD FREE	7M08145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
28 NOSLER	.284	LEAD FREE	28N140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
28 NOSLER	.284	LEAD FREE	28N145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Proc	luct Information			Projectile Information		Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	
280 REM	.284	LEAD FREE	280R140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
280 REM	.284	LEAD FREE	280R145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
7MM REM MAG	.284	LEAD FREE	7M140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
7MM REM MAG	.284	LEAD FREE	7M145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
7MM SAUM	.284	LEAD FREE	7SM140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
7MM SAUM	.284	LEAD FREE	7SM145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
7MM STW	.284	LEAD FREE	7STW140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
7MM STW	.284	LEAD FREE	7STW145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
7MM RUM	.284	LEAD FREE	7RM140MRX	140	COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
7MM RUM	.284	LEAD FREE	7RM145X	145	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
30-30 WIN	.308	LEAD FREE	3030W150X	150	COPPER	LESS THAN 1%	BARNES TSX FLAT NOSE FLAT BASE



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
7.62X39 RUSSIAN	.310	LEAD FREE	739123X	123	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
300 SAVAGE	.308	LEAD FREE	300S150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
308 WIN	.308	LEAD FREE	308W110X	110	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
308 WIN	.308	LEAD FREE	308W150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
7.62X54 RUSSIAN	.310	LEAD FREE	754123X	123	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
7.62X54 RUSSIAN	.311	LEAD FREE	754150X	150	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
30-06 SPRINGFIELD	.308	LEAD FREE	3006150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
300 AAC BLACKOUT	.308	LEAD FREE	300BK110X	110	COPPER	LESS THAN 1%	BARNES TAC-XP HOLLOW POINT
300 WSM	.308	LEAD FREE	300SM150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
300 WSM	.308	LEAD FREE	300SM175X	175	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
300 WIN MAG	.308	LEAD FREE	3W150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
300 WIN MAG	.308	LEAD FREE	3M175X	175	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
300 WEATHERBY MAG	.308	LEAD FREE	3WB150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
300 WEATHERBY MAG	.308	LEAD FREE	3WB175X	175	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
300 RUM	.308	LEAD FREE	3RM150X	150	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
300 RUM	.308	LEAD FREE	3RM175X	175	COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
325 WSM	.323	LEAD FREE	325160X	160	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
325 WSM	.323	LEAD FREE	325180X	180	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
325 WSM	.323	LEAD FREE	325200X	200	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
8MM REM MAG	.323	LEAD FREE	8M160X	160	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
8MM REM MAG	.323	LEAD FREE	8M180X	180	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
8MM REM MAG	.323	LEAD FREE	8M200X	200	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
338 FEDERAL	.338	LEAD FREE	338F160X		COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
338 FEDERAL	.338	LEAD FREE	338F185X		COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
338 WIN MAG	.338	LEAD FREE	338W160X		COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
338 WIN MAG	.338	LEAD FREE	338W185X		COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
338 RUM	.338	LEAD FREE	338R185X		COPPER/TUNGSTEN	LESS THAN 1%	BARNES MRX BLUE TIP/BOAT TAIL
338 LAPUA	.338	LEAD FREE	338L265X		COPPER	LESS THAN 1%	BARNES LRX BLUE TIP/BOAT TAIL
358 WIN	.358	LEAD FREE	358W180X		COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
358 WIN	.358	LEAD FREE	358W200X		COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL
358 NORMA MAG	.358	LEAD FREE	358N180X		COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
35 WHELEN	.358	LEAD FREE	35W180X		COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
35 WHELEN	.358	LEAD FREE	358W200X		COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/BOAT TAIL



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Prod	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
9.3X65 MAUSER	.366	LEAD FREE	93M250X	250	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
375 H&H MAG	.375	LEAD FREE	375H235X	235	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
375 H&H MAG	.375	LEAD FREE	375H250X	250	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
375 H&H MAG	.375	LEAD FREE	375H270X	270	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
375 RUM	.375	LEAD FREE	375RM235X	235	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
375 RUM	.375	LEAD FREE	375RM270X	270	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
375 RUGER	.375	LEAD FREE	375RG235X	235	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
375 RUGER	.375	LEAD FREE	375RG250X	250	COPPER	LESS THAN 1%	BARNES TTSX BLUE TIP/BOAT TAIL
375 RUGER	.375	LEAD FREE	375RG270X	270	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
416 TAYLOR	.416	LEAD FREE	416T300X	300	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
416 TAYLOR	.416	LEAD FREE	416T350X	350	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE



Nonlead Cartridge/Projectile Certification Application

Manufacturer Ammunition/Cartridge Information

Please provide the following information relative to your product(s):

	Proc	luct Information			Projectile Information		
Cartridge Designation	Caliber	Product Trade Name or Marketing Line (if established)	Product or Catalog Number (SKUs or UPCs are acceptable)	Weight in Grains of the Projectile	Composition of Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics of the Projectile, and any Unique Identifying Characteristics of the Cartridge
416 REM MAG	.416	LEAD FREE	416R300X	300	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
416 REM MAG	.416	LEAD FREE	416R350X	350	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
404 JEFFERY	.422	LEAD FREE	404J400X	400	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
45-70	.458	LEAD FREE	4570300X	300	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT NOSE/ FLAT BASE
458 LOTT	.458	LEAD FREE	458L350X	350	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
458 WIN MAG	.458	LEAD FREE	458W350X	350	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
470 NITRO EXPRESS	.474	LEAD FREE	470NE500X	500	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
470 NITRO EXPRESS	.474	LEAD FREE	470NE500XS	500	COPPER	LESS THAN 1%	BARNES BANDED SOLID/FLAT NOSE
500 NITRO EXPRESS	.509	LEAD FREE	500NE570X	570	COPPER	LESS THAN 1%	BARNES TSX HOLLOW POINT/FLAT BASE
500 NITRO EXPRESS	.509	LEAD FREE	500NE570XS	570	COPPER	LESS THAN 1%	BARNES BANDED SOLID/FLAT NOSE