

## References – Fish Species of Special Concern in California, 3<sup>rd</sup> edition

- Adams, C.C. 1971. Boontling: An American Lingo. University of Texas Press: Austin, TX.
- Adams, P.B. 2005. Green sturgeon (*Acipenser medirostris*) Status Review Update, Biological Review Team Santa Cruz Laboratory Southwest Fisheries Science Center, NOAA Fisheries: 31 pp.
- Adams, P.B., C. Grimes, J.E. Hightower, S.T. Lindley, M.L. Moser, and M.J. Parsley. 2007. Population status of North American green sturgeon, *Acipenser medirostris*. Environmental Biology of Fishes **79**:339-356.
- Adams, P.B., C.B. Grimes, S.T. Lindley, and M.L. Moser. 2002. Status review for North American green sturgeon, *Acipenser medirostris*. USA, Santa Cruz, California: 50 pp.
- Aguilar, A. and W.J. Jones. 2009. Nuclear and mitochondrial diversification in two native California minnows: insights into taxonomic identity and regional phylogeography. Molecular Phylogenetics and Evolution **51**:373-381.
- Al-Chokhachy, R., M. Peacock, L.G. Heki, and G. Thiede. 2009. Evaluating the reintroduction potential of Lahontan cutthroat trout in Fallen Leaf Lake, California. North American Journal of Fisheries Management **29**:1296-1313.
- Allan, J.D. and M.M. Castillo. 2007. Stream Ecology: Structure and Function of Running Waters. 2nd edition. Springer, Dordrecht, the Netherlands.
- Allen, P.J. and J.J. Cech, Jr. 2007. Age/size effects on juvenile green sturgeon, *Acipenser medirostris*, oxygen consumption, growth, and osmoregulation in saline environments. Environmental Biology of Fishes **79**:211-229.
- Allen, P.J., J.A. Hobbs, J.J. Cech Jr, J.P. Van Eenennaam, and S.I. Doroshov. 2009. Using trace elements in pectoral fin rays to assess life history movements in sturgeon: estimating age at initial seawater entry in Klamath River green sturgeon. Transactions of the American Fisheries Society **138**:240-250.
- Allen, P.J., B. Hodge, I. Werner, and J.J. Cech, Jr. 2006. Effects of ontogeny, season, and temperature on the swimming performance of juvenile green sturgeon (*Acipenser medirostris*). Canadian Journal of Fisheries, Aquatic Sciences **63**:1360-1369.
- Allendorf, F. W. and N. Ryman. 1987. Genetic management of hatchery stocks. Pages 141-159 in N. Ryman and F. Utter, editors. Population genetics and fishery management. University of Washington Press, Seattle, Washington.
- Alley, D.W. 1976. The energetic significance of microhabitat selection by fishes in a foothill Sierra stream. M.S. Thesis. University of California Davis.

- Alley, D.W. 1977. The bioenergetic significance of microhabitat selection by fishes in a foothill sierra stream. MS Thesis. UC Davis.
- Alvarez, D.E. 2008. Parasites of hardhead (*Mylopharodon conocephalus*) and Sacramento pikeminnow (*Ptychocheilus grandis*) from the North Feather River, Plumas and Butte Counties, California. M.S. thesis, Humboldt State University, Arcata, California.
- Amiri, B.M., D.W. Baker, J.D. Morgan, C.J. Brauner. 2009. Size dependent early salinity tolerances in two sizes of juvenile white sturgeon, *Acipenser transmontanus*. *Aquaculture* **286**:121-126.
- Anderson, J., F. Chung, M. Anderson, L. Brekke, D. Easton, M. Ejeta, R. Peterson, and R. Snyder. 2008. Progress on incorporating climate change into management of California's water resources. *Climatic Change* **87**:91-108
- Andreasen, J.K. 1975. Systematics and status of the family Catostomidae in southern Oregon. Unpublished Ph.D. Dissertation, Oregon State University. 76 pp.
- Anglin, D.R. 1994. Lower Klamath River instream flow study: scoping evaluation for the Yurok Indian Reservation. USFWS Lower Columbia River Fishery Resource Office, Vancouver, Washington. 46pp.
- Anthony, J.A., D.D. Roby, and K.R. Turco. 2000. Lipid content and energy density of forage fishes from the northern Gulf of Alaska. *Journal of Experimental Marine Biology and Ecology* **248**:53-78.
- Antonetti, A. 2009. Assessment of anadromous salmonid spawning in Blue Creek, tributary to the Lower Klamath River, during 2009. Yurok Tribal Fisheries Program.
- Araki, H., W. Ardren, E. Olsen, B. Cooper, and M. Blouin. 2007c. Reproductive success of captive-bred steelhead trout in the wild: evaluation of three hatchery programs in the Hood River. *Conservation Biology* **21**:181-190.
- Araki, H., B. Cooper, and M.S. Blouin. 2007d. Genetic effects of captive breeding cause a rapid, cumulative fitness decline in the wild. *Science* **318**:100-103.
- Araki, H., R. Waples, W. Ardren, B. Cooper, and M. Blouin. 2007a. Effective population size of steelhead trout: influence of variance in reproductive success, hatchery programs, and genetic compensation between life-history forms. *Molecular Ecology* **16**:953-966.
- Araki, H., R. Waples, and M. Blouin. 2007b. A potential bias in the temporal method for estimating  $N_e$  in admixed populations under natural selection. *Molecular Ecology* **16**:2261-2271.
- Araki, H., B. Berejikian, M. Ford, and M. Blouin. 2008. Fitness of hatchery-reared salmonids in the wild. *Evolutionary Applications* **1**:342-355.

- Araki, H., B. Cooper, and M. Blouin. 2009. Carry-over effect of captive breeding reduces reproductive fitness of wild-born descendants in the wild. *Biology Letters* **5**:621.
- Armstrong, R. H. and M. Hermans. 2007. Chapter 8.9: Eulachon *in* D. Albert, editor. Alaska--Coastal Forests and Mountain Ecoregion Assessment.
- Artyukhin, E.N., P. Vecsei, D.L. Peterson. 2007. Morphology and ecology of Pacific sturgeons. *Environmental Biology of Fishes* **79**:369-381.
- Avise, J.C. and F.J. Ayala. 1976. Genetic differentiation in speciose versus depauperate phylads: Evidence from the California minnows. *Evolution* **30**:46-58.
- Avise, J.C., J.J. Smith, and F.J. Ayala. 1975. Adaptive differentiation with little genetic change between two native California minnows. *Evolution* **29**:411-426.
- Ayres, W.O. 1854, 1855. Descriptions of three new species of sturgeon from San Francisco. *The Pacific* 4:2. Reprinted in *Proceedings California Academy Sciences* **1**:1-77.
- Baerwald, M., F. Feyrer, and B. May. 2008. Distribution of Genetically Differentiated Splittail Populations during the Nonspawning Season. *Transactions of the American Fisheries Society* **137**:1335-1345.
- Bagley, M.J. and G.A.E. Gall. 1998. Mitochondrial and nuclear DNA sequence variability among populations of rainbow trout (*Oncorhynchus mykiss*). *Molecular Ecology* **7**:945-961.
- Baigún, C.R. 2003. Characteristics of deep pools used by adult summer steelhead in Steamboat Creek, Oregon. *North American Journal of Fisheries Management* **23**:1167-1174.
- Bailey, R.M. 1980. Comments on the classification and nomenclature of lampreys—an alternative view. *Canadian Journal of Fisheries and Aquatic Sciences*. **37**:1626-1629.
- Bailey, R.M. and T. Uyeno. 1964. Nomenclature of the blue chub and the tui chub, cyprinid fishes from Western United States. *Copeia* **1964**:238-239.
- Baird, S. F., C. Girard, J. Leidy, J. L. LeConte, J. Evans, and B. F. Shumard. 1854a. Descriptions of new fishes, collected by Dr. A.L. Heermann, naturalist attached to the survey of the Pacific Railroad Route, under Lt. R.S. Williamson, U.S.A. *Proceedings Academy Natural Sciences Philadelphia* **7**:129-140.
- Baker, P.F. and J.E. Morhardt. 2001. Survival of Chinook salmon smolts in the Sacramento-San Joaquin Delta and Pacific Ocean. Pages 163-196 *in* R. L. Brown, (ed.). *Contributions to the biology of Central Valley salmonids*. California Department of Fish and Game Fish Bulletin 179.

- Baltz, D.M. and E.J. Loudenslager. 1984. Electrophoretic variation among subspecies of tule perch (*Hysterocarpus traski*). *Copeia* **1984**:223-227.
- Baltz, D.M. and P.B. Moyle. 1981. Morphometric analysis of the tule perch (*Hysterocarpus traski*) populations in three isolated drainages. *Copeia* **1981**:305-311.
- Baltz, D.M. and P.B. Moyle. 1982. Life history characteristics of tule perch (*Hysterocarpus traski*) populations in contrasting environments. *Environmental Biology of Fishes* **7**:229-242.
- Baltz, D.M. and P.B. Moyle. 1993. Invasion resistance to introduced species by a native assemblage of California stream fishes. *Ecological Applications* **3**:246-255.
- Baltz, D.M., P.B. Moyle, and N.J. Knight. 1982. Competitive interactions between benthic stream fishes, riffle sculpin, *Cottus gulosus*, and speckled dace, *Rhinichthys osculus*. *Canadian Journal of Fisheries and Aquatic Sciences* **39**:1502-1511.
- Baltz, D.M., B. Vondracek, L.R. Brown, and P.B. Moyle. 1987. Influence of temperature on microhabitat choice by fishes in a California stream. *Transactions of the American Fisheries Society* **116**:12-20.
- Banks, M., M. Bartron, and P. Berrebi. 2000. Microsatellite DNA variation among Klamath River Chinook salmon. Report to the Trinity River Restoration Program.
- Barnes, R.N. 1957. A study of the life history of the western roach, *Hesperoleucus symmetricus*. M.S. Thesis, Univ. California, Davis. 25 pp.
- Barnett-Johnson, R., C. Grimes, C.F. Royer, and C.J. Donohoe. 2007. Identifying the contribution of wild and hatchery Chinook salmon (*Oncorhynchus tshawytscha*) to the ocean fishery using otolith microstructure as natural tags. *Canadian Journal of Fishery and Aquatic Sciences* **64**:1683-1692.
- Barnhart, R.A. 1986. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest)-- steelhead. U.S. Fish and Wildlife Service Biological Report. 82(11.60). 21 pp.
- Barnhart, R.A. 1994. Salmon and steelhead population of the Klamath-Trinity basin, California. in Hassler, T. J. (Ed. *Klamath Basin Fisheries Symposium: Proceeding of a symposium*. Arcata CA, California Cooperative Fishery Research Unit, Humboldt State University.
- Barry, P.M., E.C. Janney, D.A. Hewitt, B.S. Hayes, and A.C. Scott. 2009. Population dynamics of adult Lost River (*Deltistes luxatus*) and shortnose (*Chasmistes brevirostris*) suckers in Clear Lake Reservoir, California, 2006-08. USGS Open File Report 2009-1109.
- Barth, J.A., B.A. Menge, J. Lubchenco, F. Chan, J.M. Bane, A.R. Kirincich, M.A. McManus, K.J. Nielsen, S.D. Pierce, and L. Washburn. 2007. Delayed upwelling alters nearshore

- coastal ocean ecosystems in the northern California current. Proceedings of the National Academy of Sciences **104**:3719-3724.
- Bartholow, J. 2005. Recent water temperature trends in the lower Klamath River, California. North American Journal of Fisheries Management **25**:152-162.
- Bartholow, J.M. and J.A. Henriksen. 2006. Assessment of factors limiting Klamath River fall Chinook salmon production potential using historical flows and temperatures. U.S Department of Interior, U.S.G.S., 119 pp.
- Bartley, D.M., G.A.E. Gall, and B. Bentley. 1985. Preliminary description of the genetic structure of the white sturgeon, *Acipenser transmontanus*, in the Pacific Northwest. Pages 105-109 in F. P Binkowski and S. I. Doroshov, eds. North American sturgeons: biology and aquaculture potential. Dordrecht: Dr. W. Junk.
- Battin, J., M.W. Wiley, M.H. Ruckelshaus, R.N. Palmer, E. Korb, K.K. Bartz, and H. Imaki. 2007. Projected impacts of climate change on salmon habitat restoration. Proceedings of the National Academy of Sciences of the United States of America **104**:6720-6725.
- Baumsteiger, J. 2013. Phylogenetic appraisal of the North American freshwater fish clade, *Cottopsis*, with an emphasis on the diversification, speciation, and phylogeography of riffle (*Cottus gulosus*), Pit (*C. pitensis*), and prickly sculpin (*C. asper*). UC Merced.
- Baumsteiger, J. and A. Aguilar. 2014. Impact of dams on distribution, population structure, and hybridization of two species of California freshwater sculpin (*Cottus*). Conservation Genetics:1-14.
- Baumsteiger, J., A. P. Kinziger, and A. Aguilar. 2012. Life history and biogeographic diversification of an endemic western North American freshwater fish clade using a comparative species tree approach. Molecular phylogenetics and evolution **65**:940-952.
- Bayer, J.M., M.H. Meeuwig, and J.G. Seelye. 2000. Identification of larval Pacific lampreys (*Lampetra tridentata*), River lampreys (*L. ayresi*), and Western Brook lampreys (*L. richardsoni*) and thermal requirements of early life history stages of lampreys – Annual Report 1999. USGS Biological Resources Division, Western Fisheries Research Center, Cook, Washington.
- Bayer, J.M., M.H. Meeuwig and J.G. Seelye. 2001. Identification of larval Pacific lampreys (*Lampetra tridentata*), river lampreys (*L. ayresi*), and western brook lampreys (*L. richardsoni*) and thermal requirements of early life history stages of lampreys – Annual Report 2000. USGS Biological Resources Division, Western Fisheries Research Center, Cook, Washington.
- Beacham, T.D., D.E. Hay and K.D. Le. 2005. Population structure and stock identification of eulachon (*Thaleichthys pacificus*), an anadromous smelt, in the Pacific Northwest. Marine Biotechnology **7**:363-372

- Beamesderfer, R.C.P., and M.A.H. Webb. 2002. Green sturgeon status review information. S.P. Cramer and Associates for State Water Contractors, Sacramento, California. 44 pp.
- Beamish, R.J. 1980. Adult biology of the river lamprey (*Lampetra ayresi*) and the Pacific lamprey (*Lampetra tridentata*) from the Pacific coast of Canada. Canadian Journal of Fishery and Aquatic Sciences. **37**:1906-1923.
- Beamish, R.J. 1987. Evidence that parasitic and nonparasitic life history types are produced by one population of lamprey. Canadian Journal of Fishery and Aquatic Sciences **44**:1779-1782.
- Beamish, R.J. 1993. Climate and exceptional fish production off the West Coast of North America. Canadian Journal of Fisheries and Aquatic Science **50**:2270-2291.
- Beamish, R.J. 2010. The use of gill pore papillae in the taxonomy of lampreys. Copeia **2010**:618-628.
- Beamish, R. J., C. E. Neville, and A. J. Cass. 1997. Production of Fraser River sockeye salmon (*Oncorhynchus nerka*) in relation to decadal-scale changes in the climate and the ocean. Canadian Journal of Fisheries and Aquatic Science **54**:543-554.
- Beamish, R.J. and C.M. Neville. 1992. The importance of size as an isolating mechanism in lampreys. Copeia **1992**:191-196.
- Beamish, R.J., and C.M. Neville. 1995. Pacific salmon and Pacific herring mortalities in the Fraser River plume caused by river lamprey (*Lampetra ayresi*). Canadian Journal of Fishery and Aquatic Sciences **52**:644-655.
- Beamish, R.J. and N.E. Williams. 1976. A preliminary report on the effects of river lamprey (*Lampetra ayresii*) predation on salmon and herring stocks. Tech. Report No. 611, Fisheries and Marine Service, Canada.
- Beamish, R.J. and J.H. Youson. 1987. Life history and abundance of young adult *Lampetra ayresi* in the Fraser River and their possible impact on salmon and herring stocks in the Strait of Georgia. Canadian Journal of Fisheries and Aquatic Sciences **44**:525-537.
- Beamish, R.J., J.H. Youson, L.A. Chapman. 2001. Status of the Morrison Creek western brook lamprey, *Lampetra richardsoni*, in Canada. Canadian Field Naturalist **115**:573-578.
- Bedinger, M.S. and J.R. Harrill. 2006. Analytical Regression Stage Analysis For Devils Hole, Death Valley National Park, Nevada. Journal of the American Water Resources Association **42**: 827-839.

- Beechie, T., E. Buhle, M. Ruckelshaus, A. Fullerton, and L. Holsinger. 2006. Hydrologic regime and the conservation of salmon life history diversity. *Biological Conservation* **130**:560-572.
- Beesley, S. and R. Fiori. 2008. Restoration Planning in Lower Blue Creek, Lower Klamath River: Phase 1. Final Technical Report, Yurok Tribal Fisheries Program.
- Behnke, R.J. 1965. A systematic study of the family Salmonidae with special reference to the genus *Salmo*. Unpublished Ph.D. Dissertation, University of California, Berkeley.
- Behnke, R.J. 1972. The systematics of salmonid fishes of recently glaciated lakes. *Journal Fisheries Research Board, Canada*. **29**:639-671.
- Behnke, R.J. 1992. Native Trout of Western North America. American Fisheries Society Monograph 6. Bethesda, Maryland. 275 pp.
- Behnke, R.J. 1997. Evolution, systematics, and structure of *Oncorhynchus clarki clarki*. Pages 3-6 in J.D. Hall, P.A. Bisson, and R.E. Gresswell, (eds), Oregon Chapter American Fisheries Society, Corvallis, Oregon.
- Behnke, R.J. and J.R. Tomelleri 2002. Trout and salmon of North America. New York: The Free Press. 359 pp.
- Belchik, M. 1997. Summer locations and salmonid use of cool water areas in the Klamath River, Iron Gate Dam to Seiad Creek, 1996., Yurok Tribal Fisheries Program, Klamath, CA.
- Belchik, M., D. Hillemeier, and R.M. Pierce. 2004. The Klamath River Fish Kill of 2002; Analysis of Contributing Factors. Yurok Tribal Fisheries Program. 42pp.
- Belica, L.T. and N.P. Nibbelink. 2006. Mountain sucker (*Catostomus platyrhynchus*): A technical conservation assessment. Prepared for the USDA Forest Service, Rocky Mountain Region, Species Conservation Project, Golden CO.
- Bell, G.P. 1997. Ecology and management of *Arundo donax*, and approaches to riparian habitat restoration in southern California. Pages 103-113 in J. H. Brock, M. Wade, P. Pysek, and D. Green, editors. Plant Invasions: Studies from North America and Europe. Blackhuys Publishers, Leiden, The Netherlands.
- Bell, R.R. and J.B. Kimsey. 1955. Some considerations of the chemical treatment of the Monticello Reservoir basin, Napa County. California Department of Fish and Game, Inland Fisheries Administrative Report No. 55. 7 pp.
- Benda, L., D. Miller, P. Bigelow, and K. Andras. 2003. Effects of post-wildfire erosion on channel environments, Boise River, Idaho. *Forest Ecology and Management* **178**:105-119.

- Bennett, W. A. and P. B. Moyle. 1996. Where have all the fishes gone: interactive factors producing fish declines in the Sacramento-San Joaquin estuary. Pages 519-542 in J. T. Hollibaugh, editor. San Francisco Bay: the Ecosystem. AAAS, Pacific Division, San Francisco.
- Bennett, W.R., G. Edmondson, E.D. Lane and J. Morgan. 2005. Juvenile white sturgeon (*Acipenser transmontanus*) habitat and distribution in the lower Fraser River, downstream of Hope, BC, Canada. *Journal Applied Ichthyology* **21**:375-380.
- Bennett, W.R., G. Edmondson, K. Williamson, and J. Gelley. 2007. An investigation of the substrate preference of white sturgeon (*Acipenser transmontanus*) eleutheroembryos. *Journal of Applied Ichthyology* **23**:539-542.
- Benson, R.L., S. Turo, and B.W. McCovey Jr. 2007. Migration and movement patterns of green sturgeon (*Acipenser medirostris*) in the Klamath and Trinity rivers, California, USA. *Environmental Biology of Fishes* **79**:269-279.
- Berg, W.J. 1987. Evolutionary genetics of rainbow trout, *Parasalmo gairdnerii* (Richardson). Unpublished Ph.D. Dissertation, University of California, Davis.
- Bevelhimer, M.S. 2002. A bioenergetics model for white sturgeon *Acipenser transmontanus*: assessing differences in growth and reproduction among Snake River reaches. *Journal Applied Ichthyology* **18**:550-556.
- Billard, R. and G. Lecointre. 2001. Biology and conservation of sturgeon and paddlefish. *Reviews in Fish Biology and Fisheries* **10**:355-392.
- Bills, F.T. and C.E. Bond. 1980. A new subspecies of tui chub (Pisces: Cyprinidae) from Cowhead Lake, California. *Copeia* **1980**:320-322.
- Birstein, V.J. 1993. Is *Acipenser medirostris* one or two species? *The Sturgeon Quarterly* **1**: 8
- Bjornn, T.C. and D.W. Reiser. 1991. Habitat Requirements of salmonids in streams. Pages 83-138 in W. R. Meehan, editor. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19.
- Blunt, C.E. 1980. Atlas of California coastal marine resources. Sacramento, California Department of Fish and Game. 134 pp.
- Boccone, V. and W. Rowser. 1977. Field Note: Gualala River Stream Flow Measurements Taken with Pygmy Flow Meter Using 6-Tenths Depth Method To Determine Mean Velocity At Ten Stations. Includes Stations from the South Fork, North Fork, Wheatfield Fork, and Mainstem Gualala River California Department of Fish and Game, Region 3, Yountville, CA. 2 pp.



- Boguski, D.A., S.B. Reid, D.H. Goodman, and M.F. Docker. 2012. Genetic diversity, endemism and phylogeny of lampreys within the genus *lampetra sensu stricto* (Petromyzontiformes: Petromyzontidae) in western North America. *Journal of Fish Biology* **81**:1891-1914.
- Bond, C.E. and T.T. Kan. 1973. *Lampetra (Entosphenus) minima* sp., a dwarfed parasitic lamprey from Oregon. *Copeia* **1973**:568-574.
- Bond, C.E., E. Rexstad, and R.M. Hughes. 1988. Habitat use of twenty-five common species of Oregon freshwater fishes. *Northwest Science* **62**:223-232.
- Borok, S.L. and H.W. Jong. 1997. Evaluation of salmon and steelhead spawning habitat quality in the South Fork Trinity River basin, 1997. Inland Fisheries Administrative Report No. 97-8.
- Bortleson, G.C. and M.O. Fretwell. 1993. A review of possible causes of nutrient enrichment and decline of endangered sucker population in Upper Klamath Lake, Oregon. Report 93-4087, USGS, Water Resources Investigations, Portland, Oregon.
- Boyce, J. 2002. Genetic differentiation of lamprey populations within the genus *Lampetra* as determined by mtDNA control region sequence divergence and allozymes. M.S. Thesis, Humboldt State University, Arcata, California.
- Brandes, P.L. and J.S. McLain. 2001. Juvenile Chinook salmon abundance, distribution, and survival in the Sacramento-San Joaquin estuary. Pages 39-138 in R. Brown, ed. Contributions to the biology of Central Valley salmonids. California Department of Fish and Game Fish Bulletin **179**.
- Branner, J.C. 1907. A drainage peculiarity of the Santa Clara Valley affecting fresh-water faunas. *Journal of Geology* **15**:1-10.
- Breen, H. 2004. Water Authority Seeks State's Permission to Drill New Wells. Las Vegas Review-Journal. [www.reviewjournal.com/archive/2004archive.html](http://www.reviewjournal.com/archive/2004archive.html).
- Broadway, J.E. and P.B. Moyle. 1978. Aspects of the ecology of the prickly sculpin, *Cottus asper* Richardson, a persistent native species in Clear Lake, Lake County, California. *Environmental Biology of Fishes* **3**:337-343.
- Brodeur, R.D., J.R. Fisher, D.J. Teel, R.L. Emmett, E. Casillas, and T.W. Miller. 2004. Juvenile salmonid distribution, growth, condition, origin, and environmental and species associations in the Northern California Current. *Fisheries Bulletin* **102**:25-46.
- Broughton, J.M. 1994. Late Holocene resource intensification in the Sacramento Valley, California: the vertebrate evidence. *Journal of Archaeological Science* **21**:501-514.

- Brown, C. 1972. Downstream migration of Salmonids in the Navarro River, April through June 1972. California Department of Fish and Game. Bay-Delta and Special Water Projects Division.
- Brown, C. 1986. An Account of the Fishes Caught in the Lower Gualala River, California, 1984 Through 1986. California Department of Fish and Game, Bay-Delta Fisheries Project, October 1986.
- Brown, D.K., A.A. Echelle, D.L. Propst, J.E. Brooks, and W.L. Fisher. 2001. Catastrophic wildfire and number of populations as factors influencing risk of extinction for Gila trout (*Oncorhynchus gilae*). Western North American Naturalist **61**:139-148.
- Brown, J.H. 1971. The desert pupfish. Scientific American. **225**:104-110.
- Brown, L.R. 1988. Factors determining the distribution of three species of sculpin (*Cottus*) from the Pit River drainage, California. Unpublished Ph.D. Dissertation, University of California, Davis.
- Brown, L.R. 2000. Fish communities and their associations with environmental variables, lower San Joaquin River drainage, California. Environmental Biology of Fishes **57**:251-269.
- Brown, L.R. and M.L. Bauer. 2009. Effects of hydrologic infrastructure on flow regimes of California's Central Valley rivers: Implications for fish populations. River Research and Applications **26**:751-765.
- Brown, L.R. and A.M. Brasher. 1995. Effect of predation by Sacramento squawfish (*Ptychocheilus grandis*) on habitat choice of California roach (*Lavinia symmetricus*) and rainbow trout (*Oncorhynchus mykiss*) in artificial streams. Canadian Journal of Fisheries and Aquatic Sciences. **52**:1639-1646.
- Brown, L.R., S.D. Chase, M.G. Mesa, R.J. Beamish, and P.B. Moyle. 2010. Biology, management, and conservation of lampreys in North America. Page 321 pp in American Fisheries Society Symposium 72, Bethesda, MD.
- Brown, L.R. and T. Ford. 2002. Effects of flow on the fish communities of a regulated California river: implications for managing native fishes. River Research and Applications **18**:331-342.
- Brown, L.R., R.H. Gray, R.M. Hughes, and M.R. Meador. 2005. Introduction to the effects of urbanization on stream ecosystems. American Fisheries Society Symposium **47**:1-8.
- Brown, L.R. and J.T. May. 2007. Aquatic vertebrate assemblages of the Upper Clear Creek Watershed, California. Western North American Naturalist **67**:439-451.

- Brown, L.R. and D. Michniuk. 2007. Littoral fish assemblages of the alien-dominated Sacramento-San Joaquin Delta, California, 1980–1983 and 2001–2003. *Estuaries and Coasts* **30**:186-200.
- Brown, L.R. and P.B. Moyle. 1987. Survey of fishes of mid-elevation streams of the San Joaquin Valley. Unpublished Report, California Department of Fish and Game. 220 pp.
- Brown, L.R. and P.B. Moyle. 1991. Status of coho salmon in California. Report to the National Marine Fisheries Service, University of California, Davis. 95 pp.
- Brown, L.R. and P.B. Moyle. 1992. Native fishes of the San Joaquin Valley drainage: status of a remnant fauna and its habitats. Pages 89-98, *In*: D.F. Williams, T.A. Rado and S. Byrde, eds., *Proceedings of the Conference on Endangered and Sensitive Species of the San Joaquin Valley, California*. California Energy Commission, Sacramento.
- Brown, L.R. and P.B. Moyle. 1993. Distribution, ecology, and status of the fishes of the San Joaquin River drainage, California. *California Fish Game* **79**:96-113
- Brown, L.R. and P.B. Moyle. 1997. Invading species in the Eel River, California: successes, failures, and relationships with resident species. *Environmental Biology of Fishes* **49**:271-291.
- Brown, L.R. and P.B. Moyle. 2005. Native fish communities of the Sacramento-San Joaquin watershed, California: a history of decline. Pages 75-98 *in* F. Rinne, R. Hughes, and R. Calamusso, editors. *Fish communities of large rivers of the United States*. American Fisheries Society, Bethesda, MD.
- Brown, L.R., P.B. Moyle, W.A. Bennett and B.D. Quelvog. 1992. Implications of morphological variation among populations of California roach (Cyprinidae: *Lavinia symmetricus*) for conservation policy. *Biological Conservation* **62**:1-10.
- Brumo, A.F. 2006. Spawning, larval recruitment, and early life survival of Pacific lampreys in the South Fork Coquille River, Oregon. M.S. Thesis. Oregon State University, Corvallis.
- Buchanan, D.V., A.R. Hemmingsen, D.L. Bottom, R.A. French, and K.P. Currens. 1989. Oregon Department of Fish and Wildlife Native Trout Project F-136-R. Annual Progress Report. 22 pp.
- Buettner, M.E. and G.G. Scopetone. 1991. Distribution and information on the taxonomic status of shortnose sucker (*Chasmistes brevinostris*) and Lost River sucker (*Deltistes luxatus*) in the Klamath River basin, California. USFWS (Reno) Completion Report California Department of Fish and Game FG-8304.

- Burdick, S.M., A.X. Wilkens, and S.P. VanderKooi. 2008. Near-shore and off-shore habitat use by endangered juvenile Lost River and shortnose suckers in Upper Klamath Lake, Oregon: 2006 data summary. U.S. Geological Survey Open-File Report 2007-1356.
- Bureau of Land Management. 2007. Ch. 3 Affected Environment. Eagle Lake Field Office Proposed Resource Management and Final Environmental Impact Statement: 1-60.
- Bureau of Land Management. 2010. Eagle lake water budget. United States Department of the Interior, Bureau of Land Management, Sacramento, CA. 14 pp.
- Burgner, R.L., J.T. Light, L. Margolis, T. Okazaki, A. Tautz, and S. Ito. 1992. Distribution and origins of steelhead trout (*Oncorhynchus mykiss*) in offshore waters of the north Pacific Ocean. International North Pacific Fisheries Commission Bulletin **51**:1-92.
- Burner, L.C. and T.A. Rien. 2002. Incidence of white sturgeon deformities in two reaches of the Columbia River. California Fish and Game **88**:57-67.
- Burns, J.W. 1966. Hardhead. Pages 518-519 in A. Calhoun, editor. Inland Fisheries Management. California Department of Fish and Game, Sacramento.
- Burns, J.W. 1972. Some effects of logging and associated road construction on northern California streams. Transactions of the American Fisheries Society **101**:1-17.
- Busack, C.A., G.H. Thorgaard, M.P. Bannon, and G.A.E Gall. 1980. An electrophoretic, karyotypic and meristic characterization of the Eagle Lake trout, *Salmo gairdneri aquilarum*. Copeia **1980**:418-424.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L.J. Lierheimer, R.S. Waples, F.W. Waknitz, and I.V. Lagomarsino. 1996. Status Review of west coast steelhead from Washington, Idaho, Oregon, and California. National Marine Fisheries Service.
- Busby, P.J., T.C. Wainwright, R.S. Waples, and Northwest Fisheries Science Center. 1994. Status review for Klamath Mountains Province steelhead. US Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service.
- Buth, D.G. and C.B. Crabtree. 1982. Genetic variability and population structure of *Catostomus santaanae* in the Santa Clara drainage. Copeia **1982**:439-444.
- Caffrey, J., M. Brown, W.B. Tyler, and M. Silberstein, eds. 2002. Changes in a California estuary: A profile of Elkhorn Slough. Elkhorn Slough Foundation, Moss Landing, California.
- Caiola, N. and A. Sostoa. 2005. Possible reasons for the decline of two native toothcarps in the Iberian Peninsula: evidence of competition with the introduced Eastern mosquitofish. Journal of Applied Ichthyology **21**:358-363.

- California Data Exchange Center (CDEC). 2008. Klamath River watershed historical precipitation and outflows. California Department of Water Resources.
- California Department of Fish and Game. 1959. Walker Creek (Tomales Bay tributary) stream survey, 14 December 1959. CDFG unpublished file memo by J.T. Allen. Yountville, California.
- California Department of Fish and Game. 1965. California Fish and Wildlife Plan. State of California, The Resources Agency, Department of Fish and Game.
- California Department of Fish and Game. 1978. Results of electrofishing survey of Soula Jule Ranch Reservoir, Marin County, July 1978. Unpublished CDFG file memo by K.R. Anderson. Yountville, California.
- California Department of Fish and Game. 1980. At the crossroads 1980. A Report on California's endangered and rare fish and wildlife, State of California Resources Agency.
- California Department of Fish and Game. 1990a. Status and management of spring-run chinook salmon. Report by Inland Fisheries Division.
- California Department of Fish and Game. 1990b. Status and management of steelhead rainbow trout. Report by Inland Fisheries Division.
- California Department of Fish and Game. 1991. Little North Fork Gualala River electroshocking summary, 1986-1991. Unpublished draft report.
- California Department of Fish and Game. 1992a. Status Report: California Salmon. A report to the Fish and Game Commission, Sacramento.
- California Department of Fish and Game. 1995. Fish Species of Special Concern in California, Santa Ana speckled dace. Habitat Conservation Planning Branch, Sacramento California.
- California Department of Fish and Game. 1998. A status review of the spring-run chinook salmon (*Oncorhynchus tshawytscha*) in the Sacramento River drainage. Candidate Species Report 98-01. 150 pp.
- California Department of Fish and Game. 2001. Fay Creek, Sonoma County, electrofishing for coho salmon on September 14, 2001. Unpublished CDFG file memo by W. Cox. Yountville, California
- California Department of Fish and Game. 2004. Stream Inventory Report Coleman Valley Creek, Salmon Creek Watershed Sonoma County, Survey: Summer 2002, Report: March 2004.
- California Department of Fish and Game. 2006. Final statement of proposed emergency regulatory action.

- California Department of Fish and Game. 2006a. Klamath River basin fall Chinook salmon spawner escapement, in-river harvest and run-size estimates, 1978-2006.
- California Department of Fish and Game. 2007. San Joaquin River fishery and aquatic resources inventory. Cooperative Agreement 03FC203052. Final Report, September 2003 – September 2005. CDFG San Joaquin Valley -Southern Sierra Region. 49 pp.
- California Department of Pesticide Regulation. 2001. 2001 Annual Pesticide Use Report. Indexed by commodity for Monterey County.
- California Department of Water Resources. 2005. Fish passage improvement 2005. Water Resources Bulletin **250**.
- California Department of Water Resources. 2006. Progress on incorporating climate change into planning and management of California's Water Resources.
- California Fish and Game Commission. 1885. Biennial report of the Fish and Game Commission, 1883-1884. California Department of Fish and Game, Sacramento.
- California Hatchery Scientific Review Group (California HSRG). 2012. California Hatchery Review Report. Prepared for the US Fish and Wildlife Service and Pacific States Marine Fisheries Commission June 2012:100 pp.
- California Regional Water Quality Control Board-North Coast Region. 2001. Technical Support Document for the Gualala River Watershed Water Quality Attainment Action Plan for sediment.
- California Regional Water Quality Control Board North Coast Region. 2004. Upper Lost River and Clear Lake Reservoir Watershed Total Maximum Daily Load Analysis Water Temperature and Nutrients.
- Campbell, E.A. and P.B. Moyle. 1991. Historical and recent population sizes of spring run salmon in California. Pp. 155-216 *in* T. Hassler (ed.). Northeast Pacific chinook and Coho Salmon Workshop. American Fisheries Society. Arcata, CA.
- Cannata, S. 2009. Eulachon Data Search (February 23, 2009 letter to Dr. P.B. Adams, National Marine Fisheries Service, Santa Cruz, CA), California Department of Fish and Game, Fortuna, California.
- Cannata, S.P. 1998. Observations of steelhead trout (*Oncorhynchus mykiss*), coho salmon (*O. kisutch*) and water quality of the Navarro River Estuary/Lagoon, May 1996 to December 1997. Humboldt State University Foundation.
- Carl, G.C. and G. Clemens. 1953. The freshwater fishes of British Columbia. 2<sup>nd</sup> edition. British Columbia Province Museum Handbook 5. Victoria.

- Carlander, K.D. 1969. Handbook of freshwater fishery biology. Iowa State University Press, Ames.
- Carlisle, D.M., D.M. Wolock, and M.R. Meador. 2010. Alteration of streamflow magnitudes and potential ecological consequences: a multiregional assessment. *Frontiers in Ecology and the Environment* **9**:264-270.
- Carlson, S.M., W.H. Satterthwaite, and I.A. Fleming. 2011. Weakened portfolio effect in a collapsed salmon population complex. *Canadian Journal of Fisheries and Aquatic Science* **68**:1579-1589.
- Carmona-Catot, G., J. Benito, and E. García-Berthou. 2011. Comparing latitudinal and upstream–downstream gradients: life history traits of invasive mosquitofish. *Diversity and Distributions* **17**:214-224.
- Carmona-Catot, G., P.B. Moyle, E. Aparicio, P.K. Crain, L.C. Thompson, and E. García-Berthou. 2010. Brook trout removal as a conservation tool to restore Eagle Lake rainbow trout. *North American Journal of Fisheries Management* **30**:1315-1323.
- Carmona-Catot, G., P.B. Moyle, and R.E. Simmons. 2012. Long-term captive breeding does not necessarily prevent reestablishment: lessons learned from Eagle Lake rainbow trout. *Reviews in Fish Biology and Fisheries* **22**:325-342.
- Carmona-Catot, G., and J. Weaver. 2006. Golden trout report 2006. California Department of Fish and Game Heritage and Wild Trout Program, Sacramento, California.
- Casagrande, J., J. Hager, F. Watson, and M. Angelo. 2003. Fish Species Distribution and Habitat Quality for Selected Streams of the Salinas Watershed: Summer/Fall 2002. Report to the Central Coast Regional Water Quality Control Board, San Luis Obispo, California. The Watershed Institute, California State University Monterey Bay.
- Castleberry, D.T. and J.J. Cech, Jr. 1986. Physiological responses of a native and an introduced desert fish to environmental stressors. *Ecology* **67**:912-918.
- Castleberry, D.T. and J.J. Cech, Jr. 1993. Critical thermal maxima and oxygen minima of five fishes from the upper Klamath basin. *California Department Fish and Game* **78**:145-152.
- Castleberry, D.T., J.E. Williams, G.M. Sato, T.E. Hopkins, A.M. Brasher, and M.S. Parker. 1990. Status and management of Shoshone pupfish, *Cyprinodon nevadensis shoshone* (Cyprinodontidae), at Shoshone Spring, Inyo County, California. *Bulletin Southern California Academy of Sciences* **89**: 19-25.
- Cayan, D.R., M.D. Dettinger, S.A. Kammerdiener, J.M. Caprio, and D.H. Peterson. 2001. Changes in the onset of spring in the western United States. *Bulletin of the American Meteorological Society* **82**:399-415

- Cayan, D.R., E.P. Maurer, M.D. Dettinger, M. Tyree and K. Hayhoe. 2008. Climate change scenarios for the California region. *Climatic Change* **87**:21-42.
- Cayan, D., M. Tyree, M. Dettinger, H. Hidalgo, T. Das, E. Maurer, P. Bromirski, N. Graham, and R. Flick. 2009. Climate change scenarios and sea level rise estimates for the California 2008 Climate Change Scenarios Assessment. California Climate Change Center CEC-500-2009-014-D.
- Cech, Jr., J.J. and C.E. Crocker. 2002. Physiology of sturgeon: effects of hypoxia and hypercapnia. *Journal Applied Ichthyology* **18**:320-324.
- Cech, J.J., S.J. Mitchell, D.T. Castleberry, and M. McEnroe. 1990. Distribution of California stream fishes: influence of environmental temperature and hypoxia. *Environmental Biology of Fishes* **29**:95-105.
- Center for Biological Diversity. 2012. Petition to list the Clear Lake Hitch (*Lavinia exilicauda chi*) as endangered or threatened under the endangered species act. Submitted to U. S. Fish and Wildlife Service.
- CH2M Hill. 2003. Literature based characterization of resident fish entrainment and turbine-induced mortality. Prepared for PacifiCorp--Klamath Hydroelectric Project, Klamath Falls, Oregon.
- Chadwick, H.K. 1959. California sturgeon tagging studies. *California Fish and Game* **45**:297-301.
- Chapman, F.A., J.P. Van Eenennaam, and S.I. Doroshov. 1996. The reproductive condition of white sturgeon, *Acipenser transmontanus*, in San Francisco Bay, California. *Fishery Bulletin* **94**:628-634.
- Chase, S.D. 2001. Contributions to the life history of adult Pacific lamprey (*Lampetra tridentata*) in the Santa Clara River of Southern California. *Bulletin- Southern California Academy of Sciences* **100**:74-85.
- Chase, S. D., R. Benkert, D. Manning, and S. White. 2001. Sonoma County Water Agency's Mirabel Rubber Dam/Wohler Pool Fish Sampling Protocol. Sonoma County Water Agency, Santa Rosa, California.
- Chase, S., R. Benkert, D. Manning, and S. White. 2002. Sonoma County Water Agency's Mirabel Rubber Dam/Wohler Pool Fish Sampling Program: Year 2 Results 2001. Sonoma County Water Agency, Santa Rosa, California.
- Chase, S., R. Benkert, D. Manning, and S. White. 2003. Sonoma County Water Agency's Mirabel Rubber Dam/Wohler Pool Fish Sampling Program: Year 3 Results 2002. Sonoma County Water Agency, Santa Rosa, California.



- Chase, S., R. Benkert, D. Manning, and S. White. 2004. Sonoma County Water Agency's Mirabel Rubber Dam/Wohler Pool Fish Sampling Program: Year 4 Results 2003. Sonoma County Water Agency, Santa Rosa, California.
- Chase, S., R. Benkert, D. Manning, and S. White. 2005. Sonoma County Water Agency's Mirabel Rubber Dam/Wohler Pool Fish Sampling Program: Year 5 Results, 2004.
- Chen, Y. 2006. Population structure, introgression, taxonomy, and conservation of endangered tui chubs. University of California, Davis.
- Chen, Y., S. Parmenter, and B. May. 2007. Introgression between Lahontan and endangered Owens Tui Uhubs, and apparent discovery of a new tui chub in the Owens Valley, California. *Conservation Genetics* **8**:221-238.
- Chen, Y., S. Reid, and B. May. 2009. Genetic relationships of tui chub populations in the northwestern Great Basin and conservation implications for the Cow Head Tui Chub. *Conservation Genetics* **10**:101-114.
- Chilcote, M.W., K.W. Goodson, and M.R. Falcy. 2011. Reduced recruitment performance in natural populations of anadromous salmonids associated with hatchery-reared fish. *Canadian Journal of Fisheries and Aquatic Sciences* **68**:511-522.
- Chun, S, S. Hamilton, J. Graham, G. Jones, D. Cocherell, J. Miranda, D. Kratville, and J.J. Cech, Jr. 2005. Longitudinal and latitudinal displacement of juvenile harhead and rainbow trout in a simulated pulsed flow. American Fisheries Society Cal-Neva chapter symposium and 39<sup>th</sup> annual meeting, Sacramento, California.
- Clarke, A.D., A. Lewis, K.H. Telmer and J.M. Shrimpton. 2007. Life history and age at maturity of an anadromous smelt, the eulachon *Thaleichthys pacificus* (Richardson). *Journal of Fish Biology* **71**:1479-1493.
- Clemens, B.J., S. Van De Wetering, J. Kaufman, R.A. Holt, and C.B. Schreck. 2009. Do summer temperatures trigger spring maturation in Pacific lamprey, *Entosphenus tridentatus*? *Ecology of Freshwater Fish* **18**:418-426.
- Clemento III, A.J. 2006. Subpopulation Structure of Steelhead Trout (*Oncorhynchus mykiss*) in the Middle Fork Eel River as determined by microsatellite DNA polymorphism. Humboldt State University. Masters of Science, thesis.
- Close, D.A. 2001. Pacific lamprey research and restoration. BPA Report no. DOE/BP-00005455-1. Bonneville Power Administration, Portland, Oregon.
- Close, D., A. Jackson, J. Bronson, M. Fitzpatrick, G. Feist, B. Siddens, H. Li, C. Schreck, C. Lorion, M. Powell, J. Falter, J. Bayer, J. Seelye, D. Hatch, A. Talbot, R. Hooff, C. Beasley

- and J. Netto. 1999. Pacific lamprey research and restoration project, Project no. 1994-02600. Bonneville Power Administration, Portland, Oregon.
- Close, D., K. Aronsuu, A. Jackson, T. Robinson, J. Bayer, J. Seelye, S. Yum, A. Scott, W. Li, and C. Torgensen. 2003. Pacific Lamprey Research and Restoration Project, Annual Report 2002. Report of Confederate Tribes of the Umatilla Indian Reservation to U.S. Department of Energy, Bonneville Power Administration (BPA), Portland, Oregon.
- Close, D., M. Docker, T. Dunne, and G. Ruggerone. 2010. Klamath river expert panel final report—scientific assessment of two dam removal alternatives on lamprey. Portland, OR.
- Close, D.A., M.S. Fitzpatrick, and H.W. Li. 2002. The ecological and cultural importance of a species at risk of extinction, Pacific lamprey. *Fisheries* **27**:19-25.
- Coats, R., J. Perez-Losada, G. Schladow, R. Richards and C. Goldman. 2006. The warming of lake Tahoe. *Climatic Change* **76**:121-148.
- Cocherell, D., S. Hamilton, J. Cech Jr., and P. Klimley. 2007. Adult hardhead minnow and rainbow trout preference in a large, annular apparatus. Abstracts, Pulsed Flow Conference, University of California at Davis, California.
- Cochran, P.A. 2009. Predation on lampreys. *American Fisheries Society*:1-14.
- Coleman, G.A. 1930. A biological survey of Clear Lake, Lake County. *California Fish and Game* **16**:221-227.
- Columbia River Basin Lamprey Technical Workgroup. 2004. Passage considerations for Pacific lamprey. Columbia Basin Fish and Wildlife Authority, Portland, Oregon.
- Committee on the status of endangered wildlife in Canada. 2004. Assessment and update status report on the green sturgeon *Acipenser medirostris* in Canada. 31 pp.
- Constantz, G.D. 1981. Life history patterns of desert fishes. Pages 237-290 in R.J. Naiman and D.L. Soltz, eds., *Fishes in North American Deserts*. John Wiley, New York.
- Contreras, D., V. Afentoulis, K. Hieb, R. Baxter, and S. Slater. 2011. 2010 Status and Trends Report for pelagic fishes of the upper San Francisco Estuary. *IEP Newsletter* **24**:27-38.
- Cook, D. 2003. Upper Russian River Steelhead Distribution Study. Sonoma County Water Agency.
- Cook, D. 2004. Russian River estuary flow-related habitat project, survey methods report 2003. Sonoma County Water Agency, Santa Rosa, California.
- Cook, D. 2005. Russian river estuary fish and macro-invertebrate studies, 2004. Sonoma County Water Agency 28

- Cook, D. 2006. Russian River Estuary Fish And Macro-Invertebrate Studies, 2005. Sonoma County Water Agency.
- Cook, D.G., S.D. Chase, and D.J. Manning. 2010. Distribution and ecology of the Russian River tule perch. *California Fish and Game* **96**:146-164.
- Cook, S.F., Jr. 1964. The potential of two native California fish in the biological control of chironomid midges (Diptera: Chironomidae). *Mosquito News* **24**:332-333.
- Cook, S.F., J.D. Conners, and R.L. Moore. 1964 . The impact of the fishery upon the midge populations of Clear Lake, Lake County, California. *Annals of the Entomological Society of America* **57**:701-707.
- Cooke, S.J., C.M. Bunt, S.J. Hamilton, C.A. Jennings, M.P. Pearson, M.S. Cooperman, D.F. Markle. 2005. Threats, conservation strategies, and prognosis for suckers (Catostomidae) in North America: insights from regional case studies of a diverse family of non-game fishes. *Biological Conservation* **121**:317-331.
- Cooper, J.J. 1983. Distributional ecology of native and introduced fishes in the Pit River system, northeastern California, with notes on the Modoc sucker. *California Fish and Game* **69**:39-53.
- Coots, M. 1967. Angler's Guide to the Klamath River. California Fish and Game.
- Cope, E.D. 1883. On the fishes of the recent and Pliocene lakes of the western part of the Great Basin, and of the Idaho Pliocene Lake. *Proceedings Philadelphia Academy Natural Sciences* **35**:134-166.
- Cordes, J.F., M.R. Stephens, M.A. Blumberg, and B.P. May. 2006. Identifying introgressive hybridization in native populations of California golden trout based on molecular markers. *Transactions of the American Fisheries Society* **135**:110-128.
- Cornelius, R.H. 1969. The systematics and zoogeography of *Rhinichthys osculus* (Girard) in Southern California. M.A. Thesis, California State University, Fullerton. 194 pp.
- County of Marin Department of Health and Human Services. 2009. Interim Health Advisory for Eating Fish Caught in Soulajule Reservoir. County of Marin Department of Health and Human Services.
- Courter, A., J. Vaughn, and S. Duery. 2010. 2010 Tule Lake sucker relocation project: summary report to Bureau of Reclamation. Cramer Fish Sciences, Gresham, OR.
- Coutant, C.C. 2004. A riparian habitat hypothesis for successful reproduction of white sturgeon. *Reviews in Fisheries Science* **12**:23-73.

- Cox, W. 1984. Russian River Fish Population Survey. California Department of Fish and Game.
- Crabtree, C.B. and D.W. Buth. 1981. Gene duplication and diploidization in tetraploid catostomid fishes, *Catostomus fumeiventris* and *C. santaanae*. *Copeia* **1981**:705-708.
- Crain, P.K., and D.M. Corcoran. 2000. Age and Growth of Tui Chub in Eagle Lake, California. *California Fish and Game* **86**: 149-155.
- Crain, P.K., K. Whitener, P.B. Moyle. 2004. Use of a restored central California floodplain by larvae of native and alien fishes. Pages 125-140 in F. Feyrer, L.R. Brown, R.L. Brown, and J.J. Orsi, editors. Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society Symposium 39, Bethesda, Maryland.
- Crain, P.K. and P.B. Moyle. 2011. Biology, history, status, and conservation of the Sacramento perch, *Archoplites interruptus*: a review. *San Francisco Estuary and Watershed Science* **9**:1-35.
- Crocker, C.E. and J.J. Cech, Jr. 2002. The effects of dissolved gases on oxygen consumption rate and ventilation frequency in white sturgeon, *Acipenser transmontanus*. *Journal Applied Ichthyology* **18**:338-340.
- Culver, G.B., and C.L. Hubbs. 1917. The fishes of the Santa Ana System streams in southern California. *Lorquina* **1**:82-83.
- Curtis, B. 1934. The golden trout of Cottonwood Lakes (*Salmo agua-bonita* Jordan). *Transaction American Fisheries Society* **64**:259-265.
- Daniels, R.A. 1987. Comparative life histories and microhabitat use in three sympatric sculpins (Cottidae:*Cottus*) in northeastern California. *Environmental Biology of Fishes* **19**:93-110.
- Daniels, R.A. and P.B. Moyle. 1983. Life history of splittail (Cyprinidae:*Pogonichthys macrolepidotus*) in the Sacramento-San Joaquin estuary. *Fisheries Bulletin* **84**:105-117.
- Daniels, R.A. and P.B. Moyle. 1984. Geographic variation and a taxonomic reappraisal of the marbled sculpin, *Cottus klamathensis*. *Copeia* **1984**:949-959.
- Danielsen, T.L. 1968. Differential predation on *Culex pipiens* and *Anopheles albimanus* mosquito larvae by two species of fish (*Gambusia affinis* and *Cyprinodon nevadensis*) and the effects of simulated reeds on predation. Ph.D. Thesis, University of California, Riverside. 115 pp.
- Dauble, D.D., R.A. Moursund, and M.D. Bleich. 2006. Swimming behaviour of juvenile Pacific lamprey, *Lampetra tridentata*. *Environmental Biology of Fishes* **75**:167-171.

- Dauwalter, D.C. and F.J. Rahel. 2008. Distribution modeling to guide stream fish conservation: an example using the mountain sucker in the Black Hills National Forest, USA. *Aquatic Conservation: March Freshwater Ecosystem* **18**:1263-1276.
- Dayan, T. and D. Simberloff. 2005. Ecological and community wide character displacement: the next generation. *Ecology Letters* **8**:875-894.
- Deacon, J.E. 2011. Probable Effects of Proposed Groundwater Pumping by Southern Nevada Water Authority in Spring, Cave, Dry Lake and Delamar Valleys, Nevada on Spring and Wetland-Dependent Biota. Prepared for the Office of Nevada State Engineer on behalf of Great Basin Water Network, University of Nevada, Las Vegas.
- Deacon, J.E., A.E. Williams, C.D. Williams, and J.E. Williams. 2007. Fueling population growth in Las Vegas: how large-scale groundwater withdrawal could burn regional biodiversity. *BioScience* **57**:688-698.
- Deacon, J.E. and C.D. Williams. 1991. Ash Meadows and the legacy of the Devil's Hole pupfish. Pages 69-87 *in* W. L. Minckley and J. E. Deacon, eds. *Battle against extinction: native fish management in the American West*. University of Arizona Press, Tuscon.
- Deacon, J.E. and J.E. Williams. 1984. Annotated list of the fishes of Nevada. *Proceedings Biological Society Washington* **97**:103-118.
- Dean, M. 1995. Snorkel and redd surveys on the spring Chinook salmon in the South Fork Trinity River basin: survey report 1995 season. Report to California Department of Fish and Game.
- Dean, M. 1996. Survey Report, 1995 Season. Snorkel and Redd Surveys of Spring Chinook Salmon in the South Fork Trinity River Basin. prep. for Huber, Harpham and Assoc.
- Dean, M. and P. Chapell. 2005. Eagle Lake fishery management plan, 2005 through 2010. Technical report, California Department of Fish and Game. 23 pp.
- Decker, L.M. 1989. Coexistence of two species of sucker, *Catostomus*, in Sagehen Creek, California, and notes on their status in the western Lahontan Basin. *Great Basin Naturalist* **49**:540-551.
- Decker, L.M. and D.C. Erman. 1992. Short-term seasonal change in composition and abundance of fish in Sagehen Creek, California. *Transactions of the American Fisheries Society* **121**:297-306.
- DeHaven, R.W. 2006. Adult and juvenile steelhead population surveys, Gualala River, California, 2006. Prepared by the author December 31, 2006, for use by agencies, groups and individuals involved in steelhead recovery efforts: 47pp.

- DeHaven, R.W. 2007. Adult and juvenile steelhead population surveys, Gualala River, California, 2007. Prepared by the author December 31, 2007, for use by agencies, groups and individuals involved in steelhead recovery efforts.
- DeHaven, R.W. 2008. Adult and juvenile steelhead population surveys, Gualala River, California, 2008. Prepared by the author December 31, 2008, for use by agencies, groups and individuals involved in steelhead recovery efforts.
- Deinstadt, J.M., D.C. Lentz, E. Gerstung, D.E. Burton, R. Bloom, W.L. Somer, S.K. Lehr, and R. Wickwire. 2004. Survey of fish populations in streams of the East Fork Carson River drainage, California. California Department of Fish and Game, Fisheries Programs Branch Administration Report **2004-8**.
- Deinstadt, J.M., E.J. Pert, F.G. Hoover, and S. Sasaki. 1990. Survey of fish populations in southern California streams: 1987. California Department Fish and Game, Inland Fish. Div. Administrative Report 90-1:
- Deinstadt, J.M., G.F. Sibbald, J.D. Knarr, and D.M. Wang. 1986. Survey of fish populations in streams of the Owens River drainage: 1985. California Department Fish and Game, Inland Fish. Administrative Report No. 86-3.
- Deitch, M.J., G.M. Kondolf, and A.M. Merenlender. 2009a. Hydrologic impacts of small-scale instream diversions for frost and heat protection in the California wine country. *River Research and Applications* **25**:118-134.
- Deitch, M.J., G.M. Kondolf, and A.M. Merenlender. 2009b. Surface water balance to evaluate the hydrological impacts of small instream diversions and application to the Russian River basin, California, USA. *Aquatic Conservation: Marine and Freshwater Ecosystems* **19**:274-284.
- Deng, D., F. Teh, and S. Teh. 2008. Effect of dietary methylmercury and seleno-methionine on Sacramento splittail larvae. *Science of the Total Environment* **407**:197-203.
- Department of Environmental Quality. 2010. Fact sheet □ Upper Klamath and Lost River: draft water quality improvement plans. Department of Environmental Quality, Bend, OR.
- Department of Water Resources. 1993. California Water Plan Update. Volume 2. Bulletin 160-93.
- Department of Water Resources. 2003a. California's groundwater. Bulletin **118**.
- Department of Water Resources. 2005a. California water plan update 2005, volume 1-strategic plan, chapter 4: preparing for an uncertain future. California department of water resources, Sacramento, CA.

- Desjardins, M. and D.F. Markle. 2000. Distribution and biology of suckers in lower Klamath reservoirs – 1999 Final Report. Prepared for PacifiCorp by Department of Fisheries and Wildlife, Oregon State University, Corvallis, Oregon.
- Dettinger, M.D. 2005. From climate-change spaghetti to climate-change distributions for 21st Century California. *San Francisco Estuary and Watershed Science* **3**.
- Dettinger, M.D. and D.R. Cayan. 1995. Large-Scale Atmospheric Forcing of Recent Trends toward Early Snowmelt Runoff in California. *Journal of Climate* **8**: 606-623.
- DeWitt, J.W. 1954. A survey of the coast cutthroat trout (*Salmo clarki clarki*) in California. *California Fish and Game* **40**: 329-335.
- Diffenbaugh, N.S., M.A. Snyder, and L.C. Sloan. 2004. Could CO<sub>2</sub>-induced land-cover feedbacks alter near-shore upwelling regimes? *Proceedings of the National Academy of Sciences* **101**:27-32.
- DiLorenzo, E., N. Schneider, K.M. Cobb, P. J.S. Franks, K. Chhak, A.J. Miller, J.C. McWilliams, S.J. Bograd, H. Arango, E. Curchitser, T.M. Powell, and P. Rivière. 2008. North Pacific Gyre Oscillation links ocean climate and ecosystem change. *Geophysical Research Letters* **35**:6.
- Docker, M.F. 2009. A review of the evolution of nonparasitism in lampreys and an update of the paired species concept. Pages 71-114 *in* L. Brown, S. Chase, M. Mesa, R. Beamish, and P. Moyle, editors. *Biology, Management, and Conservation, of Lampreys in North America*. American Fisheries Society, Bethesda, MD.
- Docker, M.F. 2010. Microsatellite analysis of Pacific lamprey along the west coast of North America. Report to the US fish and Wildlife Service, Aracata, California. FWS Agreement.
- Docker, M.F., J.H. Youson, R.J. Beamish, and R.H. Devlin. 1999. Phylogeny of the lamprey genus *Lampetra* inferred from mitochondrial cytochrome *b* and ND3 gene sequences. *Canadian Journal of Fishery and Aquatic Sciences*. **56**:2340-2349.
- Donham, R.T., D. Morin, and R.S. Tjeerdema. 2006. Salinity effects on activity and expression of glutathione S-transferases in white sturgeon and Chinook salmon. *Ecotoxicology and environmental safety* **63**:293-298.
- Doroshov, S., G.P. Moberg, and J.P. Van Eenennaam. 1997. Observations on the reproductive cycle of cultured white sturgeon, *Acipenser transmontanus*. *Environmental Biology of Fishes* **48**:265-278.
- Drennan, J.D., S.E. LaPatra, C.A. Samson, S. Ireland, K.F. Eversman and K.D. Cain. 2007. Evaluation of lethal and nonlethal sampling methods for the detection of white sturgeon

- iridovirus infection in white sturgeon, *Acipenser transmontanus* (Richardson). *Journal of Fish Diseases* 30:367-379.
- DuBois, J., and M. Gingras. 2011. Using Harvest Rate and Harvest to Estimate White Sturgeon Abundance Interagency Ecological Program for the San Francisco Estuary Newsletter **24**:23-26.
- DuBois, J., M. Gingras, and G. Aasen. 2011. Interagency Ecological Program for the San Francisco Estuary Newsletter. Status and Trends of San Francisco Estuary White Sturgeon. Interagency Ecological Program for the San Francisco Estuary **24**:50-55.
- DuBois, J., and M. Gingras. 2013. Interagency Ecological Program for the San Francisco Estuary Newsletter. Sturgeon CPUE from Commercial Passenger Fishing Vessels and White Sturgeon CPUE from a Mark-Recapture Study. Interagency Ecological Program for the San Francisco Estuary **26**:13-15.
- Duncan, K. W. and K.C. McDaniel. 1998. Saltcedar (*Tamarix* spp.) management with imazapyr. *Weed technology*:337-344.
- Dupré, W.R. 1990. Quaternary geology of the Monterey Bay region, California. *Geology and Tectonics of the Central California Coast Region, San Francisco to Monterey*:185–191.
- Eagles-Smith, C.A. 2006. Food web structure, trophic transfer, and bioaccumulation in two California Lakes. Ph.D. Thesis. University of California, Davis.
- Eagles-Smith, C.A., T.H. Suchanek, A.E. Colwell and N.L. Anderson. 2008a. Mercury trophic transfer in a eutrophic lake: the importance of habitat-specific foraging. *Ecological Applications* **18**:196-212.
- Eagles-Smith, C.A., T.H. Suchanek, A.E. Colwell, N.L. Anderson, and P.B. Moyle. 2008b. Changes in fish diets and food web mercury bioaccumulation induced by an invasive planktivorous fish. *Ecological Applications* **18**:213-226.
- Eaton, J.G. and R.M. Scheller. 1996. Effects of climate warming on fish thermal habitat in streams of the United States. *Limnology and Oceanography* **41**:1109-1115.
- Ebersole, J.L., W.J. Liss, and C.A. Frissell. 2001. Relationship between stream temperature, thermal refugia and rainbow trout *Oncorhynchus mykiss* abundance in arid-land streams in the northwestern United States. *Ecology of Freshwater Fish* **10**:1-10.
- Ebersole, J.L., W.J. Liss, and C.A. Frissell. 2003. Cold Water Patches in Warm Streams: Physicochemical Characteristics and the Influence of Shading. *Journal of the American Water Resources Association* **39**:355-368.
- Echelle, A.A. and T.E. Dowling. 1992. Mitochondrial DNA variation and evolution of the Death Valley pupfishes (*Cyprinodon*, *Cyprinodontidae*) *Evolution* **46**:193-206.



- Echelle, A.A. and A.F. Echelle. 1993. Allozyme perspective on mitochondrial DNA variation and evolution of the Death Valley pupfishes (Cyprinodontidae: *Cyprinodon*). *Copeia* **1993**:275-387.
- Eigenmann, C.H. and R.S. Eigenmann. 1889. Description of a new species of *Cyprinodon*. *Proceedings California Academy of Sciences* **1**:270.
- EIP Associates. 1994. Gualala Aggregates, Inc. Final Environmental Impact Report State Clearinghouse No. 92123014. Prepared for Permit and Resource Management Department Sonoma County, CA.
- El Dorado Irrigation District. 2007. Project 184 – Hardhead monitoring plan (version 3.0). Placerville, California.
- Elder, D., B. Olson, A. Olson, J. Villeponteaux, and P. Brucker. 2002. Salmon river subbasin restoration strategy: steps to recovery and conservation of aquatic resources don. U.S. Fish and Wildlife Service, Yreka, California.
- Ellison, J.P. 1980. Diets of mountain whitefish, *Prosopium williamsoni*, and brook trout, *Salvelinus fontinalis* in the Little Walker River, Mono County, California. *California Fish and Game* **66**: 96–104.
- Ellsworth, C. M., T. Tyler, S. VanderKooi, and D. Markle. 2009. Patterns of Larval Sucker Emigration from the Sprague and Lower Williamson Rivers of the Upper Klamath Basin, Oregon, Prior to the Removal of Chiloquin Dam—2006 Annual Report. US Geological Survey Open-File Report **1027**:32.
- Emig, J.W. 1984. Fish population survey, Walker Creek, Marin County, 1981. California Department of Fish and Game. Anadromous Fisheries Branch, Administrative Report No. 84-02. Sacramento, California. 15 pp.
- Emmett, R.L., S.L. Stone, S.A. Hinton and M.E. Monaco. 1991. Distribution and abundances of fishes and invertebrates in west coast estuaries, Volume 2: Species life histories summaries. Estuarine Living Marine Resources Program Report Number 8. NOS/NOAA Strategic Environmental Assessment Division, Rockville, MD, 329 pp.
- Entrix Inc. 1992. South Fork Gualala River fishery resource study. Prepared for the Sea Ranch Water Company. Walnut Creek, CA. 63 pp.
- Entrix Inc. 1996. Results of fish passage monitoring at the Vern Freeman Diversion Facility, Santa Clara River, 1996. Project 324402. United Water Conservation District, Santa Paula Rpt. 43 pp.
- Entrix Inc. 2001. Report of fish entrainment sampling conducted at the Pacific Gas and Electric Company's Pit 4 powerhouse. Project No. 366005. Walnut Creek, California.

- Entrix Inc, Pacific Watershed Associates, Circuit Rider Productions Inc, The Navarro Watershed Community Advisory Group, and D. T. Sicular. 1998. Navarro Watershed Restoration Plan. Published jointly by: Anderson Valley Land Trust, California State Coastal Conservancy, and Mendocino County Water Agency
- Erickson, B. 2013. The search for the Kern River Rainbow: conservation genetics of a native trout. University of California, Davis.
- Erickson, D.L., J.A. North, J.E. Hightower, J. Weber, and L. Lauck. 2002. Movement and habitat use of green sturgeon *Acipenser medirostris* in the Rogue River, Oregon, USA. *Journal Applied Ichthyology* **18**:565-569.
- Erickson, D.L. and M.A.H. Webb. 2007. Spawning periodicity, spawning migration, and size at maturity of green sturgeon, *Acipenser medirostris*, in the Rogue River, Oregon. *Environmental Biology of Fishes* **79**:255-268.
- Erman, D.C. 1973. Invertebrate movements and some diel and seasonal changes in a Sierra Nevada peatland. *Oikos*:85-93.
- Erman, D.C. 1986. Long-term structure of fish populations in Sagehen Creek, California. *Transaction American Fisheries Society* **115**:682-692.
- Evenson, D.F. 2001. Egg pocket depth and particle size composition within Chinook salmon redds in the Trinity River, California. Humboldt State University.
- Everest, F. H. 1973. Ecology and management of summer steelhead in the Rogue River. Oregon State Game Commission, Fisheries Research Report No. 7, Project AFS-31.
- Evermann, B.W. 1905. The golden trout of the southern High Sierras. *Bulletin U.S. Bureau Fisheries* **25**:1-51.
- Evermann, B.W. and H.W. Clark. 1931. A distributional list of the species of freshwater fishes known to occur in California. *Fish Bulletin* No. 35, California State Printing Office, Sacramento.
- Fahey, D. 2006. Updated flood frequencies and a canal breach on the upper Klamath River. Water Resources Center Archives (Hydrology), University of California at Berkeley. 35 pp.
- Falter, M.A. and J.J. Cech, Jr. 1991. Maximum pH tolerance of three Klamath basin fishes. *Copeia* **1990**:1109-1111.
- Farr, R.A. and J.C. Kern. 2005. Green sturgeon population characteristics in Oregon. Final report of Oregon Department of Fish and Wildlife to the U.S. Fish and Wildlife Service. Portland, Oregon.

- Fawcett, M.H., J.C. Roth, and J.W. Smith. 2003. Salmonid juvenile density monitoring in Sonoma County streams, synthesis of a ten-year study (1993-2002). Merritt Smith Consulting, Santa Rosa, Ca.
- Feder, M.E., T. Garland Jr., J.H. Marden, and A.J. Zera. 2010. Locomotion in Response to Shifting Climate Zones: Not So Fast. *Annual Review of Physiology* **72**.
- Feeney, R.F. and C.C. Swift. 2008. Description and ecology of larvae and juveniles of three native cypriniforms of coastal southern California. *Ichthyological Research* **55**:65-77.
- Feliciano, J.B. 2004. A Study of the Salmonid Populations in the Navarro River Watershed: Tracking Declines and Tools for Monitoring. Unpublished Ph.D. dissertation, University of California, Davis.
- Feyrer, F. and M.P. Healey. 2002. Structure, sampling gear, and environmental associations, and historical changes in the fish assemblage of the southern Sacramento-San Joaquin Delta. *California Fish and Game* **88**:126-138
- Feyrer, F., B. Herbold, S.A. Matern, and P.B. Moyle. 2003. Dietary shifts in a stressed fish assemblage: consequences of a bivalve invasion in the San Francisco Estuary. *Environmental Biology of Fishes* **67**:277-288.
- Feyrer, F., J. Hobbs, and T. Sommer. 2010. Salinity inhabited by age-0 splittail (*Pogonichthys macrolepidotus*) as determined by direct field observation and retrospective analyses with otolith chemistry. *San Francisco Estuary and Watershed Science* **8**:1-10.
- Feyrer, F., T. Sommer, and R.D. Baxter. 2005. Spatial-temporal distribution and habitat associations of age-0 splittail in the lower San Francisco Estuary Watershed. *Copeia* **2005**:159-168.
- Feyrer, F., T. Sommer, and W. Harrell. 2006. Managing floodplain inundation for native fish: production dynamics of age-0 splittail (*Pogonichthys macrolepidotus*) in California's Yolo Bypass. *Hydrobiologia* **573**:213-226.
- Feyrer, F., T. Sommer, and J. Hobbs. 2007. Living in a dynamic environment: variability in life history traits of age-0 splittail in tributaries of San Francisco Bay. *Transactions American Fisheries Society* **136**:1393-1405.
- Field, C.B., G.C. Daily, F.W. Davis, S. Gaines, P.A. Matson, J. Melack, and N.L. Miller. 1999. Confronting climate change in California Ecological impacts on the Golden State. A report of the Union of Concerned Scientists, Cambridge, Massachusetts, and the Ecological Society of America, Washington, DC.
- Fisk, L. 1969. Golden Trout of the High Sierra. California Department of Fish and Game, Inland Fisheries Branch, Sacramento, CA.

- Fite, K.R. 1973. Feeding overlap between juvenile steelhead and California roach in the Eel River. M.S. Thesis, California State University, Humboldt. 38 pp.
- Follett, W.I. 1937. Prey of the weasel and mink. *Journal of Mammalogy* **18**:365.
- Fong, D. 1999. 1997 California freshwater shrimp (*Syncaris pacifica*) surveys within Point Reyes National Seashore and Golden Gate National Recreation Area (GGNRA), Prepared for the GGNRA, Division of Resource Management and Planning, and the U.S. Fish and Wildlife Service, Endangered Species Permits, Ecological Services, Portland Regional Office. 30 pp.
- Foott, J.S. and R. Harmon. 1999. Histological evaluation of Klamath Lake basin blue chub tissues. U.S. Fish and Wildlife Service, California-Nevada Fish Health Center, Anderson, California.
- Foott, J.S., R. Harmon, and R. Stone. 2003. FY2002 investigation report: Ceratomyxosis resistance in juvenile Chinook salmon and steelhead from the Klamath River. U.S. Fish and Wildlife Service California- Nevada Fish and Health Center, Anderson, California.
- Foott, J.S., R. Harmon, and R. Stone. 2004. Effect of water temperature on non-specific immune function and ceratomyxosis in juvenile chinook salmon and steelhead from the Klamath River. *California Fish and Game* **90**:71-84.
- Foott, J.S., T. Martinez, K. Harmon, B. True, C. McCasland, C. Glace, and R. Engle. 2002. FY2001 investigational report: juvenile Chinook health monitoring in the Trinity River, Klamath river, and estuary. June- August 2001. U.S. Fish and Wildlife Service, California- Nevada Fish Health Center, Anderson, California.
- Ford, T. 1977. Status summary report on the Modoc sucker. Unpublished Report, USFS, Modoc National Forest, Alturas, California 44 pp.
- Ford, T. and L.R. Brown. 2001. Distribution and abundance of Chinook salmon and resident fishes in the Lower Tuolumne River, California. Pages 253-303 in R.L. Brown, ed. Contributions to the biology of Central Valley salmonids. Vol. 2. California Department of Fish and Game Fish Bulletin 179.
- Fowler, H.W. 1913. Notes on catostomid fishes. *Proceedings Academy of Natural Sciences Philadelphia*. **65**:45-71.
- Franson, S. 2010. Adaptive management plan for the Clear Lake hitch. Report for the U. S. Fish and Wildlife Service, Robinson Rancheria, Nice, California.
- Fruyer, W.E., D.D. Peters, and H.R. Pywell. 1989. Wetlands of the California Central Valley Status and Trends: 1939 to mid-1980's. U. S. Department of the Interior, Fish and Wildlife Service, Washington D.C.

- Fried, J.S., M.S. Torn, and E. Mills. 2004. The impact of climate change on wildfire severity: A regional forecast for northern California. *Climatic change* **64**:169-191.
- Fry, D.H. 1936. Life history of *Hesperoleucus venustus* Snyder. *California Fish Game* **22**:65-98.
- Fry Jr., D.H. 1979. Anadromous fishes of California, revised edition. California Department Fish and Game, Sacramento, California. 112 pp.
- Furniss, M.J., T.D. Roelofs, and C.S. Yee. 1991. Road construction and maintenance. Pages 297-324 in W. R. Meehan, editor. *Influences of Forest and Rangeland Management*. American Fisheries Society Special Publication, Bethesda, Maryland.
- Futer, P. and M. Nassichuk. 1983. Metals in eulachons from the Nass River and crabs from Alice Arm, B.C. Canadian Manuscript Report of Fisheries and Aquatic Sciences No. 1699. Department of Fisheries and Oceans Canada, Pacific Region, Vancouver, B.C. 76 pp.
- Gadomski, D.M. and M.J. Parsley. 2005. Vulnerability of young white sturgeon, *Acipenser transmontanus*, to predation in the presence of alternative prey. *Environmental Biology of Fishes* **74**:389-396.
- Gadomski, D.M. and M.J. Parsley. 2005b. Effects of turbidity, light level, and cover on predation of white sturgeon larvae, by prickly sculpins. *Transactions American Fisheries Society* **134**:369-374.
- Gadomski, D.M. and M.J. Parsley. 2005c. Laboratory studies on the vulnerability of young white sturgeon to predation. *North American Journal of Fisheries Management* **25**:667-674.
- Galat, D., E. Lider, S. Vigg, and S. Robertson. 1981. 22. Limnology of a large, deep, North American terminal lake, Pyramid Lake, Nevada, USA. *Hydrobiologia* **81**:281-317.
- Galat, D.L. and N. Vucinich. 1983. Food partitioning between young of the year of two sympatric tui chub morphs. *Transactions American Fisheries Society* **112**:486-497.
- Gale, D.B., T.R. Hayden, L.S. Harris, and H.N. Voight. 1998. Assessment of anadromous fish stocks in Blue Creek, lower Klamath River, California, 1994-1996. Yurok Tribal Fisheries Program.
- Gale, D.B. and D. Randolph. 2000. Lower Klamath River Sub-Basin Watershed Restoration Plan. Yurok Tribal Fisheries and Watershed Restoration Programs. Klamath, California.
- Gard, M.F. 2002. Effects of sediment loads on fish and invertebrates of a Sierra Nevada river, California. *Journal of Aquatic Ecosystem Stress and Recovery* **9**:227-238.

- Gard, M.F. 2004. Interactions between an introduced piscivore and a native piscivore in a California stream. *Environmental Biology of Fishes* **71**:287-295.
- Gard, R. and G.A. Flittner. 1974. Distribution and abundance of fishes in Sagehen Creek, California. *Journal of Wildlife Management* **38**:347-358.
- Garrison, P. 2002. 2001-2002 Annual Report: Summer steelhead snorkel survey of South Fork Trinity River, Project Ic1. California Department of Fish and Game, Steelhead Research and Monitoring Program.
- Geary, R.E. 1978. Life history of the Clear Lake hitch (*Lavinia exilicauda chi*). Unpublished M.S. Thesis, University of California, Davis. 27 pp.
- Geary, R.E. and P.B. Moyle. 1980. Aspects of the ecology of the hitch, *Lavinia exilicauda* (Cyprinidae), a persistent native cyprinid in Clear Lake, California. *Southwestern Naturalist* **25**:385-390.
- Geist, D.R., R.S. Brown, V. Cullinan, S.R. Brink, K. Lepla, P. Bates, and J.A. Chandler. 2005. Movement, swimming speed and oxygen consumption of juvenile white sturgeon in response to changing flow, water temperature, and light level in the Snake River, Idaho. *Transactions American Fisheries Society* **134**:803-816.
- Gerking, S.D. 1981. The contribution of the desert pupfish (*Cyprinodon nevadensis*) to fish reproduction in stressful environments. Pages 335-356 in R.J. Naiman and D.L. Soltz, editors., *Fishes in North American Deserts*. John Wiley, NY.
- Gerking, S.D., R. Lee, and J.B. Shrode. 1979. Effects of generation-long temperature acclimation on reproductive performance of the desert pupfish, *Cyprinodon n. nevadensis*. *Physiological Zoology* **52**:113-121.
- Gerstung, E.R. 1997. Status of coastal cutthroat trout in California. Pages 43-56 in J. D. Hall, P. A. Bisson, and R. E. Gresswell, editors. *Sea-run cutthroat trout: biology, management, and future conservation*. Oregon Chapter American Fisheries Society.
- Gerstung, E.R. 1998. Status of coastal cutthroat trout in California plus appendices. California Department of Fish and Game, Inland Fisheries Division.
- Gessner, J., J.P. Van Eenennaam, and S.I. Doroshov. 2007. North American green and European Atlantic sturgeon: comparisons of life histories and human impacts. *Environmental Biology of Fishes* **79**:397-411.
- Giddings, E.M., L.R. Brown, T.M. Short, and M.R. Meador. 2006. Relationship of fish communities to environmental conditions in urban streams of the Wasatch Front, Utah. *Western North American Naturalist* **66**:155-168.

- Gido, K.B., D.L. Propst, and M.C. Molles, Jr. 1997. Spatial and temporal variation of fish communities in secondary channels of the San Juan River, New Mexico and Utah. *Environmental Biology of Fishes* **49**:417-434.
- Gilbert, C. H. 1893. Report on the fishes of the Death Valley expedition collected in southern California and Nevada in 1891, with descriptions of new species. *North American Fauna* No. **7**:229-234.
- Gilbert, C.H. 1898. The fishes of the Klamath Basin. *Bulletin U.S. Fish Commission* **17**:1-13.
- Gill, H.S., C.M. Renaud, F. Chapleau, R.L. Mayden, and I.C. Potter. 2003. Phylogeny of living parasitic lampreys (Petromyzontiformes) based on morphological data. *Copeia* **2003**:687-703.
- Girard, C. 1854. Description of *Sebastes ruber*, *Sebastes ruber* var. *parvus*, *Sebastes variabilis*, and *Centrarchus maculosus*. *The Pacific* **3**:182.
- Girard, C. 1856a. Researches upon the cyprinid fishes inhabiting the fresh waters of the United States of America west of the Mississippi Valley, from specimens in the Museum of the Smithsonian Institution. *Proceedings Academy Natural Sciences* **1856**:165-209.
- Gisbert, E., J.J. Cech, Jr., and S.I. Doroshov. 2001. Routine metabolism of larval green sturgeon (*Acipenser medirostris* Ayres). *Fish Physiology Biochemistry* **25**:195-200.
- Gisbert, E. and S.I. Doroshov. 2003. Histology of the developing digestive system and the effect of food deprivation in larval green sturgeon (*Acipenser medirostris*). *Aquatic Living Resources* **16**:77-89.
- Gisbert, E. and S.I. Doroshov. 2006. Allometric growth in green sturgeon larvae. *Journal of Applied Ichthyology* **22**:202-207.
- Gobalet, K.W. 1989. Remains of tiny fish from a late prehistoric Pomo site near Clear Lake, California. *Journal of California and Great Basin Anthropology* **11**:680-685.
- Gold, J.R. 1977. Systematics of western North American trout (*Salmo*), with notes on the redband trout of Sheepheaven Creek, California. *Canadian Journal of Zoology* **55**:1858-1873.
- Gold, J.R. and G.A.E. Gall. 1975. The taxonomic structure of six California high Sierra golden trout (*Salmo aquabonita*) populations. *Proceedings California Academy Sciences* **40**:243-263.
- Gold, M.F. and J.R. Gold. 1976. Golden Trout in Trouble. *Natural History Magazine* **85**:74-83.

- Goodman, D.H. 2006. Evidence for high levels of gene flow among populations of widely distributed anadromous lamprey, *Entosphenus tridentatus* (Petromyzontidae). M.S. Thesis. Humboldt State University, Arcata, CA.
- Goodman, D.H., S.B. Reid, M.F. Docker, G.R. Haas, and A.P. Kinziger. 2008. Mitochondrial DNA evidence for high levels of gene flow among populations of a widely distributed anadromous lamprey *Entosphenus tridentatus* (Petromyzontidae). *Journal of Fisheries Biology* **72**:400-417.
- Goodwin, P., C.K. Cuffe, J.L. Nielsen, and T. Light. 1993. Russian River Estuary study, 1992–1993, Department of Planning, Sonoma County, U.S.
- Goose Lake Fish Working Group. 1996. Goose Lake fishes conservation strategy. Goose Lake Watershed Council, Lakeview OR.
- Gosnell, H. and E.C. Kelly. 2010. Peace on the river? Social-ecological restoration and large dam removal in the Klamath basin, USA. *Water Alternatives* **3**:361-383.
- GrandTab. 2011. Anadromous Resources Assessment. California Department of Fish and Game Fisheries Branch.
- Grant, G.C. 1992. Selected life history aspects of Sacramento squawfish and hardhead in Pine Creek, Tehama County, California. M.S. Thesis, California State University, Chico. 86 pp.
- Grant, G.C. and P.E. Maslin. 1999. Movements and reproduction of hardhead and Sacramento squawfish in a small California stream. *Southwestern Naturalist* **44**:296-310.
- Greenfield, D.W. and G.D. Deckert. 1973. Introgressive hybridization between *Gila orcutti* and *Hesperoleucus symmetricus* (Pisces: Cyprinidae) in the Cuyama River Basin, California: II. Ecological aspects. *Copeia* **1973**:417-427.
- Greenfield, D.W. and T. Greenfield. 1972. Introgressive hybridization between *Gila orcutti* and *Hesperoleucus symmetricus* (Pisces: Cyprinidae) in the Cuyama River Basin, California: I. Meristics, morphometrics and breeding. *Copeia* **1972**:849-859.
- Gregory, S.V. and P.A. Bisson. 1997. Degradation and loss of anadromous salmonid habitat in the Pacific Northwest. Pages 277-314 in D.J. Stouder, P.A. Bisson and R.J. Naiman (eds.), *Pacific salmon and their ecosystems: status and future options*. Chapman and Hall, New York.
- Gresswell, R.E. 1999. Fire and aquatic ecosystems in forested biomes of North America. *Transactions of the American Fisheries Society* **128**:193-221.



- Griswold, K. 2006. Report on the Coastal Cutthroat Trout Science Workshop: Compilation of Research and Monitoring Needs for Coastal Cutthroat Trout Throughout their Distributional Range. Report to Pacific States Marine Fisheries Commission.
- Groot, C. and L. Margolis. 1991. Pacific salmon life histories. University of British Columbia Press, Vancouver.
- Gunckel, S.L., K.K. Jones, and S.E. Jacobs. 2006. Spawning distribution and habitat use of adult Pacific and western brook lamprey in Smith River, Oregon. Oregon Department of Fish and Wildlife, Corvallis, OR.
- Gunckel, S.L., K.K. Jones, and S.E. Jacobs. 2009. Spawning distribution and habitat use of adult Pacific and western brook lampreys in Smith River, Oregon. Transactions of the American Fisheries Society **72**:173-189.
- Gundersen, D.T., M.A.H. Webb, A.K. Fink, L. R. Kushner, G.W. Feist, M.S. Fitzpatrick, E.P. Foster, and C.B. Schreck. 2008. Using blood plasma for monitoring organochlorine contaminants in juvenile white sturgeon, *Acipenser transmontanus*, from the lower Columbia River. Bulletin Environmental Contamination and Toxicology **81**:225-229.
- Gutermuth, B., C. Watson and J. Kelly. 2000. Link River Hydroelectric Project (eastside and westside powerhouses) final entrainment study report. Cell Tech: Research and Development, Klamath Falls, Oregon.
- Habitat Restoration Group, Philip Williams and Associates and Wetlands Research Associates. 1992. Salinas River Lagoon Management and Enhancement Plan. Report to the Salinas River Lagoon Task Force.
- Hager, J. 2001. An Evaluation of Steelhead Habitat and Population in the Gabilan Creek Watershed. Unpublished report.
- Haible, W.W. 1976. Holocene Profile Changes Along A California Coastal Stream. Master of Science Thesis. U.C. Berkeley.
- Hallock, R.J., R.T. Elwell, and D.H. Fry. 1970. Migrations of adult king salmon (*Oncorhynchus tshawytscha*) in the San Joaquin Delta, as demonstrated by the use of sonic tags. California Department of Fish Game Fisheries Bulletin **15**.
- Hamilton, J., D. Ronodorf, M. Hampton, R. Quinones, J. Simondet, and T. Smith. 2011. Synthesis of the Effects to Fish Species of Two Management Scenarios for the Secretarial Determination on Removal of the Lower Four Dams on the Klamath River. Prepared by the Biological Subgroup (BSG) for the Secretarial Determination (SD) Regarding Potential Removal of the Lower Four Dams on the Klamath River. 175 pp.

- Hamilton, J.B., G.L. Curtis, S.M. Snedaker, and D.K. White. 2005. Distribution of anadromous fishes in the upper Klamath River watershed prior to hydropower dams—a synthesis of the historical evidence. *Fisheries* **30**:10-20.
- Hamlet, A.F., P.W. Mote, M.P. Clark, and D.P. Lettenmaier. 2005. Effects of temperature and precipitation variability on snowpack trends in the western U.S. *Journal of Climate* **18**:4545-4561.
- Hampton, M. 2006. Bogus Creek salmon studies. California Department of Fish and Game, Yreka.
- Hare, S.R. and R.C. Francis. 1995. Climate change and salmon production in the northeast Pacific Ocean. Pages 357-372 in R. J. Beamish, editor. *Climate change and northern fish populations*. National Research Council Canada, Ottawa.
- Harris, P.M. 2000. Systematic studies of the genus *Siphateles* (*Ostariophysis*: *Cyprinidae*) from western North America. Ph.D. Thesis. Oregon State University. 205 pp.
- Hart, J.L. and J.L. McHugh. 1944. The smelts (Osmeridae) of British Columbia. *Fisheries Research Board Canada, Bulletin No. 64*:27 pp.
- Harvey, B.C. 1986. Effects of suction gold dredging on fish and invertebrates in two California streams. *North American Journal of Fisheries Management* **55**:401-409.
- Harvey, B.C. and T.E. Lisle. 1998. Effects of Suction on Dredging on Streams: A Review and an Evaluation Strategy. *Fisheries* **23**:8-17.
- Harvey, B.C., R.J. Nakamoto, and J.L. White. 1999. Influence of large woody debris and bankfull flood on movement of adult resident coastal cutthroat trout (*Oncorhynchus clarki*) during fall and winter. *Canadian Journal of Fisheries and Aquatic Sciences* **56**: 2161-2166.
- Harvey, B.C., J.L. White, and R.J. Nakamoto. 2002. Habitat relationships and larval drift of native and nonindigenous fishes in neighboring tributaries of a coastal California river. *Transactions of the American Fisheries Society* **131**:159-170.
- Hatch, D.R. and J. Whiteaker. 2009. A field study to investigate repeat homing in Pacific lampreys:191-201.
- Hauser, W. J. 1969. Life History of the Mountain Sucker, *Catostomus platyrhynchus*, in Montana. *Transactions of the American Fisheries Society* **98**:209-224.
- Hawkins, D.K. and T.P. Quinn. 1996. Critical swimming velocity and associated morphology of juvenile coastal cutthroat trout (*Oncorhynchus clarki clarki*), steelhead trout (*Oncorhynchus mykiss*), and their hybrids. *Canadian Journal of Fisheries and Aquatic Science* **53**:1487-1496.

- Hay, D.E. and P.B. McCarter. 2000. Status of the eulachon *Thaleichthys pacificus* in Canada. Department of Fisheries and Oceans Canada, Canadian Stock Assessment Secretariat, Research Document 2000-145. Ottawa. 92 pp.
- Hay, D.E., P.B. McCarter, R. Joy, M. Thompson and K. West. 2002. Fraser River eulachon biomass assessments and spawning distribution: 1995-2002. Canadian Science Advisory Secretariat, Research document 2002/117.
- Hayhoe, K., D. Cayan, C.B. Field, P.C. Frumhoff, E.P. Maurer, N.L. Miller, S.C. Moser, S.H. Schneider, K.N. Cahill, E.E. Cleland, L. Dale, R. Drapek, R.M. Hanemann, L.S. Kalkstein, J. Lenihan, C.K. Lunch, R.P. Neilson, S.C. Sheridan, and J.H. Verville. 2004. Emission pathways, climate change, and impacts on California. Proceedings of the National Academy of Sciences, U.S.A. **101**:12422-12427.
- Hays, G.C., A.J. Richardson, and C. Robinson. 2005. Climate change and marine plankton. Trends in ecology and evolution **20**:337-344.
- Healey, M.C. 1991. Life history of chinook salmon (*Oncorhynchus tshawytscha*). Pages 311-394 in C. Groot and L. Margolis, eds., Pacific Salmon Life Histories. University of British Columbia Press, Vancouver.
- Healey, T. 1970. Studies of steelhead and salmon emigration in the Trinity River. California Department Fish Game, Anad. Fish. Report 73-1. 37 pp.
- Heard, W.R. 1998. Do hatchery salmon affect the North Pacific Ocean ecosystem? North Pacific Anadromous Fish Commission Bulletin:405-411.
- Heck, M.P., P.D. Scheerer, S.L. Gunckel and S.E. Jacobs. 2008. Status and distribution of native fishes in the Goose Lake basin. Oregon Department of Fish and Wildlife, Information Reports number 2008-02.
- Hedrick, R.P., W.N. Batts, S. Yun, G.S. Traxler, J. Kaufman, J.R. Winton. 2003. Host and geographic range extensions of the North American strain of viral hemorrhagic septicemia virus. Diseases of Aquatic Organisms **55**:211-220.
- Hendricks, S. 1995. Distribution and abundance of fishes in selected tributaries to Goose Lake, Modoc County, California, 1994. California Department of Fish and Game Final Report to USDI Fish and Wildlife Service for Section 6 Project EF 93 and EF 94. 53pp.
- Hendrickson, G.L., A. Carleton, and D. Manzer. 1989. Geographic and seasonal distribution of the infective stage of *Ceratomyxa shasta* (Myxozoa) in Northern California. Diseases of Aquatic Organisms **7**:165-169.
- Heppell, S.S. 2007. Elasticity analysis of green sturgeon life history. Environmental Biology of Fishes **79**:357-368.

- Herbold, B., and P.B. Moyle. 1986. Introduced species and vacant niches. *American Naturalist* **128**:751-760.
- Herbst, D.B., M.T. Bogan, S.K. Roll, and H.D. Safford. 2012. Effects of livestock exclusion on in-stream habitat and benthic invertebrate assemblages in montane streams. *Freshwater biology* **57**:204-217.
- Higgins, P. 1997. Gualala River watershed literature search and assimilation. Redwood Coast Land Conservancy.
- Higgins, P. 2013. Eel River Recovery Project & Trees Foundation. Humboldt County Fish and Game Advisory Committee.
- Hilborn, R., T.P. Quinn, D.E. Schindler, and D.E. Rogers. 2003. Biocomplexity and fisheries sustainability. *Proceedings of the National Academy of Sciences of the U.S.A.* **100**:6564-6568.
- Hill, D.P., R.A. Bailey, and A.S. Ryall. 1985. Active tectonic and magmatic processes beneath Long Valley caldera, eastern California: an overview. *Journal of Geophysical Research* **90**:11111-11120.
- Hill, M.T. and W.S. Platts. 1998. Ecosystem restoration: A case study in the Owens River Gorge, California. *Fisheries* **23**:18-27.
- Hindar, K., B. Jonsson, N. Ryman, and G. Stahl. 1991. Genetic relationships among landlocked, resident, and anadromous brown trout, *Salmo trutta*. *Heredity* **66**:83-91.
- Hinke, J.T., D.G. Foley, C. Wilson, and G.M. Watters. 2005. Persistent habitat use by Chinook salmon *Oncorhynchus tshawytscha* in the coastal ocean. *Marine Ecology Progress Series* **304**:207-220.
- Hiser, C. 1985. Annual Report: Iron Gate salmon and steelhead hatchery 1982-83. Inland Fisheries Administrative Report No. 85-02. 23 pp.
- Hiss, J.M. 1984. Diet of age-0 steelhead trout and speckled dace in Willow Creek, Humboldt County, California. M.S. thesis, Humboldt State University, Arcata. 51p.
- Hodge, B. 2010. Life history variation in *Oncorhynchus mykiss* from the Lower Klamath River basin. Humboldt State University.
- Hodge, J. 2008. Sucker population monitoring in Tule Lake and Lower Lost River, Oregon and California. Unpublished report, U.S. Fish and Wildlife Service, Klamath Falls Fish and Wildlife Office, Oregon.
- Holmes, A. 1996. Mills of Mendocino County: A Record of the Timber industry, 1852-1966. Ukiah, Mendocino County Historical Society.

- Holway, R.S. 1907. Physiographic changes bearing on the faunal relationships of the Russian and Sacramento Rivers, California. *Science* **26**:382-383.
- Homuth, M. 2000. Ecological relationships associated with *Gila bicolor vaccaceps*: Cowhead slough, Modoc County, California. Report to California Department Fish and Game, Sacramento, California.
- Hoopagh, D.A. 1974. Status of redband trout (*Salmo* sp.) in California. California Department Fish and Game, Inland Fisheries Administrative Report 74. 11 pp.
- Hopelain, J.S. 1998. Age, growth, and life history of Klamath River basin steelhead (*Oncorhynchus mykiss irideus*) as determined from scale analysis.
- Hopelain, J.S. 2001. Lower Klamath River angler creel census with emphasis on upstream migrating fall Chinook salmon, coho salmon, and steelhead trout during July through October, 1983 through 1987. State of California, the Resources Agency, Dept. of Fish and Game.
- Hopkirk, J.D. 1973. Endemism in fishes of the Clear Lake region of central California. University of California Publications Zoology **96**:160 pp.
- Hopkirk, J.D. 1988. Fish evolution and the late Pleistocene and Holocene history of Clear Lake, California. Geological Society of America, Special Paper **214**:183-193.
- Hopkirk, J.D. and P.T. Northen. 1980. Technical Report on Fisheries of the Russian River, Part of the Aggregate Resources Management Study conducted by the County of Sonoma. Sonoma County Planning Department, Santa Rosa.
- Houston, J.J. 1988. Status of the green sturgeon, *Acipenser medirostris*, in Canada. *Can. Field Naturalist* **102**:286-290.
- Howell, M.D. 2001. Characterization of development in Columbia River prolarval eulachon, *Thaleichthys pacificus*, using selected morphometric characters (draft). Washington Department of Fish and Wildlife, Vancouver.
- Howell, M.D., M.D. Roman, and T.A. Rien. 2001. Outmigration timing and distribution of larval eulachon, *Thaleichthys pacificus*, in the lower Columbia River, spring 2001 (Draft). Joint Columbia River staff.
- Howell, M.D. and N. Uusitalo. 2000. Eulachon (*Thaleichthys pacificus*) studies related to lower Columbia River channel deepening operations (draft 11/28/00). Joint Columbia River Staff.
- Hubbs, C.L. 1925. The life-cycle and growth of lampreys. *Papers Michigan Academy of Sciences, Arts Letters* **4**:587-603.

- Hubbs, C.L. 1971. *Lampetra (Entosphenus) lethophaga*, new species, the nonparasitic derivative of the Pacific lamprey. San Diego Society Nat. History Transactions **16**:125-164
- Hubbs, C.L., W.I. Follett, and L.J. Dempster. 1979. List of the fishes of California. Occasional Papers California Academy Sciences **133**:1-51.
- Hubbs, C.L., L.C. Hubbs, and R.E. Johnson. 1943. Hybridization in nature between species of catostomid fishes. Contr. Lab. Vert. Biology, University of Michigan **22**:1-69.
- Hubbs, C.L. and R.R. Miller. 1943. Mass hybridization between two genera of cyprinid fishes in the Mohave Desert, California. Papers Michigan Academy Sciences Arts Letters **28**:343-378.
- Hubbs, C.L. and R.R. Miller. 1948. The Great Basin with emphasis on glacial and postglacial times. II. The zoological evidence. Bulletin University Utah **38**:17-166.
- Hubbs, C.L., R.R. Miller, and L.C. Hubbs. 1974. Hydrographic history and relict fishes of the northcentral Great basin. California Academy Sciences Memoirs **7**:1-259.
- Hughson, D. and D. Woo. 2004. Report on a workshop to revisit the Mohave tui chub recovery plan and a management action plan. National Park Service. Mojave National Preserve, Barstow, California.
- Hundley, N. 2001. The great thirst: Californians and water-a history. University of California Press.
- Hung, S.O., P.B. Lutes, F.S. Conte, and T. Storebakken. 1989. Growth and feeding efficiency of white sturgeon (*Acipenser transmontanus*) subyearlings at different feeding rates. Aquaculture **80**:147-153.
- Hunt, E.G. and A.I. Bischoff. 1960. Inimical effects on wildlife of periodic DDD applications to Clear Lake. California Fish and Game **46**:91-106.
- Hunt, W.G., J.M. Jenkins, R.E. Jackman, and E.G. Thelander. 1988. Foraging ecology of Bald Eagles on a regulated river. Journal of Wildlife Management.
- Huntington, T.G. 2006. Evidence for intensification of the global water cycle: review and synthesis. Journal of Hydrology **319**:1-4.
- Inhat, J.M. and R.V. Buckley. 1984. Influence of acclimation temperature and season on acute temperature preference of adult mountain whitefish, *Prosopium williamsoni*. Environmental Biology of Fishes **11**:29-40.

- Ireland, S.C., R.C.P. Beamesderfer, V.L. Paragamian, V.D. Wakkinen, and J.T. Siple. 2002. Success of hatchery reared juvenile white sturgeon (*Acipenser transmontanus*) following release in the Kootenai River, Idaho, USA. *Journal of Applied Ichthyology* **18**:642-650.
- Interim Health Advisory for Eating Fish Caught in SoulaJule Reservoir. March 18, 2009. County of Marin Department of Health and Human Services.
- Inhat, J.M. and R.V. Buckley. 1984. Influence of acclimation temperature and season on acute temperature preference of adult mountain whitefish, *Prosopium williamsoni*. *Environmental Biology of Fishes* **11**:29-40.
- Ireland, S.C., R.C.P. Beamesderfer, V.L. Paragamian, V.D. Wakkinen and J.T. Siple. 2002. Success of hatchery-reared juvenile white sturgeon (*Acipenser transmontanus*) following release in the Kootenai River, Idaho, USA. *Journal Applied Ichthyology* **18**:642-650.
- Israel, J.A., J.F. Cordes, M.A. Blumberg, and B. May. 2004. Geographic patterns of genetic differentiation among collections of green sturgeon. *North American Journal of Fisheries Management* **24**:922-931.
- Iverson, S.J., K.J. Frost, and L.C. Lang. 2002. Fat content and fatty acid composition of forage fish and invertebrates in Prince William Sound, Alaska: Factors contributing to, among, and within species variability. *Marine Ecology Progress Series* **241**:161-181.
- Jackson, Z.I. and J.P.V. Van Eenennaam. 2013. 2012 San Joaquin River sturgeon spawning survey. U. S. Fish and Wildlife Service, Lodi.
- Jager, H.I. 2006. Chutes and ladders and other games we play with rivers. I. Simulated effects of upstream passage on white sturgeon. *Canadian Journal of Fisheries and Aquatic Sciences* **63**:165-175.
- Jameson, R.J. and K.W. Kenyon. 1977. Prey of sea lions in the Rogue River, Oregon. *Journal of Mammalogy* **58**:672.
- Janney, E.C., P.M. Barry, B.S. Hayes, R.S. Shively, and A.C. Scott. 2007. Demographic analysis of adult Lost River suckers and shortnose suckers in Upper Klamath Lake and its tributaries, Oregon. Annual Report 2006: Annual report of research to the Bureau of Reclamation.
- Jeffres, C.A., A.P. Klimley, J.E. Merz, and J.J. Cech. 2006. Movement of Sacramento sucker, *Catostomus occidentalis*, and hitch, *Lavinia exilicauda*, during a spring release of water from Camanche Dam in the Mokelumne River, California. *Environmental Biology of Fishes* **75**:365-373.
- Jeffres, C., J.J. Opperman, and P.B. Moyle. 2008. Ephemeral floodplain habitats provide best growth conditions for juvenile Chinook salmon in a California river. *Environmental Biology of Fishes* **83**:449-458.

- Jelks, H.L., S.J. Walsh, N.M. Burkhead, S. Contreras-Balderas, E. Díaz-Pardo, D.A. Hendrickson, J. Lyons, N.E. Mandrak, F. McCormick, and J.S. Nelson. 2008. Conservation status of imperiled North American freshwater and diadromous fishes. *Fisheries* **33**:372-386.
- Jennings, M.R. 1996. Past occurrence of eulachon, *Thaleichthys pacificus*, in streams tributary to Humboldt Bay, California. *California Fish and Game* **82**:147-48.
- Jhingran, V.G. 1948. A contribution to the biology of the Klamath black dace, *Rhinichthys osculus klamathensis* (Evermann and Meek). Ph.D. Dissertation, Stanford University.
- John, K.R. 1963. The effects of torrential rains on the reproductive cycle of *Rhinichthys osculus* in the Chiricahua Mountains, Arizona. *Copeia* **1963**:286-291.
- Johnson, J.H. 1985. Comparative diets of Paiute sculpin, speckled dace, and subyearling steelhead tributaries of the Clearwater River, Idaho. *Northwest Science* **59**:1-9.
- Johnson, D.M., R.R. Peterson, D.R. Lycan, J.W. Sweet, M.E. Neuhaus, and A.L. Schaedel. 1985. Atlas of Oregon lakes. Corvallis, Oregon State University Press.
- Johnson, O.W., M.H. Ruckelshaus, W.S. Grant, F.W. Waknitz, A.M. Garrett, G.J. Bryant, K. Neely, and J.J. Hard. 1999. Status review of coastal cutthroat trout from Washington, Oregon, and California. U.S. Department of Commerce, NOAA Technical Memo, NMFS-NWFSC. 292 pp.
- Johnson, R.C., P.K. Weber, J.D. Wikert, M.L. Workman, R.B. MacFarlane, M.J. Grove, and A.K. Schmitt. 2012. Managed Metapopulations: Do Salmon Hatchery ‘Sources’ Lead to In-River ‘Sinks’ in Conservation? *PloS one* **7**:e28880.
- Johnson, V.K. 1958. Fisheries management report, Pyramid Lake. Lakes Pyramid, Walker, and Tahoe investigations, Dingell-Johnson Project FAF-4-R, Nevada Fish and Game Department.
- Johnston, J.M. 1982. Life histories of anadromous cutthroat trout with emphasis on migratory behavior. Pages 123-127 in E. L. Brannon and E.O. Salo, editors. Salmon and trout migratory behavior symposium. University of Washington Press, Seattle.
- Johnstone, J.A. and T.E. Dawson. 2010. Climatic context and ecological implications of summer fog decline in the coast redwood region. *Proceedings of the National Academy of Sciences* **107**:4533-4538.
- Jones and Stokes Associates, Inc. 1987. White bass sampling program: final report. Submitted to California Department of Fish and Game, Sacramento:1 8 pp.



- Jones, W.E., E. Ekman, P. Baker, B. Rawstron, and L. Murray. 1980. Summer steelhead management plan-Middle Fork of the Eel River. Report to California Department Fish and Game and U.S. Forest Service. 48 pp.
- Jones, W.J. 2001. DNA sequence and speciation in two California minnows: *Livinia exilicauda* and *L. symmetricus*. University of California, Santa Cruz, Santa Cruz.
- Jones, W.J., B.D. Quelvog, and G. Bernardi. 2002. Morphological and genetic analysis of the Red Hills roach (Cyprinidae: *Lavinia symmetricus*). *Conservation Genetics* **3**:261-276.
- Jong, H.W. 1997. Evaluation of Chinook spawning habitat quality in the Shasta and South Fork Trinity River, 1994. *Inland Fisheries Administrative Report* **97**.
- Jordan, D.S. 1879. Notes on a collection of fishes from Clackamus River, Oregon. *Proceedings U.S. Natural Museum* **1**:69-85.
- Jordan, D.S. 1884. The carp family-Cyprinidae. Pages 615-618 in G. B. Goode, editor. *The Fisheries and Fish Industries of the United States*. US Commission on Fish and Fisheries, Washington DC.
- Jordan, D.S. 1894. Notes on the fresh-water species of San Luis Obispo County, California. *Bulletin U.S. Fisheries Commission* **19**:191-192.
- Jordan, D.S. and B.W. Evermann. 1896. Fishes of North and Middle America. *Bulletin U.S. Natural Museum* **47**:1-3705.
- Jordan, D.S., B.W. Evermann, and H.W. Clark. 1930. Check list of the fishes and fish-like vertebrates of North and Middle America north of the northern boundary of Venezuela and Colombia. *Rep. US Comm. Fish Fish*.
- Jordan, D.S. and C.H. Gilbert. 1882. Synopsis of the fishes of North America. *Bulletin U.S. Natural Museum* **16**:1-1018.
- Jordon, D.S. and J.O. Snyder. 1906. A synopsis of the sturgeons (Acipenseridae) of Japan. *Proceedings U.S. Natural Museum* **30**:397-398.
- Kadir, T., L. Mazur, C. Milanes, K. Randles, California Environmental Protection Agency, and Office of Environmental Health Hazard Assessment. 2013. *Indicators of Climate Change in California*. 258 pp.
- Kaeriyama, M. 2004. Evaluation of the Carrying Capacity of Pacific Salmon in the North Pacific Ocean for Ecosystem-Based Sustainable Conservation Management. *North Pacific Anadromous Fish Commission Technical Report No.* **5**:1-4.
- Kaeriyama, M. and R.R. Edpalina. 2004. Evaluation of the biological interaction between wild and hatchery population for sustainable fisheries management of Pacific salmon. Pages

- 247-259 in K. M. Leber, S. Kitada, H.L. Blankenship, and T. Svasand, editors. Developments, pitfalls and opportunities. Blackwell Publishing, Oxford.
- Kan, T.T. 1975. Systematics, variation, distribution, and biology of lampreys of the genus *Lampetra* in Oregon. Ph.D. dissertation, Oregon State University, Corvallis.
- Katz, J.V.E. and D. Hines. 2007. Downstream Migrant Trapping Results and Steelhead (*Oncorhynchus mykiss*) Smolt Abundance Estimate for Lower Austin Creek, 2007. Report to Trout Unlimited.
- Katz, J.V.E., P.B. Moyle, R.M. Quiñones, J. Israel, and S. Purdy. 2013. Impending extinction of salmon, steelhead, and trout (Salmonidae) in California. *Environmental Biology of Fishes* 96:1169-1186.
- Katz, J.V.E., G. Reedy, and D. Hines. 2006. Downstream Migrant Trapping Results and Steelhead (*Oncorhynchus mykiss*) Smolt Abundance Estimate for Lower Austin Creek, 2006. Report to Trout Unlimited.
- Kaufman, R.C., A.G. Houck, and J.J. Cech, Jr. 2006. Effects of temperature and carbon dioxide on green sturgeon blood-oxygen equilibria. *Environmental Biology of Fishes* 79:201-210.
- Kaukinen, K.H., K.J. Supernault, and K.M. Miller. 2004. Development of microsatellite loci in eulachon (*Thaleichthys pacificus*). *Molecular Ecology Notes* 4:632-634.
- Kaushal, S.S., G.E. Likens, N.A. Jaworski, M.L. Pace, A.M. Sides, D. Seekell, K.T. Belt, D.H. Secor, and R.L. Wingate. 2010. Rising stream and river temperatures in the United States. *Frontiers in Ecology and the Environment* 8:461-466.
- Keeley, J.E. 2002. Fire management of California shrubland landscapes. *Environmental Management* 29:395-408.
- Keeley, J.E., C.J. Fotheringham, and M.A. Moritz. 2004. Lessons from the October 2003 wildfires in southern California. *Journal of Forestry* 102:26-31.
- Kelley, D.W. 1976. The Possibility of Restoring Salmon and Steelhead Runs in Walker Creek, Marin County.
- Kesner, W.D. and R.A. Barnhart. 1972. Characteristics of the fall-run steelhead trout (*Salmo gairdneri gairdneri*) of the Klamath River system with emphasis on the half-pounder. *California Fish and Game* 58:204-220.
- Kiernan, J.D. and P.B. Moyle. 2012. Flows, droughts, and aliens: factors affecting the fish assemblage in a Sierra Nevada, California, stream. *Ecological Applications* 22:1146-1161.

- Kim, J. 2005. A Projection of the Effects of the Climate Change Induced by Increased CO<sub>2</sub> on Extreme Hydrologic Events in the Western U.S. *Climatic Change* **68**:153-168.
- Kier Associates. 1999. Battle Creek salmon and steelhead restoration plan. Sausalito, California.
- Kimmerer, W. 2008. Losses of Sacramento River Chinook salmon and delta smelt to entrainment in water diversions in the Sacramento-San Joaquin Delta. *San Francisco Estuary Watershed Science* **6**.
- Kimsey, J.B. 1953. Population Sampling of Three North Coastal Streams Closed To Summer Trout Fishing-1952 Season. California Department of Fish and Game, Region 3, Yountville, CA. 15 pp.
- Kimsey, J.B. 1954. The life history of the tui chub, *Siphatales bicolor* (Girard), from Eagle Lake, California. *California Fish Game* **40**:395-410.
- Kimsey, J.B. 1960. Observations on the spawning of Sacramento hitch in a lacustrine environment. *California Fish Game* **46**:211-215.
- Kimsey, J.B. and R.R. Bell. 1955. Observations on the ecology of the largemouth black bass and the tui chub in Big Sage Reservoir, Modoc County. California Department of Fish and Game Inland Fisheries Administrative Report 55-75:17.
- Kimsey, J.B. and L.O. Fisk. 1960. Keys to the freshwater and anadromous fishes of California. *California Fish Game* **46**:453-79.
- Kimsey, J.B., D.W. Kelley, R. Hagy, and G. McCammon. 1956. A survey of the fish populations of Pardee Reservoir, Amador/Calaveras counties. California Department Fish and Game, Inland Fisheries Administrative Report 56. 13 pp.
- King, V.L. 1963. First progress report of the Eagle Lake rainbow trout fishery. California Department Fish and Game, Inland Fish. Administrative Report, No. 63-9:18 pp.
- King, V.L. and R.J. Hanson. 1966. A preliminary investigation of the fish fauna of Goose Lake and their relative abundance. Unpublished Report, California Department Fish and Game. 7 pp.
- Kinzinger, A.P., R.M. Wood, and D.A. Neely. 2005. Molecular systematics of the genus *Cottus* (Scorpaeniformes, Cottidae). *Copeia* **2005**:303-311.
- Klamt, R.R., C. LeDoux-Bloom, J. Clements, M. Fuller, D. Morse, and M. Scruggs. 2002. Gualala River Watershed Assessment Report. California Resources Agency, and California Environmental Protection Agency, Sacramento, California.

- Klamath River Technical Advisory Team (KRTAT). 2007. Klamath river fall Chinook age-specific escapement, River harvest, and run size estimate, 2006 run.
- Klamt, R.R., C. LeDoux-Bloom, J. Clements, M. Fuller, D. Morse, and M. Scruggs. 2002. Gualala River Watershed Assessment Report. California Resources Agency and California Environmental Protection Agency. Sacramento, California. 367 pp.
- Knapp, R.A. and T.L. Dudley. 1990. Growth and longevity of golden trout, *Oncorhynchus aquabonita*, in their native streams. California Fish, Game **76**:161-173.
- Knapp, R.A. and K.R. Matthews. 1996. Livestock grazing, golden trout, and streams in the Golden Trout Wilderness, California: impacts and management implications. North American Journal of Fisheries Management, **16**:805-820.
- Knapp, R.A. and V.T. Vrendenburg. 1996. Spawning by California golden trout: characteristics of spawning fish, season and daily timing, redd characteristics, and microhabitat preferences. Transactions of the American Fisheries Society **125**:519-531.
- Knight, N.J. 1985. Microhabitats and temperature requirements of hardhead (*Mylopharodon conocephalus*) and Sacramento squawfish (*Ptychocheilus grandis*), with notes for some other native California stream fishes. Unpublished Ph.D. Dissertation, University of California, Davis. 161 pp.
- Knighton, D. 1998. Fluvial forms and processes – a new perspective. David Knighton and Oxford University Press Inc., New York NY.
- Knowles, N. 2010. Potential inundation due to rising sea levels in the San Francisco Bay Region. San Francisco Estuary and Watershed Science.
- Knowles, N. and D. Cayan. 2002. Potential Effects of Global Warming on the Sacramento/San Joaquin Watershed and the San Francisco Estuary. Geophysical Research Letters **29**:1891.
- Knowles, N., M.D. Dettinger, and D.R. Cayan. 2006. Trends in snowfall versus rainfall in the western United States. Journal of Climate **19**:4545-4559.
- Knox, J. and A.F. Scheuring. 1991. Global climate change and California. The Regents of the University of California, Berkeley, California.
- Koch, D.L., J.J. Cooper, and G.P. Contreras. 1975. Survey of the fishes of the Clear Lake Reservoir drainage. Project Report 37. Center for Water Resources Research, University of Nevada, Reno.
- Kock, T.J., J.L. Congleton, and P.J. Anders. 2006. Effects of sediment cover on survival and development of white sturgeon embryos. North American Journal of Fisheries Management **26**:134-141.

- Kodric-Brown, A. 1977. Reproductive success and the evolution of breeding territories in pupfish (*Cyprinodon*). *Evolution* **31**:750-766.
- Kodric-Brown, A. 1981. Variable breeding systems in pupfishes (Genus *Cyprinodon*): adaptations to changing environments. Pages 205-236 in R.J. Naiman and D.L. Soltz, eds., *Fishes in North American Deserts*. John Wiley, NY.
- Kodric-Brown, A. and J.H. Brown. 2007. Native fishes, exotic mammals, and the conservation of desert springs. *Frontiers in Ecology and the Environment* **5**:549-553.
- Kogut, N.J. 2008. Overbite clams, *Corbula amurensis*, defecated alive by white sturgeon, *Acipenser transmontanus*. *California Fish and Game* **94**:143-149.
- Kohlhorst, D.W. 1976. Sturgeon spawning in the Sacramento River in 1973, as determined by distribution of larvae. *California Fish Game* **62**:32-40.
- Kohlhorst, D.W., L.W. Botsford, J.S. Brennan, and G.M. Cailliet. 1991. Aspects of the structure and dynamics of an exploited central California population of white sturgeon (*Acipenser transmontanus*). Pages 227-293 in P. Williot, ed., *Acipenser*. Bordeaux:CEMAGREF
- Kohlhorst, D.W. and J.J. Cech, Jr. 2001. White sturgeon. California Department of Fish and Game, California's living marine resources: a status report.
- Kohlhorst, D.W., L.W. Miller, and J.J. Orsi. 1980. Age and growth of white sturgeon collected in the Sacramento –San Joaquin estuary, California: 1965-1970 and 1973-1976. *California Fish Game* **66**:83-95.
- Kope, R.G. and L.W. Botsford. 1990. Determination of factors affecting recruitment of chinook salmon *Oncorhynchus tshawytscha*. *U.S. Fishery Bulletin* **28**:257-269.
- Kormos, B., M. Palemr-Zwahlen, and A. Low. 2012. Recovery of coded-wire tags from Chinook salmon in California's Central Valley in 2010. Fisheries Branch Administrative Report 2012-02, California Department of Fish and Game.
- Kostow, K. 2002. Oregon lampreys: natural history status and problem analysis. Oregon Department of Fish and Wildlife, Portland, Oregon.
- Kostow, K. 2008. Factors that contribute to the ecological risks of salmon and steelhead hatchery programs and some mitigating strategies. *Reviews in Fish Biology and Fisheries* **19**: 9-31.
- Kozlowski, D., S. Swanson, and K. Schmidt. 2010. Channel changes in burned streams of northern Nevada. *Journal of Arid Environments* **74**:1494-1506.

- Kresja, R.J. 1965. The systematic of the prickly sculpin, *Cottus asper*: an investigation of genetic and non-genetic variation within a polytypic species. Ph.D. dissertation, Univ. British Columbia, Vancouver. 109 pp.
- Kresja, R.J. 1970. The systematic of the prickly sculpin, *Cottus asper*: an investigation of genetic and non-genetic variation within a polytypic species. Part I. Synonymy, nomenclatural history and distribution. *Pacific Sciences* **21**:241-251.
- Krieger, J., A.K. Hett, P.A. Fuerst, E. Artyukhin, and A. Ludwig. 2008. The molecular phylogeny of the order Acipenseriformes revisited. *Journal of Applied Ichthyology* **24**:36-45.
- Kroeber, A.L. and S.A. Barrett. 1960. Fishing Among the Indians of Northwestern California. *Anthropological Records* **22**:1-156.
- Kynard, B. and E. Parker. 2005. Ontogenetic behavior and dispersal of Sacramento River white sturgeon, *Acipenser transmontanus*, with a note on body color. *Environmental Biology of Fishes* **74**:19-30.
- Kynard, B., E. Parker, and T. Parker. 2005. Behavior of early life intervals of Klamath River green sturgeon, *Acipenser medirostris*, with a note on body color. *Environmental Biology of Fishes* **72**:85-97.
- LaBounty, F. 2003. Environmental Determinants of Demographic Characteristics of Saratoga Springs Amargosa Pupfish. *Proceedings of the Desert Fishes Council. Annual Symposium*, Death Valley, California.
- LaBounty, J.F. and J.E. Deacon. 1972. *Cyprinodon milleri*, a new species of pupfish (family Cyprinodontidae) from Death Valley, California. *Copeia* **1972**:769-780.
- LaFaunce, D.A. 1967. A king salmon spawning survey of the South Fork Trinity River, 1964. California Department of Fish and Game, Marine Resources Branch Administrative Report No. 67-10.
- Lafferty, K.D. and C.J. Page. 1997. Predation on the endangered tidewater goby, *Eucyclogobius newberryi*, by the introduced African clawed frog, *Xenopus laevis*, with notes on the frog's parasites. *Copeia* **3**:589-592.
- Lang, N.J., K.J. Roe, C.B. Renaud, H.S. Gill, I.C. Potter, J. Freyhof, A.M. Naseka, P. Cochran, H.E. Pérez, E.M. Habit, B.R. Kuhajda, D.A. Neely, Y.S. Reshetnikov, V.B. Salnikov, M.T. Stoumboudi, and R.L. Mayden. 2009. Novel relationships among lampreys (Petromyzontiformes) revealed by a taxonomically comprehensive molecular data set. Pages 41-55 in L. Brown, S. Chase, M. Mesa, R. Beamish, and P. Moyle, editors. *Biology, management, and conservation, of lampreys in North America*. American Fisheries Society Symposium Bethesda MD.

Lankford, S.E., T.E. Adams, and J.J. Cech, Jr. 2003. Time of day and water temperature modify the physiological stress response in green sturgeon, *Acipenser medirostris*. *Comparative Biochemistry and Physiology-Part A: Molecular & Integrative Physiology* **135**:291-302.

Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech, Jr. 2005. The cost of chronic stress: Impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological Biochemical Zoology* **78**:599-609.

LaRivers, I. 1962. *Fishes and fisheries of Nevada*. University of Nevada Press. 782 pp.

Larson, Z. 2013. Use of Dual Frequency Identification Sonar to Monitor Steelhead Escapement in the Smith River, California, 2012-2013. County of Del Norte.

F

Larson, Z.S. and M.R. Belchik. 1998. A preliminary status review of eulachon and Pacific lamprey in the Klamath River Basin. Yurok Tribal Fisheries Program, Klamath CA.

Lawson, P.W., E.A. Logerwell, N.J. Mantua, R.C. Francis, and V.N. Agostini. 2004. Environmental factors influencing freshwater survival and smolt production in Pacific Northwest coho salmon (*Oncorhynchus kisutch*). *Canadian Journal of Fisheries and Aquatic Science* **61**:360-373.

Leader, K.A. 2001. Distribution and abundance of fish, and measurement of available habitat in the Tualatin River basin outside of the urban growth boundary. Oregon Department of Fish and Wildlife, Clackamas OR.

Lee, D.S., C.R. Gilbert, C.H. Hocutt, R.E. Jenkins, D.E. McAllister, J.R. Stauffer, Jr. 1980. *Atlas of North American Freshwater Fishes*. North Carolina Museum of Natural History, Raleigh. 854 pp.

Lee, R.M. and S.D. Gerking. 1980. Survival and reproductive performance of the desert pupfish, *Cyprinodon n. nevadensis* (Eigenmann and Eigenmann), in acid waters. *Journal of Fish Biology* **17**:507-515.

Legendre, P., C.B. Schreck, and R.J. Behnke. 1972. Taximetric analysis of selected groups of western North American *Salmo* with respect to phylogenetic divergences. *Systematic Zoology* **21**:292-307.

Leidy, R.A. 1984. Distribution and ecology of stream fishes in the San Francisco Bay drainage. *Hilgardia* **52**:1-175.

Leidy, R.A. 2004. Ecology, assemblage structure, distribution, and status of fishes in streams tributary to the San Francisco Estuary, California. University of California, Davis.

Leidy, R.A. 2007. Ecology, Assemblage Structure, Distribution, and Status of Fishes in Streams Tributary to the San Francisco Estuary, California. San Francisco Estuary Institute. 194 pp.

- Leidy, R.A., K. Cervantes-Yoshida, and S.M. Carlson. 2011. Persistence of native fishes in small streams of the urbanized San Francisco Estuary, California: acknowledging the role of urban streams in native fish conservation. *Aquatic Conservation: Marine and Freshwater Ecosystems* **21**:472-483.
- Leidy, R.A. and G.R. Leidy. 1984. Life stage periodicities of anadromous salmonids in the Klamath River Basin, northwestern California. U.S. Fish and Wildlife Service, Division of Ecological Services, Sacramento, CA. 39 pp.
- Lemoine, M., M.K. Young, K.S. McKelvey, L. Eby, K.L. Pilgrim, and M.K. Schwartz. 2014. *Cottus schitsuumsh*, a new species of sculpin (Scorpaeniformes: Cottidae) in the Columbia River basin, Idaho-Montana, USA. *Zootaxa* **3755**:241-258.
- Lenihan, J.M., D. Bachelet, R.P. Neilson and R. Drapek. 2008. Response of vegetation distribution, ecosystem productivity, and fire to climate change scenarios for California. *Climatic Change* **87**:S215-S230.
- Leung, L. R., Y. Qian, X. Bin, W.M. Washington, J. Han, and J.O. Roads. 2004. Mid-century ensemble regional climate change scenarios for the western United States. *Climate Change* **62**:75-113.
- Levin, P.S. and J.G. Williams. 2002. Interspecific effects of artificially propagated fish: an additional conservation risk for salmon. *Conservation Biology* **16**:1581-1587.
- Levin, P.S., R.W. Zabel, and J.G. Williams. 2001. The road to extinction is paved with good intentions: negative association of fish hatcheries with threatened salmon. *Proceedings of the Royal Society of London. Series B: Biological Sciences* **268**:1153-1158.
- Lewis, M.A. 2004. Stock assessment of anadromous salmonids, 2003. Monitoring Program Report Number OPSW-ODFW-2004-04 Monitoring Program Report Number OPSW-ODFW-2004-04, Oregon Department of Fish and Wildlife, Portland, Oregon.
- Lewis, R.S.P. 2009. Yurok and Karuk traditional ecological knowledge: insights into Pacific Lamprey populations of the Lower Klamath Basin. Pages 1-39 *in* L. R. Brown et al., editor. *Biology, management, and conservation of lampreys in North America*. American Fisheries Society Symposium 72, Bethesda, MD.
- Lewis, W.A., R.M. Adams, E.B. Cowling, E.S. Helfman, C.D.D. Howard, R.J. Huggett, N.E. Langston, J.F. Mount, P.B. Moyle, T.J. Newcomb, M.L. Pace, and J.B. Ruhl. 2004. Endangered and threatened fishes of the Klamath River Basin: Causes of decline and strategies for recovery. National Academies Press:334.
- Li, H.W. and P.B. Moyle. 1976. Feeding ecology of the Pit sculpin, *Cottus pitensis*, in Ash Creek, California. *Bulletin Southern California Academy Sciences* **75**:111-118.



- Light, T. 2005. Behavioral effects of invaders: alien crayfish and native sculpin in a California stream. *Biological Invasions* **7**:353-367.
- Light, T., D.C. Erman, C. Myrick, and J. Clarke. 1995. Decline of the Shasta crayfish (*Pacifastacus fortis* Faxon) of Northern California. *Conservation Biology* **9**: 1567-1577.
- Limm, M. and M.P. Marchetti. 2006. Contrasting patterns of juvenile chinook salmon (*Oncorhynchus tshawytscha*) growth, diet, and prey densities in off-channel and mainstem habitats on the Sacramento River. *Transactions of the American Fisheries Society*.
- Linares-Casenave, J., J.P. Van Eenennaam, and S.I. Doroshov. 2002. Ultrastructural and histological observations on temperature-induced follicular ovarian atresia in the white sturgeon. *Journal Applied Ichthyology* **18**:382-390.
- Lindley, S.T., C.B. Grimes, M.S. Mohr, W. Peterson, J. Stein, J.T. Anderson, L.W. Botsford, D.L. Bottom, C.A. Busack, T.K. Collier, J. Ferguson, J.C. Garza, A.M. Grover, D.G. Hankin, R.G. Kope, P.W. Lawson, A. Low, R.B. MacFarlane, K. Moore, M. Palmer-Zwahlen, F.B. Schwing, J. Smith, C. Tracy, R. Webb, B.K. Wells, and T.H. Williams. 2009. What caused the Sacramento River fall Chinook stock collapse? Pre-publication report to the Pacific Fishery Management Council. March 18.
- Lindley, S.T., M.L. Moser, D.L. Erickson, M. Belchik, D.W. Welch, E.L. Rechisky, J.T. Kelly, J. Heublein, and A.P. Klimley. 2008. Marine migration of North American green sturgeon. *Transactions of the American Fisheries Society* **137**:182-194.
- Lindley, S.T., R.S. Schick, E. Mora, P.B. Adams, J.J. Anderson, S. Greene, C. Hanson, B.P. May, D.R. McEwan, R.B. MacFarlane, C. Swanson, and J.G. Williams. 2007. Framework for assessing viability of threatened and endangered Chinook salmon and steelhead in the Sacramento- San Joaquin basin San Francisco Estuary and Watershed **5**:Article 4.
- Lindquist, A.W., C.D. Deonier, and J.E. Hanley. 1943. The relationship of fish to the Clear Lake gnat, in Clear Lake, California. *California Fish Game* **29**:196-202.
- Litzow, M.A., K.M. Bailey, F.G. Prah, and R. Heintz. 2006. Climate regime shifts and reorganization of fish communities: the essential fatty acid limitation hypothesis. *Marine Ecology Progress Series* **315**:1-11.
- Loggins, R.E. 1997. Comparison of four populations of California roach, *Lavina symmetricus*, using RAPD markers. M.S. Thesis, California State University, Chico. 58 pp.
- Long, C.W. 1968. Diel movement and vertical distribution of juvenile anadromous fish in turbine intakes. *Fishery Bulletin USFWS* **66**:599-609.

- Lorion, C.M., D.F. Markle, S.B. Reid, and M.F. Docker. 2000. Redescription of the presumed-extinct Miller Lake lamprey, *Lampretra minima*. *Copeia* **2000**:1019-1028.
- Lund, J.R., E. Hanak, W. Fleenor, W. Bennett, R. Howitt, J. Mount, and P. Moyle. 2008. Comparing futures for the Sacramento-San Joaquin Delta. University of California Press, Berkeley.
- Lund, J., E. Hanak, W. Fleenor, R. Howitt, J. Mount, and P. Moyle. 2007. Envisioning futures for the Sacramento-San Joaquin Delta. Public Policy Institute of California. 285pp.
- Lund, J.R., E. Hanak, W.E. Fleenor, W.A. Bennett, R.E. Howitt, J.F. Mount, and P.B. Moyle. 2010. Comparing futures for the Sacramento-San Joaquin Delta. Freshwater Ecology Series, University of California Press.
- Luzier, C. and G. Silver. 2005. Evaluate habitat use and population dynamics of lamprey in Cedar Creek. BPA Project no. 2000-014-000; annual report for 2004 sampling season. US Fish and Wildlife, Vancouver, Washington.
- Luzier, C.W., G. Silver, and T.A. Whitesel. 2006. Evaluate Habitat Use and Population Dynamics of Lamprey in Cedar Creek. U.S. Fish and Wildlife Service Columbia River Fisheries Program Office, Vancouver, Washington.
- Macedo, R.A. 1991. Creel survey at Clear Lake, California, March-June, 1988. California Department of Fish and Game, Inland Fisheries Administration Report No. **91-3**:37 pp.
- Magneson, M. 2006. Mainstem Klamath River fall Chinook salmon spawning survey 2005. U.S. Fish and Wildlife Service.
- Mantua, N.J. and S.R. Hare. 2002. The Pacific decadal oscillation. *Journal of Oceanography* **58**:35-44.
- Mantua, N.J., S.R. Hare, Y. Zhang, J.M. Wallace, and R.C. Francis. 1997. A pacific interdecadal climate oscillation with impacts on salmon production. *Bulletin of the American Meteorological Society* **78**:1069-1079.
- Marin County Watershed Management Plan. 2004. Prepared for The Marin County Community Development Agency, Planning Division by Prunuske Chatham, Inc. Occidental, CA.
- Marine, K.R. and J.J. Cech Jr. 2004. Effects of high water temperature on growth, smoltification, and predator avoidance in juvenile Sacramento River Chinook salmon. *North American Journal of Fisheries Management* **24**:198-210.
- Markle, D.F., D.L. Hill, and C.E. Bond. 1996. Sculpin identification workshop and working guide to freshwater sculpins of Oregon and adjacent areas. Oregon State University. 50 pp.

- Markle, D.F., S.A. Reithel, J. Crandall, T. Wood, T.J. Tyler, M. Terwilliger, and D.C. Simon. 2009. Larval fish transport and retention and the importance of location for juvenile fish recruitment in Upper Klamath Lake, Oregon. *Transactions of the American Fisheries Society* **138**:328-347.
- Marrin, D.L. 1980. Food selectivity and habitat use by introduced trouts and native nongame fishes in sub-alpine lakes. M.S. Thesis, University of California, Berkeley. 87pp.
- Marrin, D.L. and D.C. Erman. 1982. Evidence against competition between trout and nongame fishes in Stampede Reservoir, California. *North American Journal of Fisheries Management* **2**:262-269.
- Marshall, J. 2008. Total maximum daily load for mercury in the Walker Creek Watershed. California Regional Water Quality Control Board San Francisco Bay Region.
- Marston, B.H., M.F. Willson, and S.M. Gende. 2002. Predator aggregations during eulachon *Thaleichthys pacificus* spawning runs. *Marine Ecology Progress Series* **231**:229-236.
- Martin, B.A., M.K. Saiki, and D. Fong. 2007. Relation between mortality of prickly sculpin and diurnal extremes in water quality at Rodeo Lagoon, Marin County, California. *California Fish and Game* **93**:214-223.
- Martin, M. 1967. The distribution and morphology of North American catostomid fishes of the Pit River system, California. Unpublished M.S. Thesis, Sacramento State College. 60 pp.
- Matthews, K.R. 1996a. Diel movement and habitat use of California golden trout in the Golden Trout Wilderness. *Transactions of the American Fisheries Society* **125**:78-86.
- Matthews, K.R. 1996b. Habitat selection and movement patterns of California Golden trout in degraded and recovering stream sections in the Golden trout wilderness, California. *North American Journal of Fisheries Management* **16**:579-590.
- May, J.T. and L.R. Brown. 2002. Fish communities of the Sacramento River Basin: implications for conservation of native fishes in the Central Valley, California. *Environmental Biology of Fishes* **63**:373-388.
- Maybee, P.M. 1993. Phylogenetic interpretation of ontogenetic change: sorting out the actual and artefactual in an empirical case study of centrarchid fishes. *Zoological Journal of the Linnean Society* **107**:175-291
- Mayden, R.L., W.J. Rainboth, and D.G. Buth. 1991. Phylogenetic systematics of the cyprinid genera *Mylopharodon* and *Ptychocheilus*: comparative morphometry. *Copeia* **1991**:819-834.

- Mayfield, R.B. and J.J. Cech, Jr. 2004. Temperature effects on green sturgeon bioenergetics. *Transactions American Fisheries Society* **133**:961-970.
- Mayr, E. 1942. *Systematics and the origin of species, from the viewpoint of a zoologist*. Harvard University Press, Cambridge.
- Mayr, E. 1954. Change of Genetic Environment and Evolution *in* J. Huxley et al., Editors, *Evolution as a Process*, Allen and Unwin **1954**:157–180.
- McAdam, S.O., C.J. Walters and C. Nistor. 2005. Linkages between white sturgeon recruitment and altered bed substrates in the Nechako River, Canada. *Transactions American Fisheries Society* **134**:1448-1456.
- McAfee, W.R. 1966. Eagle Lake rainbow trout. Pages 221-224 *in* A.E. Calhoun, ed., *Inland Fisheries Management*. California Department Fish and Game, Sacramento.
- McCabe, G.T., Jr., R.L. Emmett, and S.A. Hinton. 1993. Feeding ecology of juvenile white sturgeon (*Acipenser transmontanus*) in the lower Columbia River. *Northwest Science* **67**:170-180.
- McCabe, G.T., Jr. and C.A. Tracy. 1994. Spawning and early life history of white sturgeon, *Acipenser transmontanus*, in the lower Columbia River. *NOAA Fisheries Bulletin* **92**:760-772.
- McCain, M.E. 1994. Habitat utilization by the 1987 and 1988 cohorts of Chinook salmon from emergence to outmigration in Hurdgyurdy Creek, California. Humboldt State University.
- McCormick, S.D., L.P. Hansen, T.P. Quinn, and R.L. Saunders. 1998. Movement, migration, and smolting of Atlantic salmon (*Salmo salar*). *Canadian Journal of Fisheries and Aquatic Science* **55**:77-92.
- McCovey, Jr. B.W., J. Strange, and J.E. Holt. 2007. A feasibility study on using radio biotelemetry to monitor migrating Pacific lamprey (*Lampetra tridentata*) within the Klamath River basin, FY 2007 Final Report. Yurok Tribal Fisheries Program, Hoopa, California.
- McCullough, D.A. 1999. A review and synthesis of effects of alterations to the water temperature regime on freshwater life stages of salmonids, with special reference to Chinook salmon. Columbia River Inter-Tribal Fish Commission. A report to the U.S. Environmental Protection Agency, Seattle, WA. 291.
- McElhany P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, and E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of Evolutionary Significant Units. NOAA Technical Memorandum NMFS-NWFSC-42. 156 pp.

- McEnroe, M. and J.J. Cech, Jr. 1987. Osmoregulation in white sturgeon: life history aspects. *American Fisheries Society Symposium* **1**:191-196.
- McEwan, D. and T. Jackson. 1996. Steelhead Restoration and management plan for California. Page 234 in California Department of Fish and Game, editor.
- McGowan, J.A., D.R. Cayan, and L.M. Dorman. 1998. Climate-ocean variability and ecosystem response in the Northeast Pacific. *Science* **281**:210-217.
- McGregor, E.A. 1922. Observation of the egg yield of Klamath river king salmon. *California Fish and Game* **8**:161-164.
- McGregor, E.A. 1923a. Notes on the egg yield of Sacramento River king salmon. *California Fish and Game* **9**:134-138.
- McGregor, E.A. 1923b. A possible separation of the river races of king salmon in ocean-caught fish by means of anatomical characters. *California Fish and Game* **9**:135-150..
- McIntyre, J.D. 1969. Spawning behavior of the brook lamprey, *Lampetra planeri*. *Journal Fisheries Research Board, Canada* **26**:3252-3254.
- McKechnie, R.J. and R.B. Fenner. 1971. Food Habits of white sturgeon, *Acipenser transmontanus*, in San Pablo and Suisun bays, California. *California Fish Game* **57**:209-212.
- McLarney, W.O. 1968. Spawning Habits and Morphological Variation in the Coastrange Sculpin, *Cottus Aleuticus*, and the Prickly Sculpin, *Cottus Asper*. *Transactions of the American Fisheries Society* **97**:46-48.
- McLean, J.E., D.E. Hay, and E.B. Taylor. 1999. Marine population structure in an anadromous fish: life-history influences patterns of mitochondrial DNA variation in the eulachon, *Thaleichthys pacificus*. *Molecular Ecology* **8**:S143-S158.
- McLean, J.E. and E.B. Taylor. 2001. Resolution of population structure in a species with high gene flow: microsatellite variation in the eulachon (Osmeridae: *Thaleichthys pacificus*). *Marine Biology* **139**:411-420.
- McPhail, J.O. and C.C. Lindsey. 1970. Freshwater fishes of northwestern Canada and Alaska. *Fisheries Research Board Canada Bulletin* **173**: 381 pp.
- Mebane, C.A., T.R. Maret, and R.M. Hughes. 2003. An index of biological integrity (IBI) for Pacific Northwest rivers. *Transactions of the American Fisheries Society* **132**:239-261.
- Meeuwig, M.H., J.M. Bayer, and R.A. Reiche. 2006. Morphometric discrimination of early life history stage *Lampetra tridentata* and *L. richardsoni* (Petromyzontidae) from the Columbia River basin. *Journal of Morphology* **267**:623-633.

- Meeuwig, M.H., J.M. Bayer, and J.G. Seelye. 2005. Effects of temperature on survival and development of early life stage Pacific and Western Brook lampreys. *Transactions American Fisheries Society* **134**:19-27.
- Meffe, G.K. 1985. Predation and species replacement in American southwestern fishes: a case study. *The Southwestern Naturalist*:173-187.
- Merenlender, A., M.J. Deitch, and S. Feirer. 2008. Decision support tool seeks to aid stream-flow recovery and enhance water security *California Agriculture* **62**:148.
- Merritt Smith Consulting. 1995. Anadromous Fish Migration Study Program, 1991-1994. Santa Rosa Subregional Long-Term Wastewater Project.
- Merritt Smith Consulting. 2003. Salmonid Juvenile Density Monitoring in Sonoma County Streams, Synthesis Of A Ten-Year Study, 1993-2002.
- Mesick, C. 2001 Studies of spawning habitat for fall-run Chinook salmon in the Stanislaus River between Goodwin Dam and Riverbank from 1994 to 1997. Pages 217-252 in R. Brown, ed. *Contributions to the Biology of Central Valley Salmonids*. California Department of Fish and Game. *Fish Bulletin* 179.
- Meuter, F.J., R.M. Peterman, and B.J. Pyper. 2002. Opposite effects of ocean temperature on survival rates of 120 stocks of Pacific salmon (*Oncorhynchus* spp.) in northern and southern areas. *Canadian Journal of Fisheries and Aquatic Science* **59**:456-463.
- Michael Jr., J.H. 1984. Additional notes on the repeat spawning in Pacific Lamprey. *California Fish and Game notes*:186-188.
- Michel, C. J., A. J. Ammann, E. D. Chapman, P. T. Sandstrom, H. E. Fish, M. J. Thomas, G. P. Singer, S. T. Lindley, A. P. Klimley, and R. B. MacFarlane. 2013. The effects of environmental factors on the migratory movement patterns of Sacramento River yearling late-fall run Chinook salmon (*Oncorhynchus tshawytscha*). *Environmental Biology of Fishes* **96**:257-271.
- Miller, D.A., J.B. Grand, T.F. Fondell, and M. Anthony. 2006. Predator functional response and prey survival: direct and indirect interactions affecting a marked prey population. *Journal of Animal Ecology* **75**:101-110.
- Miller, L.W. 1972. Migrations of sturgeon tagged in the Sacramento-San Joaquin Estuary. *California Fish Game* **58**: 102-106.
- Miller, L.W. 1972a. White sturgeon population characteristics in the Sacramento-San Joaquin estuary as measured by tagging. *California Fish and Game* **58**:94-101.

- Miller, L.W. 1972b. Migrations of sturgeon tagged in the Sacramento-San Joaquin Estuary. California Fish and Game **58**:102-106.
- Miller, N.L., K.E. Bashford, and E. Strem. 2003. Potential impacts of climate change on California hydrology. Journal of the American Water Resources Association **39**:771-784.
- Miller, R.G. 1951. The natural history of Lake Tahoe fishes. Unpublished Ph.D. Dissertation, Stanford University. 160 pp.
- Miller, R.R. 1938. Record of the fresh-water minnow *Apocope nevadensis* from southeastern California. Copeia **1938**:147.
- Miller, R.R. 1943a. The status of *Cyprinodon macularius* and *Cyprinodon nevadensis*, two desert fishes of western North America. Occasional Papers Museum Zoology, University of Michigan **473**:1-25.
- Miller, R.R. 1943b. *Cyprinodon salinus*, a new species of fish from Death Valley, California. Copeia **1943**:69-78.
- Miller, R.R. 1945a. A new cyprinid fish from Southern Arizona, and Sonora, Mexico, with description of a new subgenus of *Gila* and a review of related species. Copeia **1945**:104-110.
- Miller, R.R. 1945b. The status of *Lavinia ardesiaca*, a cyprinid fish from the Pajaro-Salinas Basin, California. Copeia **1945**:197-204.
- Miller, R.R. 1946. *Gila cypha*, a remarkable new species of fish from the Colorado River in Grand Canyon, Arizona. Journal of Washington Academy Science **36**: 403-415.
- Miller, R.R. 1948. The cyprinodont fishes of the Death Valley system of eastern California and southwestern Nevada. Miscellaneous Publications Museum Zoology, University of Michigan **68**:1-155.
- Miller, R.R. 1950. Notes on the cutthroat and rainbow trouts with the description of a new species from the Gila River, New Mexico. Occasional Papers Museum Zoology, University of Michigan **529**:1-42.
- Miller, R.R. 1963. Synonymy, characters, and variation of *Gila crassicauda*, a rare Californian minnow, with an account of its hybridization with *Lavinia exilicauda*. California Fish and Game **49**:20-29.
- Miller, R.R. 1968. Records of some native freshwater fishes transplanted into various waters of California, Baja California, and Nevada. California Fish Game **54**:170-179.
- Miller, R.R. 1972. Classification of the native trouts of Arizona with the description of a new species, *Salmo apache*. Copeia **1972**:401-422.

- Miller, R.R. 1973. Two new fishes, *Gila bicolor snyderi* and *Catostomus fumeiventris*, from the Owens River Basin, California. Occasional Papers Museum. Zoology, University of Michigan **667**:1-19.
- Miller, R.R. 1981. Coevolution of deserts and pupfishes (Genus *Cyprinodon*) in the American southwest. Pages 39-94 in R.J. Naiman and D.L. Soltz, eds., Fishes in North American Deserts. John Wiley, NY.
- Mills, M.D., R.B. Rader, and M.C. Belk. 2004. Complex interactions between native and invasive fish: the simultaneous effects of multiple negative interactions. *Oecologia* **141**:713-721.
- Minshall, G.W., J.T. Brock, and J.D. Varley. 1989. Wildfires and Yellowstone's stream ecosystems. *Bioscience* **39**:707-715.
- Moeller, A., S.D. MacNeil, R.F. Ambrose, and S.S. Que Hee. 2003. Elements in fish of Malibu Creek and Malibu Lagoon near Los Angeles, California. *Marine Pollution Bulletin* **46**:424-429.
- Moffett, J.W. and S.H. Smith. 1950. Biological investigations of the fishery resources of Trinity River, California. USFWS Spec. Sci. Rept. Fisheries **12**:1-71.
- Moffitt, S., B. Marston, and M. Miller. 2002. Summary of eulachon research in the Copper River Delta, 1998-2002: Report to the Alaska Board of Fisheries (Regional Information Report No. 2A02-34). Alaska Department of Fish and Game, Division of Commercial Fisheries, Anchorage.
- Mohseni, O., H.G. Stefan, and J.G. Eaton. 2003. Global warming and potential changes in fish habitat in U.S. streams. *Climatic Change* **59**:389-409.
- Moles, A. and G.D. Marty. 2005. Physiological changes in prickly sculpin (*Cottus asper*) inhabiting a lake used by jet-propelled watercraft. *Bulletin Environmental Contamination and Toxicology* **74**:1151-1158.
- Monroe, G.M., B.J. Mapes, and P.L. McLaughlin. 1975. Natural resources of Lake Earl and the Smith River Delta. California Department Fish and Game, Coastal Wetland Series 10. 114 pp.
- Monroe, G.M. and T. Reynolds. 1974. Natural resources of the Eel River Delta. California Department Fish and Game, Coastal Wetland Series 9. 108 pp.
- Moring, J.R. and R.L. Lantz. 1975. The Alsea watershed study: effects of logging on the aquatic resources of three headwater streams of the Alsea River, Oregon. Fisheries Resources Report Oregon Department Fish and Wildlife **9**.



- Morrow, J.E. 1980. The freshwater fishes of Alaska. Alaska Northwest Pub. Co., Anchorage. 248 pp.
- Moser, M.L. and S.T. Lindley. 2007. Use of Washington estuaries by subadult and adult green sturgeon. *Environmental Biology of Fishes* **79**:243-253.
- Mote, P.W., A.F. Hamlet, M.P. Clark, and D.P. Lettenmaier. 2005. Declining mountain snowpack in western North America. *Bulletin of the American Meteorological Society* **86**:39-49.
- Mote, P.W., E.A. Parson, A.F. Hamlet, W.S. Keeton, D.Lettenmaier, N. Mantua, E.L. Miles, D.W. Peterson, D.L. Peterson, R. Slaughter, and A.K. Snover. 2003. Preparing for climatic change: the water, salmon and forests of the Pacific Northwest. *Climatic Change* **61**:45-88.
- Mount, J.F. 1995. California rivers and streams: the conflict between fluvial process and land use. University of California Press, Berkeley.
- Moyle, P.B. 1976. Inland Fishes of California. University of California Press, Berkeley. 405pp.
- Moyle, P.B. 1976. Some effects of channelization on the fishes and invertebrates of Rush Creek, Modoc County, California. *California Fish Game* **62**:179-186.
- Moyle, P.B. 2002. Inland fishes of California. University of California Press. 502pp.
- Moyle, P.B. 2008. The future of fish in response to large-scale change in the San Francisco Estuary, California. Pages 357-374 *in* K. D. McLaughlin, editor. *Mitigating Impacts of Natural Hazards on Fishery Ecosystems*. American Fisheries Society, Symposium 64, Bethesda, Maryland.
- Moyle, P.B. and D.M. Baltz. 1985. Microhabitat use by an assemblage of California stream fishes: developing criteria for instream flow determinations. *Transactions of the American Fisheries Society* **114**:695-704.
- Moyle, P.B., R.D. Baxter, T.R. Sommer, T.C. Foin, and S.A. Matern. 2004. Biology and population dynamics of Sacramento splittail (*Pogonichthys macrolepidotus*) in the San Francisco Estuary: a review. *San Francisco Estuary and Watershed Science* **2**:47 pp.
- Moyle, P.B. and W.A. Bennett. 2008. The future of the Delta ecosystem and its fish, Technical Appendix D. Comparing futures for the Sacramento-San Joaquin Delta:38 pp
- Moyle, P.B., L.R. Brown, S.D. Chase, and R.M. Quiñones. 2009. Status and conservation of lampreys in California. Pages 279-292 *in* L. Brown, S. Chase, M. Mesa, R. Beamish, and P. Moyle, editors. *Biology, Management, and Conservation of Lampreys in North America*. American Fisheries Society, Bethesda, MD.

- Moyle, P.B. and J.J. Cech Jr. 2004. *Fishes: An introduction to ichthyology*. Pearson Benjamin Cummings, San Francisco, CA. 726pp.
- Moyle, P.B., P.K. Crain, and K. Whitener. 2007. Patterns in the use of a restored California floodplain by native and alien fishes. *San Francisco Estuary and Watershed Science* **5**:27 pp.
- Moyle, P.B., P.K. Crain, K. Whitener, and J.F. Mount. 2003. Alien fishes in natural streams: fish distribution, assemblage structure, and conservation in the Cosumnes River, California, USA. *Environmental Biology of Fishes* **68**:143-162.
- Moyle, P.B. and R.A. Daniels. 1982. *Fishes of the Pit River system, and Surprise Valley region*. University of California Publication Zoology **115**:1-82.
- Moyle, P.B., R.A. Daniels, B. Herbold, and D.M. Baltz. 1985. Patterns in distribution and abundance of a noncoevolved assemblage of estuarine fishes in California. *Fisheries Bulletin* **84**:105-117.
- Moyle, P.B., J. Hobbs, and T. O'Rear. 2012. *Fishes*. Pages 161-173 in A. Palaima, editor. *Ecology, conservation and restoration of tidal marshes: The San Francisco Estuary*. University of California Press, Berkeley
- Moyle, P.B. and J.A. Israel. 2005. Untested assumptions: effectiveness of screening diversions for conservation of fish populations. *Fisheries* **30**:20-28.
- Moyle, P.B., J.V.E. Katz, and R.M. Quiñones. 2011. Rapid decline of California's native inland fishes: A status assessment. *Biological Conservation* **144**:2414-2423.
- Moyle, P.B., T. Kennedy, D. Kuda, L. Martin, and G. Grant. 1991. *Fishes of Bly Tunnel, Lassen County, California*. *Great Basin Naturalist* **51**:267-270.
- Moyle, P.B., J.D. Kiernan, P.K. Crain, and R.M. Quiñones. 2013. Climate Change Vulnerability of Native and Alien Freshwater Fishes of California: A Systematic Assessment Approach. *PloS one* **8**:5.
- Moyle, P. B., A. D. Manfree, and P. L. Fiedler. 2014. *Suisun Marsh: Ecological History and Possible Futures*. Univ of California Press.
- Moyle, P.B. and M.P. Marchetti. 2006. Predicting invasion success: freshwater fishes in California as a model. *Bioscience* **56**:515-524.
- Moyle, P.B. and M. Massingill. 1981. Hybridization between hitch, *Lavinia exilicauda*, and Sacramento blackfish, *Orthodon microlepidotus*, in San Luis Reservoir, California. *California Fish Game* **67**:196-198.

- Moyle, P.B. and M.D. Morford. 1991. Salmon, steelhead, smelt, and sturgeon in California: endangered resources. Report to American Fisheries Society, California-Nevada Chapter, and five other organizations. 10pp.
- Moyle, P.B. and R.D. Nichols. 1973. Ecology of some native and introduced fishes of the Sierra Nevada foothills in central California. *Copeia*:478-490.
- Moyle, P.B., S.E. Purdy, and J.A. Israel. 2008. Salmon, steelhead and trout in California: status of emblematic fauna. California Trout, Center for Watershed Sciences.
- Moyle, P.B. and P.J. Randall. 1998. Evaluating the biotic integrity of watersheds in the Sierra Nevada, California. *Conservation Biology* **12**:1318-1326.
- Moyle, P.B., J.J. Smith, R.A. Daniels, and D.M. Baltz. 1982. Distribution and ecology of stream fishes of the Sacramento-San Joaquin Drainage System, California: a review. University of California Publication Zoology **115**:225-256.
- Moyle, P.B., B. Vondracek and G.D. Grossman. 1983. Response of fish populations in the North Fork of the Feather River, California to treatment with fish toxicants. *North American Journal Fisheries Management* **3**:48-60.
- Moyle, P.B. and J.E. Williams. 1990. Loss of biodiversity in the temperate zone: decline of the native fish fauna of California. *Conservation Biology* **4**:275-284.
- Moyle, P.B., J.E. Williams, and E. Wikramanayake. 1989. Fish species of special concern of California. California Department of Fish and Game, Sacramento. 222 pp.
- Moyle, P.B., R.M. Yoshiyama, J.E. Williams, and E.D. Wikramanayake. 1995. Fish species of special concern of California. 2<sup>nd</sup> edition. California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova, CA 272p.
- Mueter, F.J., R.M. Peterman, and B.J. Pyper. 2002. Opposite effects of ocean temperature on survival rates of 120 stocks of Pacific salmon (*Oncorhynchus* spp.) in northern and southern areas. *Canadian Journal of Fisheries and Aquatic Science* **59**:456-463.
- Muir, W.D., R.L. Emmett, and R.J. McConnell. 1988. Diet of juvenile and subadult white sturgeon in the lower Columbia River and its estuary. *California Fish Game* **74**:49-54.
- Muir, W.D., G.T. McCabe, Jr., M.J. Parsley and S.A. Hinton. 2000. Diet of first-feeding larval and young-of-the-year white sturgeon in the lower Columbia River. *Northwest Science* **74**:25-33.
- Murphy, G.I. 1943. Sexual dimorphism in the minnows *Hesperoleucus* and *Rhinichthys*. *Copeia* **1943**:187-188.

- Murphy, G.I. 1947. Notes on hardhead control in the East Fork of the Russian River, Mendocino County, California. California Department Fish and Game, Inland Fish Administrative Report 47.
- Murphy, G.I. 1948b. Notes on the biology of the Sacramento hitch (*Lavinia e. exilicauda*) of Clear Lake, Lake County, California. California Fish Game **34**:101-110.
- Murphy, G.I. 1948c. Distribution and variation of the roach (*Hesperoleucus*) in the coastal region of California. M.A. Thesis, University of California. 55 pp.
- Murphy, G.I. 1949. The food of young largemouth bass (*Micropterus salmoides*) in Clear Lake, California. California Fish and Game **35**:159-164.
- Murphy, G.I. and J.W. DeWitt. 1951. Notes on the fishes and fisheries of the lower Eel River, Humboldt County, California. California Department Fish and Game, Administrative Rept. 51-9. 28 pp.
- Musick, J., M. Harbin, S. Berkeley, G. Burgess, A. Eklund, L. Findley, R. Gilmore, J. Golden, D. Ha, and G. Huntsman. 2000. Marine, estuarine, and diadromous fish stocks at risk of extinction in North America (exclusive of Pacific salmonids). Fisheries **25**:6-30.
- Myers, J.M., R.G. Kope, G.J. Bryant, D.J. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neely, S.T. Lindley, and R.S. Waples. 1998. Status Review of Chinook salmon from Washington, Idaho, Oregon, and California. U.S. Department of Commerce, NOAA Technical Memorandum NMFS-NWFSC-35:443pp.
- Myrick, C.A. 1996. The application of bioenergetics to the control of fish populations below reservoirs: California stream fish swimming performances. M.S. Thesis, University of California, Davis. 35 pp.
- Myrick, C.A. and J.J. Cech, Jr. 2000. Swimming performances of four California stream fishes: temperature effects. Environmental Biology of Fishes **58**:289-295.
- Myrick, C.A. and J.J. Cech, Jr. 2004. Temperature effects on juvenile anadromous salmonids in California's Central Valley: what don't we know. Reviews in Fish Biology and Fisheries **14**:113-123.
- Naiman, R.J. 1975. Food habits of the Amargosa pupfish in a thermal stream. Transactions American Fisheries Society **104**:536-538.
- Naiman, R.J. 1976. Productivity of a herbivorous pupfish population (*Cyprinodon nevadensis*) in a warm desert stream. Journal of Fish Biology **9**:125-137.
- Nakamoto, R. 1994. Characteristics of pools used by adult summer steelhead overwintering in the New River, California. Transactions of the American Fisheries Society **123**:757-765.

- Nakamoto, R.J., T.T. Kisanuki, and G.H. Goldsmith. 1995. Age and growth of Klamath River green sturgeon (*Acipenser medirostris*). Report to the Klamath River Fishery Resource Office (Project no. 93-FP-13), Yreka, CA. 20 pp.
- Naman, S., S. Turo, and T. Hayden. 2004. Juvenile salmonid monitoring on the Lower Trinity River, California, 2001. Hoopa, CA, Yurok Tribal Fisheries Program, Trinity River Division.
- National Marine Fisheries Service. 2008. Biological Opinion- for permit issuance to Bed Rock Products Inc. For in-stream mining in the Wheatfield and South Forks of the Gualala River, Sonoma County. NOAA Fisheries, Southwest Region. August 18, 2008.
- National Research Council (NRC). 2004. Endangered and threatened fishes in the Klamath River basin. National Academies Press, Washington, D.C.
- Natural Resources Conservation District (NRCD). 2006. Goose Lake- 18020001: 8-digit hydrologic unit profile.
- Nawa, R. 2003. A Petition for Rules to List: Pacific Lamprey (*Lampetra tridentata*); River Lamprey (*Lampetra ayresi*); Western Brook Lamprey (*Lampetra richardsoni*); and Kern Brook Lamprey (*Lampetra hubbsi*) as Threatened or Endangered Under the Endangered Species Act. Letter to the U.S. Fish and Wildlife Service, Department of the Interior.
- Needham, P.R. and R. Gard. 1959. Rainbow trout in Mexico and California, with notes on the cutthroat trout series. University California Publ., Zoology **67**:123 pp.
- Neillands, W.G. 2001. Natural hybridization between coastal cutthroat trout (*Oncorhynchus clarki clarki*) and steelhead trout (*Oncorhynchus mykiss*) within Redwood Creek, California. Thesis (M.S.) Humboldt State University.
- Nelson, J.S., E.J. Crossman, H. Espinosa-Perez, L.T. Findley, C.R. Gilbert, R.N. Lea, and J.D. Williams. 2004. Common and scientific names of fishes from the United States, Canada, and Mexico. Special Publications 29, American Fisheries Society, Bethesda, Maryland.
- Nguyen, R.M. and C.E. Crocker. 2007. The effects of substrate composition on foraging behavior and growth rate of larval green sturgeon, *Acipenser medirostris*. Environmental Biology of Fishes **79**:231-241.
- Nichols, F.H., J.E. Cloern, S.N. Luoma, and D.H. Peterson. 1986. The modification of an estuary. Science **231**:567-573.
- Nichols, K., D. Therry, and S. Foott. 2003. FY2002 investigational report: Trinity River fall Chinook smolt health following passage through the Lower Klamath River, June-August 2002. U.S. Fish and Wildlife Service, California-Nevada Fish Health Center, Anderson, CA.

- Nickelson, T. 2003. The influence of hatchery coho salmon (*Oncorhynchus kisutch*) on the productivity of wild coho salmon populations in Oregon coastal basins. *Canadian Journal of Fisheries and Aquatic Sciences* **60**:1050-1056.
- Nickelson, T.E., M.F. Solazzi, and S.L. Johnson. 1986. Use of hatchery coho salmon (*Oncorhynchus kisutch*) psmolts to rebuild wild populations in Oregon coastal streams. *Canadian Journal of Fisheries and Aquatic Science* **43**:2443-2449.
- Nicola, S.J. 1974. The life history of the hitch, *Lavinia exilicauda* Baird and Girard, in Beardsley Reservoir, California. *Inland Fisheries Administrative Report* **74-6**:1-16.
- Nielsen, J.L., K.D. Crow, and M.C. Fountain. 1999. Microsatellite diversity and conservation of a relic trout population: McCloud River redband trout. *Molecular Ecology* **8**:8129-8142.
- Nielsen, J.L., T.E. Lisle, and V. Ozaki. 1994. Thermally Stratified Pools and Their Use by Steelhead in Northern California Streams. *Transactions of the American Fisheries Society* **123**:613-626.
- Nobriga, M.I., F. Feyrer, R.D. Baxter, and M. Chotkowski. 2005. Fish community ecology in an altered river delta: spatial patterns in species composition, life history strategies, and biomass. *Estuaries* **28**:776-785.
- North Coast Regional Water Quality Control Board. 2000. Navarro River Watershed Technical Support Document for the Total Maximum Daily Load for Sediment and Technical Support Document for the Total Maximum Daily Load for Temperature. 157 pp.
- North, J.A., R.A. Farr, and P. Vescei. 2002. A comparison of meristic and morphometric characters of green sturgeon *Acipenser medirostris*. *Journal Applied Ichthyology* **18**:234-239.
- Northcote, T.G. 1992. Migration and residency in stream salmonids - some ecological considerations and evolutionary consequences. *Nordic Journal of Freshwater Research* **67**:5-17.
- Northcote, T.G. and G.L. Ennis. 1994. Mountain whitefish biology and habitat use in relation to compensation and improvement possibilities. *Reviews in Fisheries Science* **2**:347-371.
- Northcote, T.G. and G.F. Hartman. 1959. A case of "schooling" behavior in the prickly sculpin, *Cottus asper* Richardson. *Copeia* **1959**:158-159.
- Noss, R.F., J.F. Franklin, W.L. Baker, T. Schoennagel, and P.B. Moyle. 2006. Managing fire-prone forests in the western United States. *Frontiers in Ecology and the Environment* **4**:481-487.

- Null, S., J. Viers, M. Deas, S. Tanaka, and J. Mount. 2012. Stream temperature sensitivity to climate warming in California's Sierra Nevada: impacts to coldwater habitat. *Climatic Change*:1-22.
- Oakey, D.D., M.E. Douglas, and M.R. Douglas. 2004. Small fish in large landscape: diversification of *Rhinichthys osculus* (Cyprinidae) in western North America. *Copeia* 2:207-221.
- O'Brien, J.W. 2006. Reconnaissance level stream survey report form for Fish Canyon fish survey. Region 5, California Department of Fish and Wildlife, Inland Fisheries Files, Los Alamitos, USA.
- O'Brien, J.W. 2006. Silverado Canyon reconnaissance survey report. California Department of Fish and Wildlife, Inland Fisheries Files, Region 5, Los Alamitos, USA.
- O'Brien, J.W. 2006. Santiago Canyon reconnaissance survey report. California Department of Fish and Wildlife, Inland Fisheries Files, Region 5, Los Alamitos, USA.
- O'Brien, J.W. 2008. Santiago Canyon reconnaissance survey report. California Department of Fish and Wildlife, Inland Fisheries File, Region 5, Los Alamitos, USA.
- O'Brien, J.W. 2008. Reconnaissance level stream survey report form for Fish Canyon fish survey. California Department of Fish and Wildlife, Inland Fisheries Files, Region 5, Los Alamitos, USA.
- O'Brien, J.W. 2009. Data Summary of the 2009 Fish Surveys in the Big Tujunga Creek Basin, Los Angeles County, California. California Department of Fish and Wildlife, Inland Fisheries Files, Region 5, Los Alamitos, USA.
- O'Brien, J.W., H.K. Hansen, and M.E. Stephens. 2011. Status of fishes in the Upper San Gabriel River Basin, Los Angeles County, California. *California Fish and Game* 97:149-163.
- Odemar, M.W. 1964. Southern range extension of the eulachon, *Thaleichthys pacificus*. *California Fish Game* 50:305-307.
- Odion, D.C., T.L. Dudley, and C.M. D'Antonio. 1988. Cattle grazing in southeastern sierran meadows: ecosystem change and prospects for recovery. Pages 277-292 in C. A. H. a. V. Doyle-Jones, editor. *Plant biology of eastern California*. Univ. California Los Angeles, White Mountain Res. Station.
- Office of Environmental Health Hazard Assessment (OEHHA). 2005. Health advisory: fish consumption guidelines for Clear Lake, Cache Creek, and Bear Creek (Lake, Yolo and Colusa Counties). January 2005.

- Olsen, D.G. and M.C. Belk. 2005. Relationship of diurnal habitat use of native stream fishes of the eastern Great Basin to presence of introduced salmonids. *Western North American Naturalist* **65**:501-506.
- Olson, A.D. 1996. Freshwater rearing strategies of spring Chinook salmon (*Oncorhynchus tshawytscha*) in Salmon River tributaries, Klamath Basin, California. Humboldt State University, Arcata, CA. Thesis.
- Olson, A.D., O.J. Dix and J.R. West. 1992. Salmon, Scott, and mid-Klamath sub-basin spawning ground utilization surveys. 1989/1990 and 1990/1991. Klamath River Basin Fisheries Task Force Annual Report: 33pp.
- Olson, J. 1997. Field notes from Cow Head Slough, April - November 1997. U.S. Forest Service, Fremont National Forest, Lakeview, Oregon.
- Olson, M.D. 1988. Upstream Changes in Native Fish Abundance After Reservoir Impoundment in California Streams of the Lahontan Basin. Unpublished M.S. Thesis. University of California, Berkeley. 34pp.
- Olson, M.D. and D.C. Erman. 1987. Distribution and abundance of mountain sucker, *Catostomus platyrhynchus*, in five California streams of the Western Lahontan Basin. California Department Fish and Game Report Contract C-2057.
- O'Neal, K. 2002. Effects of global warming on trout and salmon in U.S. streams. Defenders of Wildlife, Washington, D.C.
- Opperman, J. and A.M. Merenlender. 2004. The effectiveness of riparian restoration for improving instream fish habitat in four hardwood-dominated California streams. *North American Journal of Fisheries Management* **24**:822-834.
- Oregon Department of Fish and Wildlife. 1991. Status report, Columbia River fish runs and fisheries 1960-1990. Oregon Department of Fish and Wildlife.
- Oregon Department of Fish and Wildlife. 1996. Upper Deschutes River subbasin fish management plan. Upper Deschutes Fish District, Bend, Oregon.
- Oregon Department of Fish and Wildlife. 2005. Goose Lake redband trout. Oregon State native fish management report, Oregon Department of Fish and Wildlife Fish Division, Salem, OR.:398-401.
- Oregon Department of Fish and Wildlife. 2006. 2005 Oregon native fish status report – Volume II, Assessment methods and population results. Salem, OR.
- Oregon Department of Fish and Wildlife and Washington Department of Fish and Wildlife (ODFW and WDFW). 2008. 2009 Joint Staff report concerning stock status and



- fisheries for sturgeons and smelt. Joint Columbia River Management Staff, December 9, 2008.
- Orr, A.J., A.S. Banks, S. Mellman, H.R. Huber, R.L. DeLong, and R.F. Brown. 2004. Examination of the foraging habits of Pacific harbor seal (*Phoca vitulina richardsi*) to describe their use of the Umpqua River, Oregon, and their predation on salmonids. Fisheries Bulletin **102**:108-117.
- Osleger, D.A., R.A. Zierenberg, T.H. Suchanek, J.S. Stoner, S. Morgan, and D.P. Adam. 2008. Clear Lake sediments: anthropogenic change in physical sedimentology and magnetic response. Ecol. App. 18:A239-A256.
- Pacific Fishery Management Council. 1988. Ninth Amendment to the Fishery Management Plan for Commercial and Recreational Salmon Fisheries Off the Coasts of Washington, Oregon, and California Commencing in 1978: Draft. The Council, Portland, Oregon.
- Pacific Fishery Management Council. 2007. Review of 2006 Ocean Salmon Fisheries. Portland, Oregon.
- Pacific Gas and Electric (PG&E). 1985. Bald Eagle and Fish Study. Pit 3, 4 and 5 Project. Biosystems Analysis, Inc. and University of California, Davis.
- Page, L.M. and B.M. Burr. 1991. A field guide to freshwater fishes of North America north of Mexico. Houghton Mifflin Company, Boston.
- Page, L.M., H.Espinosa-Perez, L.T. Findley, C.R. Gilbert, R.N. Lea, N.E. Mandrak, R.L. Mayden, and J.S. Nelson. 2013. Common and scientific names of fishes from the United States and Mexico. Seventh edition. American Fisheries Society Special Publication **34**.
- Palmer, L. 1967. History Of Mendocino County, California, Compromising its Geography, Geology, Topography, Climatology, Springs And Timber. Mendocino County Historical Society, Ukiah.
- Papa, R., J.A. Israel, F. Nonnis Marzano, and B. May. 2007. Assessment of genetic variation between reproductive ecotypes of Klamath River steelhead reveals differentiation associated with different run-timings. Journal of Applied Ichthyology **23**:142-146.
- Parker, C. 1964c. Little North Fork Gualala River Stream Survey. Little North Fork Gualala River surveyed by foot and automobile from the headwaters to the mouth, a total of 4.5 miles. September 10, 1964. California Department of Fish and Game, Region 3, Yountville, CA.
- Parker, C. and R. Pool. 1964b. North Fork Gualala River Stream Survey, North Fork Gualala River surveyed by foot and automobile from the mouth to the headwaters, a total of 15 miles. September 17-18, 1964. California Department of Fish and Game, Region 3, Yountville, CA. 2 pp.

- Parmenter, S. 2008. The prognosis of endemic fishes complicated by climate change in the Western Great Basin. Conference: Climate, Ecosystems and Resources in eastern California. Bishop, CA, November 5-8.
- Parsley, M.J., N.D. Popoff, B.K. Van der Leeuw, and C.D. Wright. 2008. Seasonal and diel movements of white sturgeon in the lower Columbia River. Transactions of the American Fisheries Society **137**:1007-1017.
- Patten, B.G. 1971. Spawning and fecundity of seven species of northwest American *Cottus*. American Midland Naturalist **85**:493-506.
- Patton, T.M., F.J. Rahel, and W.A. Hubert. 1998. Using historical data to assess changes in Wyoming's fish fauna. Conservation Biology **12**:1120-1128.
- Pauley, G. B., K. Oshima, K. L. Bowers, and G. L. Thomas. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest)—sea-run cutthroat trout. US Fish Wildlife Service Biological Report 82 (11.86). US Army Corps of Engineers, TR EL-82-4.
- Payne, S.A., B.A. Johnson, and R.S. Otto. 1999. Proximate composition of some north-eastern Pacific forage fish species. Fisheries Oceanography **8**:159-177.
- Pearse, D.E., C.J. Donohoe, and J.C. Garza. 2007. Population genetics of steelhead (*Oncorhynchus mykiss*) in the Klamath River. Environmental Biology of Fishes **80**:377-388.
- Pearse, D.E., S.L. Gunckel, and S.E. Jacobs. 2011. Population Structure and Genetic Divergence of Coastal Rainbow and Redband Trout in the Upper Klamath Basin. Transactions of the American Fisheries Society **140**:587-597.
- Pearsons, T.N., H.W. Li, and G.A. Lamberti. 1992. Influence of habitat complexity on resistance to flooding and resilience of stream fish assemblages. Transactions American Fisheries Society **121**:427-436.
- Pearsons, T.N. and G.M. Temple. 2010. Changes to rainbow trout abundance and salmonid biomass in a Washington watershed as related to hatchery salmon supplementation. Transactions of the American Fisheries Society **139**:502-520.
- Peck, B.J. 2001. Klamath Irrigation Project sucker salvage and Langell Valley fish survey report – 2000. U.S. Bureau of Reclamation, Klamath Falls, Oregon.
- Peng, Z., A. Ludwig, D. Wang, R. Diogo, Q. Wei, and S. He. 2007. Age and biogeography of major clades in sturgeons and paddlefishes (Pisces: Acipenseriformes). Molecular phylogenetics and evolution **42**:854-862.

- Perry, R.W., J.R. Skalski, P.L. Brandes, P.T. Sandstrom, A.P. Klimley, A. Ammann, and B. MacFarlane. 2010. Estimating survival and migration route probabilities of juvenile Chinook salmon in the Sacramento–San Joaquin River Delta. *North American Journal of Fisheries Management* **30**:142-156.
- Pfrender, M.E., J. Hicks, and M. Lynch. 2004. Biogeographic patterns and current distribution of molecular-genetic variation among populations of speckled dace, *Rhinichthys osculus* (Girard). *Molecular Phylogenetics and Evolution* **30**:490-502.
- Phillips, K.N. and A.S.V. Denburgh. 1971. Hydrology and geochemistry of Abert, Summer, and Goose Lakes, and other closed-basin lakes in south-central Oregon. Geological Survey Professional Paper 502-B, Washington, D.C.
- Pintler, H.E. and W.C. Johnson. 1958. Chemical control of rough fish in the Russian River drainage, California. *California Fish Game* **44**:91-124.
- Pit Resources Conservation District (RCD). 2006. Watershed management strategy—prioritizing management actions to improve watershed conditions. Modoc and Lassen Counties, California.
- Pitcher, T. and K. Cochrane. 2002. The use of ecosystem models to investigate multispecies management strategies for capture fisheries. *Fisheries Centre Research Reports* **10**:156 pp.
- Platts, W.S. and S. Jensen. 1991. Pine Creek assessment, Eagle Lake watershed, Lassen County, California. Unpublished Report, Lassen National Forest. 74 pp.
- Pletcher, F.T. 1963. The life history and distribution of lampreys in the Salmon and certain other rivers in British Columbia, Canada. Masters Thesis. University of British Columbia, Vancouver, B.C.
- Power, M.E. 1990. Effects of fish in river food webs. *Science* **250**:811.
- Power, M.E., J.C. Marks, and M.S. Parker. 1992. Variation in the vulnerability of prey to different predators: community-level consequences. *Ecology* **73**:2218-2223.
- Presser, T.S. and S.N. Luoma. 2006. Forecasting selenium discharges to the San Francisco Bay-delta estuary: ecological effects of a proposed San Luis drain extension. Professional paper 1646, U.S. Geological Survey, Reston, Virginia.
- Preston, B. 2006. Risk-based reanalysis of the effects of climate change on U.S. cold-water habitat. *Climate Change* **76**:91-119.
- Price, D.G. and R.E. Geary. 1978. Geysers Unit site-specific studies: fishery resources and water temperature characteristics. The Geysers Known Geothermal Resource Area Fishery Investigations. Report 420-78.123. 113 pp.

- Price, D.G. and R.E. Geary. 1979. An inventory of the fishery resources in the Big Sulphur Creek Drainage. The Geysers Known Geothermal Resource Area Fishery Investigations. Report 420-79.2. 356 pp.
- Propst, D.L. and K.B. Gido. 2004. Responses of native and nonnative fishes to natural flow regime mimicry in the San Juan River. Transactions American Fisheries Society **133**:922-931.
- Purdy, T.I. 1988. Purdy's Eagle Lake. Lahontan Images, Susanville. 136 pp.
- Pustejovsky, T. 2007. A conservation plan for Pine Creek and Eagle Lake rainbow trout, Lassen County, California. Lassen County Resource Advisory Council, Susanville: 90 pp.
- Quihillalt, R.R. 1999. Mainstem Trinity River fall Chinook salmon spawning redd survey, 1996 through 1998. U.S. Department of Interior, U.S. FWS.: 20 pp.
- Quinn, J.W. 1994. Effects of trout stream habitat rehabilitation projects on nongame fish communities in five southeastern Minnesota streams. Winona State University, Winona, Minnesota.
- Quinn, T.P. 2005. The behavior and ecology of Pacific salmon and trout. UBC Press.
- Quiñones, R.M. 2011. Recovery of Pacific Salmonids (*Oncorhynchus* spp.) in the Face of Climate Change: A Case Study of the Klamath River Basin, California. Ph.D. Dissertation. University of California, Davis.
- Quiñones, R.M., M.L. Johnson, and P.B. Moyle. 2014. Hatchery practices may result in replacement of wild salmonids: adult trends in the Klamath basin, California. Environmental Biology of Fishes **97**:233-246.
- Quiñones, R.M. and P.B. Moyle. In press. Integrating climate change into salmon and trout conservation: a case study of the Klamath River, California. *in* T. L. Root, K. R. Hall, M. Herzog, and C. A. Howell, editors. Linking Science and Management to Conserve Biodiversity in a Changing Climate. University of California Press.
- Quiñones, R.M. and T.J. Mulligan. 2005. Habitat use by juvenile salmonids in the Smith River estuary, California. Transactions of the American Fisheries Society **134**:1147-1158.
- Radtke, L.D. 1966. Distribution of smelt, juvenile sturgeon and starry flounder in the Sacramento-San Joaquin Delta. Pages 115-119 *in* S.L. Turner and D.W. Kelley, eds., Ecological Studies of the Sacramento-San Joaquin Estuary, Pt. 2. California Department Fish Game Fish Bulletin **136**.

- Raverty, S., R. Hedrick, J. Henry, and S. Saksida. 2003. British Columbia: Diagnosis of sturgeon iridovirus infection in farmed white sturgeon in British Columbia. *The Canadian Veterinary Journal* **44**:327-328.
- Redband Trout Conservation Agreement. 1998. Upper McCloud River Redband Trout (*Oncorhynchus mykiss*). Shasta-Trinity National Forest.
- Reedy, G. 2005. Smith River adult trout and salmon surveys, Summer 2005. Smith River Alliance.
- Reeves, G.H., F.H. Everest, and J.R. Sedell. 1993. Diversity of juvenile anadromous salmonid assemblages in coastal Oregon basins with different levels of timber harvest. *Transactions of the American Fisheries Society* **122**:309-317.
- Reeves, J.G. 1964. Age and growth of the hardhead minnow *Mylopharodon conocephalus* in the American River basin of California, with notes on its ecology. M.S. Thesis. University of California, Berkeley. 90 pp.
- Reid, S.B. 2006. Conservation Review of Cow Head Tui Chub *Gila (Siphateles) bicolor vaccaceps*. Report to the U.S. Fish and Wildlife Service, Endangered Species Division, Klamath Falls Field Office.
- Reid, S.B. 2007. Consideration of the Common Name for *Gila (Siphateles) Bicolor vaccaceps* A Tui Chub in the Cow Head Basin of Northeastern California. *California Fish and Game* **93**:49-51.
- Reid, S.B., D.A. Boguski, D.H. Goodman, and M.F. Docker. 2011. Validity of *Lampetra pacifica* (Petromyzontiformes: Petromyzontidae), a brook lamprey described from the lower Columbia River Basin. *Zootaxa* **3091**:4250.
- Reid, S.B., W. Cowan, and S. Byers. 2003. Mainstem upper Pit River fish surveys including the North and South Fork Pit Rivers, September 2002. U.S. Fish and Wildlife Service, Klamath Falls, Oregon. 53 pp.
- Reimers, P.E. 1971. The length of residence of juvenile fall chinook salmon in Sixes River, Oregon. Ph.D. Thesis. Oregon State University.
- Reisenbichler, R.R., J.D. McIntyre, M.F. Solazzi, and S.W. Landing. 1992. Genetic variation in steelhead of Oregon and northern California. *Transactions of the American Fisheries Society* **121**:158-169.
- Reisenbichler, R. and S. Rubin. 1999. Genetic changes from artificial propagation of Pacific salmon affect the productivity and viability of supplemented populations. *ICES Journal of Marine Science: Journal du Conseil* **56**:459-466.

- Reiser, D.W. and T.C. Bjornn. 1979. Habitat requirements of anadromous salmonids. Pages 54-58, in W. R. Meehan, ed., Influence of Forest and Range Management on Anadromous Fish Habitat in Western North America. Pacific N.W. Forest Range Exp. Stn. USDA Forest Serv., Portland. Gen. Tech. Report PNW-96.
- Remple, S., and D.F. Markle. 2005. Description and Identification of Larval and Juvenile Cyprinids (Fathead Minnow, Tui Chub and Blue Chub) from Upper Klamath Lake, Oregon. California Fish and Game **91**: 83-99.
- Renaud, C.B. 2011. Lampreys of the World. Canadian Museum of Nature, FAO, Ottawa.
- Resources Legacy Fund (RLF). 2012. Ecosystem adaptation to climate change in California: Nine guiding principles. 36 pp.
- Richards, J.E. and F.W.H. Beamish. 1981. Initiation of feeding and salinity tolerance in the Pacific lamprey *Lampetra tridentata*. Marine Biology **63**:73-77.
- Richards, J.E., R.J. Beamish and F.W.H. Beamish. 1982. Description and keys for ammocoetes of lampreys from British Columbia, Canada. Canadian Journal of Fishery and Aquatic Sciences. **39**:1484-1495.
- Richards, R.C., C.R. Goldman, T.C. Frantz, and R. Wickwire. 1975. Where have all the *Daphnia* gone? The decline of a major cladoceran in Lake Tahoe, California-Nevada. Verh. Internat. Verein. Limnology **19**:835-842.
- Richey, J. 1999. Cowhead Lake Tui Chub distribution and water quality in Cowhead Slough, Modoc County, California. Report to U.S. Fish and Wildlife Service, Oregon Field Office, Portland, Oregon.
- Richter, A. and S.A. Kolmes. 2005. Maximum temperature limits for Chinook, coho, and chum salmon, and steelhead trout in the Pacific Northwest. Reviews in Fisheries Science **13**:23-49.
- Ricker, S.J. 1997. Evaluation of salmon and steelhead spawning habitat quality in the Shasta River basin, 1997. Inland Fisheries Administrative Report 97-9.
- Riggs, A.C. and J.E. Deacon. 2002. Connectivity in desert aquatic ecosystems: The Devils Hole story.
- Riggs, A.C. and J.E. Deacon. 2004. Connectivity in Desert Aquatic Ecosystems: The Devils Hole Story. Conference Proceedings. Spring-fed Wetlands: Important Scientific and Cultural Resources of the Intermountain Region, 2004.
- Rissler, P.H., G.G. Scopetone and S. Shea. 2006. U. S. Geological Survey--Biological Resources Discipline, Western Fisheries Research Center, Reno Field Station.

- Robins, C.R., R.M. Bailey, C.E. Bond, J.R. Brooker, E.A. Lachner, R.N. Lea, and W.B. Scott. 1991. A list of common and scientific names of fishes from the United States and Canada. 5<sup>th</sup> edition. American Fisheries Society Spec. Publ. 20. 183 pp.
- Robins, C.R. and R.R. Miller. 1957. Classification, variation, and distribution of the sculpins, genus *Cottus*, inhabiting Pacific slope waters in California and southern Oregon, with a key to the species. California Fish Game **43**:213-233.
- Robinson, A.T. and M.R. Childs. 2001. Juvenile growth of native fishes in the Little Colorado River and in a thermally modified portion of the Colorado River. North American Journal of Fisheries Management **21**:809-815.
- Rochard, E., G. Castelnaud and M. Lepage. 1990. Sturgeons (Pisces: Acipenseridae): threats and prospects. Journal of Fish Biology **37**:123-132.
- Rodzen, J., B. May, P. Anders, and S. Ireland. 2004. Initial microsatellite analysis of wild Kootenai River white sturgeon and subset brood stock groups used in a conservation aquaculture program. U.S. Department Energy, Portland, OR. Contract no. 88-64.
- Roehrig, T.J. 1988. Life history of the California Roach in the N.F. Stanislaus River at Calaveras Big Trees State Park, California. Report to the California Department of Parks and Recreation.
- Roelofs, T.D. 1983. Current status of California summer steelhead (*Salmo gairdneri*) stocks and habitat, and recommendations for their management. Report to USDA Forest Service Region **5**. 77 pp.
- Roessig, J.M., C.M. Woodley, J.J. Cech Jr., and L.J. Hansen. 2004. Effects of global climate change on marine and estuarine fishes and fisheries. Review in Fish Biology and Fisheries **14**:251-275.
- Rogers, I.H., I.K. Birtwell, and G.M. Kruzynski. 1990. The Pacific eulachon (*Thaleichthys pacificus*) as a pollution indicator organism in the Fraser River estuary, Vancouver, British Columbia. Science of the Total Environment **97-98**:713-27.
- Rogers, K.B., L.E. Bergsted, and E.P. Bergersen. 1996. Standard weight equation for mountain whitefish. North American Journal of Fisheries Management. **16**:207-209.
- Romero, N., R.E. Gresswell, and J.L. Li. 2005. Changing patterns in coastal cutthroat trout (*Oncorhynchus clarki clarki*) diet and prey in a gradient of deciduous canopies. Canadian Journal of Fisheries and Aquatic Sciences **62**:1797-1807.
- Roos, J.F., P. Gilhousen, S.R. Killick, and R. Zyblut. 1973. Parasitism on juvenile Pacific salmon (*Oncorhynchus*) and Pacific herring (*Clupea harengus pallasii*) in the Strait of Georgia by the river lamprey (*Lampetra ayresi*). Journal Fisheries Research Board, Canada **30**:565-568.

- Roscoe, T.J. 1993. Life history aspects of California roach (*Hesperoleucas symmetricus*) affected by changes in flow regime in the North Fork Stanislaus River, Calaveras Co., California. M.S. Thesis, California State University, Sacramento. 57 pp.
- Rosenfeld, J., M. Porter, and E. Parkinson. 2000. Habitat factors affecting the abundance and distribution of juvenile cutthroat trout (*Oncorhynchus clarki*) and coho salmon (*Oncorhynchus kisutch*). Canadian Journal of Fisheries and Aquatic Sciences **57**:766-774.
- Rosenfeld, J.S. and S. Boss. 2001. Fitness consequences of habitat use in juvenile cutthroat trout: energetic costs and benefits of pools and riffles. Canadian Journal of Fisheries and Aquatic Science **58**:585-593.
- Rosenfeld, J. S., S. Macdonald, D. Foster, S. Amrhein, B. Bales, T. Williams, F. Race, and T. Livingstone. 2002. Importance of small streams as rearing habitat for coastal cutthroat trout. North American Journal of Fisheries Management **22**:177-187.
- Ross, S.T. 1973. The systematics of *Gasterosteus aculeatus* (Pisces:Gasterosteidae) in central and southern California. Contrib. Sci. Nat. History Mus. Los Angeles Co. **243**:1-20.
- Rowley, W. 1955. 1954 creel census, North Fork, Feather River. California Department Fish and Game, Inland Fish. Administrative Report 55: 17 pp.
- Ruiz-Campos, G. and S. Gonzalez-Guzman. 1996. First freshwater record of Pacific lamprey, *Lampetra tridentata*, from Baja California, Mexico. California Fish Game **82**:144-146.
- Russell, J.E., Beamish, F.W.H., and R.J. Beamish. 1987. Lentic spawning by the Pacific lamprey, *Lampetra tridentata*. Canadian Journal of Fishery and Aquatic Sciences. **44**:476-478.
- Rutter, C. 1903. Notes on fishes from streams and lakes of northeastern California not tributary to the Sacramento Basin. Bulletin U.S. Fish Comm. **22**:143-48.
- Rutter, C. 1908. The fishes of the Sacramento-San Joaquin basin, with a study of their distribution and variation. U.S. Bureau Fisheries Bulletin **27**:103-152.
- Sada, D.W. 1989. Status, distribution and morphological variation of speckled dace in the Owens River system. Contract Report FG7343, California Department of Fish and Game. 77 pp.
- Sada, D.W. 1990. Factors affecting structure of a Great Basin stream fish Assemblage. Ph.D. dissertation, University of Nevada, Reno. 129 pp.



- Sada, D. 2003. Temporal variation in Saratoga Springs Amargosa pupfish demography and habitat use as illustrated by long-term studies (1966 – 1995). *Proceedings of the Desert Fishes Council* **35**:73.
- Sada, D.W., H.B. Britten, and P.F. Brussard. 1995. Desert aquatic ecosystems and the genetic and morphological diversity of Death Valley System speckled dace. Pages 350-359 *in* J. L. Nielsen, ed. *Evolution and the aquatic ecosystem*. AFS Symposium 17. Bethesda, Md.: American Fisheries Society.
- Sada, D.W., and J.E. Deacon. 1995. Spatial and temporal variability of pupfish (genus *Cyprinodon*) habitat and populations at Salt Creek and Cottonball Marsh, Death Valley National Park, California. Unpublished report, U.S. National Park Service Agreement 800-2-9003. 76 pp.
- Saiki, M.K. 1984. Environmental conditions and fish faunas in low elevation rivers on the irrigated San Joaquin Valley floor, California. *California Fish Game* **70**:145-157.
- Samuelson, C.E. 1973. Fishes of South Humboldt Bay, Humboldt County, California. Unpublished M.S. Thesis, Humboldt State University, Arcata, California. 94 pp.
- Sanderson, S.L., J.J. Cech Jr., and M.L. Patterson. 1991. Fluid dynamics in suspension-feeding blackfish. *Science* **251**:1346-1348.
- Santa Ana Daily Register. 1916. Trout larger than 1915 is verdict. May 18, 1916.
- Sato, G.M. 1992a. Minutes of the Goose Lake Fishes Working Group meeting, June 26, 1992, Lakeview, Oregon. Bureau of Land Management, Susanville, CA. 20 pp.
- Sato, G.M. 1992b. Survey Report on Cowhead Lake tui chub. Bureau of Land Management, Susanville, CA. 5 pp.
- Sato, G. M. 1993a. Survey report on visit to Cow Head Slough, 29 July 1993. U.S. Bureau Land Mangement, Surprise Resource Area, Cedarville, California.
- Sato, G. M. 1993b. Survey report on visit to Cow Head Basin, 26 August 1993. U.S. Bureau of Land Management, Surprise Resource Area, Cedarville, California.
- Scavia, D., J.C. Field, D.F. Boesch, R.W. Buddemeier, V. Burkett, D.R. Cayan, M. Fogarty, M.A. Harwell, R.W. Howarth, C. Mason, D.J. Reed, T.C. Royer, A.H. Sallenger and J.G. Titus. 2002. Climate change impacts on U.S. coastal and marine ecosystems. *Estuaries* **25**:149-164.
- Schaffter, R.G. 1997a. Growth of white catfish in California's Sacramento—San Joaquin Delta. *California Fish Game* **83**:57-67.

- Schaffter, R.G. 1997b. White sturgeon spawning migrations and location of spawning habitat in the Sacramento River, California. *California Fish Game* **83**:1-20.
- Schaffter, R.G. and D.W. Kohlhorst. 1999. Status of white sturgeon in the Sacramento—San Joaquin estuary. *California Fish Game* **85**:37-41.
- Scheerer, P.D., S.L. Gunckel, M.P. Heck, and S.E. Jacobs. 2010. Status and distribution of native fishes in the Goose Lake basin, Oregon. *Northwestern Naturalist* **91**:271-287.
- Scheuerell, M.D. and J.G. Williams. 2005. Forecasting climate-induced changes in the survival of Snake River spring/summer Chinook salmon (*Oncorhynchus tshawytscha*). *Fisheries Oceanography* **14**:448-457.
- Schlichting, D.L. 1988. Annual report, Feather River Hatchery, 1986-87. Administrative Report 88-10, California Department Fish and Game Inland Fish.
- Schmidt, P.Y. 1950. Fishes of the Sea of Oldiotsk. Izdatelstvo Akademii Naukm Moscow:370 pp.
- Schönhuth, S., D.K. Shiozawa, T.E. Dowling, and R.L. Mayden. 2012. Molecular systematics of western North American cyprinids (Cypriniformes: Cyprinidae). *Zootaxa* **3586**:281-303.
- Schreck, C.B., H.W. Li, C.S. Sharpe, K.P. Currens, P.L. Hulett, S.L. Stone, and S.B. Yamada. 1986. Stock identification of Columbia River Chinook salmon and steelhead trout. Department of Energy, Bonneville Power Administration.
- Schreck, C.B. and R.J. Behnke. 1971. Trouts of the upper Kern River Basin, California with reference to systematics and evolution of western North American *Salmo*. *Journal Fisheries Research Board, Canada* **28**:987-998.
- Schreier, A.D., D. Gille, B. Mahardja, and B. May. 2011. Neutral markers confirm the octoploid origin and reveal spontaneous autoploidy in white sturgeon, *Acipenser transmontanus*. *Journal of Applied Ichthyology* **27**:24-33.
- Schultz, L.P. 1930. The life history of *Lampetra planeri* Bloch, with a statistical analysis of the rate of growth of the larvae from western Washington. *Museum of Zoological University of Michigan Occasional Papers* **221**:39 pp.
- Schwartz, R. and B. May. 2008. Genetic evaluation of isolated populations for use in reintroduction reveals significant genetic bottlenecks in potential stocks of Sacramento perch. *Transactions of the American Fisheries Society* **137**:1764-1777.
- Scoppettone, G.G. 1988. Growth and longevity of the cui-ui and longevity of other catostomids and cyprinids in western North America. *Transactions American Fisheries Society* **117**:301-307.

- Scoppettone, G.G., S. Shea and M.E. Buettner. 1995. Information on population dynamics and life history of shortnose sucker (*Chasmistes brevisnostris*) and Lost River sucker (*Deltistes luxatus*) in Tule and Clear lakes. Unpublished Report, National Biological Survey (Reno).
- Scoppettone, G.G., M.E. Hereford, P.H. Rissler, D.M. Johnson, and J.A. Salgado. 2011. Relative Abundance and Distribution of Fishes within an Established Area of Critical Environmental Concern, Inyo and San Bernardino Counties, California. Open-File Report 2011-1161, U.S. Department of the Interior, U.S. Geological Survey, Reston, Virginia.
- Scoppettone, G.G. and P.H. Rissler. 2003. Information on status, demographics, and life history of five populations of tui chub in the Cow Head Lake Slough Basin. Final report to U.S. Fish and Wildlife Service, Oregon Field Office, from U.S. Geological Survey, Biological Resources Division, Western Fisheries Research Center, Reno Field Station, Nevada.
- Scoppettone, G.G. and P.H. Rissler. 2006. Distribution of Tui Chub in the Cow Head Basin, Nevada and California. *California Fish and Game* **92**: 106.
- Scoppettone, G.G. and G. Vinyard. 1991. Life history and management of four endangered suckers. *in* W.L. Minckley and J.E. Deacon, eds. *Battle against extinction: native fish management in the American West*. University of Arizona Press, Tucson.
- Scott, W.B. and E.J. Crossman. 1973. *Freshwater fishes of Canada*. Fisheries Resource Board Canada Bulletin **184**:966 pp.
- Selby, D.A. 1977. Report on the aquatic systems of the Tecopa-Shoshone area of the Death Valley system: fish, invertebrates, and habitat status. Unpublished Report, California Department Fish and Game.
- Senkowsky, S. 2007. A feast to commerate – and mourn – the eulachon. *Bioscience* **57**: 720.
- Shaffer, J.A., D. Penttila, M. McHenry, and D. Vilella. 2007. Observations of Eulachon *Thaleichthys pacificus*, in the Elwha River, Olympic Peninsula, Washington. *Northwest Science* **81**: 76-81.
- Shapovalov, L. 1932. Report on a survey of the streams in the vicinity of Cloverdale, California. California Department Fish and Game, Inland Fish. Administrative Report 32.
- Shapovalov, L. 1941. The freshwater fish fauna of California. *Proceedings Sixth Pacific Sciences Congress* **3**:441-446.
- Shapovalov, L., A.J. Cordone, and W.A. Dill. 1981. A list of the freshwater and anadromous fishes of California. *California Fish and Game* **67**:4-38.

- Shapovalov, L. and W.A. Dill. 1950. A check list of the freshwater and anadromous fishes of California. *California Fish Game* **36**:382-391.
- Shapovalov, L., W.A. Dill, and A.J. Cordone. 1959. A revised checklist of the freshwater and anadromous fishes of California. *California Fish and Game* **45**:159-180.
- Shapovalov, L. and A.C. Taft. 1954. The life histories of the steelhead rainbow trout (*Salmo gairdneri gairdneri*) and silver salmon (*Oncorhynchus kisutch*). California Department Fish and Game Fish Bulletin 98. 275 pp.
- Shaw, T.A., C. Jackson, D. Nehler, and M. Marshall. 1997. Klamath River (Iron Gate Dam to Seiad Creek) Life Stage Periodicity for Chinook, Coho and Steelhead. Department of Interior, USFWS. Coastal California Fish and Wildlife Office.
- Shively, R.S., E.B. Neuman, A.E. Kohler, B.J. Peck, and M.P. Region. 1999. Species Composition and Distribution of Fishes in the Lost River, Oregon. Water Quality, Benthic Macroinvertebrate, and Fish Community Monitoring in the Lost River Sub-basin, Oregon and California:72 pp.
- Shrode, J.B. 1975. Developmental temperature tolerance of a Death Valley pupfish (*Cyprinodon nevadensis*). *Physiological Zoology* **48**:378-389.
- Shrode, J.B. and Gerking, S.D. 1977. Effects of constant and fluctuating temperatures on reproductive performance of a desert pupfish, *Cyprinodon n. nevadensis*. *Physiological Zoology* **50**:1-10.
- Sigler, W.F. and J.W. Sigler. 1987. *Fishes of the Great Basin: A Natural History*. University of Nevada Press, Reno. 425 pp.
- Sillman, A.J., A.K. Beach, D.A. Dahlin, and E.R. Loew. 2005. Photoreceptors and visual pigments in the retina of the fully anadromous green sturgeon (*Acipenser medirostris*) and the potamodromus pallid sturgeon (*Scaphirhynchus albus*). *Journal of Comparative Physiology* **191**:799-911.
- Simmons, R.E. 2011. Conservation genetics of California redband trout (*Oncorhynchus mykiss* subsp.). PhD dissertation. University of California, Davis.
- Simmons, R.E., P. Lavretsky, and B. May. 2009. Introgressive hybridization of redband trout in the upper McCloud River watershed. *Transactions of the American Fisheries Society* **139**:201-213.
- Simon, D.C. and D.F. Markle. 1997. Interannual abundance of nonnative fathead minnows (*Pimephales promelas*) in upper Klamath Lake, Oregon. *Great Basin Naturalist* **57**:142-148.

- Simons, A.M. and R.L. Mayden. 1998. Phylogenetic relationships of the western North American phoxinins (Actinopterygii, Cyprinidae) as inferred from Mitochondrial 12S and 16S ribosomal RNA sequences. *Molecular Phylogenetics and Evolution* **9**:308-329.
- Sims, L.R. and C.L. McGuire. 2006. Summary of activities completed in 2005 under the conservation assessment and strategy for the California golden trout (*Oncorhynchus mykiss aguabonita*). Draft report, California Department of Fish and Game.
- Sinnen, W., P. Garrison, M. Knechtle, A. Hill, J. Hileman, and S. Borok. 2009. Annual report Trinity River basin salmonid and steelhead monitoring project 2006-2007 season.
- Skinner, J.E. 1962. An historical review of the fish and wildlife resources of the San Francisco Bay area. California Department Fish and Game. 226 pp.
- Slater, D.W. 1963. Winter-run chinook salmon in the Sacramento River, California with notes on water temperature requirements at spawning. Fish and Wildlife Service, Special Scientific Report Fisheries No. 461.
- Smelser, M.G. and D.C. Whyte. 2001. Remediation of the Gambonini Mercury Mine, Marin County, California. California Geological Survey Bulletin 210/Association of Engineering Geologists.
- Smith, E.J. and R.F. Elwell. 1961. The effects of the Spencer-Franciscan, Jarbow, and Dos Rios alternative projects on the fisheries of the Middle Fork Eel River. California Department Fish and Game Report.
- Smith, G.R. and T.E. Dowling. 2008. Correlating hydrographic events and divergence times of speckled dace (*Rhinichthys*: Teleostei: Cyprinidae) in the Colorado River drainage, in Reheis, M.C., R. Hershler, and D.M. Miller, eds., Late Cenozoic drainage history of the Southwestern Great Basin and Lower Colorado River Region: Geologic and Biotic Perspective. *Geologic Society of America Special Paper* **439**:301-317.
- Smith, G., T. Dowling, K. Gobalet, T. Lugaski, D. Shiozawa, and R. Evans. 2002. Biogeography and timing of evolutionary events among Great Basin fishes. *Great Basin Aquatic Systems History* **33**:175-234.
- Smith, G.R. 1966. Distribution and evolution of the North American catostomid fishes of the subgenus *Pantosteus*, genus *Catostomus*. University of Michigan Museum Zoology Miscellaneous Publication **129**:1-33.
- Smith, G.R. 1992. Phylogeny and biogeography of the Catostomidae, freshwater fishes from North America and Asia. Pages 778-826 in R.L. Mayden, ed. Systematics, historical ecology, and North American fishes from North America and Asia. Stanford University Press, Stanford CA.

- Smith, G.R. and R.F. Stearley. 1989. The classification and scientific names of rainbow and cutthroat trouts. *Fisheries* (Bethesda) **14**:4-10
- Smith, G.R., J.D. Stewart, and N.E. Carpenter. 2013. Fossil and recent mountain suckers, *Pantosteus*, and significance of introgression in castostomin fishes in the western United States. *Occasional Papers Museum Zoology University of Michigan* **724**:1-59.
- Smith, J.J. 1977. Distribution, movements, and ecology of the fishes of the Pajaro River system, California. PhD Dissertation, University California Davis. 230 pp.
- Smith, J.J. 1982. Fishes of the Pajaro River system. University of California Publication Zoology **115**:83-170.
- Smith, J.J. 1998. Steelhead and Other Fish Resources of Western Mt. Hamilton Streams. Unpublished report, Department of Biological Sciences, San Jose State University, California.
- Smith, J.J. 2006. Distribution and abundance of juvenile coho and steelhead in Gazos, Waddell and Scott Creeks in 2006. Department of Biological Sciences, San Jose State University, California.
- Smith, J.J. 2007. Steelhead distribution and ecology in the Upper Pajaro River System and mainstem Pajaro River. Report to Santa Clara Valley Water District. Department of Biological Sciences, San Jose State University, California.
- Smith, J. J. and H. W. Li. 1983. Energetic factors influencing foraging tactics of juvenile steelhead trout, *Salmo gairdneri*. Pages 173-180 in D.L.G. Noakes et al., editor. *Predators and prey in fishes*. DW Junk, The Hague.
- Smith, S.B. 1960. A note on two stocks of steelhead trout (*Salmo gairdneri*) in Capilano River, British Columbia. *Journal Fisheries Research Board, Canada* **17**:739-742.
- Smith, T.B. and S. Skulason. 1996. Evolutionary significance of resource polymorphisms in fishes, amphibians, and birds. *Annual Reviews in Ecology and Systematics* **27**:111-133.
- Snyder, D.E. 1983. Identification of catostomid larvae in Pyramid Lake and the Truckee River, Nevada. *Transactions American Fisheries Society* **112**:333-348.
- Snyder, D.E. and R.T. Muth. 2004. Catostomid fish larvae and early juveniles of the Upper Colorado River Basin – morphological descriptions, comparisons, and computer-interactive key. Colorado Division of Wildlife Technical Report 42.
- Snyder, J.O. 1905. Notes on the fishes of the streams flowing into San Francisco Bay. Report U.S. Bureau of Fisheries **1904**:327-338.

- Snyder, J.O. 1908a. The fauna of the Russian River, California, and its relation to that of the Sacramento. *Science*, n.s., **27**:269-271.
- Snyder, J.O. 1908b. Relationships of the fish fauna of the lakes of southeastern Oregon. *Bulletin U.S. Bureau of Fisheries*. 1907, **27**:69-102.
- Snyder, J.O. 1908c. Description of *Pantosteus santa-anae*, a new species of fish from the Santa Ana River, California. *Proceedings U.S. National Museum* **59**:23-28.
- Snyder, J.O. 1908d. The fishes of the coastal streams of Oregon and northern California. *Bulletin U. S. Bureau of Fisheries* 1907, **27**:153-189.
- Snyder, J.O. 1913. The fishes of the streams tributary to Monterey Bay, California. *Bulletin U.S. Bureau of Fisheries* 1912, **32**:47-72.
- Snyder, J.O. 1917. Fishes of the Lahontan system of Nevada and northeastern California. *Bulletin U.S. Bureau of Fisheries* **35**:31-86.
- Snyder, J.O. 1918. The fishes of the Lahontan system of Nevada and northeastern California. *Bulletin U.S. Bureau of Fisheries* **35**:31-86.
- Snyder, J.O. 1919. An account of some fishes from the Owens River, California. *Proceedings U.S. National Museum* **54**:201-205.
- Snyder, J.O. 1931. Salmon of the Klamath River, California. *California Division Fish and Game Fish Bulletin* **34**:130 pp.
- Snyder, J.O. 1940. The trouts of California. *California Fish and Game* **26**:129-139.
- Soltz, D.L. and R.J. Naiman. 1978. The natural history of native fishes in the Death Valley system. *Natural History Museum, Los Angeles Co. Sci. Ser.* **30**:1-76.
- Sommer, T.R., R.D. Baxter, and F. Feyrer. 2007. Splittail “delisting”: a review of recent population trends and restoration activities. *American Fisheries Society Symposium* **53**:25-38.
- Sommer, T.R., R.D. Baxter, and B. Herbold. 1997. Resilience of splittail in the Sacramento-San Joaquin Estuary. *Transactions American Fisheries Society* **126**:961-976.
- Sommer, T.R., L. Conrad, G.O’Leary, F. Feyrer, and W.C. Harrell. 2002. Spawning and rearing of splittail in a model floodplain wetland. *Transactions American Fisheries Society* **131**:966-974.
- Sommer, T.R., W.C. Harrell, Z. Matica, and F. Feyrer. 2008. Habitat associations and behavior of adult and juvenile splittail (*Pogonichthys macrolepidotus*) in a managed seasonal floodplain wetland. *San Francisco Estuary and Watershed Science* **6**: 16 pp.

- Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham, and W.J. Kimmerer. 2001. Floodplain rearing of juvenile Chinook salmon: Evidence of enhanced growth and survival. *Canadian Journal of Fisheries and Aquatic Sciences* **58**: 325-333.
- Sonnevil, G. 1972. Abundance and distribution of the Lost River sucker (*Catostomus luxatus*) and the shortnose sucker (*Chasmistes brevirostris*) in Boles and Willow Creek, Modoc County. California Department of Fish and Game, Unpublished project report. 18 pp.
- Sopher, T.R. 1974. A trawl survey of the fishes of Arcata Bay, California. M.S. Thesis. Humboldt State University, Arcata, California. 103 pp.
- Soulé, M. 1951. Power development of the Kings River drainage, Fresno County, California. Report No. 3, Junction development of the Kings River and its Middle and South Forks. California Department Fish and Game, Inland Fish. Administrative Report 51. 17 pp.
- Southern Nevada Water Authority (SNWA). 2004. Concepts for development of additional in-state water resources. Las Vegas, Nevada.
- Spangler, E.A.K. 2002. The ecology of eulachon (*Thaleichthys pacificus*) in Twentymile River, Alaska. M.S. Thesis. Fairbanks: University of Alaska.
- Sparkman, M. 2003. Recreational angler use and catch in the Mad River, Humboldt County, California, November 2002- March 2003, California Department of Fish and Game Anadromous Fisheries Resources Assessment and Monitoring Program, Project 1g2, 32 pp.
- Spence, B.C., G.A. Lomnický, R.M. Hughes, and R.P. Novitzki. 1996. An ecosystem approach to salmonid conservation. TR-4501-96-6057. ManTech Environmental Research Services Corp., Corvallis, Oregon.
- Stables, T.B., C.J. Perrin, and M.L. Rosenau. 2005. Acoustic and trawl surveys to locate eulachon aggregations in the lower Fraser River, British Columbia. *North American Journal of Fisheries Management* **25**:675-688.
- Stefferd, J.A. 1993. Spawning season and microhabitat use by California golden trout (*Oncorhynchus mykiss aguabonita*) in the southern Sierra Nevada. *California Fish and Game* **79**:133-144.
- Stephens, M.R. 2007. Contribution of population genetic structure, hybridization, and cultural attitudes to the conservation of threatened native trout. PhD Dissertation. Davis, University of California.
- Stephens, M.R. and B. May. 2011. Genetic Analysis of California Native Trout (Phase 4): Final Report to California Department of Fish and Game, Agreement #P0982022. Genomic Variation Laboratory, University of California, Davis.



- Stephens, S., D.P. Christenson, M. Lechner, and H. Werner. 1995. Upper Kern basin fishery management plan. California Department of Fish and Game, Sequoia National Forest, and Sequoia National Park.
- Stephens, S. J., C. McGuire, C. and L. Sims. 2004. Conservation Assessment and Strategy for the California Golden Trout (*Oncorhynchus mykiss aguabonita*), Tulare County, California. California Department of Fish and Game.
- Stevens, D.E. and L.W. Miller. 1970. Distribution and abundance of sturgeon larvae in the Sacramento—San Joaquin River system. California Fish Game **56**:80-86.
- Stewart, I.T., D.R. Cayan, and M.D. Dettinger. 2004. Changes in snowmelt runoff timing in western North America under a “business as usual” climate change scenario. Climatic Change **62**:217-232.
- Stewart, I.T., D.R. Cayan, and M.D. Dettinger. 2005. Changes toward earlier streamflow timing across western North America. Journal of Climate **18**:1136-1155.
- Stillwater Sciences. 2006. Sacramento River ecological flows study. State of the System Report for The Nature Conservancy prepared by Stillwater Sciences.
- Stone, J. 2006. Observations on nest characteristics, spawning habitat, and spawning behavior of Pacific and Western Brook Lamprey in a Washington stream. Northwestern Naturalist **87**:225-232.
- Stone, J. and S. Barndt. 2005. Spatial distribution and habitat use of Pacific lamprey (*Lampetra tridentata*) ammocoetes in a western Washington stream. Journal of Freshwater Ecology **20**:171-185.
- Stone, J., J. Pirtle, and S. Barndt. 2002. Evaluate habitat use and population dynamics of lampreys in Cedar Creek, BPA Contract no. 200001400, Annual Report for 2001. US Fish and Wildlife Service, Columbia River Fisheries Program Office, Vancouver WA.
- Stone, L. 1873. Catalogue of natural history specimens, collected on the Pacific slope, in 1872, by Livingston Stone, for the United States Fish Commission. Page 201 Miscellaneous Documents of the Senate of the United States for the Third Session of the Forty-Second Congress and Special Session of the Senate. Government Printing Office, Washington, D.C.
- Strange, J.S. 2003. Adult Chinook salmon migration in the Klamath River basin: 2003 Radio telemetry study final report. Yurok Tribal Fisheries Program. 70 pp.
- Strange, J.S. 2005. Adult Chinook salmon migration in the Klamath River basin: 2005 sonic telemetry study final report. Yurok Tribal Fisheries Program. 93 pp.

- Strange, J.S. 2007. Adult Chinook salmon migration in the Klamath river basin: 2005 sonic telemetry study final report. Yurok Tribal Fisheries Program.
- Strange, J.S. 2010. Upper Thermal Limits to Migration in Adult Chinook Salmon: Evidence from the Klamath River Basin. *Transactions of the American Fisheries Society* **139**:1091-1108.
- Streif, B. 2009. Considering Pacific lampreys when implementing instream Activities *in* L. R. Brown et al., editor. *Biology, management, and conservation of lampreys in North America*. American Fisheries Society Symposium, Bethesda, MD.
- Suchanek, T.H., C.A. Eagles-Smith, D.G. Slotton, E.J. Harner, and D.P. Adam. 2008. Mercury in abiotic matrices of Clear Lake, California: human health and ecotoxicological implications. *Ecological Applications* **18**:A128-A157.
- Suchanek, T.H., C.A. Eagles-Smith, D.G. Slotton, E.J. Harner, D.P. Adam, A.E. Colwell, N.L. Anderson, and D.L. Woodward. 2008b. Mine-derived mercury: effects on lower trophic species in Clear Lake, California. *Ecological Applications* **18**:A158-A176.
- Suchanek, T.H., P.J. Richerson, D.C. Nelson, C.A. Eagles-Smith, D.W. Anderson, J.J. Cech, Jr., G. Schladow, R. Zierenberg, J.F. Mount, E.S.C. McHatton, D.G. Slotton, L.B. Webber, A.L. Bern, and B.J. Swisher. 2002. Evaluating and managing a multiply-stressed ecosystem at Clear Lake, California: A holistic ecosystem approach. *Managing For Healthy Ecosystems: Case Studies*, CRC/Lewis Press:1233-1265.
- Sugihara, N.G., J.W.V. Wagtendonk, and J. Fites-Kaufman. 2006. Fire as an ecological process. Pages 58-74 *in* N.G. Sugihara, J.W.V. Wagtendonk, K.E. Shaffer, J. Fites-Kaufman, and A.E. Thode, editors. *Fire in California's Ecosystems*. University of California, Los Angeles, CA.
- Sullivan, C.M. 1989. Juvenile life history and age composition of mature Fall Chinook salmon returning to the Klamath River, 1984-1986 Humboldt State University.
- Susac, G.L. and S.E. Jacobs. 1999. Evaluation of spawning ground surveys for indexing the abundance of adult winter steelhead in Oregon coastal basins. Oregon Department of Fish and Wildlife, Portland, Oregon.
- Sutphin, Z.A. and C.D. Hueth. 2010. Swimming performance of larval Pacific lamprey (*Lampetra tridentata*). *Northwest Science* **84**:196-200.
- Swift, C. 1965. Early development of the hitch, *Lavinia exilicauda*, of Clear Lake, California. *California Fish Game* 51:74-80.
- Swift, C.C. 2005. Current status of Santa Ana sucker in coastal southern California. *Pisces* **34**: 6-12.

- Swift, C. and S. Howard. 2009. Current status and distribution of the Pacific lamprey south of Point Conception, coastal Southern California, USA. Pages 269-278.
- Swift, C.C., T.R. Haglund, M. Ruiz, and R.N. Fisher. 1993. The status and distribution of the freshwater fishes of southern California. *Bulletin Southern California Academy Sciences* **92**:101-167.
- Tabor, R.A., E.J. Warner, K.L. Fresh, B.A. Footen, and J.R. Chan. 2007. Ontogenetic diet shifts of prickly sculpin in the Lake Washington Basin, Washington. *Transactions American Fisheries Society* **136**:1801-1813.
- Tashjian, D.H., S.J. Teh, A. Sogomonyan, and S.S.O. Hung. 2006. Bioaccumulation and chronic toxicity of dietary L-selenomethionine in juvenile white sturgeon (*Acipenser transmontanus*). *Aquatic Toxicology* **79**:401-409.
- Tashjian, D., J.J. Cech Jr., and S.S.O. Hung. 2007. Influence of dietary L-selenomethionine exposure on the survival and osmoregulatory capacity of white sturgeon in fresh and brackish water. *Fisheries Physiology and Biochemistry* **33**:109-119.
- Tate, K.W., D.F. Lile, D.L. Lancaster, M.L. Porath, J.A. Morrison, and Y. Sado. 2005. *California Agriculture* **59**:153-160.
- Taylor, F.R., R.R. Miller, J.W. Pedretti, and J.E. Deacon. 1988. Rediscovery of the Shoshone pupfish, *Cyprinodon nevadensis shoshone* (Cyprinodontidae), at Shoshone Springs, Inyo County, California. *Bulletin Southern California Academy Sciences* **87**:67-73.
- Taylor, T.L., P.B. Moyle, and D.G. Price. 1982. *Fishes of the Clear Lake Basin*. University of California Publication Zoology **115**:171-224.
- Teh, S.J., C. Wong, V. Furtula, and F. Teh. 2003. Lethal and sublethal toxicity of didecyldimethylammonium chloride in early life stages of white sturgeon, *Acipenser transmontanus*. *Environmental Toxicology and Chemistry* **22**:2152-2158.
- Thompson, L.C., M.I. Escobar, C.M. Mosser, D.R. Purkey, D. Yates, and P.B. Moyle. 2012. Water management adaptations to prevent loss of spring-run Chinook salmon in California under climate change. *Journal of Water Resources Planning and Management* **138**:465-478.
- Thompson, L.C., J.L. Voss, R.E. Larsen, W.D. Tietje, R.A. Cooper, and P.B. Moyle. 2012. Southern steelhead (*Oncorhynchus mykiss*), hard woody debris, and temperature in a California central coast watershed. *Transactions of the American Fisheries Society* **141**:275-284.
- Tomales Bay Watershed Council (TBWC). 2003. *The Tomales Bay Watershed Stewardship Plan A Framework for Action*. 137 pp.

- Tranah, G.J. 2001. The development and application of unique molecular genetic markers for discerning population structure and detecting hybridization of endangered fish species. Ph.D. dissertation. University of California, Davis. 117 pp.
- Tranah, G.J. and B. May. 2006. Patterns of intra- and interspecies genetic diversity in Klamath River suckers. *Transactions American Fisheries Society* **135**:306-316.
- Tres, J. 1992. Breeding biology of the arroyo chub, *Gila orcutti* (Pisces: Cyprinidae). Unpublished M.S. Thesis, California State Polytechnic University, Pomona. 73 pp.
- Trihey and Associates. 1996b. Lagunitas Creek anadromous fish monitoring report, Fall, 1996. Concord, California 25 pp.
- Trombulak, S.C. and C.A. Frissell. 2000. Review of ecological effects of roads on terrestrial and aquatic communities. *Conservation Biology* **14**:18-30.
- Trotter, P. 1991. Cutthroat trout *in* J. Stolz and J. Schnell, eds. Trout. The Wildlife Series, Harrisburg, PA, Stackpole Books:236-265.
- Trotter, P. 2007. Cutthroat: native trout of the West. 2nd edition. University of California Press, Berkeley.
- True, K. 2004. Draft report - Fish health monitoring of fall Chinook and steelhead in the Yuba and Feather Rivers (22002-2003). U.S. Fish and Wildlife Service, California-Nevada Fish Health Center. Oroville Facilities Relicensing Environmental Work Group Project No. 2100.
- Turner, B.J. and R.K. Liu. 1976. The subspecific identity of the introduced pupfish population at Zzyzx Spring, California. *Copeia* **1976**:211-212.
- Turner, J.L. 1966. Distribution of cyprinid fishes in the Sacramento-San Joaquin Delta. Pages 154-159 *In*: Turner, J.L. and D. W. Kelley, eds. Ecological studies of the Sacramento-San Joaquin Delta. Part II. Fishes of the Delta. California Department Fish Game Fish Bulletin 136.
- Turner, J.L. 1987. Effects of geographic distribution of larval striped bass in determining year class size of striped bass in the Sacramento-San Joaquin estuary. USBR Exhibit 100, SWRCB 1987 Water Quality/Water Rights Proceeding on the San Francisco Bay/Sacramento-San Joaquin Delta. 51 pp.
- Turner, J.L. and D.W. Kelley. 1966. Ecological studies of the Sacramento-San Joaquin Delta. California Department Fish Game Fish Bulletin **136**:144-153.
- U.S. Department of the Interior. 1985. Klamath River Basin Fisheries Resource Plan. Prepared by CH2M Hill, Redding, California.

- U.S. Environmental Protection Agency. 2000. Navarro River Total Maximum Daily Load for Temperature and Sediment.
- U. S. Environmental Protection Agency. 2002. Gualala River Total Maximum Daily Load for Sediment. U.S. EPA.
- U.S. Environmental Protection Service, California Environmental Protection Agency. 2006. Board Approved 2006 Clean Water Act Section 303(d)Statewide List of Water Quality Limited Segments. Sacramento. 236 pp.
- U.S. Fish and Wildlife Service. 1979. Klamath River fisheries investigations: Progress, problems and prospects. Annual Report, Arcata, California, Nov. 21, 1979, 49 p.
- U.S. Fish and Wildlife Service. 1980-1991. Klamath River fisheries investigations, Annual Reports. Arcata, California.
- U.S. Fish and Wildlife Service. 1982. Klamath River Fisheries Investigation Program. Annual Report 1981.
- U.S. Fish and Wildlife Service. 1991. Minutes of Southern California Steelhead Meeting, U.S.F.W.S. Office, Ventura, California, January 22, 1991. 9 pp.
- U.S. Fish and Wildlife Service. 1996. Southern steelhead *Oncorhynchus mykiss* habitat suitability survey of the Santa Margarita River, San Mateo and San Onofre Creeks on Marine Corps Base, Camp Pendleton. Prepared for Assistant Chief of Staff, Environmental Security, Coastal California Fish and Wildlife Office, Arcata, CA.
- U.S. Fish and Wildlife Service. 1998. Owens Basin Wetland and Aquatic Species Recovery Plan, Inyo and Mono Counties, California. Portland, Oregon **143**.
- U.S. Fish and Wildlife Service. 1998. Southern steelhead *Oncorhynchus mykiss* habitat suitability survey of the Santa Margarita River, San Mateo and San Onofre Creeks on Marine Corps Base, Camp Pendleton. Coastal California Fish and Wildlife Office, Arcata, CA. Prepared for Assistant Chief of Staff, Environmental Security.
- U.S. Fish and Wildlife Service. 1999. Endangered and threatened wildlife and plants; determination of threatened status for the Sacramento splittail. Federal Register **64**:5963-5981.
- U.S. Fish and Wildlife Service. 2001. Juvenile salmonid monitoring on the mainstem Klamath River at Big Bar and mainstem Trinity River at Willow Creek, 1997-2000. Annual Report of the Klamath River Fisheries Assessment Program. Arcata Fish and Wildlife Office, Arcata, CA.

- U.S. Fish and Wildlife Service. 2003. Endangered and threatened wildlife and plants; Notice of remanded determination of threatened status for the Sacramento splittail. Federal Register **68**:5140-5918.
- U.S. Fish and Wildlife Service. 2004. Endangered and threatened wildlife and plants; 90-day finding on a petition to list three species of lampreys as threatened or endangered. US Fish and Wildlife Service, Department of the Interior. 50 CFR part 17:77158-77167.
- U.S. Fish and Wildlife Service. 2011. Biological assessment of artificial propagation at Coleman National Fish Hatchery and Livingston Stone National Fish Hatchery: Program description and incidental take of Chinook salmon and steelhead. Coleman National Fish Hatchery Complex, Anderson, CA.
- U.S. Fish and Wildlife Service and NOAA. 2004. Oregon Department of Transportation's OTIA III statewide bridge delivery program (Federal Highway Administration and U.S. Army Corps of Engineers) – Section 7 and Essential Fish Habitat consultation. NOAA Fisheries NWR 2004/00209 and USFWS file #8330.02233 (04).
- University of California Cooperative Extension. 1995. The Marin coastal watershed enhancement project final report . Novato, CA. 89 pp.
- Valdez, R.A., T.L. Hoffnagle, C.C. McIvor, T. McKinney, and W.C. Leibfried. 2001. Effects of test floods on fishes of the Colorado River in Grand Canyon, Arizona. Ecological Applications **11**:686-700.
- Van Dam, A.R. and W.E. Walton. 2007. Comparison of mosquito control provided by arroyo chub (*Gila orcutti*) and the mosquitofish (*Gambusia affinis*). Journal of the American Mosquito Control Association **23**:430-441.
- Van Eenennaam, J.P., J. Linares-Casenave, X. Deng, and S.I. Doroshov. 2005. Effect of incubation temperature on green sturgeon embryos, *Acipenser medirostris*. Environmental Biology of Fishes **72**:145-154.
- Van Eenennaam, J.P., J. Linares, and S.I. Doroshov. 2006. Reproductive conditions of the Klamath River green sturgeon. Transactions American Fisheries Society **135**:151-163.
- Van Eenennamm, J.P., M.A.H. Webb, X. Deng, S.I. Doroshov, R.B. Mayfield, J.J. Cech, D.C. Hillemeier, and T.E. Willson. 2001. Artificial spawning and larval rearing of Klamath River green sturgeon. Transactions of the American Fisheries Society **130**:159-165.
- Van Kirk, R.W. and S.W. Naman. 2008. Relative Effects of Climate and Water Use on Base-Flow Trends in the Lower Klamath Basin. Journal of the American Water Resources Association **44**:1035-1052.
- Vigg, S. 1985. Gill-raker differentiation of the tui-chub in remnant Lahonton waters in E. Pister, ed., Abstact. Proceedings Desert Fishes Council. **13-25B**.

- Vincent, D.T. 1968. The influence of some environmental factors on the distribution of fishes in upper Klamath Lake, Oregon. Unpublished M.S. Thesis, Oregon State Univ., Corvallis.
- Vladykov, V.D. 1973. *Lampetra pacifica*, a new nonparasitic species of lamprey (Petromyzontidae) from Oregon and California. Journal Fisheries Research Board, Canada **30**:205-213.
- Vladykov, V.D. and W.I. Follett. 1958. Redescription of *Lampetra ayresii* (Gunther) of western North America, a species of lamprey (Petromyzonidae) distinct from *Lampetra fluviatilis* (Linnaeus) of Europe. Journal Fisheries Research Board, Canada **15**:47-77.
- Vladykov, V.D. and W.I. Follett. 1962. The teeth of lampreys (Petromyzonidae): their terminology and use in a key to the holarctic genera. Journal Fisheries Research Board, Canada **24**:1067-1075.
- Vladykov, V.D. and W.I. Follett. 1965. *Lampetra richardsoni*, a new nonparasitic species of lamprey (Petromyzontidae) from western North America. Journal Fisheries Research Board, Canada **22**:139-158.
- Vladykov, V.D. and E. Kott. 1976a. A new nonparasitic species of lamprey of the Genus *Entosphenus* Gill, 1862, (Petromyzonidae) from south central California. Bulletin South. California Academy Sciences **75**:60-67.
- Vladykov, V.D. and E. Kott. 1976b. A second nonparasitic species of *Entosphenus* Gill, 1862 (Petromyzonidae) from Klamath River System, California. Canadian Journal of Zoology **54**:974-989.
- Vladykov, V.D. and E. Kott. 1979. A new parasitic species of the holarctic lamprey genus *Entosphenus* Gill, 1862 (Petromyzonidae) from Klamath River, in California and Oregon. Canadian Journal of Zoology **57**:808-823.
- Vogel, E. 2004. Rural Groundwater Sought. Las Vegas Review-Journal. March 2005.
- Voight, H. 2006. Estimates of juvenile salmonid abundance in McGarvey Creek, tributary to the lower Klamath River, California, 2006. Yukon Tribal Fisheries Program, Klamath, CA.
- Voight, H. and J. Waldvogel. 2002. Smith River Anadromous Fish Action Plan. Smith River Advisory Council:78 pp.
- Vondracek, B., D.M. Baltz, L.R. Brown, and P.B. Moyle. 1988. Spatial, seasonal, and diel distribution of fishes in a California reservoir dominated by native fishes. Fisheries Research **7**:31-53.

- Wagner, R.W., M. Stacey, L.R. Brown, and M. Dettinger. 2011. Statistical models of temperature in the Sacramento-San Joaquin Delta under climate-change scenarios and ecological implications. *Estuaries and Coasts* **34**:544-556.
- Wainwright, D.L. 1965. The fisheries of Humboldt County from 1854 to 1892. Humboldt Room Collection, Humboldt State University.
- Waldvogel, J. 2006. Fall Chinook (*Oncorhynchus tshawytscha*) spawning escapement estimate and age composition for a tributary of the Smith River, California- 23-year analysis. University of California, California Sea Grant College Program. 32 pp.
- Wales, J.H. 1946. The hardhead problem in the Sacramento River above Shasta Lake, California. California Department Fish and Game, Inland Fish. Administrative Report 46. 4 pp.
- Wales, J.H. 1951. The decline of the Shasta River king salmon run. California Department of Fish and Game Inland Fisheries Administrative Report **51.3**:82 pp.
- Wallace, M. and B.W. Collins. 1997. Variation in use of the Klamath River estuary by juvenile Chinook salmon. *California Fish and Game* **83**:132-143.
- Walsh, B. and M. Hampton. 2007. Shasta River Fish Counting Facility, Chinook and Coho Salmon Observations, Siskiyou County, CA. Available from California Department of Fish and Game **303**.
- Wang, J.C.S. 1986. Fishes of the Sacramento-San Joaquin estuary and adjacent waters, California: A guide to the early life histories. Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary, Tech. Report 9.
- Wang, J.C.S. and R.C. Reyes. 2007. Early life stages and life histories of cyprinid fish in the Sacramento-San Joaquin Delta, California: with emphasis on spawning by splittail, *Pogonichthys macrolepidotus*. National Environmental Sciences Inc., Tracy Fish Collection Facility, Byron CA. Report No. **32**.
- Waples, R.S. 1999. Dispelling some myths about hatcheries. *Fisheries* **24**:12-21.
- Waples, R.S., D.J. Teel, J.M. Myers, and A.R. Marshall. 2004. Life-history divergence in Chinook salmon: historical contingency and parallel evolution. *Evolution* **58**:386-403.
- Warburton, M., B. Kuperman, V. Matey, and R. Fisher. 2001. Parasite analysis of native and nonnative fish in the Angeles National Forest. Final report prepared for U.S. Forest Service, Angeles National Forest. U.S. Geological Survey, Western Ecological Research Center, San Diego CA.



- Ward, D.L. 2002. Eulachon studies Related to Lower Columbia River Channel Deepening Operations. Final Report to US Army Corps of Engineers Contract No. W66QKZ13237198.
- Ward, D.L. and R.A. Fritzche. 1987. Comparison of meristic and morphometric characters among and within subspecies of the Sacramento sucker (*Catostomus occidentalis* Ayres). California Fish Game **73**:175-181.
- Ward, M.B. and W.M. Kier. 1999. Battle Creek salmon and steelhead restoration plan. Kier Associates, Sausalito, California.
- Washington Department of Fish and Wildlife, and Oregon Department of Fish and Wildlife (WDFW and ODFW). 2001. Washington and Oregon eulachon management plan. Olympia: Washington Department of Fish and Wildlife. 32 pp.
- Watkins, W.W. 1988. Population density and habitat use by red-necked grebes on upper Klamath Lake, Klamath Co., Oregon. Technical Report no. 88-3-04, Oregon Department of Fish and Wildlife, Salem.
- Weaver, J. and S. Mehalick. 2008. Golden Trout Wilderness 2008 Summary Report. State of California, Natural Resources Agency. Department of Fish and Game, Heritage and Wild Trout Program, Rancho Cordova, CA.
- Weaver, J. and S. Mehalick. 2009. South Fork Kern River Summary Report, Including Monache, Soda, and Upper Fat Cow Meadow creeks. State of California, Natural Resources Agency. Department of Fish and Game, Heritage and Wild Trout Program, Rancho Cordova, CA.
- Weaver, J. and S. Mehalick. 2010. East Fork San Gabriel River 2010 Summary Report. State of California, Natural Resources Agency. State of California, Natural Resources Agency. Department of Fish and Game, Heritage and Wild Trout Program, Rancho Cordova, CA.
- Weaver, J. and S. Mehalick. 2011. McCloud River Drainage Summary Report. State of California, Natural Resources Agency. Department of Fish and Game, Heritage and Wild Trout Program, Rancho Cordova, CA.
- Webb, M.A.H. and D.L. Erickson. 2007. Reproductive structure of the adult green sturgeon, *Acipenser medirostris*, population in the Rogue River, Oregon. Environmental Biology of Fishes **79**:305-314.
- Webb, M.A.H., J.P.V. Eenennaam, S.I. Doroshov, and G.P. Moberg. 1999. Preliminary observations on the effects of holding temperature on reproductive performance on female white sturgeon, *Acipenser transmontanus* Richardson. Aquaculture **176**:315-329.
- Webb, M.A.H., G.W. Feist, M.S. Fitzpatrick, E.P. Foster, C.B. Schreck, M. Plumlee, C. Wong, and D.T. Gundersen. 2006. Mercury concentrations in gonad, liver, and muscle of white

- sturgeon *Acipenser transmontanus* in the lower Columbia River. Archives of Environmental Contamination and Toxicology **50**:443-451.
- Week, L.E. 1982. Habitat selectivity of littoral zone fishes at Clear Lake, California. California Department Fish Game Inland Fisheries Administrative Report 82-7:31 pp.
- Weisenborn, W.D. 1996. Saltcedar impacts on salinity, water, fire frequency, and flooding. Pages 9-12 *in* Proceedings of the Saltcedar Management Workshop. University of California Cooperative Extension, Rancho Mirage, CA.
- Welch, D.W., S. Turo, and S.D. Batten. 2006. Large-scale marine and freshwater movements of white sturgeon. Transactions American Fisheries Society **135**:386-389.
- Wells, A.W., and J.S. Diana. 1975. Survey of the freshwater fishes and their habitats in the coastal drainages of southern California. Report submitted to California Department Fish and Game, Inland Fisheries Branch from the L.A. County Museum of Natural History. 360 pp.
- Werner, I., J. Linares-Casenave, J.P. Van Eenennaam, and S.I. Doroshov. 2007. The effect of temperature stress on development and heat-shock protein expression in larval green sturgeon (*Acipenser medirostris*). Environmental Biology of Fishes **79**:191-200.
- West, J.R. 1991. A proposed strategy to recover endemic spring-run chinook salmon populations and their habitats in the Klamath River Basin. Report submitted to U.S.D.A.-Forest Service Pacific Southwest Region, October, 1991. 25 pp.
- Westerling, A.L. and B.P. Bryant. 2008. Climate change and wildfire in California. Climatic Change **87** (Supplement 1):231-249.
- Wheaton, J.M., G.B. Pasternack, and J.E. Merz. 2004. Use of habitat heterogeneity in salmonid spawning habitat rehabilitation design. Fifth International Symposium on Ecohydraulics. Aquatic Habitats: Analysis & Restoration. Madrid 2004:791-796.
- White, J.L. and B.C. Harvey. 2003. Basin-scale patterns in the drift of embryonic and larval fishes and lamprey ammocoetes in two coastal rivers. Environmental Biology of Fishes **67**:369-378.
- White, J.L. and B.C. Harvey. 2007. Winter Feeding Success of Stream Trout under Different Streamflow and Turbidity Conditions. Transactions of the American Fisheries Society **136**:1187-1192.
- Whyte, J.N.C., R.J. Beamish, N.G. Ginther, and C.E. Neville. 1993. Nutritional condition of Pacific lamprey (*Lampetra tridentata*) deprived of food for periods of up to two years. Canadian Journal of Fishery and Aquatic Sciences **50**:591-599.

- Wiesenborn, W.D. 1996. Saltcedar impacts on salinity, water, fire frequency and flooding. Pages 9-12 in Proceedings of the Saltcedar Management Workshop, Rancho Mirage, CA.
- Williams, A.E. and B.C. Bolster. 1989. Observation on Salt Creek pupfish mortality during a flash flood. *California Fish Game* **75**:57-59.
- Williams, C.D., T.P. Hardy, and J.E. Deacon. 1982. Distribution and status of fishes of the Amargosa River Canyon, California. Unpublished Report submitted to U.S. Fish and Wildl. Ser., Endangered Species Off., Sacramento, California. 115 pp.
- Williams, J.E. and D.W. Sada. 1985. Status of two endangered fishes, *Cyprinodon nevadensis mionectes* and *Rhinichthys osculus nevadensis*, from two springs in Ash Meadows, Nevada. *Southwestern Naturalist* **30**:475-484.
- Williams, J.G. 2006. Central Valley Salmon: A perspective on Chinook and Steelhead in the Central Valley of California. *San Francisco Estuary and Watershed Science* **4**.
- Willson, M.F., R.H. Armstrong, M.C. Hermans, and K. Koski. 2006. Eulachon: a review of biology and an annotated bibliography. AFSC Processed Report 2006-12, Alaskan Fish. Sci. Cent., NOAA National Marine Fisheries Service, Auke Bay Laboratory, Juneau AK.
- Willson, M.F., S.M. Gende, and B.H. Marston. 1998. Fishes and the forest: expanding perspectives on fish-wildlife interactions. *Biological Science* **48**:455-462.
- Wilzbach, M.A. 1985. Relative roles of food abundance and cover in determining the habitat distribution of stream-dwelling cutthroat trout. *Canadian Journal of Fisheries and Aquatic Science* **42**:1668-1672.
- Wipfli, M.S., J. Hudson, and J. Caouette. 1998. Influence of salmon carcasses on stream productivity: response of biofilm and benthic macroinvertebrates in southeastern Alaska, USA. *Canadian Journal of Fisheries, Aquatic Sciences* **55**:1503-1511.
- Womble, J.N., M.F. Willson, M.F. Sigler, B.P. Kelly, and G.R. VanBlaricom. 2005. Distribution of Steller sea lions *Eumetopias jubatus* in relation to spring-spawning fish in SE Alaska. *Marine Ecology Progress Series* **294**:271-282.
- Woodley, C.M. 2007. Using ecological physiology for the conservation and restoration of a declining species: a case study Sacramento perch (*Archoplites interruptus*). Ph.D. dissertation. University of California, Davis.
- Wright, K.A., K.H. Sender, R.M. Rice, and R.B. Thomas. 1990. Logging effects on streamflow: storm runoff at Caspar Creek in northwestern California. *Water Resources Research* **26**:1657-1667.

- Wu, J.J., R.M. Adams, and W.G. Boggess. 2000. Cumulative effects and optimal targeting of conservation efforts: Steelhead trout habitat enhancement in Oregon. *American Journal of Agricultural Economics* **82**:400-413.
- Wydoski, R.G. and R.S. Wydoski. 2002. Age, growth, and reproduction of mountain suckers in Lost Creek Reservoir, Utah. *Transactions of the American Fisheries Society* **131**:320-328.
- Wydoski, R.S. and R.R. Whitney. 1979. *Inland Fishes of Washington*. University of Washington Press, Seattle. 220 pp.
- Yoshiyama, R.M., F.W. Fisher, and P.B. Moyle. 1998. Historical abundance and decline of Chinook salmon in the Central Valley Region of California. *North American Journal of Fisheries Management* **18**: 487-521.
- Yoshiyama, R.M., E.R. Gerstung, F.W. Fisher, and P.B. Moyle. 2001. Historic and present distribution of chinook salmon in the Central Valley drainage of California. *Fish Bulletin* 179: Contributions to the Biology of Central Valley Salmonids. California Department of Fish and Game.
- Yoshiyama, R.M. and P.B. Moyle. 2010. Historical review of Eel River anadromous salmonids, with emphasis on Chinook salmon, coho salmon and steelhead. Center for Watershed Sciences, UC Davis, Working Paper: 129 pp.
- Young, P.S. and J.J. Cech, Jr. 1996. Environmental tolerances and requirements of splittail. *Transactions American Fisheries Society* **125**:664-678.
- Young, R., J. Kelso, and J. Weise. 1990. Occurrence, relative abundance, and size of landlocked sea lamprey (*Petromyzon marinus*) ammocoetes in relation to stream characteristics in the Great Lakes. *Canadian Journal of Fisheries and Aquatic Sciences* **47**:1773-1778.
- Youson, J., J. Holmes, J. Guchardi, J. Seelye, R. Beaver, J. Gersmehl, S. Sower, and F. Beamish. 1993. Importance of Condition Factor and the Influence of Water Temperature and Photoperiod on Metamorphosis of Sea Lamprey *Petromyzon marinus*. *Canadian Journal of Fisheries and Aquatic Sciences* **50**:2448-2456.
- Yun, S.S., A.P. Scott, J.M. Bayer, J.G. Seelye, D.A. Close, and W. Li. 2003. HPLC and ELISA analyses of larval bile acids from Pacific and western brook lampreys. *Steroids* **68**:515-523.
- Zektser, S., H. Loaiciga, and J. Wolf. 2005. Environmental impacts of groundwater overdraft: selected case studies in the southwestern United States. *Environmental Geology* **47**:396-404.