

Responsive Management™



HARVEST OF SMALL GAME, UPLAND BIRDS, AND OTHER WILDLIFE IN CALIFORNIA

Conducted for the California Department of Fish and Wildlife

by Responsive Management

2015

HARVEST OF SMALL GAME, UPLAND BIRDS, AND OTHER WILDLIFE IN CALIFORNIA

2015

Responsive Management National Office

Mark Damian Duda, Executive Director

Martin Jones, Senior Research Associate

Tom Beppler, Research Associate

Steven J. Bissell, Ph.D., Qualitative Research Associate

Amanda Center, Research Associate

Andrea Criscione, Research Associate

Patrick Doherty, Research Associate

Gregory L. Hughes, P.E., Research Associate

Tristan Kirkman, Research Associate

Claudia Reilly, Survey Center Manager

Alison Lanier, Business Manager

130 Franklin Street
Harrisonburg, VA 22801

Phone: 540/432-1888

E-mail: mark@responsivemanagement.com

www.responsivemanagement.com

Acknowledgments

Responsive Management would like to thank Levi Souza, Scott Gardner, and Craig Stowers of the California Department of Fish and Wildlife for their input, support, and guidance on this project.

TABLE OF CONTENTS

Introduction and Methodology	1
Use of a Multi-Modal Survey.....	1
Questionnaire Design	1
Survey Sample.....	1
Survey Administrative Facilities	2
Contact Procedures and Survey Administration.....	2
Survey Dates and Times	2
Data Analysis.....	3
Sampling Error	5
Results Statewide	7
Results Regionally	24
Northern Region	25
North Central Region	29
Bay Delta Region	33
Central Region.....	37
Inland Deserts Region	41
South Coast Region	45
Coyotes by Region	49
Results for Each Species	50
County Level Data	57
About Responsive Management	173

INTRODUCTION AND METHODOLOGY

This survey was conducted for the California Department of Fish and Wildlife (hereinafter referred to as the Department) to determine harvest of small game, upland birds, and other wildlife excluding big game. The study entailed a scientific multi-modal survey of California hunters, including residents and nonresidents. Specific aspects of the research methodology are discussed below.

USE OF A MULTI-MODAL SURVEY

A multi-modal survey was chosen to allow hunters the most convenience in completing the survey and to increase response rates.

QUESTIONNAIRE DESIGN

The survey questionnaire was developed cooperatively by Responsive Management and the Department, based on the research team's familiarity with hunting, as well as natural resources in general. Responsive Management conducted pre-tests of the questionnaire to ensure proper wording, flow, and logic in the survey. In the survey on questions regarding the number harvested, hunters' responses were limited to the maximum legal limit for harvest. Any number given that exceeded the maximum legal harvest was reduced to the legal limit in the survey data; note that this affected very few responses.

SURVEY SAMPLE

The database of resident and nonresident California hunting license holders from which the sample was obtained was provided by the Department; it encompassed all licenses eligible to hunt for the species that were the focus of the survey (species *not* considered big game), excluding junior hunters because of permission requirements for speaking to minors on surveys. A probability-based random sample of these hunters was taken from the database, and each potential hunter was assigned a unique identifying code to track progress in the survey and to ensure that each hunter took the survey only once.

SURVEY ADMINISTRATIVE FACILITIES

A central polling and data collection site in Harrisonburg, Virginia, allowed for rigorous quality control over the interviews and data collection. Responsive Management maintains its own in-house telephone interviewing and data management facilities. These facilities are staffed by interviewers and data management specialists with experience administering multi-modal surveys on the subjects of outdoor recreation and natural resources.

CONTACT PROCEDURES AND SURVEY ADMINISTRATION

Each respondent (from the probability-based random sample) were initially contacted by telephone. Those who had not responded after repeated attempts by telephone were then contacted by email and were asked to complete the survey via the Internet. (Note that all the potential respondents in the sample had telephones; only a portion of the potential respondents in the sample had email access.)

SURVEY DATES AND TIMES

For surveys completed over the web, questionnaires could have been completed at any time—at the convenience of the hunters. For telephone surveys, Responsive Management's surveying times are Monday through Friday from 9:00 a.m. to 9:00 p.m., Saturday from noon to 5:00 p.m., and Sunday from 5:00 p.m. to 9:00 p.m., local time. The survey was administered from May to June 2015. The table on the following page shows a summary of the calling effort.

Telephone Call Summary for California Small Game Harvest Survey—2015				
Total Cooperation Rate* = 92%				
Total Response Rate** = 29%				
	Sample Size (n)	Percent of Category	Percent of Total	
Eligible Telephone Numbers				
Completed interview	2,751	91.92	21.08	
Partial interview (Responsive Management discards all partial interviews)	0	0.00	0.00	
Refusal and terminated	242	8.08	1.85	
Eligible Total	2,993	100	22.93	
Ineligible Telephone Numbers				
Disconnected; facsimile; data lines	2,259	64.14	17.31	
Bad number	244	6.93	1.87	
Business; institutional	120	3.41	0.92	
Deaf; language	52	1.48	0.40	
Did not hunt any species (not eligible)	847	24.05	6.49	
Ineligible Total	3,522	100	26.99	
Unknown Numbers / Answering Machine	4,848	100	37.14	
On Call Back List	1,688	100	12.93	
Total—All Telephone Numbers	13,050			

*Total Cooperation Rate is the number of completed interviews divided by total eligible telephone numbers.

**Total Response Rate is the number of completed interviews divided by sum of total eligible telephone numbers, total unknown telephone numbers, and total call back numbers.

In addition, 1,500 email surveys were received in response to 13,314 outgoing emails. In all, 46% of the original total (6,124) came back unopened due to the email addresses being disconnected or otherwise ineligible. Subtracting these emails from the total leaves 7,190 eligible outgoing emails, thereby resulting in an email response rate of 21%.

DATA ANALYSIS

The analysis of data was performed using Statistical Package for the Social Sciences as well as proprietary software developed by Responsive Management. The sample was weighted based on whether the respondent had an email or not, regardless of whether the survey was completed by telephone or email. In other words, respondents who completed the survey by telephone but who had an email address and those who completed the survey over the web (who were contacted by email) were weighted to represent the proportion of the total sample that had an email. Those who completed the survey by telephone and did not have an email address in the database were weighted to represent the proportion of the total sample that did not have an email. This ensured

that any differences between those with an email and those without were accounted for in the data analysis.

On questions that asked respondents to provide a number (e.g., number of chukar harvested), the report may show means, medians, or ranges of numbers rather than the precise numbers.

Nonetheless, in the survey each respondent provided a precise number, and the dataset includes this precise number, even if the reported data are shown in ranges of numbers. Note that the calculation of means and medians used the precise numbers that the respondents provided.

Crosstabulations were run based on the Department Regions, as shown in the map that follows. There are six regions, which generally follow county boundaries with three exceptions: Yolo County is divided between two regions by Interstate 80 (north of I-80 is Yolo North; south of I-80 is Yolo South; those who did not know are recorded as Yolo-DK); both Sacramento and San Joaquin Counties are divided between two regions by Interstate 5 (labeled Sacramento East and Sacramento West, and San Joaquin East and San Joaquin West, with DK [“don’t know”] designations for those counties as well).

Note that county level data are shown in their own section of the report.



Note that the sum of the days hunted for each species will exceed the total days because hunters can hunt for multiple species in a single day. Likewise, the sum of days hunted in each region will exceed the total days hunted because hunters can hunt in more than one region in a single day.

For some species in some regions, the sample size was too small (because so few hunters hunted that particular species in that particular region) for reliable estimates to be made. The threshold chosen was 20 hunters; sample sizes lower than 20 hunters were not used for projections.

SAMPLING ERROR

For the entire sample of license holders, the sampling error at the 95% confidence interval is at most plus or minus 1.48 percentage points. This means that if the survey were conducted 100

times on different samples that were selected in the same way, the findings of 95 out of 100 surveys would fall within plus or minus 1.48 percentage points of each other. Sampling error was calculated using the formula described below, with a sample size of 4,251 and an estimated population size of 139,588 licensed California hunters.

Sampling Error Equation

$$B = \left(\sqrt{\frac{N_p(.25) - .25}{\frac{N_s}{N_p - 1}}} \right) (1.96)$$

Where: B = maximum sampling error (as decimal)
 N_p = population size (i.e., total number who could be surveyed)
 N_s = sample size (i.e., total number of respondents surveyed)

Derived from formula: p. 206 in Dillman, D. A. 2000. *Mail and Internet Surveys*. John Wiley & Sons, NY.

Note: This is a simplified version of the formula that calculates the maximum sampling error using a 50:50 split (the most conservative calculation because a 50:50 split would give maximum variation).

RESULTS STATEWIDE

When reading the results, there are three species for which explanations of the data are necessary. Although squirrel questions were specific to three separate species (as well as allowing responses regarding “unknown” squirrels), it may be that hunters included California ground squirrels to their harvest totals. This should be kept in mind when examining the data.

For collared dove, the researchers think that respondents conflated all dove when they answered questions about collared dove, as the results are consistent with all types of dove together rather than just collared dove by itself. Although the survey specifically asked about “collared dove,” it may be that respondents did not know the differences between the various types of dove.

Finally, regarding pheasant, the survey was specific to wild pheasant, not pen-raised; nonetheless, the results suggest that some respondents may have included pen-raised pheasant in their responses. This may be because they were unsure of whether they had harvested wild or pen-raised. This should be kept in mind when examining the results.

The first table shows estimated hunters, harvest, hunting days, and mean harvest per day. Subsequent tables in this section include the upper and lower bounds of the data and confidence intervals. The species with the most hunters are dove (see note about collared dove in the table), California quail, pheasant, wild turkey, and mountain quail. (Coyote, gray fox, and American crow are discussed following these first four tables in this section.)

Statewide Summary: Number of Hunters, Estimated Harvest, Hunting Days, and Mean Harvest per Day				
Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	909	4,388	22,487	0.20
Cottontail rabbit	13,200	65,610	162,337	0.40
Jackrabbit	12,161	85,824	147,721	0.58
Western gray tree squirrel*	9,245	43,402	78,652	0.55
Eastern fox squirrel*	1,112	15,337	12,660	1.21
Eastern gray squirrel*	4,352	48,599	50,499	0.96
Squirrel (unsure of type)*	8,329	269,365	100,430	2.68
White-tailed ptarmigan	511	1,399	10,259	0.14
California quail	35,017	300,126	294,326	1.02
Gambel's quail	6,245	38,410	48,951	0.78
Mountain quail	24,659	118,957	196,071	0.61
Quail (unsure of type)	2,954	10,996	14,278	0.77
Ruffed grouse	4,782	9,848	44,509	0.22
Sooty grouse	1,773	2,355	10,838	0.22
Collared* dove	*56,977	*965,723	*358,294	*2.70
Spring turkey	29,884	18,877	195,218	0.10
Fall turkey	19,695	9,842	107,297	0.09
Chukar (also: partridge)	10,209	56,038	67,282	0.83
Pheasant*	33,202	181,645	226,305	0.80

*Although squirrel questions were specific to three separate species (as well as allowing responses regarding “unknown” squirrels), it may be that hunters included California ground squirrels to their harvest totals. This should be kept in mind when examining the data.

The researchers also think that respondents conflated all dove when they answered questions about collared dove, as the results are consistent with all types of dove together rather than just collared dove by itself. Although the survey specifically asked about “collared dove,” it may be that respondents did not know the differences between the various types of dove.

Finally, regarding pheasant, the survey was specific to wild pheasant, not pen-raised; nonetheless, the results suggest that some respondents may have included pen-raised pheasant in their responses. This may be because they were unsure of whether they had harvested wild or pen-raised. This should be kept in mind when examining the results.

Statewide: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	909	571	1,246	337.5
Cottontail rabbit	13,200	11,972	14,428	1,228.0
Jackrabbit	12,161	10,977	13,344	1,183.5
Western gray tree squirrel	9,245	8,201	10,288	1,043.6
Eastern fox squirrel	1,112	739	1,485	373.1
Eastern gray squirrel	4,352	3,623	5,082	729.4
Squirrel (unsure of type)	8,329	7,335	9,323	994.1
White-tailed ptarmigan	511	257	764	253.4
California quail	35,017	33,197	36,836	1,819.3
Gambel's quail	6,245	5,377	7,112	867.6
Mountain quail	24,659	23,059	26,260	1,600.5
Quail (unsure of type)	2,954	2,350	3,558	604.0
Ruffed grouse	4,782	4,018	5,545	763.3
Sooty grouse	1,773	1,303	2,243	470.0
Collared* dove	56,977	54,914	59,039	2,062.7
Spring turkey	29,884	28,162	31,605	1,721.4
Fall turkey	19,695	18,234	21,156	1,460.9
Chukar (also: partridge)	10,209	9,116	11,301	1,092.6
Pheasant	33,202	31,415	34,989	1,786.8

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

Statewide: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	4,388	133	8,644	4,255.8
Cottontail rabbit	65,610	61,762	69,459	3,848.4
Jackrabbit	85,824	85,646	86,001	177.3
Western gray tree squirrel	43,402	38,500	48,303	4,901.7
Eastern fox squirrel	15,337	11,252	19,422	4,085.3
Eastern gray squirrel	48,599	46,252	50,946	2,347.0
Squirrel (unsure of type)	269,365	257,014	281,717	12,351.3
White-tailed ptarmigan	1,399	119	2,680	1,280.6
California quail	300,126	291,672	308,580	8,454.4
Gambel's quail	38,410	32,220	44,600	6,190.0
Mountain quail	118,957	108,477	129,437	10,479.9
Quail (unsure of type)	10,996	10,898	11,093	97.1
Ruffed grouse	9,848	9,610	10,087	238.2
Sooty grouse	2,355	2,102	2,607	252.6
Collared* dove	965,723	963,154	968,292	2,569.0
Spring turkey	18,877	14,749	23,005	4,128.2
Fall turkey	9,842	8,198	11,487	1,644.4
Chukar (also: partridge)	56,038	55,833	56,243	205.1
Pheasant	181,645	178,491	184,799	3,153.9

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

Statewide: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	22,487	6,051	38,923	16,435.8
Cottontail rabbit	162,337	125,256	199,418	37,081.3
Jackrabbit	147,721	120,545	174,897	27,176.0
Western gray tree squirrel	78,652	64,358	92,947	14,294.6
Eastern fox squirrel	12,660	8,099	17,221	4,560.7
Eastern gray squirrel	50,499	32,375	68,622	18,123.5
Squirrel (unsure of type)	100,430	77,602	123,257	22,827.2
White-tailed ptarmigan	10,259	0	21,386	11,127.1
California quail	294,326	265,925	322,728	28,401.3
Gambel's quail	48,951	30,415	67,488	18,536.2
Mountain quail	196,071	176,067	216,075	20,003.7
Quail (unsure of type)	14,278	11,097	17,459	3,181.2
Ruffed grouse	44,509	34,224	54,793	10,284.4
Sooty grouse	10,838	7,940	13,737	2,898.7
Collared* dove	358,294	328,724	387,863	29,569.7
Spring turkey	195,218	172,111	218,326	23,107.5
Fall turkey	107,297	93,927	120,666	13,369.5
Chukar (also: partridge)	67,282	54,654	79,910	12,628.2
Pheasant	226,305	206,584	246,026	19,721.3

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

For three species, coyote, gray fox, and American crow, the survey attempted to separate those animals killed as part of property protection from those killed during hunts. The survey also had to account for the fact that hunters may shoot any of the three species although they may not specifically *hunt* them. The wording in the survey was as follows:

For the next three species, we would like to know if you hunted them or shot at them while hunting; do not include any time you killed them for property protection. Later on we will talk about property protection. Did you...?

(READ LIST; CHECK ALL THAT APPLY)

- 1. Hunt or shoot at coyote while hunting
- 2. Hunt or shoot at gray fox while hunting
- 3. Hunt or shoot at American crow while hunting
- 4. (DNR) None on this list

Then, in the section of the survey that obtained information about the number killed, the wording again attempted to separate those animals killed as part of property protection from those killed while the hunter was hunting. For instance, the wording for coyotes was as follows (with similar wording for gray fox and American crows):

How many total coyote did you kill in [COUNTY] in the 2014-2015 season, including while hunting or for property protection?

How many of those coyote did you kill for property protection in [COUNTY]?

And how many of those coyote did you kill while hunting?

Note that these wording differences were only on the telephone survey; because of differences in the way that the survey is coded in QPL versus the online software, only the telephone survey had these differences in wording. (To account for this in the data, the online survey data was extrapolated based on the proportions in the telephone survey of coyotes killed while hunting and coyotes killed for property protection.)

Note that the specific county in which the hunter had hunted was automatically inserted into the survey; if the hunter had hunted in Calaveras County, for instance, the wording would have been, “How many total coyote did you kill in Calaveras County in the 2014-2015 season....” The intent was that the responses to the two follow-up questions, the first asking about the number killed for property protection and the second asking about the number killed while hunting,

would sum to equal the total killed. However, when the survey was administered, respondents still conflated the two. For instance, a hunter might have said that he killed 5 coyote total, killing all 5 for property protection, but killing all 5 while hunting. The responses regarding gray fox and American crow also suffered similar problems.

In these situations, to address this problem, the data analysts subtracted the number killed for property protection from the total number killed to arrive at the number killed purely while hunting. (In the future, the plan is that the wording will be adjusted in the survey to better separate the two.)

Only data on the number of hunters and the number of killed are shown for these three species for the following reasons:

1. The number of days hunting these species was not asked in the survey because some hunters would have shot at any of these species at any time that they were hunting. In this case, the number of days would equal the total number of days they spent hunting for anything when, in reality, they did not specifically hunt the species at all. For this reason, the survey did ask about days spent hunting these species.
2. Because number of days does not logically make sense and was not asked, the mean number killed per day cannot be calculated.

When looking at the number of hunters, note that it may be that those who did *not* see any coyotes, gray fox, or American crows and therefore did not indicate that they had “hunted or shot at” them (as asked in the survey) would have done so had they seen any. For this reason, the number of hunters who would have shot at these species cannot be determined from the data; the numbers of hunters shown are those who either hunted these species outright or saw them and took a shot.

Statewide: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Coyote	24,245	22,751	25,739	1,494
Gray fox	1,676	1,191	2,160	485
American crow	2,933	2,331	3,534	602

Statewide: Estimated Number of Coyote, Gray Fox, and American Crow Killed			
	Estimated Number Killed in Total	Estimated Number Killed for Property Protection	Estimated Number Killed During Hunts
Coyote*	*94,057	*60,813	*33,941
Gray fox	8,110	3,691	4,419
American crow	25,234	16,038	8,947

*Although the analysis attempted to separate coyotes killed for property protection and those killed during hunts, there was still overlap between the two that could not be resolved; for this reason, the sum of the number killed for property protection and the number killed during hunts slightly exceeds the number killed statewide.

Statewide: Estimated Number of Coyote, Gray Fox, and American Crow Killed			
	Estimated Number Killed in Total	Estimated Number Killed in Total Lower Bound (95% CI)	Estimated Number Killed in Total Upper Bound (95% CI)
Coyote*	94,057	77,544	110,570
Gray fox	8,110	4,962	11,258
American crow	25,234	13,976	36,491

Statewide: Estimated Number of Coyote, Gray Fox, and American Crow Killed			
	Estimated Number Killed for Property Protection	Estimated Number Killed for Property Protection Lower Bound (95% CI)	Estimated Number Killed for Property Protection Upper Bound (95% CI)
Coyote*	60,813	58,071	63,555
Gray fox	3,691	3,049	4,332
American crow	16,038	15,521	16,556


Statewide: Estimated Number of Coyote, Gray Fox, and American Crow Killed			
	Estimated Number Killed During Hunts	Estimated Number Killed During Hunts Lower Bound (95% CI)	Estimated Number Killed During Hunts Upper Bound (95% CI)
Coyote*	33,941	32,997	34,886
Gray fox	4,419	4,111	4,728
American crow	8,947	7,973	9,921

Several questions were asked about the hunter's hunting statewide, but not at the regional level. One of these questions asked hunters to indicate whether they hunted on private land, public land, or both in the state; they are fairly evenly split between both types of land. A follow-up question of those who hunted in both types of land asked them to indicate the percentage of the hunting done on private land. These were not asked for each county for each species because the survey then would have been too long for the respondent.


Likewise, hunters were asked about the equipment used (rifles, shotguns, air guns/pellet guns, archery equipment) statewide, but not for each species in each county. Shotguns predominate for the species in this survey.

Finally, demographic questions were asked, which apply statewide but not regionally (since the region of residence is not necessarily the region in which the hunter hunted). These statewide results are shown beginning on the next page.


For these species, did you hunt them on private land, public land, or both in the 2014-2015 season?




What percentage of your hunting would you say was done on private land in the 2014-2015 season? (Asked of those who hunted on both public and private land.)




Thinking about all your hunting for these species in California, did you hunt them with any of the following in the 2014-2015 season?




What county do you live in? (Asked of California residents.)




Do you consider your place of residence to be a large city or urban area, a suburban area, a small city or town, a rural area on a farm or ranch, or a rural area not on a farm or ranch?



May I ask your age?




Respondent's gender.



RESULTS REGIONALLY

The North Central Region and the Central Region host the greatest number of hunters. The Bay Delta and South Coast Regions have the least.

Estimated Number of Hunters by Region and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Hunted in Northern Region	25,028	23,418	26,638	1,609.9
Hunted in North Central Region	42,519	40,587	44,450	1,931.5
Hunted in Bay Delta Region	18,342	16,924	19,760	1,418.0
Hunted in Central Region	40,550	38,645	42,456	1,905.3
Hunted in Inland Deserts Region	24,093	22,507	25,679	1,586.0
Hunted in South Coast Region	13,833	12,579	15,087	1,253.9



For each region, tables show the number of hunters, the estimated harvest, estimated days of hunting, and the harvest per day. No data are shown for coyote, gray fox, or American crow at the regional level because of low sample sizes and uncertainty regarding the breakdown between killing for property protection and killing while hunting.

NORTHERN REGION



Northern Region Summary: Number of Hunters, Estimated Harvest, Hunting Days, and Mean Harvest per Day

Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	502	1,077	12,546	0.09
Cottontail rabbit	957	2,576	10,660	0.24
Jackrabbit	2,091	21,692	33,139	0.65
Western gray tree squirrel	2,180	8,147	24,440	0.33
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	882	16,568	11,551	1.43
Squirrel (unsure of type)	1,751	87,880	22,189	3.96
White-tailed ptarmigan	**	**	**	**
California quail	5,262	47,199	38,338	1.23
Gambel's quail	**	**	**	**
Mountain quail	6,020	32,013	48,738	0.66
Quail (unsure of type)	**	**	**	**
Ruffed grouse	2,261	3,917	22,127	0.18
Sooty grouse	838	1,468	5,498	0.27
Collared* dove	3,990	45,054	26,750	1.68
Spring turkey	6,051	3,723	43,726	0.09
Fall turkey	3,464	1,567	20,261	0.08
Chukar (also: partridge)	1,158	14,676	14,258	1.03
Pheasant	2,553	14,524	25,405	0.57

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Northern Region: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	502	251	753	251.2
Cottontail rabbit	957	611	1,304	346.3
Jackrabbit	2,091	1,581	2,601	509.8
Western gray tree squirrel	2,180	1,659	2,700	520.3
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	882	549	1,214	332.5
Squirrel (unsure of type)	1,751	1,284	2,218	467.0
White-tailed ptarmigan	**	**	**	**
California quail	5,262	4,462	6,061	799.3
Gambel's quail	**	**	**	**
Mountain quail	6,020	5,167	6,872	852.5
Quail (unsure of type)	**	**	**	**
Ruffed grouse	2,261	1,732	2,791	529.8
Sooty grouse	838	514	1,162	324.2
Collared* dove	3,990	3,291	4,689	699.3
Spring turkey	6,051	5,196	6,905	854.6
Fall turkey	3,464	2,811	4,117	652.9
Chukar (also: partridge)	1,158	778	1,539	380.7
Pheasant	2,553	1,991	3,115	562.4

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Northern Region: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	1,077	429	1,725	647.8
Cottontail rabbit	2,576	1,412	3,739	1,163.3
Jackrabbit	21,692	13,220	30,165	8,472.6
Western gray tree squirrel	8,147	5,259	11,035	2,887.7
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	16,568	7,582	25,554	8,985.9
Squirrel (unsure of type)	87,880	60,826	114,934	27,053.6
White-tailed ptarmigan	**	**	**	**
California quail	47,199	37,642	56,757	9,557.7
Gambel's quail	**	**	**	**
Mountain quail	32,013	25,263	38,762	6,749.4
Quail (unsure of type)	**	**	**	**
Ruffed grouse	3,917	2,714	5,121	1,203.5
Sooty grouse	1,468	844	2,091	623.3
Collared* dove	45,054	32,071	58,037	12,983.0
Spring turkey	3,723	3,015	4,431	707.6
Fall turkey	1,567	1,135	2,000	432.4
Chukar (also: partridge)	14,676	5,251	24,101	9,424.7
Pheasant	14,524	8,355	20,693	6,168.9

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Northern Region: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	12,546	0	25,615	13,069.0
Cottontail rabbit	10,660	4,782	16,539	5,878.4
Jackrabbit	33,139	21,182	45,095	11,956.7
Western gray tree squirrel	24,440	13,830	35,049	10,609.6
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	11,551	4,339	18,763	7,212.2
Squirrel (unsure of type)	22,189	14,656	29,721	7,532.5
White-tailed ptarmigan	**	**	**	**
California quail	38,338	28,957	47,719	9,381.1
Gambel's quail	**	**	**	**
Mountain quail	48,738	39,028	58,448	9,709.7
Quail (unsure of type)	**	**	**	**
Ruffed grouse	22,127	14,287	29,967	7,840.1
Sooty grouse	5,498	3,602	7,394	1,896.1
Collared* dove	26,750	19,131	34,370	7,619.4
Spring turkey	43,726	34,096	53,356	9,629.9
Fall turkey	20,261	13,840	26,681	6,420.2
Chukar (also: partridge)	14,258	6,443	22,073	7,814.6
Pheasant	25,405	15,043	35,766	10,361.8

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

NORTH CENTRAL REGION



North Central Region Summary: Number of Hunters, Estimated Harvest, Hunting Days, and Mean Harvest per Day

Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	1,468	4,417	10,582	0.42
Jackrabbit	1,742	12,394	15,150	0.82
Western gray tree squirrel	3,018	13,199	19,432	0.68
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	802	3,229	4,036	0.80
Squirrel (unsure of type)	853	8,489	8,798	0.96
White-tailed ptarmigan	**	**	**	**
California quail	5,483	29,361	37,535	0.78
Gambel's quail	**	**	**	**
Mountain quail	5,367	18,064	33,013	0.55
Quail (unsure of type)	508	1,232	3,079	0.40
Ruffed grouse	475	382	2,315	0.17
Sooty grouse	436	341	2,587	0.13
Collared* dove	10,800	142,596	64,007	2.23
Spring turkey	11,955	7,370	62,947	0.12
Fall turkey	7,529	3,818	36,539	0.10
Chukar (also: partridge)	1,068	5,129	3,985	1.29
Pheasant	11,406	57,949	82,486	0.70

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

North Central Region: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	1,468	1,040	1,896	428.1
Jackrabbit	1,742	1,276	2,208	465.9
Western gray tree squirrel	3,018	2,407	3,628	610.3
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	802	485	1,120	317.3
Squirrel (unsure of type)	853	526	1,180	327.1
White-tailed ptarmigan	**	**	**	**
California quail	5,483	4,668	6,298	815.2
Gambel's quail	**	**	**	**
Mountain quail	5,367	4,561	6,174	807.0
Quail (unsure of type)	508	256	761	252.8
Ruffed grouse	475	231	720	244.5
Sooty grouse	436	202	670	234.1
Collared* dove	10,800	9,679	11,922	1,121.3
Spring turkey	11,955	10,781	13,130	1,174.4
Fall turkey	7,529	6,581	8,477	948.0
Chukar (also: partridge)	1,068	702	1,433	365.6
Pheasant	11,406	10,257	12,556	1,149.6

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

North Central Region: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	4,417	2,890	5,944	1,526.9
Jackrabbit	12,394	3,948	20,841	8,446.5
Western gray tree squirrel	13,199	9,194	17,204	4,005.2
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	3,229	1,608	4,851	1,621.8
Squirrel (unsure of type)	8,489	2,692	14,286	5,797.2
White-tailed ptarmigan	**	**	**	**
California quail	29,361	22,529	36,194	6,832.0
Gambel's quail	**	**	**	**
Mountain quail	18,064	12,756	23,373	5,309.0
Quail (unsure of type)	1,232	400	2,063	831.8
Ruffed grouse	382	85	680	297.7
Sooty grouse	341	0	788	447.5
Collared* dove	142,596	118,832	166,360	23,764.1
Spring turkey	7,370	6,343	8,398	1,027.6
Fall turkey	3,818	3,181	4,454	636.7
Chukar (also: partridge)	5,129	3,180	7,077	1,948.4
Pheasant	57,949	48,746	67,151	9,202.5

*See the discussion on page 6 regarding squirrel, dove, and pheasant.


** Sample size too small to make projections.

North Central Region: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	10,582	6,621	14,542	3,960.3
Jackrabbit	15,150	6,670	23,630	8,480.0
Western gray tree squirrel	19,432	15,379	23,485	4,053.0
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	4,036	3,115	4,958	921.5
Squirrel (unsure of type)	8,798	4,457	13,139	4,340.9
White-tailed ptarmigan	**	**	**	**
California quail	37,535	23,108	51,961	14,426.5
Gambel's quail	**	**	**	**
Mountain quail	33,013	24,305	41,720	8,707.3
Quail (unsure of type)	3,079	804	5,354	2,274.9
Ruffed grouse	2,315	1,028	3,602	1,286.8
Sooty grouse	2,587	945	4,229	1,642.3
Collared* dove	64,007	52,774	75,241	11,233.2
Spring turkey	62,947	50,987	74,906	11,959.5
Fall turkey	36,539	30,909	42,169	5,629.7
Chukar (also: partridge)	3,985	2,616	5,354	1,369.0
Pheasant	82,486	71,543	93,428	10,942.4

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

BAY DELTA REGION



Bay Delta Region Summary: Number of Hunters, Estimated Harvest, Hunting Days, and Mean Harvest per Day

Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	714	3,084	6,039	0.51
Jackrabbit	579	7,507	6,111	1.23
Western gray tree squirrel	329	2,503	2,067	1.21
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	369	4,845	1,863	2.60
White-tailed ptarmigan	**	**	**	**
California quail	2,551	20,154	18,813	1.07
Gambel's quail	**	**	**	**
Mountain quail	747	4,647	3,596	1.29
Quail (unsure of type)	**	**	**	**
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	4,487	74,778	26,384	2.83
Spring turkey	4,054	3,177	31,390	0.10
Fall turkey	2,529	1,567	11,259	0.14
Chukar (also: partridge)	362	2,823	1,437	1.96
Pheasant	5,818	41,585	35,384	1.18

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Bay Delta Region: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	714	415	1,013	299.4
Jackrabbit	579	309	849	269.8
Western gray tree squirrel	329	126	533	203.6
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	369	154	585	215.5
White-tailed ptarmigan	**	**	**	**
California quail	2,551	1,989	3,113	562.1
Gambel's quail	**	**	**	**
Mountain quail	747	441	1,053	306.2
Quail (unsure of type)	**	**	**	**
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	4,487	3,747	5,228	740.3
Spring turkey	4,054	3,350	4,759	704.8
Fall turkey	2,529	1,969	3,089	559.8
Chukar (also: partridge)	362	149	576	213.6
Pheasant	5,818	4,979	6,657	838.7

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Bay Delta Region: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	3,084	1,098	5,069	1,985.1
Jackrabbit	7,507	2,116	12,897	5,390.8
Western gray tree squirrel	2,503	0	5,892	3,388.9
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	4,845	1,518	8,173	3,327.8
White-tailed ptarmigan	**	**	**	**
California quail	20,154	13,628	26,680	6,525.9
Gambel's quail	**	**	**	**
Mountain quail	4,647	410	8,883	4,236.7
Quail (unsure of type)	**	**	**	**
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	74,778	59,508	90,048	15,269.7
Spring turkey	3,177	2,601	3,753	575.8
Fall turkey	1,567	1,172	1,963	395.5
Chukar (also: partridge)	2,823	0	6,514	3,690.5
Pheasant	41,585	32,588	50,582	8,996.8

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Bay Delta Region: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	6,039	3,686	8,392	2,352.7
Jackrabbit	6,111	784	11,437	5,326.6
Western gray tree squirrel	2,067	773	3,361	1,294.1
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	1,863	802	2,925	1,061.8
White-tailed ptarmigan	**	**	**	**
California quail	18,813	13,584	24,042	5,229.1
Gambel's quail	**	**	**	**
Mountain quail	3,596	2,330	4,862	1,266.2
Quail (unsure of type)	**	**	**	**
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	26,384	19,102	33,666	7,282.1
Spring turkey	31,390	17,727	45,052	13,662.4
Fall turkey	11,259	7,565	14,953	3,693.8
Chukar (also: partridge)	1,437	374	2,499	1,062.4
Pheasant	35,384	30,255	40,512	5,128.8

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

CENTRAL REGION



Central Region Summary: Number of Hunters, Estimated Harvest, Hunting Days, and Mean Harvest per Day

Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	3,955	20,964	42,312	0.50
Jackrabbit	2,449	13,288	30,532	0.44
Western gray tree squirrel	2,266	10,531	19,021	0.55
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	1,174	13,859	20,137	0.69
Squirrel (unsure of type)	2,922	78,073	32,616	2.39
White-tailed ptarmigan	**	**	**	**
California quail	10,204	83,071	75,756	1.10
Gambel's quail	1,046	3,044	14,367	0.21
Mountain quail	5,133	21,018	36,520	0.58
Quail (unsure of type)	601	2,361	2,176	1.09
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	17,385	285,454	100,433	2.84
Spring turkey	4,061	1,939	26,146	0.07
Fall turkey	2,688	1,207	19,782	0.06
Chukar (also: partridge)	2,213	6,419	10,464	0.61
Pheasant	4,074	16,805	20,667	0.81

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Central Region: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	3,955	3,258	4,651	696.3
Jackrabbit	2,449	1,898	3,000	551.0
Western gray tree squirrel	2,266	1,736	2,796	530.3
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	1,174	790	1,557	383.2
Squirrel (unsure of type)	2,922	2,321	3,523	600.8
White-tailed ptarmigan	**	**	**	**
California quail	10,204	9,112	11,297	1,092.4
Gambel's quail	1,046	684	1,407	361.8
Mountain quail	5,133	4,343	5,923	789.8
Quail (unsure of type)	601	326	876	274.9
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	17,385	15,999	18,771	1,385.8
Spring turkey	4,061	3,356	4,766	705.3
Fall turkey	2,688	2,111	3,265	576.8
Chukar (also: partridge)	2,213	1,689	2,737	524.2
Pheasant	4,074	3,367	4,780	706.4

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Central Region: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	20,964	15,711	26,218	5,253.3
Jackrabbit	13,288	8,036	18,539	5,251.2
Western gray tree squirrel	10,531	7,017	14,045	3,514.1
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	13,859	5,097	22,622	8,762.0
Squirrel (unsure of type)	78,073	47,703	108,444	30,370.5
White-tailed ptarmigan	**	**	**	**
California quail	83,071	68,507	97,635	14,563.9
Gambel's quail	3,044	1,641	4,447	1,402.8
Mountain quail	21,018	15,499	26,536	5,518.7
Quail (unsure of type)	2,361	1,107	3,616	1,254.8
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	285,454	256,232	314,675	29,221.7
Spring turkey	1,939	1,450	2,427	488.4
Fall turkey	1,207	806	1,608	401.4
Chukar (also: partridge)	6,419	3,791	9,047	2,628.0
Pheasant	16,805	11,612	21,998	5,192.7

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Central Region: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	42,312	36,775	47,849	5,536.9
Jackrabbit	30,532	19,579	41,486	10,953.4
Western gray tree squirrel	19,021	15,627	22,415	3,394.1
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	20,137	16,812	23,461	3,324.2
Squirrel (unsure of type)	32,616	29,629	35,603	2,987.3
White-tailed ptarmigan	**	**	**	**
California quail	75,756	65,298	86,215	10,458.5
Gambel's quail	14,367	11,999	16,734	2,367.3
Mountain quail	36,520	33,201	39,839	3,318.9
Quail (unsure of type)	2,176	1,838	2,513	337.5
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	100,433	86,100	114,767	14,333.4
Spring turkey	26,146	12,473	39,820	13,673.2
Fall turkey	19,782	15,974	23,590	3,808.3
Chukar (also: partridge)	10,464	7,840	13,089	2,624.8
Pheasant	20,667	16,376	24,959	4,291.6

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

INLAND DESERTS REGION



Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	3,407	14,416	48,998	0.29
Jackrabbit	2,350	12,292	24,709	0.50
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	**	**	**	**
White-tailed ptarmigan	**	**	**	**
California quail	7,304	53,423	57,980	0.92
Gambel's quail	3,042	20,676	20,017	1.03
Mountain quail	3,192	15,781	26,685	0.59
Quail (unsure of type)	688	2,743	3,208	0.86
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	12,436	248,054	80,063	3.10
Spring turkey	**	**	**	**
Fall turkey	**	**	**	**
Chukar (also: partridge)	2,907	8,058	16,988	0.47
Pheasant	3,952	11,656	17,605	0.66

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Inland Deserts Region: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	3,407	2,759	4,054	647.6
Jackrabbit	2,350	1,810	2,890	539.9
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	**	**	**	**
White-tailed ptarmigan	**	**	**	**
California quail	7,304	6,369	8,238	934.5
Gambel's quail	3,042	2,429	3,655	612.7
Mountain quail	3,192	2,565	3,819	627.3
Quail (unsure of type)	688	394	981	293.8
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	12,436	11,241	13,632	1,195.5
Spring turkey	**	**	**	**
Fall turkey	**	**	**	**
Chukar (also: partridge)	2,907	2,308	3,506	599.3
Pheasant	3,952	3,256	4,648	696.1

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Inland Deserts Region: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	14,416	10,778	18,053	3,637.1
Jackrabbit	12,292	7,638	16,946	4,653.9
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	**	**	**	**
White-tailed ptarmigan	**	**	**	**
California quail	53,423	42,100	64,746	11,323.0
Gambel's quail	20,676	14,936	26,417	5,740.7
Mountain quail	15,781	9,021	22,540	6,759.8
Quail (unsure of type)	2,743	519	4,968	2,224.2
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	248,054	214,900	281,209	33,154.3
Spring turkey	**	**	**	**
Fall turkey	**	**	**	**
Chukar (also: partridge)	8,058	4,456	11,661	3,602.4
Pheasant	11,656	7,979	15,332	3,676.7

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

Inland Deserts Region: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	48,998	18,649	79,346	30,348.4
Jackrabbit	24,709	16,780	32,639	7,929.3
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	**	**	**	**
White-tailed ptarmigan	**	**	**	**
California quail	57,980	47,583	68,376	10,396.4
Gambel's quail	20,017	15,952	24,083	4,065.7
Mountain quail	26,685	19,404	33,966	7,281.1
Quail (unsure of type)	3,208	2,129	4,287	1,079.2
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	80,063	66,185	93,941	13,878.1
Spring turkey	**	**	**	**
Fall turkey	**	**	**	**
Chukar (also: partridge)	16,988	11,460	22,516	5,527.8
Pheasant	17,605	13,601	21,608	4,003.7

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

SOUTH COAST REGION



Species	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	1,811	8,885	17,641	0.50
Jackrabbit	1,446	3,937	12,941	0.30
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	413	8,029	12,819	0.63
White-tailed ptarmigan	**	**	**	**
California quail	5,027	33,341	34,981	0.95
Gambel's quail	935	4,032	4,297	0.94
Mountain quail	1,877	4,841	13,914	0.35
Quail (unsure of type)	336	1,165	1,216	0.96
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	3,597	43,903	20,852	2.11
Spring turkey	1,636	195	7,353	0.03
Fall turkey	920	77	4,241	0.02
Chukar (also: partridge)	**	**	**	**
Pheasant	961	6,456	6,643	0.97

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

South Coast Region: Estimated Number of Hunters and Confidence Intervals				
Species	Estimated Number of Hunters	Hunters Lower Bound (95% CI)	Hunters Upper Bound (95% CI)	Hunters Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	1,811	1,336	2,286	474.9
Jackrabbit	1,446	1,021	1,871	424.9
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	413	185	642	228.1
White-tailed ptarmigan	**	**	**	**
California quail	5,027	4,245	5,809	782.0
Gambel's quail	935	593	1,277	342.3
Mountain quail	1,877	1,394	2,360	483.4
Quail (unsure of type)	336	130	542	205.7
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	3,597	2,932	4,261	664.9
Spring turkey	1,636	1,184	2,088	451.7
Fall turkey	920	580	1,259	339.5
Chukar (also: partridge)	**	**	**	**
Pheasant	961	614	1,309	347.1

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

South Coast Region: Estimated Harvest and Confidence Intervals				
Species	Estimated Harvest	Harvest Lower Bound (95% CI)	Harvest Upper Bound (95% CI)	Harvest Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	8,885	5,043	12,728	3,842.4
Jackrabbit	3,937	1,819	6,056	2,118.5
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	8,029	2,787	13,270	5,241.6
White-tailed ptarmigan	**	**	**	**
California quail	33,341	26,443	40,239	6,897.9
Gambel's quail	4,032	2,041	6,022	1,990.7
Mountain quail	4,841	3,042	6,641	1,799.7
Quail (unsure of type)	1,165	504	1,826	660.7
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	43,903	31,908	55,897	11,994.3
Spring turkey	195	46	343	148.6
Fall turkey	77	0	174	96.3
Chukar (also: partridge)	**	**	**	**
Pheasant	6,456	2,820	10,093	3,636.7

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

South Coast Region: Estimated Days of Hunting and Confidence Intervals				
Species	Estimated Number of Hunting Days	Days Lower Bound (95% CI)	Days Upper Bound (95% CI)	Days Confidence Interval
Yellow-bellied marmot (also: rockchuck, woodchuck)	**	**	**	**
Cottontail rabbit	17,641	11,632	23,649	6,008.8
Jackrabbit	12,941	0	26,747	13,806.1
Western gray tree squirrel	**	**	**	**
Eastern fox squirrel	**	**	**	**
Eastern gray squirrel	**	**	**	**
Squirrel (unsure of type)	12,819	0	28,286	15,466.9
White-tailed ptarmigan	**	**	**	**
California quail	34,981	26,215	43,747	8,766.0
Gambel's quail	4,297	2,989	5,606	1,308.6
Mountain quail	13,914	7,600	20,227	6,313.6
Quail (unsure of type)	1,216	365	2,067	851.2
Ruffed grouse	**	**	**	**
Sooty grouse	**	**	**	**
Collared* dove	20,852	12,937	28,767	7,914.9
Spring turkey	7,353	5,375	9,331	1,977.9
Fall turkey	4,241	667	7,815	3,574.3
Chukar (also: partridge)	**	**	**	**
Pheasant	6,643	2,327	10,958	4,315.7

*See the discussion on page 6 regarding squirrel, dove, and pheasant.

** Sample size too small to make projections.

COYOTES BY REGION

The following tables show the hunting and harvest numbers for coyote by region. Please refer to page 12 for a detailed description of the limitations and assumptions related to these values.

Coyote by Region: Number of Hunters, Estimated Harvest, Hunting Days, and Mean Harvest per Day				
Coyote	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Hunting				
Northern region	5,562	8,545	*	*
North Central region	4,359	3,279	*	*
Bay Delta region	2,410	4,915	*	*
Central region	6,887	10,366	*	*
Inland Deserts region	2,662	3,719	*	*
South Coast region	2,366	2,059	*	*
Property Protection				
Northern region	*	17,549	*	*
North Central region	*	9,747	*	*
Bay Delta region	*	3,072	*	*
Central region	*	14,368	*	*
Inland Deserts region	*	15,856	*	*
South Coast region	*	581	*	*
Total				
Northern region	*	26,081	*	*
North Central region	*	13,108	*	*
Bay Delta region	*	8,038	*	*
Central region	*	24,474	*	*
Inland Deserts region	*	19,699	*	*
South Coast region	*	2,657	*	*

*Not calculated; see page 12.

Note that no confidence interval tables are presented for numbers of hunters and numbers coyotes killed because of the extrapolation that was used on the online data. See page 12 for an explanation of the differences in the telephone and online surveys.

RESULTS FOR EACH SPECIES

Yellow-Bellied Marmot: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	502	1,077	12,546	0.09
North Central Region	**	**	**	**
Bay Delta Region	**	**	**	**
Central Region	**	**	**	**
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

** Sample size too small to make projections.

Cottontail Rabbit: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	957	2,576	10,660	0.24
North Central Region	1,468	4,417	10,582	0.42
Bay Delta Region	714	3,084	6,039	0.51
Central Region	3,955	20,964	42,312	0.50
Inland Deserts Region	3,407	14,416	48,998	0.29
South Coast Region	1,811	8,885	17,641	0.50

Jackrabbit: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	2,091	21,692	33,139	0.65
North Central Region	1,742	12,394	15,150	0.82
Bay Delta Region	579	7,507	6,111	1.23
Central Region	2,449	13,288	30,532	0.44
Inland Deserts Region	2,350	12,292	24,709	0.50
South Coast Region	1,446	3,937	12,941	0.30

Western Gray Tree Squirrel*: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	2,180	8,147	24,440	0.33
North Central Region	3,018	13,199	19,432	0.68
Bay Delta Region	329	2,503	2,067	1.21
Central Region	2,266	10,531	19,021	0.55
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

*See the discussion on page 6 regarding squirrel.

** Sample size too small to make projections.

Eastern Fox Squirrel*: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	**	**	**	**
North Central Region	**	**	**	**
Bay Delta Region	**	**	**	**
Central Region	**	**	**	**
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

*See the discussion on page 6 regarding squirrel.

** Sample size too small to make projections.

Eastern Gray Squirrel*: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	882	16,568	11,551	1.43
North Central Region	802	3,229	4,036	0.80
Bay Delta Region	**	**	**	**
Central Region	1,174	13,859	20,137	0.69
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

*See the discussion on page 6 regarding squirrel.

** Sample size too small to make projections.

Squirrel* (unsure of type): Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	1,751	87,880	22,189	3.96
North Central Region	853	8,489	8,798	0.96
Bay Delta Region	369	4,845	1,863	2.60
Central Region	2,922	78,073	32,616	2.39
Inland Deserts Region	**	**	**	**
South Coast Region	413	8,029	12,819	0.63

*See the discussion on page 6 regarding squirrel.

** Sample size too small to make projections.

White-Tailed Ptarmigan: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	**	**	**	**
North Central Region	**	**	**	**
Bay Delta Region	**	**	**	**
Central Region	**	**	**	**
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

** Sample size too small to make projections.

California Quail: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	5,262	47,199	38,338	1.23
North Central Region	5,483	29,361	37,535	0.78
Bay Delta Region	2,551	20,154	18,813	1.07
Central Region	10,204	83,071	75,756	1.10
Inland Deserts Region	7,304	53,423	57,980	0.92
South Coast Region	5,027	33,341	34,981	0.95

Gambel's Quail: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	**	**	**	**
North Central Region	**	**	**	**
Bay Delta Region	**	**	**	**
Central Region	1,046	3,044	14,367	0.21
Inland Deserts Region	3,042	20,676	20,017	1.03
South Coast Region	935	4,032	4,297	0.94

** Sample size too small to make projections.

Mountain Quail: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	6,020	32,013	48,738	0.66
North Central Region	5,367	18,064	33,013	0.55
Bay Delta Region	747	4,647	3,596	1.29
Central Region	5,133	21,018	36,520	0.58
Inland Deserts Region	3,192	15,781	26,685	0.59
South Coast Region	1,877	4,841	13,914	0.35

Quail (unsure of type): Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	**	**	**	**
North Central Region	508	1,232	3,079	0.40
Bay Delta Region	**	**	**	**
Central Region	601	2,361	2,176	1.09
Inland Deserts Region	688	2,743	3,208	0.86
South Coast Region	336	1,165	1,216	0.96

** Sample size too small to make projections.

Ruffed Grouse: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	2,261	3,917	22,127	0.18
North Central Region	475	382	2,315	0.17
Bay Delta Region	**	**	**	**
Central Region	**	**	**	**
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

** Sample size too small to make projections.

Sooty Grouse: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	838	1,468	5,498	0.27
North Central Region	436	341	2,587	0.13
Bay Delta Region	**	**	**	**
Central Region	**	**	**	**
Inland Deserts Region	**	**	**	**
South Coast Region	**	**	**	**

** Sample size too small to make projections.

Collared Dove*: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	3,990	45,054	26,750	1.68
North Central Region	10,800	142,596	64,007	2.23
Bay Delta Region	4,487	74,778	26,384	2.83
Central Region	17,385	285,454	100,433	2.84
Inland Deserts Region	12,436	248,054	80,063	3.10
South Coast Region	3,597	43,903	20,852	2.11

*See the discussion on page 6 regarding dove.

Spring Turkey: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	6,051	3,723	43,726	0.09
North Central Region	11,955	7,370	62,947	0.12
Bay Delta Region	4,054	3,177	31,390	0.10
Central Region	4,061	1,939	26,146	0.07
Inland Deserts Region	**	**	**	**
South Coast Region	1,636	195	7,353	0.03

** Sample size too small to make projections.

Fall Turkey: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	3,464	1,567	20,261	0.08
North Central Region	7,529	3,818	36,539	0.10
Bay Delta Region	2,529	1,567	11,259	0.14
Central Region	2,688	1,207	19,782	0.06
Inland Deserts Region	**	**	**	**
South Coast Region	920	77	4,241	0.02

** Sample size too small to make projections.

Chukar: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	1,158	14,676	14,258	1.03
North Central Region	1,068	5,129	3,985	1.29
Bay Delta Region	362	2,823	1,437	1.96
Central Region	2,213	6,419	10,464	0.61
Inland Deserts Region	2,907	8,058	16,988	0.47
South Coast Region	**	**	**	**

** Sample size too small to make projections.

Pheasant*: Estimated Hunters, Harvest, Days, and Mean Harvest per Day by Region				
Region	Estimated Number of Hunters	Estimated Harvest	Estimated Number of Hunting Days	Mean Harvest per Day
Northern Region	2,553	14,524	25,405	0.57
North Central Region	11,406	57,949	82,486	0.70
Bay Delta Region	5,818	41,585	35,384	1.18
Central Region	4,074	16,805	20,667	0.81
Inland Deserts Region	3,952	11,656	17,605	0.66
South Coast Region	961	6,456	6,643	0.97

*See the discussion on page 6 regarding pheasant.

COUNTY LEVEL DATA

The county level data includes a final column for the sample size. Rather than omit data with small sample sizes, all counties are included with the sample size shown.

Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,216	826	1,606	390	40
Alpine	579	309	849	270	22
Amador	2,173	1,653	2,693	520	71
Butte	7,121	6,197	8,044	923	257
Calaveras	2,832	2,240	3,423	592	93
Colusa	5,619	4,795	6,444	825	196
Contra Costa	1,386	970	1,802	416	51
Del Norte	542	281	802	261	17
El Dorado	4,751	3,990	5,512	761	163
Fresno	6,957	6,043	7,870	913	213
Glenn	4,276	3,552	4,999	723	158
Humboldt	2,900	2,302	3,499	599	82
Imperial	10,109	9,021	11,197	1,088	337
Inyo	2,896	2,298	3,494	598	110
Kern	12,193	11,008	13,378	1,185	374
Kings	2,076	1,568	2,584	508	57
Lake	2,673	2,098	3,248	575	93
Lassen	3,391	2,745	4,038	646	142
Los Angeles	3,946	3,251	4,642	696	147
Madera	3,212	2,583	3,841	629	97
Marin	508	256	761	253	20
Mariposa	2,003	1,504	2,502	499	60
Mendocino	4,443	3,707	5,180	737	156
Merced	3,652	2,982	4,322	670	128
Modoc	2,344	1,804	2,883	539	100
Mono	1,839	1,361	2,318	479	70
Monterey	4,344	3,615	5,073	729	147
Napa	1,998	1,500	2,497	499	70
Nevada	1,923	1,434	2,413	489	78
Orange	321	120	521	201	13
Placer	4,348	3,619	5,077	729	155
Plumas	2,381	1,838	2,925	543	105
Riverside	6,475	5,592	7,357	883	205
Sacramento West	2,569	2,005	3,133	564	76
Sacramento East	3,113	2,493	3,732	620	106
Sacramento (do not know)	643	359	928	284	21
San Benito	1,897	1,411	2,383	486	66
San Bernardino	8,506	7,502	9,510	1,004	272
San Diego	6,017	5,165	6,870	852	214

Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
San Francisco	86	0	190	104	3
San Joaquin West	2,343	1,804	2,882	539	64
San Joaquin East	4,357	3,627	5,087	730	117
San Joaquin (do not know)	464	223	706	242	12
San Luis Obispo	3,804	3,121	4,488	683	125
San Mateo	409	182	636	227	11
Santa Barbara	2,940	2,338	3,543	603	100
Santa Clara	1,452	1,026	1,878	426	45
Santa Cruz	267	84	451	184	7
Shasta	5,783	4,947	6,619	836	204
Sierra	906	569	1,244	337	38
Siskiyou	4,313	3,587	5,039	726	145
Solano	4,065	3,360	4,771	706	129
Sonoma	2,680	2,104	3,255	576	114
Stanislaus	3,320	2,681	3,960	640	104
Sutter	2,697	2,119	3,275	578	92
Tehama	6,148	5,287	7,009	861	207
Trinity	3,508	2,851	4,165	657	111
Tulare	5,150	4,359	5,941	791	140
Tuolumne	2,257	1,728	2,786	529	79
Ventura	2,337	1,798	2,875	538	79
Yolo North	4,834	4,067	5,602	767	153
Yolo South	2,211	1,687	2,735	524	76
Yolo (do not know)	668	378	957	290	20
Yuba	3,062	2,447	3,677	615	113
Do not know	5,028	4,246	5,810	782	109

Yellow-Bellied Marmot: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	55	0	139	83	1
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	93	0	201	108	6
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	212	49	376	164	6
Mono	0	0	0	0	0
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	15	0	60	44	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Yellow-Bellied Marmot: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	0	0	0	0	0
Siskiyou	252	74	430	178	6
Solano	0	0	0	0	0
Sonoma	0	0	0	0	0
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Yellow-Bellied Marmot: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	1,658	0	4,162	2,504	1
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	232	0	620	388	4
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	201	0	535	334	3
Mono	0	0	0	0	0
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	31	0	119	88	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Yellow-Bellied Marmot: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	0	0	0	0	0
Siskiyou	643	0	1,293	649	5
Solano	0	0	0	0	0
Sonoma	0	0	0	0	0
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Yellow-Bellied Marmot: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	1,547	0	3,885	2,337	1
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	4,211	0	15,274	11,063	6
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	5,031	112	9,949	4,919	6
Mono	0	0	0	0	0
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	77	0	298	221	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Yellow-Bellied Marmot: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	0	0	0	0	0
Siskiyou	3,304	0	7,516	4,212	6
Solano	0	0	0	0	0
Sonoma	0	0	0	0	0
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Cottontail Rabbit: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	55	0	139	83	1
Alpine	15	0	60	44	1
Amador	15	0	60	44	1
Butte	281	93	469	188	13
Calaveras	71	0	165	94	2
Colusa	259	78	439	180	9
Contra Costa	55	0	139	83	1
Del Norte	0	0	0	0	0
El Dorado	77	0	176	99	5
Fresno	447	210	684	237	16
Glenn	62	0	150	88	4
Humboldt	62	0	150	88	4
Imperial	860	532	1,188	328	35
Inyo	367	152	582	215	16
Kern	1,413	993	1,833	420	45
Kings	267	84	451	184	7
Lake	15	0	60	44	1
Lassen	329	126	533	204	11
Los Angeles	500	249	750	251	22
Madera	141	8	275	134	4
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	71	0	165	94	2
Merced	124	0	249	125	8
Modoc	46	0	123	77	3
Mono	252	74	430	178	6
Monterey	769	459	1,080	311	24
Napa	55	0	139	83	1
Nevada	77	0	176	99	5
Orange	15	0	60	44	1
Placer	124	0	249	125	8
Plumas	102	0	215	113	4
Riverside	979	629	1,330	350	35
Sacramento (do not know)	31	0	93	62	2
Sacramento East	102	0	215	113	4
Sacramento West	31	0	93	62	2
San Benito	197	39	354	157	5
San Bernardino	1,567	1,125	2,010	442	55
San Diego	849	523	1,175	326	42
San Francisco	0	0	0	0	0
San Joaquin (do not know)	71	0	165	94	2
San Joaquin West	172	25	320	147	6
San Joaquin West	219	53	385	166	9
San Luis Obispo	336	130	542	206	14
San Mateo	0	0	0	0	0
Santa Barbara	305	109	501	196	12

Cottontail Rabbit: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	86	0	190	104	3
Santa Cruz	15	0	60	44	1
Shasta	102	0	215	113	4
Sierra	46	0	123	77	3
Siskiyou	181	30	332	151	4
Solano	133	3	262	129	6
Sonoma	71	0	165	94	2
Stanislaus	141	8	275	134	4
Sutter	86	0	190	104	3
Tehama	15	0	60	44	1
Trinity	197	39	354	157	5
Tulare	495	246	745	250	14
Tuolumne	15	0	60	44	1
Ventura	281	93	469	188	13
Yolo (do not know)	0	0	0	0	0
Yolo North	203	43	363	160	8
Yolo South	181	30	332	151	4
Yuba	62	0	150	88	4

Cottontail Rabbit: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	77	0	298	221	1
Amador	62	0	239	177	1
Butte	429	22	836	407	8
Calaveras	166	0	416	250	1
Colusa	519	81	958	439	5
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	139	0	401	261	3
Fresno	2,582	0	5,410	2,827	14
Glenn	170	0	492	322	3
Humboldt	93	0	258	165	3
Imperial	3,546	1,532	5,560	2,014	27
Inyo	1,835	0	3,762	1,928	11
Kern	7,429	3,616	11,243	3,813	36
Kings	2,330	0	5,110	2,780	6
Lake	0	0	0	0	0
Lassen	1,010	18	2,003	992	8
Los Angeles	1,258	266	2,250	992	17
Madera	630	0	1,493	864	2
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	93	0	358	265	1
Merced	310	0	817	508	6
Modoc	124	0	340	216	3
Mono	535	25	1,045	510	5
Monterey	2,646	1,189	4,103	1,457	23
Napa	166	0	416	250	1
Nevada	155	0	597	442	1
Orange	0	0	0	0	0
Placer	124	0	396	272	3
Plumas	62	0	239	177	1
Riverside	3,756	1,448	6,064	2,308	21
Sacramento (do not know)	62	0	187	125	2
Sacramento East	338	0	791	453	2
Sacramento West	0	0	0	0	0
San Benito	1,547	0	3,109	1,561	3
San Bernardino	4,744	2,557	6,931	2,187	40
San Diego	4,493	1,132	7,853	3,360	33
San Francisco	0	0	0	0	0
San Joaquin (do not know)	442	0	1,110	668	1
San Joaquin West	606	0	1,319	714	4
San Joaquin West	1,322	0	2,774	1,452	7
San Luis Obispo	1,081	244	1,918	837	10
San Mateo	0	0	0	0	0
Santa Barbara	1,225	0	2,567	1,342	8

Cottontail Rabbit: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	298	0	668	370	3
Santa Cruz	139	0	537	398	1
Shasta	334	0	863	529	4
Sierra	15	0	60	44	1
Siskiyou	55	0	139	83	1
Solano	155	0	420	265	4
Sonoma	157	0	370	213	2
Stanislaus	369	9	729	360	4
Sutter	157	0	370	213	2
Tehama	93	0	358	265	1
Trinity	774	46	1,501	728	3
Tulare	2,040	415	3,665	1,625	10
Tuolumne	0	0	0	0	0
Ventura	1,910	0	4,213	2,303	8
Yolo (do not know)	0	0	0	0	0
Yolo North	573	0	1,216	643	4
Yolo South	1,563	0	3,665	2,102	3
Yuba	108	0	311	203	3

Cottontail Rabbit: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	276	0	694	417	1
Alpine	619	0	2,387	1,768	1
Amador	77	0	298	221	1
Butte	1,046	204	1,887	842	13
Calaveras	460	0	1,336	876	2
Colusa	2,913	514	5,313	2,400	9
Contra Costa	553	0	1,387	835	1
Del Norte	0	0	0	0	0
El Dorado	402	0	992	590	5
Fresno	2,432	917	3,947	1,515	16
Glenn	93	0	233	140	4
Humboldt	464	0	1,435	970	4
Imperial	5,987	2,733	9,241	3,254	35
Inyo	3,544	971	6,116	2,572	16
Kern	15,479	6,544	24,413	8,934	45
Kings	2,447	0	5,237	2,790	7
Lake	62	0	239	177	1
Lassen	2,748	438	5,057	2,310	11
Los Angeles	3,369	1,033	5,705	2,336	22
Madera	997	42	1,952	955	4
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	1,720	0	4,230	2,511	2
Merced	217	0	489	272	8
Modoc	372	0	1,090	718	3
Mono	20,820	0	51,295	30,475	6
Monterey	8,800	3,692	13,907	5,107	24
Napa	55	0	139	83	1
Nevada	913	0	2,642	1,729	5
Orange	15	0	60	44	1
Placer	619	0	1,627	1,008	8
Plumas	349	0	950	600	4
Riverside	6,829	2,982	10,676	3,847	35
Sacramento (do not know)	46	0	145	99	2
Sacramento East	312	0	690	378	4
Sacramento West	93	0	318	225	2
San Benito	4,553	0	9,836	5,283	5
San Bernardino	11,818	6,608	17,028	5,210	55
San Diego	8,957	3,364	14,550	5,593	42
San Francisco	0	0	0	0	0
San Joaquin (do not know)	236	0	573	337	2
San Joaquin West	858	0	1,763	905	6
San Joaquin West	588	83	1,093	505	9
San Luis Obispo	2,233	169	4,297	2,064	14
San Mateo	0	0	0	0	0
Santa Barbara	1,457	342	2,572	1,115	12

Cottontail Rabbit: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	1,114	0	2,582	1,468	3
Santa Cruz	77	0	298	221	1
Shasta	694	0	1,598	904	4
Sierra	77	0	210	133	3
Siskiyou	610	0	1,465	854	4
Solano	336	0	687	351	6
Sonoma	1,802	0	4,398	2,596	2
Stanislaus	369	0	766	397	4
Sutter	369	0	843	474	3
Tehama	1,548	0	5,967	4,419	1
Trinity	2,505	0	5,340	2,836	5
Tulare	3,393	1,072	5,713	2,320	14
Tuolumne	1,393	0	5,371	3,977	1
Ventura	3,842	0	8,146	4,304	13
Yolo (do not know)	0	0	0	0	0
Yolo North	1,486	104	2,867	1,381	8
Yolo South	875	60	1,691	816	4
Yuba	139	0	369	230	4

Jackrabbit: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	15	0	60	44	1
Alpine	15	0	60	44	1
Amador	71	0	165	94	2
Butte	281	93	469	188	13
Calaveras	133	3	262	129	6
Colusa	179	29	329	150	9
Contra Costa	15	0	60	44	1
Del Norte	0	0	0	0	0
El Dorado	77	0	176	99	5
Fresno	102	0	215	113	4
Glenn	102	0	215	113	4
Humboldt	219	53	385	166	9
Imperial	250	72	427	177	11
Inyo	314	115	513	199	10
Kern	895	560	1,230	335	27
Kings	181	30	332	151	4
Lake	290	99	481	191	11
Lassen	683	390	976	293	21
Los Angeles	484	237	731	247	21
Madera	71	0	165	94	2
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	250	72	427	177	11
Merced	86	0	190	104	3
Modoc	133	3	262	129	6
Mono	197	39	354	157	5
Monterey	400	176	624	224	13
Napa	86	0	190	104	3
Nevada	62	0	150	88	4
Orange	71	0	165	94	2
Placer	46	0	123	77	3
Plumas	31	0	93	62	2
Riverside	453	214	692	239	19
Sacramento (do not know)	31	0	93	62	2
Sacramento East	46	0	123	77	3
Sacramento West	31	0	93	62	2
San Benito	157	16	298	141	5
San Bernardino	1,371	957	1,784	414	50
San Diego	467	224	709	242	25
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	15	0	60	44	1
San Joaquin West	243	68	418	175	8
San Luis Obispo	188	34	342	154	7
San Mateo	0	0	0	0	0
Santa Barbara	323	121	524	202	8

Jackrabbit: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	265	83	448	183	12
Sierra	15	0	60	44	1
Siskiyou	557	292	822	265	18
Solano	157	16	298	141	5
Sonoma	290	99	481	191	11
Stanislaus	197	39	354	157	5
Sutter	117	0	239	122	5
Tehama	139	7	272	133	9
Trinity	314	115	513	199	10
Tulare	307	111	504	197	7
Tuolumne	62	0	150	88	4
Ventura	164	20	307	144	8
Yolo (do not know)	0	0	0	0	0
Yolo North	77	0	176	99	5
Yolo South	126	0	252	126	3
Yuba	126	0	252	126	3

Jackrabbit: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	46	0	179	133	1
Amador	5,525	0	13,873	8,348	1
Butte	2,533	0	5,329	2,796	10
Calaveras	303	0	730	427	5
Colusa	418	0	1,035	617	6
Contra Costa	31	0	119	88	1
Del Norte	0	0	0	0	0
El Dorado	325	0	906	581	4
Fresno	942	0	2,150	1,208	3
Glenn	462	0	1,076	614	3
Humboldt	217	0	565	348	4
Imperial	593	0	1,187	595	9
Inyo	3,088	0	6,532	3,444	7
Kern	3,018	1,474	4,561	1,544	23
Kings	645	0	1,521	876	2
Lake	586	9	1,163	577	8
Lassen	10,065	2,679	17,451	7,386	16
Los Angeles	1,981	149	3,812	1,831	10
Madera	553	0	1,387	835	1
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	1,936	0	4,101	2,164	8
Merced	486	0	1,154	668	2
Modoc	3,950	0	9,139	5,189	5
Mono	575	0	1,153	578	4
Monterey	776	192	1,360	584	10
Napa	553	0	1,387	835	1
Nevada	170	0	424	254	4
Orange	0	0	0	0	0
Placer	93	0	258	165	3
Plumas	0	0	0	0	0
Riverside	1,097	419	1,774	678	13
Sacramento (do not know)	77	0	298	221	1
Sacramento East	77	0	237	159	2
Sacramento West	0	0	0	0	0
San Benito	141	0	330	189	2
San Bernardino	6,941	3,390	10,491	3,550	35
San Diego	542	0	1,187	645	11
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	1,087	1	2,174	1,087	4
San Luis Obispo	1,293	0	2,681	1,388	5
San Mateo	0	0	0	0	0
Santa Barbara	1,050	0	2,209	1,160	2

Jackrabbit: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	871	0	1,923	1,052	8
Sierra	15	0	60	44	1
Siskiyou	3,146	902	5,389	2,244	15
Solano	1,379	0	3,089	1,709	4
Sonoma	4,826	0	10,684	5,859	7
Stanislaus	3,449	0	8,539	5,090	4
Sutter	164	0	408	244	4
Tehama	170	0	424	254	6
Trinity	1,337	0	3,045	1,708	6
Tulare	1,815	354	3,275	1,461	5
Tuolumne	170	0	424	254	4
Ventura	365	0	1,049	684	5
Yolo (do not know)	0	0	0	0	0
Yolo North	186	0	636	451	2
Yolo South	718	0	1,590	871	2
Yuba	402	0	854	452	3

Jackrabbit: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	31	0	119	88	1
Alpine	77	0	298	221	1
Amador	6,536	0	15,275	8,738	2
Butte	1,013	199	1,826	814	13
Calaveras	716	0	1,705	989	6
Colusa	1,766	69	3,464	1,698	9
Contra Costa	62	0	239	177	1
Del Norte	0	0	0	0	0
El Dorado	402	0	944	541	5
Fresno	1,921	0	4,475	2,554	4
Glenn	645	0	1,496	851	4
Humboldt	2,885	23	5,747	2,862	9
Imperial	1,924	0	4,161	2,237	11
Inyo	2,443	369	4,516	2,074	10
Kern	7,191	2,920	11,462	4,271	27
Kings	2,299	0	5,122	2,823	4
Lake	1,050	170	1,930	880	11
Lassen	10,974	2,689	19,259	8,285	21
Los Angeles	7,012	0	20,663	13,651	21
Madera	234	0	625	391	2
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	851	121	1,582	730	11
Merced	1,004	0	2,342	1,339	3
Modoc	2,719	0	6,490	3,772	6
Mono	3,083	0	7,273	4,190	5
Monterey	3,057	134	5,980	2,923	13
Napa	117	0	280	163	3
Nevada	310	0	836	527	4
Orange	292	0	711	420	2
Placer	93	0	258	165	3
Plumas	201	0	733	532	2
Riverside	3,533	761	6,305	2,772	19
Sacramento (do not know)	77	0	260	182	2
Sacramento East	124	0	366	242	3
Sacramento West	155	0	467	312	2
San Benito	4,823	0	10,179	5,356	5
San Bernardino	13,726	6,545	20,907	7,181	50
San Diego	4,144	546	7,742	3,598	25
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	15	0	60	44	1
San Joaquin West	880	197	1,562	682	8
San Luis Obispo	2,858	4	5,712	2,854	7
San Mateo	0	0	0	0	0
Santa Barbara	787	219	1,355	568	8

Jackrabbit: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	4,299	0	10,396	6,097	12
Sierra	15	0	60	44	1
Siskiyou	5,929	2,031	9,826	3,897	18
Solano	550	12	1,088	538	5
Sonoma	4,733	0	10,555	5,822	11
Stanislaus	1,943	0	5,167	3,224	5
Sutter	601	0	1,286	685	5
Tehama	666	0	1,414	748	9
Trinity	4,817	939	8,694	3,878	10
Tulare	2,555	0	5,153	2,598	7
Tuolumne	2,647	0	9,724	7,077	4
Ventura	705	0	1,619	914	8
Yolo (do not know)	0	0	0	0	0
Yolo North	372	0	1,065	693	5
Yolo South	447	0	1,018	572	3
Yuba	347	0	775	428	3

Western Gray Tree Squirrel: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	31	0	93	62	2
Amador	212	49	376	164	6
Butte	455	216	695	239	14
Calaveras	164	20	307	144	8
Colusa	86	0	190	104	3
Contra Costa	71	0	165	94	2
Del Norte	0	0	0	0	0
El Dorado	564	298	830	266	21
Fresno	471	228	714	243	15
Glenn	172	25	320	147	6
Humboldt	195	38	351	157	10
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	385	165	605	220	12
Kings	55	0	139	83	1
Lake	424	193	655	231	12
Lassen	385	165	605	220	12
Los Angeles	31	0	93	62	2
Madera	188	34	342	154	7
Marin	0	0	0	0	0
Mariposa	298	105	492	194	9
Mendocino	329	126	533	204	11
Merced	0	0	0	0	0
Modoc	55	0	139	83	1
Mono	0	0	0	0	0
Monterey	486	239	734	247	16
Napa	46	0	123	77	3
Nevada	164	20	307	144	8
Orange	0	0	0	0	0
Placer	579	309	849	270	22
Plumas	250	72	427	177	11
Riverside	15	0	60	44	1
Sacramento (do not know)	15	0	60	44	1
Sacramento East	55	0	139	83	1
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	31	0	93	62	2
San Diego	15	0	60	44	1
San Francisco	71	0	165	94	2
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Joaquin West	111	0	229	118	2
San Luis Obispo	298	105	492	194	9
San Mateo	0	0	0	0	0
Santa Barbara	71	0	165	94	2

Western Gray Tree Squirrel: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	55	0	139	83	1
Santa Cruz	0	0	0	0	0
Shasta	628	347	909	281	20
Sierra	0	0	0	0	0
Siskiyou	345	137	553	208	12
Solano	0	0	0	0	0
Sonoma	15	0	60	44	1
Stanislaus	86	0	190	104	3
Sutter	117	0	239	122	5
Tehama	480	234	725	246	13
Trinity	486	239	734	247	16
Tulare	329	126	533	204	11
Tuolumne	431	198	664	233	15
Ventura	0	0	0	0	0
Yolo (do not know)	55	0	139	83	1
Yolo North	71	0	165	94	2
Yolo South	15	0	60	44	1
Yuba	108	0	225	117	7

Western Gray Tree Squirrel: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	46	0	145	99	2
Amador	71	0	165	94	2
Butte	2,697	609	4,785	2,088	12
Calaveras	279	0	621	342	6
Colusa	844	0	2,097	1,253	2
Contra Costa	455	0	1,068	613	2
Del Norte	0	0	0	0	0
El Dorado	1,468	509	2,427	959	13
Fresno	1,806	158	3,454	1,648	13
Glenn	2,164	0	4,806	2,642	5
Humboldt	915	0	2,014	1,099	9
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	1,344	69	2,619	1,275	11
Kings	111	0	277	167	1
Lake	2,484	569	4,400	1,916	10
Lassen	995	0	2,013	1,018	7
Los Angeles	170	0	614	444	2
Madera	329	18	640	311	5
Marin	0	0	0	0	0
Mariposa	944	0	1,996	1,052	6
Mendocino	1,132	90	2,174	1,042	9
Merced	0	0	0	0	0
Modoc	166	0	416	250	1
Mono	0	0	0	0	0
Monterey	1,614	396	2,831	1,218	10
Napa	62	0	187	125	2
Nevada	148	0	353	205	4
Orange	0	0	0	0	0
Placer	988	276	1,700	712	13
Plumas	290	0	615	325	5
Riverside	0	0	0	0	0
Sacramento (do not know)	325	0	1,253	928	1
Sacramento East	221	0	555	334	1
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	232	0	895	663	1
San Diego	0	0	0	0	0
San Francisco	697	0	2,685	1,989	1
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	221	0	555	334	1
San Joaquin West	497	0	1,249	751	1
San Luis Obispo	2,224	0	4,823	2,600	6
San Mateo	0	0	0	0	0
Santa Barbara	31	0	119	88	1

Western Gray Tree Squirrel: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	1,320	239	2,401	1,081	14
Sierra	0	0	0	0	0
Siskiyou	1,561	0	3,940	2,379	9
Solano	0	0	0	0	0
Sonoma	1,006	0	3,879	2,873	1
Stanislaus	108	0	346	238	2
Sutter	362	0	867	505	3
Tehama	827	242	1,412	585	8
Trinity	1,231	541	1,921	690	14
Tulare	895	119	1,672	777	8
Tuolumne	1,156	201	2,112	956	10
Ventura	0	0	0	0	0
Yolo (do not know)	166	0	416	250	1
Yolo North	221	0	555	334	1
Yolo South	62	0	239	177	1
Yuba	418	0	1,137	719	5

Western Gray Tree Squirrel: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	697	0	2,478	1,781	2
Amador	796	0	1,663	868	6
Butte	2,644	978	4,310	1,666	14
Calaveras	1,333	0	3,280	1,947	8
Colusa	1,348	0	2,980	1,632	3
Contra Costa	599	0	1,444	845	2
Del Norte	0	0	0	0	0
El Dorado	2,953	1,005	4,901	1,948	21
Fresno	2,985	713	5,256	2,271	15
Glenn	902	0	2,130	1,228	6
Humboldt	1,420	0	3,111	1,691	10
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	1,280	0	2,702	1,422	12
Kings	387	0	971	584	1
Lake	3,254	1,260	5,248	1,994	12
Lassen	3,533	0	7,792	4,259	12
Los Angeles	31	0	93	62	2
Madera	2,539	0	7,878	5,339	7
Marin	0	0	0	0	0
Mariposa	1,355	239	2,472	1,116	9
Mendocino	1,391	226	2,555	1,165	11
Merced	0	0	0	0	0
Modoc	2,763	0	6,937	4,174	1
Mono	0	0	0	0	0
Monterey	2,706	71	5,340	2,634	16
Napa	139	0	401	261	3
Nevada	582	0	1,349	767	8
Orange	0	0	0	0	0
Placer	2,580	816	4,343	1,763	22
Plumas	701	30	1,372	671	11
Riverside	31	0	119	88	1
Sacramento (do not know)	155	0	597	442	1
Sacramento East	55	0	139	83	1
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	542	0	1,647	1,105	2
San Diego	46	0	179	133	1
San Francisco	862	0	2,078	1,216	2
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Joaquin West	221	0	457	236	2
San Luis Obispo	2,641	247	5,036	2,394	9
San Mateo	0	0	0	0	0

Western Gray Tree Squirrel: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Barbara	292	0	711	420	2
Santa Clara	55	0	139	83	1
Santa Cruz	0	0	0	0	0
Shasta	2,803	965	4,642	1,838	20
Sierra	0	0	0	0	0
Siskiyou	4,412	46	8,778	4,366	12
Solano	0	0	0	0	0
Sonoma	325	0	1,253	928	1
Stanislaus	398	0	952	554	3
Sutter	738	0	1,632	893	5
Tehama	5,071	0	10,172	5,101	13
Trinity	3,047	157	5,937	2,890	16
Tulare	2,162	576	3,747	1,586	11
Tuolumne	2,569	7	5,131	2,562	15
Ventura	0	0	0	0	0
Yolo (do not know)	497	0	1,249	751	1
Yolo North	86	0	208	122	2
Yolo South	31	0	119	88	1
Yuba	511	0	1,327	816	7

Eastern Fox Squirrel: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	15	0	60	44	1
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	15	0	60	44	1
Fresno	111	0	229	118	2
Glenn	15	0	60	44	1
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	15	0	60	44	1
Lassen	0	0	0	0	0
Los Angeles	15	0	60	44	1
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	0	0	0	0	0
Mono	0	0	0	0	0
Monterey	15	0	60	44	1
Napa	15	0	60	44	1
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	15	0	60	44	1
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	15	0	60	44	1
San Francisco	15	0	60	44	1
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Eastern Fox Squirrel: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	55	0	139	83	1
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	55	0	139	83	1
Siskiyou	55	0	139	83	1
Solano	55	0	139	83	1
Sonoma	15	0	60	44	1
Stanislaus	0	0	0	0	0
Sutter	15	0	60	44	1
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	15	0	60	44	1
Yuba	0	0	0	0	0

Eastern Fox Squirrel: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	46	0	179	133	1
Fresno	1,658	0	3,524	1,866	2
Glenn	77	0	298	221	1
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	31	0	119	88	1
Lassen	0	0	0	0	0
Los Angeles	155	0	597	442	1
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	0	0	0	0	0
Mono	0	0	0	0	0
Monterey	15	0	60	44	1
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	46	0	179	133	1
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	0	0	0	0	0
San Francisco	387	0	1,492	1,105	1
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Eastern Fox Squirrel: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	1,658	0	4,162	2,504	1
Siskiyou	2,210	0	5,549	3,339	1
Solano	1,105	0	2,775	1,670	1
Sonoma	217	0	835	619	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	77	0	298	221	1
Yuba	0	0	0	0	0

Eastern Fox Squirrel: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	232	0	895	663	1
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	62	0	239	177	1
Fresno	1,547	0	3,345	1,798	2
Glenn	155	0	597	442	1
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	108	0	418	309	1
Lassen	0	0	0	0	0
Los Angeles	387	0	1,492	1,105	1
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	0	0	0	0	0
Mono	0	0	0	0	0
Monterey	15	0	60	44	1
Napa	46	0	179	133	1
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	186	0	716	530	1
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	15	0	60	44	1
San Francisco	77	0	298	221	1
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Eastern Fox Squirrel: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	55	0	139	83	1
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	1,381	0	3,468	2,087	1
Siskiyou	553	0	1,387	835	1
Solano	553	0	1,387	835	1
Sonoma	790	0	3,043	2,254	1
Stanislaus	0	0	0	0	0
Sutter	77	0	298	221	1
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	46	0	179	133	1
Yuba	0	0	0	0	0

Eastern Gray Squirrel: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	111	0	229	118	2
Alpine	0	0	0	0	0
Amador	111	0	229	118	2
Butte	86	0	190	104	3
Calaveras	111	0	229	118	2
Colusa	71	0	165	94	2
Contra Costa	0	0	0	0	0
Del Norte	55	0	139	83	1
El Dorado	141	8	275	134	4
Fresno	292	100	483	192	6
Glenn	111	0	229	118	2
Humboldt	55	0	139	83	1
Imperial	0	0	0	0	0
Inyo	55	0	139	83	1
Kern	276	90	463	187	5
Kings	55	0	139	83	1
Lake	55	0	139	83	1
Lassen	55	0	139	83	1
Los Angeles	0	0	0	0	0
Madera	181	30	332	151	4
Marin	15	0	60	44	1
Mariposa	0	0	0	0	0
Mendocino	71	0	165	94	2
Merced	55	0	139	83	1
Modoc	55	0	139	83	1
Mono	55	0	139	83	1
Monterey	71	0	165	94	2
Napa	15	0	60	44	1
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	15	0	60	44	1
Plumas	15	0	60	44	1
Riverside	55	0	139	83	1
Sacramento (do not know)	71	0	165	94	2
Sacramento East	0	0	0	0	0
Sacramento West	15	0	60	44	1
San Benito	71	0	165	94	2
San Bernardino	0	0	0	0	0
San Diego	102	0	215	113	4
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	86	0	190	104	3
San Luis Obispo	55	0	139	83	1
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Eastern Gray Squirrel: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	369	154	585	216	11
Sierra	0	0	0	0	0
Siskiyou	221	54	388	167	4
Solano	0	0	0	0	0
Sonoma	15	0	60	44	1
Stanislaus	55	0	139	83	1
Sutter	15	0	60	44	1
Tehama	55	0	139	83	1
Trinity	221	54	388	167	4
Tulare	55	0	139	83	1
Tuolumne	117	0	239	122	5
Ventura	0	0	0	0	0
Yolo (do not know)	55	0	139	83	1
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	55	0	139	83	1

Eastern Gray Squirrel: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	553	0	1,143	590	2
Alpine	0	0	0	0	0
Amador	332	0	757	426	2
Butte	336	0	883	547	2
Calaveras	276	0	577	301	2
Colusa	1,121	0	2,791	1,670	2
Contra Costa	0	0	0	0	0
Del Norte	276	0	694	417	1
El Dorado	46	0	145	99	2
Fresno	1,130	0	3,285	2,155	4
Glenn	442	0	970	528	2
Humboldt	553	0	1,387	835	1
Imperial	0	0	0	0	0
Inyo	718	0	1,804	1,085	1
Kern	1,547	344	2,750	1,203	4
Kings	5,525	0	13,873	8,348	1
Lake	276	0	694	417	1
Lassen	166	0	416	250	1
Los Angeles	0	0	0	0	0
Madera	2,210	0	4,571	2,361	2
Marin	155	0	597	442	1
Mariposa	0	0	0	0	0
Mendocino	221	0	555	334	1
Merced	221	0	555	334	1
Modoc	2,763	0	6,937	4,174	1
Mono	387	0	971	584	1
Monterey	126	0	299	173	2
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	31	0	119	88	1
Riverside	332	0	832	501	1
Sacramento (do not know)	444	0	1,278	834	2
Sacramento East	0	0	0	0	0
Sacramento West	77	0	298	221	1
San Benito	1,019	0	3,181	2,162	2
San Bernardino	0	0	0	0	0
San Diego	1,552	0	3,685	2,134	3
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	203	0	517	313	2
San Luis Obispo	221	0	555	334	1
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Eastern Gray Squirrel: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	7,561	0	16,042	8,481	10
Sierra	0	0	0	0	0
Siskiyou	4,255	58	8,452	4,197	4
Solano	0	0	0	0	0
Sonoma	139	0	537	398	1
Stanislaus	166	0	416	250	1
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	774	0	1,608	835	2
Tulare	276	0	694	417	1
Tuolumne	1,418	0	4,345	2,927	4
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	166	0	416	250	1

Eastern Gray Squirrel: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,271	0	2,959	1,688	2
Alpine	0	0	0	0	0
Amador	829	0	1,762	933	2
Butte	188	0	435	247	3
Calaveras	829	0	1,762	933	2
Colusa	508	0	1,292	783	2
Contra Costa	0	0	0	0	0
Del Norte	111	0	277	167	1
El Dorado	298	0	607	308	4
Fresno	1,291	295	2,286	995	6
Glenn	387	0	895	508	2
Humboldt	1,658	0	4,162	2,504	1
Imperial	0	0	0	0	0
Inyo	553	0	1,387	835	1
Kern	2,210	232	4,188	1,978	5
Kings	8,288	0	20,810	12,522	1
Lake	221	0	555	334	1
Lassen	111	0	277	167	1
Los Angeles	0	0	0	0	0
Madera	1,247	51	2,442	1,195	4
Marin	31	0	119	88	1
Mariposa	0	0	0	0	0
Mendocino	307	0	734	427	2
Merced	55	0	139	83	1
Modoc	166	0	416	250	1
Mono	166	0	416	250	1
Monterey	71	0	165	94	2
Napa	15	0	60	44	1
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	62	0	239	177	1
Plumas	15	0	60	44	1
Riverside	166	0	416	250	1
Sacramento (do not know)	321	0	828	508	2
Sacramento East	0	0	0	0	0
Sacramento West	155	0	597	442	1
San Benito	3,501	0	8,538	5,037	2
San Bernardino	0	0	0	0	0
San Diego	323	0	747	424	4
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	290	0	649	359	3
San Luis Obispo	55	0	139	83	1
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Eastern Gray Squirrel: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	2,514	599	4,429	1,915	11
Sierra	0	0	0	0	0
Siskiyou	3,094	55	6,133	3,039	4
Solano	0	0	0	0	0
Sonoma	139	0	537	398	1
Stanislaus	111	0	277	167	1
Sutter	77	0	298	221	1
Tehama	276	0	694	417	1
Trinity	3,315	42	6,588	3,273	4
Tulare	111	0	277	167	1
Tuolumne	3,198	0	8,919	5,721	5
Ventura	0	0	0	0	0
Yolo (do not know)	111	0	277	167	1
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	332	0	832	501	1

Squirrel (Type Unknown): Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	46	0	123	77	3
Alpine	15	0	60	44	1
Amador	15	0	60	44	1
Butte	86	0	190	104	3
Calaveras	0	0	0	0	0
Colusa	117	0	239	122	5
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	228	58	397	169	7
Fresno	519	264	775	256	13
Glenn	86	0	190	104	3
Humboldt	31	0	93	62	2
Imperial	0	0	0	0	0
Inyo	31	0	93	62	2
Kern	542	281	802	261	17
Kings	31	0	93	62	2
Lake	55	0	139	83	1
Lassen	188	34	342	154	7
Los Angeles	102	0	215	113	4
Madera	228	58	397	169	7
Marin	0	0	0	0	0
Mariposa	31	0	93	62	2
Mendocino	228	58	397	169	7
Merced	172	25	320	147	6
Modoc	250	72	427	177	11
Mono	0	0	0	0	0
Monterey	354	143	565	211	10
Napa	55	0	139	83	1
Nevada	31	0	93	62	2
Orange	0	0	0	0	0
Placer	62	0	150	88	4
Plumas	31	0	93	62	2
Riverside	55	0	139	83	1
Sacramento (do not know)	0	0	0	0	0
Sacramento East	15	0	60	44	1
Sacramento West	0	0	0	0	0
San Benito	86	0	190	104	3
San Bernardino	197	39	354	157	5
San Diego	155	15	294	140	10
San Francisco	0	0	0	0	0
San Joaquin (do not know)	55	0	139	83	1
San Joaquin West	221	54	388	167	4
San Joaquin West	71	0	165	94	2
San Luis Obispo	566	299	833	267	16
San Mateo	0	0	0	0	0
Santa Barbara	86	0	190	104	3

Squirrel (Type Unknown): Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	15	0	60	44	1
Santa Cruz	0	0	0	0	0
Shasta	243	68	418	175	8
Sierra	31	0	93	62	2
Siskiyou	756	448	1,064	308	18
Solano	15	0	60	44	1
Sonoma	0	0	0	0	0
Stanislaus	172	25	320	147	6
Sutter	0	0	0	0	0
Tehama	203	43	363	160	8
Trinity	55	0	139	83	1
Tulare	267	84	451	184	7
Tuolumne	86	0	190	104	3
Ventura	71	0	165	94	2
Yolo (do not know)	0	0	0	0	0
Yolo North	71	0	165	94	2
Yolo South	15	0	60	44	1
Yuba	15	0	60	44	1

Squirrel (Type Unknown): Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,022	0	3,291	2,269	3
Alpine	46	0	179	133	1
Amador	62	0	239	177	1
Butte	362	0	871	509	2
Calaveras	0	0	0	0	0
Colusa	1,656	0	6,082	4,426	3
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	926	55	1,798	871	5
Fresno	10,137	902	19,371	9,235	11
Glenn	769	0	1,730	961	3
Humboldt	186	0	716	530	1
Imperial	0	0	0	0	0
Inyo	155	0	597	442	1
Kern	7,578	2,745	12,412	4,833	16
Kings	3,561	0	12,498	8,937	2
Lake	2,763	0	6,937	4,174	1
Lassen	3,502	0	8,499	4,997	6
Los Angeles	1,137	0	2,713	1,576	4
Madera	6,790	0	15,179	8,390	6
Marin	0	0	0	0	0
Mariposa	77	0	298	221	1
Mendocino	754	0	1,974	1,220	5
Merced	10,817	0	27,119	16,302	6
Modoc	28,992	4,914	53,069	24,077	11
Mono	0	0	0	0	0
Monterey	8,074	0	18,285	10,210	9
Napa	442	0	1,110	668	1
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	201	0	558	356	3
Plumas	77	0	298	221	1
Riverside	1,105	0	2,775	1,670	1
Sacramento (do not know)	0	0	0	0	0
Sacramento East	232	0	895	663	1
Sacramento West	0	0	0	0	0
San Benito	2,764	0	7,488	4,724	3
San Bernardino	11,603	0	28,320	16,717	2
San Diego	4,722	0	10,901	6,179	10
San Francisco	0	0	0	0	0
San Joaquin (do not know)	553	0	1,387	835	1
San Joaquin West	3,149	0	6,652	3,503	4
San Joaquin West	1,291	0	3,043	1,752	2
San Luis Obispo	17,196	0	34,771	17,575	12
San Mateo	0	0	0	0	0
Santa Barbara	988	0	2,189	1,201	3

Squirrel (Type Unknown): Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	7,690	0	16,385	8,695	7
Sierra	31	0	119	88	1
Siskiyou	42,552	18,964	66,140	23,588	17
Solano	155	0	597	442	1
Sonoma	0	0	0	0	0
Stanislaus	7,595	0	19,427	11,832	5
Sutter	0	0	0	0	0
Tehama	4,205	50	8,359	4,155	7
Trinity	0	0	0	0	0
Tulare	3,020	312	5,727	2,707	7
Tuolumne	464	0	1,453	988	2
Ventura	1,182	0	2,867	1,684	2
Yolo (do not know)	0	0	0	0	0
Yolo North	71	0	165	94	2
Yolo South	77	0	298	221	1
Yuba	0	0	0	0	0

Squirrel (Type Unknown): Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	232	0	710	478	3
Alpine	46	0	179	133	1
Amador	77	0	298	221	1
Butte	336	0	771	435	3
Calaveras	0	0	0	0	0
Colusa	1,619	0	4,061	2,442	5
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	999	158	1,840	841	7
Fresno	4,748	1,665	7,831	3,083	13
Glenn	259	0	578	319	3
Humboldt	542	0	1,886	1,344	2
Imperial	0	0	0	0	0
Inyo	124	0	403	279	2
Kern	4,653	1,040	8,267	3,613	17
Kings	464	0	1,453	988	2
Lake	1,105	0	2,775	1,670	1
Lassen	3,974	0	8,478	4,503	7
Los Angeles	8,479	0	24,442	15,964	4
Madera	2,531	410	4,652	2,121	7
Marin	0	0	0	0	0
Mariposa	108	0	377	269	2
Mendocino	1,004	205	1,803	799	7
Merced	2,326	0	5,417	3,091	6
Modoc	1,862	0	4,072	2,211	11
Mono	0	0	0	0	0
Monterey	5,284	0	14,264	8,980	10
Napa	829	0	2,081	1,252	1
Nevada	108	0	346	238	2
Orange	0	0	0	0	0
Placer	356	0	924	568	4
Plumas	139	0	436	296	2
Riverside	276	0	694	417	1
Sacramento (do not know)	0	0	0	0	0
Sacramento East	155	0	597	442	1
Sacramento West	0	0	0	0	0
San Benito	1,052	0	2,919	1,866	3
San Bernardino	1,249	0	2,506	1,258	5
San Diego	3,003	0	6,741	3,738	10
San Francisco	0	0	0	0	0
San Joaquin (do not know)	1,381	0	3,468	2,087	1
San Joaquin West	663	73	1,253	590	4
San Joaquin West	2,918	0	7,115	4,197	2
San Luis Obispo	5,670	2,119	9,221	3,551	16
San Mateo	0	0	0	0	0
Santa Barbara	707	0	1,601	893	3

Squirrel (Type Unknown): Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	15	0	60	44	1
Santa Cruz	0	0	0	0	0
Shasta	2,522	194	4,851	2,329	8
Sierra	46	0	145	99	2
Siskiyou	9,873	3,853	15,893	6,020	18
Solano	77	0	298	221	1
Sonoma	0	0	0	0	0
Stanislaus	1,419	0	3,348	1,928	6
Sutter	0	0	0	0	0
Tehama	1,583	175	2,991	1,408	8
Trinity	829	0	2,081	1,252	1
Tulare	4,155	722	7,588	3,433	7
Tuolumne	203	0	462	259	3
Ventura	630	0	1,493	864	2
Yolo (do not know)	0	0	0	0	0
Yolo North	619	0	1,503	884	2
Yolo South	46	0	179	133	1
Yuba	15	0	60	44	1

White-Tailed Ptarmigan: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	55	0	139	83	1
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	0	0	0	0	0
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	0	0	0	0	0
Mono	15	0	60	44	1
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	15	0	60	44	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	15	0	60	44	1
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

White-Tailed Ptarmigan: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	15	0	60	44	1
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	0	0	0	0	0
Sonoma	15	0	60	44	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

White-Tailed Ptarmigan: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	0	0	0	0	0
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	0	0	0	0	0
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	0	0	0	0	0
Mono	0	0	0	0	0
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	186	0	716	530	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

White-Tailed Ptarmigan: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	15	0	60	44	1
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	0	0	0	0	0
Sonoma	77	0	298	221	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

White-Tailed Ptarmigan: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	387	0	971	584	1
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	0	0	0	0	0
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	0	0	0	0	0
Modoc	0	0	0	0	0
Mono	15	0	60	44	1
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	0	0	0	0	0
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	1,517	0	5,848	4,331	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	15	0	60	44	1
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

White-Tailed Ptarmigan: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	15	0	60	44	1
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	0	0	0	0	0
Sonoma	93	0	358	265	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

California Quail: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	197	39	354	157	5
Alpine	102	0	215	113	4
Amador	170	24	317	146	11
Butte	1,066	700	1,431	365	38
Calaveras	511	257	764	253	15
Colusa	447	210	684	237	16
Contra Costa	141	8	275	134	4
Del Norte	55	0	139	83	1
El Dorado	491	242	739	248	24
Fresno	1,026	667	1,384	358	38
Glenn	453	214	692	239	19
Humboldt	652	366	938	286	19
Imperial	1,892	1,407	2,378	485	58
Inyo	1,267	869	1,665	398	51
Kern	3,729	3,053	4,406	677	133
Kings	274	88	460	186	10
Lake	429	197	661	232	20
Lassen	851	524	1,178	327	37
Los Angeles	1,510	1,076	1,944	434	59
Madera	416	187	644	229	14
Marin	31	0	93	62	2
Mariposa	274	88	460	186	10
Mendocino	776	464	1,088	312	27
Merced	321	120	521	201	13
Modoc	367	152	582	215	16
Mono	548	286	811	262	20
Monterey	1,715	1,253	2,178	462	62
Napa	438	203	672	235	18
Nevada	444	208	681	236	21
Orange	46	0	123	77	3
Placer	411	184	639	227	24
Plumas	226	57	394	169	12
Riverside	2,089	1,579	2,598	510	63
Sacramento (do not know)	71	0	165	94	2
Sacramento East	321	120	521	201	13
Sacramento West	117	0	239	122	5
San Benito	588	316	860	272	20
San Bernardino	2,549	1,987	3,111	562	85
San Diego	1,983	1,486	2,480	497	69
San Francisco	0	0	0	0	0
San Joaquin (do not know)	55	0	139	83	1
San Joaquin West	418	189	647	229	9
San Joaquin West	495	246	745	250	14
San Luis Obispo	1,497	1,064	1,929	432	53
San Mateo	181	30	332	151	4
Santa Barbara	1,079	711	1,446	368	44

California Quail: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	314	115	513	199	10
Santa Cruz	111	0	229	118	2
Shasta	1,218	828	1,609	390	53
Sierra	93	0	201	108	6
Siskiyou	729	427	1,032	303	24
Solano	157	16	298	141	5
Sonoma	400	176	624	224	13
Stanislaus	336	130	542	206	14
Sutter	305	109	501	196	12
Tehama	1,103	732	1,475	372	43
Trinity	447	210	684	237	16
Tulare	643	359	928	284	21
Tuolumne	493	244	742	249	19
Ventura	814	494	1,133	319	32
Yolo (do not know)	15	0	60	44	1
Yolo North	139	7	272	133	9
Yolo South	243	68	418	175	8
Yuba	382	163	602	219	17

California Quail: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	2,022	81	3,964	1,941	5
Alpine	449	0	1,568	1,119	2
Amador	790	0	1,843	1,054	8
Butte	5,507	2,558	8,456	2,949	29
Calaveras	2,710	584	4,836	2,126	9
Colusa	1,740	90	3,390	1,650	8
Contra Costa	2,873	0	7,050	4,177	2
Del Norte	276	0	694	417	1
El Dorado	1,676	387	2,965	1,289	16
Fresno	6,807	3,675	9,939	3,132	32
Glenn	2,681	512	4,850	2,169	13
Humboldt	4,047	1,066	7,029	2,981	14
Imperial	14,437	7,874	21,000	6,563	44
Inyo	7,477	2,056	12,898	5,421	29
Kern	20,270	11,888	28,652	8,382	75
Kings	1,804	0	3,960	2,156	5
Lake	2,290	251	4,330	2,039	12
Lassen	8,314	2,597	14,030	5,717	29
Los Angeles	5,582	3,317	7,847	2,265	36
Madera	3,318	1,164	5,472	2,154	11
Marin	201	0	733	532	2
Mariposa	325	0	803	478	5
Mendocino	6,757	2,029	11,486	4,728	21
Merced	2,606	0	5,488	2,882	7
Modoc	2,912	626	5,198	2,286	14
Mono	1,928	56	3,800	1,872	9
Monterey	17,261	10,413	24,108	6,848	53
Napa	1,512	261	2,763	1,251	9
Nevada	1,698	316	3,080	1,382	11
Orange	217	0	586	370	3
Placer	1,115	0	2,255	1,140	12
Plumas	433	0	1,055	622	6
Riverside	13,207	7,788	18,626	5,419	34
Sacramento (do not know)	55	0	139	83	1
Sacramento East	875	125	1,626	751	9
Sacramento West	924	0	2,288	1,364	4
San Benito	3,625	1,265	5,986	2,361	16
San Bernardino	16,375	9,899	22,851	6,476	50
San Diego	18,158	10,882	25,434	7,276	51
San Francisco	0	0	0	0	0
San Joaquin (do not know)	2,486	0	6,243	3,757	1
San Joaquin West	701	97	1,304	603	5
San Joaquin West	2,730	0	5,645	2,915	8
San Luis Obispo	14,881	7,167	22,596	7,714	38
San Mateo	2,486	18	4,955	2,469	3
Santa Barbara	4,846	2,380	7,312	2,466	28

California Quail: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	2,964	238	5,690	2,726	6
Santa Cruz	829	0	1,762	933	2
Shasta	8,350	4,596	12,105	3,754	37
Sierra	31	0	119	88	1
Siskiyou	4,467	2,109	6,826	2,358	18
Solano	1,138	0	2,564	1,426	4
Sonoma	1,598	332	2,864	1,266	9
Stanislaus	736	0	1,518	782	6
Sutter	723	0	1,533	810	6
Tehama	7,351	3,927	10,775	3,424	38
Trinity	4,724	1,241	8,206	3,483	12
Tulare	8,090	3,216	12,963	4,874	16
Tuolumne	3,347	306	6,388	3,041	12
Ventura	4,539	1,855	7,223	2,684	20
Yolo (do not know)	0	0	0	0	0
Yolo North	449	0	1,075	626	7
Yolo South	2,904	0	5,919	3,015	5
Yuba	3,402	0	7,629	4,228	8

California Quail: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,149	114	2,185	1,036	5
Alpine	1,306	0	3,036	1,730	4
Amador	449	18	879	431	11
Butte	5,781	2,951	8,611	2,830	38
Calaveras	2,253	788	3,717	1,464	15
Colusa	1,775	533	3,017	1,242	16
Contra Costa	685	0	1,539	854	4
Del Norte	332	0	832	501	1
El Dorado	1,975	612	3,337	1,362	24
Fresno	8,244	1,670	14,819	6,575	38
Glenn	4,316	981	7,650	3,334	19
Humboldt	4,289	1,800	6,778	2,489	19
Imperial	10,176	5,854	14,498	4,322	58
Inyo	9,973	4,143	15,803	5,830	51
Kern	28,064	18,081	38,047	9,983	133
Kings	1,234	125	2,343	1,109	10
Lake	6,342	0	19,694	13,352	20
Lassen	4,650	2,377	6,922	2,273	37
Los Angeles	6,557	3,761	9,353	2,796	59
Madera	4,151	539	7,763	3,612	14
Marin	46	0	145	99	2
Mariposa	1,123	109	2,138	1,015	10
Mendocino	3,482	1,803	5,161	1,679	27
Merced	2,965	0	5,958	2,993	13
Modoc	1,258	400	2,116	858	16
Mono	4,865	404	9,326	4,461	20
Monterey	10,384	6,231	14,537	4,153	62
Napa	1,187	284	2,090	903	18
Nevada	2,693	455	4,931	2,238	21
Orange	186	0	632	446	3
Placer	2,488	809	4,166	1,679	24
Plumas	765	100	1,430	665	12
Riverside	16,088	9,765	22,410	6,322	63
Sacramento (do not know)	141	0	330	189	2
Sacramento East	1,013	0	2,203	1,190	13
Sacramento West	1,265	0	2,701	1,436	5
San Benito	2,586	940	4,232	1,646	20
San Bernardino	16,878	10,691	23,064	6,186	85
San Diego	14,419	8,690	20,147	5,728	69
San Francisco	0	0	0	0	0
San Joaquin (do not know)	166	0	416	250	1
San Joaquin West	1,448	376	2,520	1,072	9
San Joaquin West	3,006	361	5,651	2,645	14
San Luis Obispo	8,705	4,789	12,622	3,917	53
San Mateo	1,925	214	3,636	1,711	4
Santa Barbara	6,810	0	13,802	6,993	44

California Quail: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	3,075	86	6,065	2,989	10
Santa Cruz	774	0	1,673	899	2
Shasta	9,894	3,758	16,031	6,137	53
Sierra	341	0	1,019	679	6
Siskiyou	3,714	1,950	5,477	1,764	24
Solano	716	0	1,507	791	5
Sonoma	5,455	672	10,238	4,783	13
Stanislaus	973	0	2,143	1,170	14
Sutter	1,143	117	2,170	1,027	12
Tehama	6,271	1,148	11,393	5,122	43
Trinity	4,450	1,358	7,542	3,092	16
Tulare	2,878	1,171	4,585	1,707	21
Tuolumne	4,449	0	10,001	5,553	19
Ventura	7,010	3,332	10,688	3,678	32
Yolo (do not know)	15	0	60	44	1
Yolo North	402	0	853	451	9
Yolo South	1,087	180	1,995	907	8
Yuba	1,426	293	2,558	1,132	17

Gambel's Quail: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	15	0	60	44	1
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	55	0	139	83	1
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	55	0	139	83	1
Fresno	46	0	123	77	3
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	1,262	865	1,660	397	43
Inyo	274	88	460	186	10
Kern	495	246	745	250	14
Kings	0	0	0	0	0
Lake	55	0	139	83	1
Lassen	71	0	165	94	2
Los Angeles	243	68	418	175	8
Madera	55	0	139	83	1
Marin	0	0	0	0	0
Mariposa	55	0	139	83	1
Mendocino	111	0	229	118	2
Merced	0	0	0	0	0
Modoc	15	0	60	44	1
Mono	126	0	252	126	3
Monterey	86	0	190	104	3
Napa	0	0	0	0	0
Nevada	15	0	60	44	1
Orange	0	0	0	0	0
Placer	15	0	60	44	1
Plumas	46	0	123	77	3
Riverside	729	427	1,032	303	24
Sacramento (do not know)	15	0	60	44	1
Sacramento East	0	0	0	0	0
Sacramento West	15	0	60	44	1
San Benito	111	0	229	118	2
San Bernardino	1,057	693	1,420	364	40
San Diego	495	246	745	250	14
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	126	0	252	126	3
San Mateo	0	0	0	0	0
Santa Barbara	141	8	275	134	4

Gambel's Quail: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	55	0	139	83	1
Santa Cruz	0	0	0	0	0
Shasta	86	0	190	104	3
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	0	0	0	0	0
Sonoma	15	0	60	44	1
Stanislaus	55	0	139	83	1
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	55	0	139	83	1
Tuolumne	15	0	60	44	1
Ventura	111	0	229	118	2
Yolo (do not know)	55	0	139	83	1
Yolo North	0	0	0	0	0
Yolo South	15	0	60	44	1
Yuba	15	0	60	44	1

Gambel's Quail: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	31	0	119	88	1
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	553	0	1,387	835	1
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	276	0	694	417	1
Fresno	232	0	702	470	3
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	12,150	6,212	18,089	5,938	31
Inyo	553	0	1,387	835	1
Kern	847	107	1,587	740	6
Kings	0	0	0	0	0
Lake	553	0	1,387	835	1
Lassen	420	0	1,320	899	2
Los Angeles	553	0	1,498	945	3
Madera	497	0	1,249	751	1
Marin	0	0	0	0	0
Mariposa	221	0	555	334	1
Mendocino	166	0	416	250	1
Merced	0	0	0	0	0
Modoc	15	0	60	44	1
Mono	265	0	738	472	2
Monterey	197	0	455	258	3
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	31	0	119	88	1
Plumas	232	0	710	478	2
Riverside	4,794	2,095	7,494	2,700	17
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	93	0	358	265	1
San Benito	718	0	1,590	871	2
San Bernardino	2,914	1,227	4,601	1,687	21
San Diego	2,982	790	5,173	2,192	8
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	221	0	555	334	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	332	0	832	501	1

Gambel's Quail: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	663	0	1,665	1,002	1
Santa Cruz	0	0	0	0	0
Shasta	111	0	277	167	1
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	0	0	0	0	0
Sonoma	186	0	716	530	1
Stanislaus	332	0	832	501	1
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	166	0	416	250	1
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	15	0	60	44	1
Yuba	108	0	418	309	1

Gambel's Quail: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	15	0	60	44	1
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	0	0	0	0	0
Calaveras	166	0	416	250	1
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	276	0	694	417	1
Fresno	248	0	732	484	3
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	5,896	3,478	8,313	2,418	43
Inyo	1,736	0	4,189	2,453	10
Kern	1,760	568	2,951	1,191	14
Kings	0	0	0	0	0
Lake	276	0	694	417	1
Lassen	265	0	738	472	2
Los Angeles	807	107	1,507	700	8
Madera	221	0	555	334	1
Marin	0	0	0	0	0
Mariposa	55	0	139	83	1
Mendocino	497	0	1,032	534	2
Merced	0	0	0	0	0
Modoc	15	0	60	44	1
Mono	1,072	0	2,368	1,296	3
Monterey	102	0	231	129	3
Napa	0	0	0	0	0
Nevada	31	0	119	88	1
Orange	0	0	0	0	0
Placer	15	0	60	44	1
Plumas	263	0	780	517	3
Riverside	3,915	1,785	6,045	2,130	24
Sacramento (do not know)	15	0	60	44	1
Sacramento East	0	0	0	0	0
Sacramento West	46	0	179	133	1
San Benito	11,493	0	28,444	16,951	2
San Bernardino	7,399	4,059	10,739	3,340	40
San Diego	2,845	1,020	4,670	1,825	14
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	141	0	289	147	3
San Mateo	0	0	0	0	0
Santa Barbara	314	0	640	326	4

Gambel's Quail: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	774	0	1,942	1,169	1
Santa Cruz	0	0	0	0	0
Shasta	234	0	541	307	3
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	0	0	0	0	0
Sonoma	46	0	179	133	1
Stanislaus	221	0	555	334	1
Sutter	0	0	0	0	0
Tehama	0	0	0	0	0
Trinity	0	0	0	0	0
Tulare	111	0	277	167	1
Tuolumne	15	0	60	44	1
Ventura	332	0	686	354	2
Yolo (do not know)	111	0	277	167	1
Yolo North	0	0	0	0	0
Yolo South	15	0	60	44	1
Yuba	77	0	298	221	1

Mountain Quail: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	197	39	354	157	5
Amador	141	8	275	134	4
Butte	447	210	684	237	16
Calaveras	511	257	764	253	15
Colusa	102	0	215	113	4
Contra Costa	55	0	139	83	1
Del Norte	197	39	354	157	5
El Dorado	1,090	720	1,459	369	37
Fresno	867	537	1,196	330	38
Glenn	367	152	582	215	16
Humboldt	935	593	1,277	342	27
Imperial	157	16	298	141	5
Inyo	940	596	1,283	343	35
Kern	1,749	1,282	2,215	467	59
Kings	71	0	165	94	2
Lake	259	78	439	180	9
Lassen	577	308	846	269	27
Los Angeles	508	256	761	253	20
Madera	464	223	706	242	12
Marin	0	0	0	0	0
Mariposa	243	68	418	175	8
Mendocino	948	604	1,293	345	33
Merced	55	0	139	83	1
Modoc	210	47	373	163	11
Mono	453	214	692	239	19
Monterey	329	126	533	204	11
Napa	117	0	239	122	5
Nevada	294	102	487	192	19
Orange	0	0	0	0	0
Placer	624	344	903	280	30
Plumas	842	517	1,167	325	39
Riverside	274	88	460	186	10
Sacramento (do not know)	15	0	60	44	1
Sacramento East	141	8	275	134	4
Sacramento West	86	0	190	104	3
San Benito	197	39	354	157	5
San Bernardino	1,784	1,312	2,255	471	51
San Diego	805	487	1,122	318	34
San Francisco	0	0	0	0	0
San Joaquin (do not know)	111	0	229	118	2
San Joaquin West	126	0	252	126	3
San Joaquin West	292	100	483	192	6
San Luis Obispo	148	11	285	137	7
San Mateo	55	0	139	83	1
Santa Barbara	360	147	573	213	13

Mountain Quail: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	111	0	229	118	2
Santa Cruz	55	0	139	83	1
Shasta	1,222	831	1,614	391	43
Sierra	312	114	510	198	15
Siskiyou	1,130	754	1,506	376	37
Solano	55	0	139	83	1
Sonoma	86	0	190	104	3
Stanislaus	133	3	262	129	6
Sutter	55	0	139	83	1
Tehama	508	256	761	253	20
Trinity	1,468	1,040	1,896	428	46
Tulare	548	286	811	262	20
Tuolumne	760	452	1,069	309	26
Ventura	422	192	653	230	17
Yolo (do not know)	55	0	139	83	1
Yolo North	252	74	430	178	6
Yolo South	0	0	0	0	0
Yuba	141	8	275	134	4

Mountain Quail: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	418	0	1,526	1,108	2
Amador	31	0	119	88	1
Butte	3,181	532	5,830	2,649	9
Calaveras	999	75	1,923	924	10
Colusa	62	0	239	177	1
Contra Costa	0	0	0	0	0
Del Norte	495	0	1,015	519	3
El Dorado	1,400	471	2,328	929	18
Fresno	5,195	2,165	8,226	3,031	24
Glenn	1,908	129	3,687	1,779	11
Humboldt	4,998	1,855	8,142	3,143	16
Imperial	4,546	0	10,475	5,929	3
Inyo	4,805	1,631	7,980	3,175	19
Kern	6,731	2,141	11,320	4,589	28
Kings	46	0	179	133	1
Lake	504	0	1,312	808	4
Lassen	2,519	756	4,281	1,762	20
Los Angeles	617	0	1,236	619	7
Madera	1,607	61	3,153	1,546	5
Marin	0	0	0	0	0
Mariposa	637	26	1,248	611	4
Mendocino	5,011	2,563	7,460	2,448	24
Merced	276	0	694	417	1
Modoc	1,086	0	3,331	2,245	5
Mono	2,184	582	3,786	1,602	14
Monterey	926	187	1,666	739	9
Napa	263	0	749	486	3
Nevada	975	39	1,911	936	12
Orange	0	0	0	0	0
Placer	1,227	266	2,189	962	14
Plumas	2,379	706	4,052	1,673	21
Riverside	1,771	0	3,801	2,031	5
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	77	0	298	221	1
San Benito	93	0	291	198	2
San Bernardino	2,474	1,111	3,837	1,363	22
San Diego	2,646	958	4,334	1,688	15
San Francisco	0	0	0	0	0
San Joaquin (do not know)	1,879	0	4,405	2,526	2
San Joaquin West	608	0	1,321	713	2
San Joaquin West	866	0	1,734	868	3
San Luis Obispo	632	0	1,464	832	4
San Mateo	55	0	139	83	1
Santa Barbara	1,001	0	2,055	1,053	7

Mountain Quail: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	1,492	0	3,511	2,019	2
Santa Cruz	276	0	694	417	1
Shasta	3,539	1,835	5,244	1,705	27
Sierra	407	14	800	393	8
Siskiyou	4,326	1,739	6,914	2,588	24
Solano	221	0	555	334	1
Sonoma	1,654	0	5,609	3,955	2
Stanislaus	336	0	734	398	4
Sutter	221	0	555	334	1
Tehama	1,459	381	2,538	1,079	12
Trinity	8,579	4,382	12,776	4,197	33
Tulare	1,753	416	3,090	1,337	9
Tuolumne	2,786	1,182	4,389	1,603	19
Ventura	577	63	1,091	514	10
Yolo (do not know)	0	0	0	0	0
Yolo North	1,260	0	2,969	1,709	3
Yolo South	0	0	0	0	0
Yuba	2,210	0	5,549	3,339	1

Mountain Quail: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	2,421	0	5,041	2,620	5
Amador	917	0	2,009	1,092	4
Butte	1,534	450	2,619	1,084	16
Calaveras	2,748	686	4,809	2,061	15
Colusa	754	0	1,661	908	4
Contra Costa	55	0	139	83	1
Del Norte	882	144	1,619	738	5
El Dorado	4,156	2,245	6,067	1,911	37
Fresno	5,916	3,077	8,755	2,839	38
Glenn	1,831	585	3,076	1,245	16
Humboldt	7,825	3,966	11,685	3,859	27
Imperial	1,806	0	4,317	2,511	5
Inyo	6,285	3,044	9,526	3,241	35
Kern	9,083	5,441	12,725	3,642	59
Kings	382	0	1,050	667	2
Lake	1,638	166	3,110	1,472	9
Lassen	4,155	579	7,731	3,576	27
Los Angeles	2,943	629	5,256	2,314	20
Madera	2,911	889	4,933	2,022	12
Marin	0	0	0	0	0
Mariposa	2,171	0	4,402	2,230	8
Mendocino	5,670	2,959	8,381	2,711	33
Merced	55	0	139	83	1
Modoc	1,039	73	2,005	966	11
Mono	2,894	724	5,063	2,169	19
Monterey	3,073	0	6,385	3,313	11
Napa	352	0	742	390	5
Nevada	2,276	0	4,577	2,301	19
Orange	0	0	0	0	0
Placer	5,347	0	12,278	6,931	30
Plumas	3,469	1,498	5,440	1,971	39
Riverside	2,220	0	4,531	2,311	10
Sacramento (do not know)	15	0	60	44	1
Sacramento East	212	1	423	211	4
Sacramento West	172	0	381	209	3
San Benito	424	74	774	350	5
San Bernardino	13,481	6,620	20,341	6,860	51
San Diego	6,499	407	12,591	6,092	34
San Francisco	0	0	0	0	0
San Joaquin (do not know)	497	0	1,105	608	2
San Joaquin West	376	0	891	515	3
San Joaquin West	2,272	0	4,829	2,557	6
San Luis Obispo	420	0	943	523	7
San Mateo	55	0	139	83	1
Santa Barbara	1,119	332	1,905	786	13

Mountain Quail: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	1,050	0	2,291	1,241	2
Santa Cruz	553	0	1,387	835	1
Shasta	7,824	4,653	10,994	3,170	43
Sierra	1,820	99	3,541	1,721	15
Siskiyou	7,860	4,293	11,428	3,568	37
Solano	553	0	1,387	835	1
Sonoma	431	0	985	554	3
Stanislaus	568	0	1,203	634	6
Sutter	111	0	277	167	1
Tehama	2,574	71	5,077	2,503	20
Trinity	10,909	6,164	15,655	4,746	46
Tulare	5,086	1,900	8,273	3,187	20
Tuolumne	6,429	763	12,095	5,666	26
Ventura	3,354	529	6,178	2,825	17
Yolo (do not know)	111	0	277	167	1
Yolo North	544	69	1,019	475	6
Yolo South	0	0	0	0	0
Yuba	1,087	0	2,380	1,292	4

Quail (Type Unknown): Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	55	0	139	83	1
Alpine	0	0	0	0	0
Amador	15	0	60	44	1
Butte	62	0	150	88	4
Calaveras	71	0	165	94	2
Colusa	15	0	60	44	1
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	71	0	165	94	2
Fresno	15	0	60	44	1
Glenn	15	0	60	44	1
Humboldt	0	0	0	0	0
Imperial	321	120	521	201	13
Inyo	157	16	298	141	5
Kern	305	109	501	196	12
Kings	0	0	0	0	0
Lake	71	0	165	94	2
Lassen	62	0	150	88	4
Los Angeles	62	0	150	88	4
Madera	31	0	93	62	2
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	46	0	123	77	3
Merced	86	0	190	104	3
Modoc	86	0	190	104	3
Mono	15	0	60	44	1
Monterey	15	0	60	44	1
Napa	15	0	60	44	1
Nevada	15	0	60	44	1
Orange	0	0	0	0	0
Placer	86	0	190	104	3
Plumas	15	0	60	44	1
Riverside	62	0	150	88	4
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	31	0	93	62	2
San Bernardino	234	63	406	172	10
San Diego	164	20	307	144	8
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	15	0	60	44	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	46	0	123	77	3
San Mateo	0	0	0	0	0
Santa Barbara	55	0	139	83	1

Quail (Type Unknown): Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	31	0	93	62	2
Sierra	0	0	0	0	0
Siskiyou	117	0	239	122	5
Solano	0	0	0	0	0
Sonoma	15	0	60	44	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	46	0	123	77	3
Trinity	0	0	0	0	0
Tulare	31	0	93	62	2
Tuolumne	86	0	190	104	3
Ventura	71	0	165	94	2
Yolo (do not know)	0	0	0	0	0
Yolo North	102	0	215	113	4
Yolo South	55	0	139	83	1
Yuba	71	0	165	94	2

Quail (Type Unknown): Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	332	0	832	501	1
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	279	0	802	523	3
Calaveras	111	0	277	167	1
Colusa	77	0	298	221	1
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	31	0	119	88	1
Fresno	77	0	298	221	1
Glenn	0	0	0	0	0
Humboldt	0	0	0	0	0
Imperial	539	99	980	440	8
Inyo	895	0	2,036	1,141	3
Kern	712	0	1,452	741	6
Kings	0	0	0	0	0
Lake	188	0	465	277	2
Lassen	15	0	60	44	1
Los Angeles	325	0	926	601	3
Madera	170	0	515	345	2
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	77	0	237	159	2
Merced	314	0	702	388	3
Modoc	424	0	991	567	2
Mono	31	0	119	88	1
Monterey	93	0	358	265	1
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	358	0	942	583	3
Plumas	0	0	0	0	0
Riverside	186	0	636	451	2
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	62	0	202	140	2
San Bernardino	1,092	0	2,403	1,311	5
San Diego	508	0	1,143	634	4
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	31	0	119	88	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	464	0	1,499	1,034	2
San Mateo	0	0	0	0	0
Santa Barbara	221	0	555	334	1

Quail (Type Unknown): Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	15	0	60	44	1
Sierra	0	0	0	0	0
Siskiyou	438	0	1,005	568	4
Solano	0	0	0	0	0
Sonoma	93	0	358	265	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	93	0	291	198	2
Trinity	0	0	0	0	0
Tulare	62	0	239	177	1
Tuolumne	407	0	913	506	3
Ventura	111	0	277	167	1
Yolo (do not know)	0	0	0	0	0
Yolo North	31	0	119	88	1
Yolo South	0	0	0	0	0
Yuba	157	0	370	213	2

Quail (Type Unknown): Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	166	0	416	250	1
Alpine	0	0	0	0	0
Amador	31	0	119	88	1
Butte	155	0	412	258	4
Calaveras	1,720	0	4,230	2,511	2
Colusa	77	0	298	221	1
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	86	0	208	122	2
Fresno	155	0	597	442	1
Glenn	77	0	298	221	1
Humboldt	0	0	0	0	0
Imperial	1,430	434	2,427	997	13
Inyo	637	0	1,295	658	5
Kern	1,119	227	2,011	892	12
Kings	0	0	0	0	0
Lake	252	0	597	345	2
Lassen	294	0	804	510	4
Los Angeles	464	0	1,389	925	4
Madera	155	0	467	312	2
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	186	0	516	331	3
Merced	203	0	484	280	3
Modoc	228	0	514	287	3
Mono	62	0	239	177	1
Monterey	31	0	119	88	1
Napa	15	0	60	44	1
Nevada	15	0	60	44	1
Orange	0	0	0	0	0
Placer	281	0	755	474	3
Plumas	15	0	60	44	1
Riverside	170	0	532	362	4
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	46	0	145	99	2
San Bernardino	909	154	1,663	755	10
San Diego	405	16	793	388	8
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	62	0	239	177	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	201	0	535	334	3
San Mateo	0	0	0	0	0
Santa Barbara	276	0	694	417	1

Quail (Type Unknown): Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	310	0	935	625	2
Sierra	0	0	0	0	0
Siskiyou	413	0	948	534	5
Solano	0	0	0	0	0
Sonoma	31	0	119	88	1
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	108	0	291	182	3
Trinity	0	0	0	0	0
Tulare	93	0	291	198	2
Tuolumne	172	0	381	209	3
Ventura	71	0	165	94	2
Yolo (do not know)	0	0	0	0	0
Yolo North	188	0	410	222	4
Yolo South	55	0	139	83	1
Yuba	181	0	436	254	2

Ruffed Grouse: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	31	0	93	62	2
Amador	0	0	0	0	0
Butte	15	0	60	44	1
Calaveras	0	0	0	0	0
Colusa	55	0	139	83	1
Contra Costa	0	0	0	0	0
Del Norte	157	16	298	141	5
El Dorado	15	0	60	44	1
Fresno	71	0	165	94	2
Glenn	0	0	0	0	0
Humboldt	431	198	664	233	15
Imperial	0	0	0	0	0
Inyo	15	0	60	44	1
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	228	58	397	169	7
Los Angeles	15	0	60	44	1
Madera	15	0	60	44	1
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	228	58	397	169	7
Merced	0	0	0	0	0
Modoc	31	0	93	62	2
Mono	71	0	165	94	2
Monterey	15	0	60	44	1
Napa	0	0	0	0	0
Nevada	46	0	123	77	3
Orange	0	0	0	0	0
Placer	117	0	239	122	5
Plumas	93	0	201	108	6
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	55	0	139	83	1
San Diego	15	0	60	44	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	55	0	139	83	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Ruffed Grouse: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	86	0	190	104	3
Sierra	102	0	215	113	4
Siskiyou	769	459	1,080	311	24
Solano	15	0	60	44	1
Sonoma	0	0	0	0	0
Stanislaus	55	0	139	83	1
Sutter	0	0	0	0	0
Tehama	71	0	165	94	2
Trinity	550	287	813	263	15
Tulare	71	0	165	94	2
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Ruffed Grouse: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	15	0	60	44	1
Amador	0	0	0	0	0
Butte	31	0	119	88	1
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	314	0	640	326	4
El Dorado	15	0	60	44	1
Fresno	31	0	119	88	1
Glenn	0	0	0	0	0
Humboldt	966	217	1,715	749	9
Imperial	0	0	0	0	0
Inyo	15	0	60	44	1
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	393	0	787	394	4
Los Angeles	155	0	597	442	1
Madera	15	0	60	44	1
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	424	0	889	465	5
Merced	0	0	0	0	0
Modoc	108	0	377	269	2
Mono	166	0	416	250	1
Monterey	15	0	60	44	1
Napa	0	0	0	0	0
Nevada	0	0	0	0	0
Orange	0	0	0	0	0
Placer	15	0	60	44	1
Plumas	108	0	301	193	4
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	553	0	1,387	835	1
San Diego	0	0	0	0	0
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	663	0	1,665	1,002	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Ruffed Grouse: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	148	0	363	215	3
Sierra	197	0	462	266	2
Siskiyou	1,116	199	2,034	918	12
Solano	31	0	119	88	1
Sonoma	0	0	0	0	0
Stanislaus	276	0	694	417	1
Sutter	0	0	0	0	0
Tehama	71	0	165	94	2
Trinity	376	7	745	369	6
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Ruffed Grouse: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	62	0	187	125	2
Amador	0	0	0	0	0
Butte	62	0	239	177	1
Calaveras	0	0	0	0	0
Colusa	221	0	555	334	1
Contra Costa	0	0	0	0	0
Del Norte	321	0	651	330	5
El Dorado	15	0	60	44	1
Fresno	307	0	734	427	2
Glenn	0	0	0	0	0
Humboldt	4,248	1,215	7,282	3,033	15
Imperial	0	0	0	0	0
Inyo	108	0	418	309	1
Kern	0	0	0	0	0
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	1,008	36	1,980	972	7
Los Angeles	108	0	418	309	1
Madera	15	0	60	44	1
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	1,481	274	2,688	1,207	7
Merced	0	0	0	0	0
Modoc	325	0	1,066	741	2
Mono	203	0	517	313	2
Monterey	15	0	60	44	1
Napa	0	0	0	0	0
Nevada	124	0	340	216	3
Orange	0	0	0	0	0
Placer	226	0	527	302	5
Plumas	666	0	1,722	1,056	6
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	442	0	1,110	668	1
San Diego	15	0	60	44	1
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	1,658	0	4,162	2,504	1
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Ruffed Grouse: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	358	0	900	542	3
Sierra	940	0	2,169	1,229	4
Siskiyou	7,553	3,265	11,841	4,288	24
Solano	15	0	60	44	1
Sonoma	0	0	0	0	0
Stanislaus	276	0	694	417	1
Sutter	0	0	0	0	0
Tehama	805	0	1,977	1,172	2
Trinity	6,028	1,990	10,066	4,038	15
Tulare	584	0	1,423	839	2
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Sooty Grouse: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	46	0	123	77	3
Calaveras	15	0	60	44	1
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	111	0	229	118	2
El Dorado	46	0	123	77	3
Fresno	0	0	0	0	0
Glenn	0	0	0	0	0
Humboldt	141	8	275	134	4
Imperial	0	0	0	0	0
Inyo	15	0	60	44	1
Kern	0	0	0	0	0
Kings	55	0	139	83	1
Lake	86	0	190	104	3
Lassen	117	0	239	122	5
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	188	34	342	154	7
Merced	0	0	0	0	0
Modoc	46	0	123	77	3
Mono	93	0	201	108	6
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	77	0	176	99	5
Orange	0	0	0	0	0
Placer	108	0	225	117	7
Plumas	133	3	262	129	6
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	0	0	0	0	0
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Sooty Grouse: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	15	0	60	44	1
Sierra	46	0	123	77	3
Siskiyou	157	16	298	141	5
Solano	0	0	0	0	0
Sonoma	0	0	0	0	0
Stanislaus	15	0	60	44	1
Sutter	0	0	0	0	0
Tehama	31	0	93	62	2
Trinity	172	25	320	147	6
Tulare	55	0	139	83	1
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Sooty Grouse: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	46	0	145	99	2
Calaveras	0	0	0	0	0
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	276	0	577	301	2
El Dorado	46	0	145	99	2
Fresno	0	0	0	0	0
Glenn	0	0	0	0	0
Humboldt	314	6	622	308	4
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	0	0	0	0	0
Kings	55	0	139	83	1
Lake	15	0	60	44	1
Lassen	0	0	0	0	0
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	433	0	893	460	4
Merced	0	0	0	0	0
Modoc	77	0	260	182	2
Mono	15	0	60	44	1
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	46	0	179	133	1
Orange	0	0	0	0	0
Placer	93	0	291	198	2
Plumas	31	0	119	88	1
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	0	0	0	0	0
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Sooty Grouse: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	0	0	0	0	0
Sierra	62	0	239	177	1
Siskiyou	157	3	311	154	4
Solano	0	0	0	0	0
Sonoma	0	0	0	0	0
Stanislaus	0	0	0	0	0
Sutter	0	0	0	0	0
Tehama	15	0	60	44	1
Trinity	195	0	454	260	5
Tulare	0	0	0	0	0
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Sooty Grouse: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	124	0	349	225	3
Calaveras	46	0	179	133	1
Colusa	0	0	0	0	0
Contra Costa	0	0	0	0	0
Del Norte	608	0	1,260	652	2
El Dorado	139	0	377	238	3
Fresno	0	0	0	0	0
Glenn	0	0	0	0	0
Humboldt	719	0	1,590	872	4
Imperial	0	0	0	0	0
Inyo	31	0	119	88	1
Kern	0	0	0	0	0
Kings	166	0	416	250	1
Lake	212	0	481	269	3
Lassen	719	0	1,599	881	5
Los Angeles	0	0	0	0	0
Madera	0	0	0	0	0
Marin	0	0	0	0	0
Mariposa	0	0	0	0	0
Mendocino	1,010	138	1,882	872	7
Merced	0	0	0	0	0
Modoc	77	0	224	147	3
Mono	170	0	382	212	6
Monterey	0	0	0	0	0
Napa	0	0	0	0	0
Nevada	464	0	1,188	723	5
Orange	0	0	0	0	0
Placer	480	0	1,071	591	7
Plumas	533	0	1,111	579	6
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	0	0	0	0	0
Sacramento West	0	0	0	0	0
San Benito	0	0	0	0	0
San Bernardino	0	0	0	0	0
San Diego	0	0	0	0	0
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Luis Obispo	0	0	0	0	0
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Sooty Grouse: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	31	0	119	88	1
Sierra	588	0	1,950	1,362	3
Siskiyou	464	0	989	525	5
Solano	0	0	0	0	0
Sonoma	0	0	0	0	0
Stanislaus	31	0	119	88	1
Sutter	0	0	0	0	0
Tehama	62	0	202	140	2
Trinity	1,808	0	3,685	1,877	6
Tulare	55	0	139	83	1
Tuolumne	0	0	0	0	0
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	0	0	0	0	0
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Collared Dove: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	221	54	388	167	4
Alpine	0	0	0	0	0
Amador	433	200	667	233	10
Butte	1,665	1,209	2,120	456	51
Calaveras	606	330	881	276	16
Colusa	1,415	994	1,835	420	40
Contra Costa	606	330	881	276	16
Del Norte	15	0	60	44	1
El Dorado	283	94	472	189	8
Fresno	3,068	2,453	3,683	615	80
Glenn	705	408	1,003	298	25
Humboldt	236	64	409	173	5
Imperial	7,237	6,307	8,168	930	226
Inyo	652	366	938	286	19
Kern	4,750	3,989	5,511	761	127
Kings	1,149	770	1,529	379	28
Lake	449	211	686	238	11
Lassen	447	210	684	237	16
Los Angeles	690	395	984	294	24
Madera	1,269	870	1,667	398	28
Marin	15	0	60	44	1
Mariposa	433	200	667	233	10
Mendocino	141	8	275	134	4
Merced	1,536	1,099	1,974	438	53
Modoc	219	53	385	166	9
Mono	369	154	585	216	11
Monterey	1,030	671	1,389	359	28
Napa	243	68	418	175	8
Nevada	102	0	215	113	4
Orange	15	0	60	44	1
Placer	495	246	745	250	14
Plumas	212	49	376	164	6
Riverside	3,404	2,757	4,051	647	94
Sacramento (do not know)	181	30	332	151	4
Sacramento East	619	340	898	279	22
Sacramento West	864	535	1,194	329	25
San Benito	314	115	513	199	10
San Bernardino	2,168	1,649	2,687	519	63
San Diego	1,704	1,243	2,165	461	51
San Francisco	0	0	0	0	0
San Joaquin (do not know)	181	30	332	151	4
San Joaquin West	716	416	1,016	300	18
San Joaquin West	1,976	1,480	2,472	496	48
San Luis Obispo	944	600	1,288	344	25
San Mateo	126	0	252	126	3
Santa Barbara	818	498	1,138	320	22

Collared Dove: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	164	20	307	144	8
Santa Cruz	126	0	252	126	3
Shasta	981	631	1,332	351	30
Sierra	55	0	139	83	1
Siskiyou	597	323	871	274	18
Solano	707	409	1,005	298	20
Sonoma	157	16	298	141	5
Stanislaus	1,470	1,042	1,898	428	41
Sutter	763	453	1,072	309	21
Tehama	1,335	927	1,744	408	40
Trinity	236	64	409	173	5
Tulare	2,836	2,244	3,428	592	65
Tuolumne	133	3	262	129	6
Ventura	400	176	624	224	13
Yolo (do not know)	102	0	215	113	4
Yolo North	1,534	1,096	1,972	438	40
Yolo South	683	390	976	293	21
Yuba	504	252	756	252	12

Collared Dove: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,989	350	3,629	1,639	4
Alpine	0	0	0	0	0
Amador	3,848	807	6,889	3,041	7
Butte	18,614	10,392	26,836	8,222	38
Calaveras	6,377	1,616	11,138	4,761	13
Colusa	26,316	7,240	45,392	19,076	34
Contra Costa	16,328	5,313	27,342	11,014	14
Del Norte	77	0	298	221	1
El Dorado	2,091	419	3,763	1,672	7
Fresno	44,829	30,611	59,048	14,218	70
Glenn	9,937	4,065	15,809	5,872	22
Humboldt	497	0	1,170	673	2
Imperial	156,468	123,417	189,518	33,050	205
Inyo	4,147	1,097	7,197	3,050	15
Kern	73,408	55,567	91,249	17,841	109
Kings	17,785	7,734	27,835	10,051	25
Lake	2,482	493	4,471	1,989	8
Lassen	2,995	1,013	4,978	1,983	13
Los Angeles	5,466	2,389	8,544	3,078	17
Madera	20,666	12,481	28,850	8,184	26
Marin	77	0	298	221	1
Mariposa	5,879	1,118	10,640	4,761	8
Mendocino	1,061	0	2,536	1,475	4
Merced	17,897	10,940	24,854	6,957	46
Modoc	1,192	0	3,587	2,395	4
Mono	3,990	747	7,232	3,243	8
Monterey	12,121	4,135	20,107	7,986	23
Napa	3,948	633	7,262	3,315	6
Nevada	893	0	1,932	1,039	4
Orange	15	0	60	44	1
Placer	8,311	2,089	14,533	6,222	12
Plumas	2,431	242	4,620	2,189	3
Riverside	53,061	37,372	68,751	15,690	82
Sacramento (do not know)	5,159	335	9,982	4,823	4
Sacramento East	7,127	2,170	12,083	4,957	18
Sacramento West	12,930	5,735	20,125	7,195	23
San Benito	6,854	0	15,300	8,446	7
San Bernardino	30,389	16,087	44,691	14,302	51
San Diego	22,245	11,313	33,176	10,932	42
San Francisco	0	0	0	0	0
San Joaquin (do not know)	2,091	185	3,997	1,906	4
San Joaquin West	9,658	3,972	15,343	5,685	15
San Joaquin West	20,234	12,825	27,642	7,408	40
San Luis Obispo	8,134	4,284	11,984	3,850	20
San Mateo	3,777	0	8,831	5,054	3
Santa Barbara	12,741	4,316	21,166	8,425	15

Collared Dove: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	1,778	0	4,057	2,279	8
Santa Cruz	1,812	0	4,355	2,543	2
Shasta	7,704	3,644	11,764	4,060	23
Sierra	0	0	0	0	0
Siskiyou	12,176	2,212	22,140	9,964	16
Solano	11,025	3,993	18,056	7,032	19
Sonoma	2,388	0	5,257	2,869	5
Stanislaus	33,356	19,206	47,507	14,150	36
Sutter	13,120	3,694	22,546	9,426	21
Tehama	17,244	7,461	27,027	9,783	37
Trinity	2,106	0	4,651	2,545	4
Tulare	43,936	28,616	59,256	15,320	58
Tuolumne	588	0	2,182	1,593	2
Ventura	3,435	336	6,534	3,099	9
Yolo (do not know)	2,123	0	5,220	3,097	4
Yolo North	18,293	10,317	26,268	7,976	37
Yolo South	9,069	853	17,285	8,216	17
Yuba	2,522	763	4,281	1,759	10

Collared Dove: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	663	97	1,229	566	4
Alpine	0	0	0	0	0
Amador	1,463	292	2,635	1,171	10
Butte	6,846	4,081	9,612	2,766	51
Calaveras	9,614	876	18,353	8,739	16
Colusa	4,392	2,342	6,443	2,050	40
Contra Costa	3,826	1,025	6,627	2,801	16
Del Norte	155	0	597	442	1
El Dorado	681	0	1,391	710	8
Fresno	14,094	10,396	17,792	3,698	80
Glenn	4,960	1,646	8,275	3,314	25
Humboldt	707	72	1,343	636	5
Imperial	45,104	32,154	58,053	12,949	226
Inyo	2,454	1,110	3,798	1,344	19
Kern	24,162	18,147	30,177	6,015	127
Kings	4,337	2,335	6,339	2,002	28
Lake	2,601	927	4,276	1,674	11
Lassen	1,705	582	2,827	1,122	16
Los Angeles	3,088	1,195	4,982	1,893	24
Madera	9,776	3,702	15,850	6,074	28
Marin	31	0	119	88	1
Mariposa	3,306	768	5,845	2,539	10
Mendocino	1,017	0	2,222	1,206	4
Merced	10,767	3,000	18,533	7,766	53
Modoc	1,145	0	2,608	1,463	9
Mono	2,369	518	4,221	1,852	11
Monterey	8,770	0	18,358	9,588	28
Napa	1,196	91	2,300	1,105	8
Nevada	460	0	1,014	554	4
Orange	77	0	298	221	1
Placer	2,842	217	5,468	2,626	14
Plumas	2,206	0	4,777	2,571	6
Riverside	17,429	12,237	22,622	5,193	94
Sacramento (do not know)	1,791	0	3,596	1,806	4
Sacramento East	2,374	995	3,753	1,379	22
Sacramento West	3,039	1,693	4,385	1,346	25
San Benito	1,220	235	2,205	985	10
San Bernardino	12,706	6,989	18,423	5,717	63
San Diego	8,678	4,100	13,255	4,578	51
San Francisco	0	0	0	0	0
San Joaquin (do not know)	511	0	1,070	559	4
San Joaquin West	3,004	1,138	4,870	1,866	18
San Joaquin West	11,505	6,244	16,765	5,261	48
San Luis Obispo	5,578	730	10,425	4,847	25
San Mateo	1,481	0	2,965	1,484	3
Santa Barbara	7,141	24	14,257	7,117	22

Collared Dove: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	1,543	0	3,927	2,383	8
Santa Cruz	252	0	530	278	3
Shasta	10,374	4,225	16,522	6,149	30
Sierra	221	0	555	334	1
Siskiyou	3,216	1,126	5,306	2,090	18
Solano	5,387	263	10,510	5,123	20
Sonoma	3,231	0	7,454	4,223	5
Stanislaus	6,180	3,884	8,477	2,296	41
Sutter	4,472	1,469	7,474	3,002	21
Tehama	5,969	905	11,034	5,065	40
Trinity	2,462	13	4,911	2,449	5
Tulare	11,861	8,045	15,676	3,815	65
Tuolumne	382	0	816	433	6
Ventura	1,868	504	3,232	1,364	13
Yolo (do not know)	352	0	807	455	4
Yolo North	6,638	4,074	9,202	2,564	40
Yolo South	2,730	836	4,624	1,894	21
Yuba	2,730	285	5,175	2,445	12

Spring Turkey: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	265	83	448	183	12
Alpine	86	0	190	104	3
Amador	1,026	667	1,384	358	38
Butte	1,548	1,108	1,987	439	64
Calaveras	1,136	759	1,513	377	40
Colusa	447	210	684	237	16
Contra Costa	281	93	469	188	13
Del Norte	0	0	0	0	0
El Dorado	1,709	1,247	2,170	461	59
Fresno	486	239	734	247	16
Glenn	601	326	876	275	26
Humboldt	369	154	585	216	11
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	376	158	593	217	14
Kings	15	0	60	44	1
Lake	789	475	1,104	315	33
Lassen	345	137	553	208	12
Los Angeles	0	0	0	0	0
Madera	418	189	647	229	9
Marin	133	3	262	129	6
Mariposa	486	239	734	247	16
Mendocino	1,388	972	1,805	416	46
Merced	86	0	190	104	3
Modoc	62	0	150	88	4
Mono	0	0	0	0	0
Monterey	924	584	1,264	340	34
Napa	878	546	1,209	332	31
Nevada	957	611	1,304	346	31
Orange	15	0	60	44	1
Placer	1,536	1,099	1,974	438	53
Plumas	62	0	150	88	4
Riverside	117	0	239	122	5
Sacramento (do not know)	31	0	93	62	2
Sacramento East	707	409	1,005	298	20
Sacramento West	228	58	397	169	7
San Benito	281	93	469	188	13
San Bernardino	133	3	262	129	6
San Diego	1,433	1,010	1,856	423	54
San Francisco	0	0	0	0	0
San Joaquin (do not know)	55	0	139	83	1
San Joaquin West	181	30	332	151	4
San Joaquin West	362	149	576	214	8
San Luis Obispo	391	169	613	222	15
San Mateo	15	0	60	44	1
Santa Barbara	77	0	176	99	5

Spring Turkey: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	385	165	605	220	12
Santa Cruz	0	0	0	0	0
Shasta	2,222	1,697	2,747	525	87
Sierra	102	0	215	113	4
Siskiyou	524	267	781	257	21
Solano	595	321	868	273	23
Sonoma	1,046	684	1,408	362	47
Stanislaus	212	49	376	164	6
Sutter	517	262	772	255	18
Tehama	1,545	1,106	1,985	439	69
Trinity	393	171	616	222	10
Tulare	298	105	492	194	9
Tuolumne	422	192	653	230	17
Ventura	111	0	229	118	2
Yolo (do not know)	31	0	93	62	2
Yolo North	940	596	1,283	343	35
Yolo South	157	16	298	141	5
Yuba	796	480	1,112	316	36

Spring Turkey: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	179	0	364	185	7
Alpine	0	0	0	0	0
Amador	422	183	661	239	16
Butte	608	277	939	331	23
Calaveras	674	277	1,071	397	13
Colusa	243	68	418	175	8
Contra Costa	413	108	719	305	12
Del Norte	0	0	0	0	0
El Dorado	1,702	1,036	2,369	666	35
Fresno	267	84	451	184	7
Glenn	321	110	531	210	12
Humboldt	212	11	414	202	5
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	102	0	231	129	3
Kings	0	0	0	0	0
Lake	391	132	650	259	13
Lassen	71	0	165	94	2
Los Angeles	0	0	0	0	0
Madera	442	153	731	289	6
Marin	71	0	165	94	2
Mariposa	259	26	492	233	6
Mendocino	964	519	1,409	445	24
Merced	31	0	93	62	2
Modoc	31	0	93	62	2
Mono	0	0	0	0	0
Monterey	486	151	822	335	9
Napa	438	151	725	287	13
Nevada	431	174	688	257	12
Orange	0	0	0	0	0
Placer	1,304	742	1,866	562	25
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	0	0	0	0	0
Sacramento East	345	33	656	311	7
Sacramento West	86	0	190	104	3
San Benito	46	0	123	77	3
San Bernardino	86	0	208	122	2
San Diego	164	20	307	144	8
San Francisco	0	0	0	0	0
San Joaquin (do not know)	166	0	416	250	1
San Joaquin West	166	0	352	187	2
San Joaquin West	102	0	258	157	2
San Luis Obispo	117	0	254	137	4
San Mateo	0	0	0	0	0
Santa Barbara	31	0	93	62	2

Spring Turkey: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	323	89	556	234	7
Santa Cruz	0	0	0	0	0
Shasta	1,203	683	1,723	520	34
Sierra	31	0	93	62	2
Siskiyou	219	21	417	198	7
Solano	548	202	895	347	13
Sonoma	725	346	1,105	380	25
Stanislaus	0	0	0	0	0
Sutter	241	27	455	214	10
Tehama	898	462	1,333	435	31
Trinity	126	0	299	173	2
Tulare	111	0	229	118	2
Tuolumne	77	0	176	99	5
Ventura	0	0	0	0	0
Yolo (do not know)	0	0	0	0	0
Yolo North	274	88	460	186	10
Yolo South	228	0	461	233	4
Yuba	281	83	479	198	12

Spring Turkey: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,437	48	2,826	1,389	12
Alpine	584	0	1,421	837	3
Amador	3,646	2,004	5,287	1,642	38
Butte	6,719	4,169	9,269	2,550	64
Calaveras	8,714	4,530	12,898	4,184	40
Colusa	2,529	614	4,444	1,915	16
Contra Costa	1,278	238	2,318	1,040	13
Del Norte	0	0	0	0	0
El Dorado	9,849	4,494	15,203	5,355	59
Fresno	2,131	612	3,650	1,519	16
Glenn	1,738	756	2,719	981	26
Humboldt	1,287	417	2,156	870	11
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	1,972	353	3,591	1,619	14
Kings	15	0	60	44	1
Lake	5,930	0	15,112	9,182	33
Lassen	811	169	1,454	643	12
Los Angeles	0	0	0	0	0
Madera	2,721	706	4,735	2,014	9
Marin	436	0	1,133	698	6
Mariposa	4,248	1,440	7,057	2,808	16
Mendocino	5,153	3,144	7,162	2,009	46
Merced	1,182	0	2,860	1,677	3
Modoc	170	0	446	276	4
Mono	0	0	0	0	0
Monterey	4,766	1,798	7,734	2,968	34
Napa	3,042	1,424	4,660	1,618	31
Nevada	5,210	2,630	7,791	2,581	31
Orange	31	0	119	88	1
Placer	6,281	3,761	8,800	2,520	53
Plumas	186	0	485	300	4
Riverside	298	0	652	354	5
Sacramento (do not know)	46	0	145	99	2
Sacramento East	1,775	840	2,710	935	20
Sacramento West	575	67	1,082	507	7
San Benito	1,097	15	2,178	1,082	13
San Bernardino	747	0	1,762	1,014	6
San Diego	6,690	3,943	9,436	2,746	54
San Francisco	0	0	0	0	0
San Joaquin (do not know)	166	0	416	250	1
San Joaquin West	1,594	63	3,125	1,531	4
San Joaquin West	1,275	3	2,547	1,272	8
San Luis Obispo	4,494	132	8,855	4,361	15
San Mateo	31	0	119	88	1
Santa Barbara	356	0	899	543	5

Spring Turkey: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	9,940	0	22,912	12,973	12
Santa Cruz	0	0	0	0	0
Shasta	19,765	11,658	27,873	8,107	87
Sierra	298	0	658	359	4
Siskiyou	3,336	1,107	5,565	2,229	21
Solano	4,841	1,047	8,636	3,795	23
Sonoma	7,574	2,856	12,292	4,718	47
Stanislaus	409	31	787	378	6
Sutter	1,757	798	2,716	959	18
Tehama	10,122	4,434	15,810	5,688	69
Trinity	3,081	544	5,618	2,537	10
Tulare	860	186	1,534	674	9
Tuolumne	2,251	0	4,681	2,430	17
Ventura	276	0	620	344	2
Yolo (do not know)	31	0	93	62	2
Yolo North	2,492	1,350	3,634	1,142	35
Yolo South	643	10	1,276	633	5
Yuba	3,964	1,551	6,377	2,413	36

Fall Turkey: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	234	63	406	172	10
Alpine	55	0	139	83	1
Amador	557	292	822	265	18
Butte	1,063	698	1,428	365	43
Calaveras	825	503	1,146	322	25
Colusa	511	257	764	253	15
Contra Costa	259	78	439	180	9
Del Norte	0	0	0	0	0
El Dorado	966	618	1,314	348	29
Fresno	259	78	439	180	9
Glenn	296	103	489	193	14
Humboldt	338	132	545	206	9
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	188	34	342	154	7
Kings	31	0	93	62	2
Lake	345	137	553	208	12
Lassen	203	43	363	160	8
Los Angeles	0	0	0	0	0
Madera	126	0	252	126	3
Marin	157	16	298	141	5
Mariposa	305	109	501	196	12
Mendocino	573	304	841	268	19
Merced	188	34	342	154	7
Modoc	31	0	93	62	2
Mono	0	0	0	0	0
Monterey	573	304	841	268	19
Napa	478	232	723	245	18
Nevada	416	187	644	229	14
Orange	15	0	60	44	1
Placer	997	644	1,350	353	31
Plumas	46	0	123	77	3
Riverside	31	0	93	62	2
Sacramento (do not know)	15	0	60	44	1
Sacramento East	354	143	565	211	10
Sacramento West	212	49	376	164	6
San Benito	188	34	342	154	7
San Bernardino	102	0	215	113	4
San Diego	756	448	1,064	308	36
San Francisco	0	0	0	0	0
San Joaquin (do not know)	55	0	139	83	1
San Joaquin West	197	39	354	157	5
San Joaquin West	71	0	165	94	2
San Luis Obispo	486	239	734	247	16
San Mateo	15	0	60	44	1
Santa Barbara	148	11	285	137	7

Fall Turkey: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	203	43	363	160	8
Santa Cruz	0	0	0	0	0
Shasta	1,340	931	1,749	409	48
Sierra	71	0	165	94	2
Siskiyou	259	78	439	180	9
Solano	195	38	351	157	10
Sonoma	641	357	925	284	26
Stanislaus	102	0	215	113	4
Sutter	338	132	545	206	9
Tehama	648	363	933	285	29
Trinity	464	223	706	242	12
Tulare	117	0	239	122	5
Tuolumne	360	147	573	213	13
Ventura	15	0	60	44	1
Yolo (do not know)	86	0	190	104	3
Yolo North	619	340	898	279	22
Yolo South	71	0	165	94	2
Yuba	628	347	909	281	20

Fall Turkey: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	108	0	241	133	6
Alpine	0	0	0	0	0
Amador	283	94	472	189	8
Butte	398	157	639	241	16
Calaveras	471	163	779	308	11
Colusa	188	22	354	166	6
Contra Costa	188	22	354	166	6
Del Norte	0	0	0	0	0
El Dorado	597	264	930	333	14
Fresno	141	0	289	147	3
Glenn	250	19	481	231	8
Humboldt	166	21	310	145	3
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	31	0	119	88	1
Kings	15	0	60	44	1
Lake	141	0	320	178	3
Lassen	141	0	330	189	2
Los Angeles	0	0	0	0	0
Madera	111	0	229	118	2
Marin	15	0	60	44	1
Mariposa	141	0	320	178	3
Mendocino	203	43	363	160	8
Merced	31	0	93	62	2
Modoc	15	0	60	44	1
Mono	0	0	0	0	0
Monterey	314	40	588	274	6
Napa	148	0	311	163	5
Nevada	157	16	298	141	5
Orange	0	0	0	0	0
Placer	634	326	943	309	19
Plumas	0	0	0	0	0
Riverside	0	0	0	0	0
Sacramento (do not know)	15	0	60	44	1
Sacramento East	15	0	60	44	1
Sacramento West	236	27	446	209	4
San Benito	31	0	93	62	2
San Bernardino	86	0	208	122	2
San Diego	62	0	150	88	4
San Francisco	0	0	0	0	0
San Joaquin (do not know)	55	0	139	83	1
San Joaquin West	55	0	139	83	1
San Joaquin West	55	0	139	83	1
San Luis Obispo	172	25	320	147	6
San Mateo	15	0	60	44	1
Santa Barbara	15	0	60	44	1

Fall Turkey: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	212	11	414	202	5
Santa Cruz	0	0	0	0	0
Shasta	533	228	837	304	15
Sierra	15	0	60	44	1
Siskiyou	117	0	254	137	4
Solano	102	0	215	113	4
Sonoma	360	109	612	251	11
Stanislaus	0	0	0	0	0
Sutter	117	0	239	122	5
Tehama	336	83	589	253	11
Trinity	55	0	139	83	1
Tulare	0	0	0	0	0
Tuolumne	219	6	432	213	7
Ventura	0	0	0	0	0
Yolo (do not know)	15	0	60	44	1
Yolo North	203	32	375	172	7
Yolo South	126	0	299	173	2
Yuba	292	67	517	225	5

Fall Turkey: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	1,011	0	2,090	1,079	10
Alpine	276	0	694	417	1
Amador	1,824	801	2,847	1,023	18
Butte	4,672	2,613	6,730	2,059	43
Calaveras	5,980	2,093	9,866	3,886	25
Colusa	2,432	584	4,279	1,847	15
Contra Costa	988	29	1,947	959	9
Del Norte	0	0	0	0	0
El Dorado	4,989	2,021	7,956	2,967	29
Fresno	957	216	1,698	741	9
Glenn	1,143	185	2,101	958	14
Humboldt	1,362	243	2,480	1,118	9
Imperial	0	0	0	0	0
Inyo	0	0	0	0	0
Kern	639	0	1,280	641	7
Kings	46	0	145	99	2
Lake	1,547	512	2,583	1,035	12
Lassen	681	78	1,284	603	8
Los Angeles	0	0	0	0	0
Madera	1,207	0	2,884	1,677	3
Marin	500	0	1,220	720	5
Mariposa	1,954	129	3,779	1,825	12
Mendocino	1,702	689	2,715	1,013	19
Merced	1,472	0	3,185	1,713	7
Modoc	93	0	318	225	2
Mono	0	0	0	0	0
Monterey	3,621	754	6,488	2,867	19
Napa	1,852	397	3,308	1,455	18
Nevada	2,213	0	5,076	2,863	14
Orange	31	0	119	88	1
Placer	3,064	1,794	4,334	1,270	31
Plumas	139	0	369	230	3
Riverside	93	0	291	198	2
Sacramento (do not know)	155	0	597	442	1
Sacramento East	1,494	347	2,641	1,147	10
Sacramento West	433	62	805	372	6
San Benito	352	16	687	336	7
San Bernardino	513	0	1,279	766	4
San Diego	3,923	94	7,751	3,828	36
San Francisco	0	0	0	0	0
San Joaquin (do not know)	55	0	139	83	1
San Joaquin West	1,017	0	2,284	1,268	5
San Joaquin West	844	0	2,097	1,253	2
San Luis Obispo	4,969	574	9,364	4,395	16
San Mateo	46	0	179	133	1
Santa Barbara	272	0	589	317	7

Fall Turkey: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	1,203	0	3,470	2,267	8
Santa Cruz	0	0	0	0	0
Shasta	8,891	4,004	13,777	4,887	48
Sierra	267	0	627	359	2
Siskiyou	1,446	127	2,765	1,319	9
Solano	535	0	1,098	563	10
Sonoma	3,437	765	6,110	2,673	26
Stanislaus	1,812	0	4,333	2,521	4
Sutter	1,393	389	2,396	1,004	9
Tehama	4,513	0	9,456	4,943	29
Trinity	1,574	700	2,448	874	12
Tulare	528	0	1,183	654	5
Tuolumne	2,224	0	4,799	2,575	13
Ventura	15	0	60	44	1
Yolo (do not know)	267	0	616	348	3
Yolo North	1,793	832	2,754	961	22
Yolo South	236	0	573	337	2
Yuba	2,469	1,083	3,856	1,387	20

Chukar or Partridge: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	15	0	60	44	1
Amador	0	0	0	0	0
Butte	31	0	93	62	2
Calaveras	0	0	0	0	0
Colusa	71	0	165	94	2
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	31	0	93	62	2
Fresno	172	25	320	147	6
Glenn	55	0	139	83	1
Humboldt	15	0	60	44	1
Imperial	46	0	123	77	3
Inyo	836	512	1,159	324	36
Kern	1,444	1,019	1,868	425	47
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	860	532	1,188	328	35
Los Angeles	77	0	176	99	5
Madera	0	0	0	0	0
Marin	55	0	139	83	1
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	55	0	139	83	1
Modoc	234	63	406	172	10
Mono	376	158	593	217	14
Monterey	86	0	190	104	3
Napa	0	0	0	0	0
Nevada	15	0	60	44	1
Orange	0	0	0	0	0
Placer	141	8	275	134	4
Plumas	31	0	93	62	2
Riverside	197	39	354	157	5
Sacramento (do not know)	15	0	60	44	1
Sacramento East	157	16	298	141	5
Sacramento West	236	64	409	173	5
San Benito	86	0	190	104	3
San Bernardino	1,561	1,119	2,002	441	52
San Diego	86	0	190	104	3
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	166	21	310	145	3
San Luis Obispo	203	43	363	160	8
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Chukar or Partridge: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	111	0	229	118	2
Sierra	31	0	93	62	2
Siskiyou	0	0	0	0	0
Solano	55	0	139	83	1
Sonoma	15	0	60	44	1
Stanislaus	71	0	165	94	2
Sutter	0	0	0	0	0
Tehama	55	0	139	83	1
Trinity	55	0	139	83	1
Tulare	236	64	409	173	5
Tuolumne	0	0	0	0	0
Ventura	55	0	139	83	1
Yolo (do not know)	15	0	60	44	1
Yolo North	409	182	636	227	11
Yolo South	55	0	139	83	1
Yuba	0	0	0	0	0

Chukar or Partridge: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	0	0	0	0	0
Amador	0	0	0	0	0
Butte	387	0	1,492	1,105	1
Calaveras	0	0	0	0	0
Colusa	148	0	426	278	2
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	0	0	0	0	0
Fresno	62	0	239	177	1
Glenn	221	0	555	334	1
Humboldt	0	0	0	0	0
Imperial	124	0	382	258	2
Inyo	2,861	752	4,969	2,109	19
Kern	4,231	1,706	6,756	2,525	16
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	12,757	3,255	22,260	9,503	27
Los Angeles	217	0	751	534	3
Madera	0	0	0	0	0
Marin	111	0	277	167	1
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	553	0	1,387	835	1
Modoc	1,145	19	2,272	1,126	7
Mono	884	102	1,666	782	9
Monterey	15	0	60	44	1
Napa	0	0	0	0	0
Nevada	62	0	239	177	1
Orange	0	0	0	0	0
Placer	1,026	0	2,098	1,072	3
Plumas	155	0	491	337	2
Riverside	2,131	0	4,871	2,740	4
Sacramento (do not know)	0	0	0	0	0
Sacramento East	542	28	1,055	514	5
Sacramento West	1,191	183	2,200	1,009	5
San Benito	93	0	358	265	1
San Bernardino	2,058	661	3,455	1,397	19
San Diego	599	0	1,740	1,141	3
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	111	0	277	167	1
San Luis Obispo	1,001	0	2,101	1,099	3
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Chukar or Partridge: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	442	0	914	472	2
Sierra	0	0	0	0	0
Siskiyou	0	0	0	0	0
Solano	221	0	555	334	1
Sonoma	1,300	0	5,013	3,712	1
Stanislaus	188	0	465	277	2
Sutter	0	0	0	0	0
Tehama	332	0	832	501	1
Trinity	0	0	0	0	0
Tulare	276	0	694	417	1
Tuolumne	0	0	0	0	0
Ventura	2,763	0	6,937	4,174	1
Yolo (do not know)	93	0	358	265	1
Yolo North	2,478	635	4,321	1,843	11
Yolo South	0	0	0	0	0
Yuba	0	0	0	0	0

Chukar or Partridge: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	0	0	0	0	0
Alpine	15	0	60	44	1
Amador	0	0	0	0	0
Butte	108	0	377	269	2
Calaveras	0	0	0	0	0
Colusa	102	0	258	157	2
Contra Costa	0	0	0	0	0
Del Norte	0	0	0	0	0
El Dorado	31	0	93	62	2
Fresno	382	8	757	374	6
Glenn	55	0	139	83	1
Humboldt	31	0	119	88	1
Imperial	139	0	377	238	3
Inyo	6,930	1,361	12,498	5,569	36
Kern	7,219	3,076	11,363	4,144	47
Kings	0	0	0	0	0
Lake	0	0	0	0	0
Lassen	13,042	4,144	21,941	8,898	35
Los Angeles	232	0	548	316	5
Madera	0	0	0	0	0
Marin	55	0	139	83	1
Mariposa	0	0	0	0	0
Mendocino	0	0	0	0	0
Merced	663	0	1,665	1,002	1
Modoc	688	94	1,281	593	10
Mono	2,646	684	4,608	1,962	14
Monterey	102	0	231	129	3
Napa	0	0	0	0	0
Nevada	62	0	239	177	1
Orange	0	0	0	0	0
Placer	1,182	0	2,373	1,191	4
Plumas	62	0	202	140	2
Riverside	511	37	984	474	5
Sacramento (do not know)	15	0	60	44	1
Sacramento East	188	0	376	188	5
Sacramento West	860	59	1,661	801	5
San Benito	385	0	857	472	3
San Bernardino	6,762	4,307	9,217	2,455	52
San Diego	586	0	1,400	814	3
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	0	0	0	0	0
San Joaquin West	553	12	1,093	541	3
San Luis Obispo	683	97	1,270	587	8
San Mateo	0	0	0	0	0
Santa Barbara	0	0	0	0	0

Chukar or Partridge: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	0	0	0	0	0
Santa Cruz	0	0	0	0	0
Shasta	166	0	352	187	2
Sierra	46	0	145	99	2
Siskiyou	0	0	0	0	0
Solano	111	0	277	167	1
Sonoma	356	0	1,372	1,016	1
Stanislaus	102	0	258	157	2
Sutter	0	0	0	0	0
Tehama	111	0	277	167	1
Trinity	221	0	555	334	1
Tulare	928	119	1,737	809	5
Tuolumne	0	0	0	0	0
Ventura	332	0	832	501	1
Yolo (do not know)	31	0	119	88	1
Yolo North	1,580	297	2,864	1,284	11
Yolo South	55	0	139	83	1
Yuba	0	0	0	0	0

Pheasant: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	15	0	60	44	1
Alpine	0	0	0	0	0
Amador	378	160	596	218	9
Butte	1,943	1,451	2,435	492	69
Calaveras	212	49	376	164	6
Colusa	2,215	1,691	2,740	524	84
Contra Costa	588	316	860	272	20
Del Norte	55	0	139	83	1
El Dorado	181	30	332	151	4
Fresno	455	216	695	239	14
Glenn	1,424	1,002	1,845	422	56
Humboldt	197	39	354	157	5
Imperial	3,000	2,391	3,608	609	91
Inyo	197	39	354	157	5
Kern	946	602	1,290	344	20
Kings	166	21	310	145	3
Lake	15	0	60	44	1
Lassen	453	214	692	239	19
Los Angeles	181	30	332	151	4
Madera	228	58	397	169	7
Marin	55	0	139	83	1
Mariposa	55	0	139	83	1
Mendocino	276	90	463	187	5
Merced	665	376	954	289	25
Modoc	219	53	385	166	9
Mono	0	0	0	0	0
Monterey	86	0	190	104	3
Napa	228	58	397	169	7
Nevada	102	0	215	113	4
Orange	71	0	165	94	2
Placer	818	498	1,138	320	22
Plumas	126	0	252	126	3
Riverside	575	306	843	269	14
Sacramento (do not know)	86	0	190	104	3
Sacramento East	1,028	669	1,387	359	33
Sacramento West	1,054	691	1,418	363	27
San Benito	126	0	252	126	3
San Bernardino	221	54	388	167	4
San Diego	488	241	736	248	11
San Francisco	0	0	0	0	0
San Joaquin (do not know)	15	0	60	44	1
San Joaquin West	723	422	1,024	301	21
San Joaquin West	897	562	1,233	335	22
San Luis Obispo	141	8	275	134	4
San Mateo	126	0	252	126	3
Santa Barbara	55	0	139	83	1

Pheasant: Estimated Number of Hunters and Confidence Interval by County					
County	Estimated Number of Hunters	Estimated Number of Hunters Lower Bound (95% CI)	Estimated Number of Hunters Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	111	0	229	118	2
Santa Cruz	111	0	229	118	2
Shasta	212	49	376	164	6
Sierra	0	0	0	0	0
Siskiyou	455	216	695	239	14
Solano	1,994	1,496	2,492	498	62
Sonoma	234	63	406	172	10
Stanislaus	471	228	714	243	15
Sutter	1,337	928	1,746	409	35
Tehama	763	453	1,072	309	21
Trinity	252	74	430	178	6
Tulare	820	499	1,141	321	17
Tuolumne	126	0	252	126	3
Ventura	166	21	310	145	3
Yolo (do not know)	172	25	320	147	6
Yolo North	1,972	1,477	2,467	495	58
Yolo South	973	624	1,322	349	32
Yuba	913	575	1,251	338	23

Pheasant: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	124	0	477	354	1
Alpine	0	0	0	0	0
Amador	2,416	356	4,476	2,060	7
Butte	12,915	6,321	19,510	6,595	49
Calaveras	891	129	1,652	761	5
Colusa	5,975	3,575	8,375	2,400	51
Contra Costa	3,126	580	5,671	2,545	12
Del Norte	0	0	0	0	0
El Dorado	1,326	12	2,640	1,314	3
Fresno	1,751	442	3,059	1,308	8
Glenn	3,829	1,872	5,786	1,957	38
Humboldt	166	0	416	250	1
Imperial	6,970	4,665	9,274	2,304	55
Inyo	292	0	639	347	3
Kern	3,691	1,255	6,127	2,436	13
Kings	221	0	485	264	2
Lake	31	0	119	88	1
Lassen	1,733	0	3,478	1,745	12
Los Angeles	93	0	358	265	1
Madera	1,322	0	2,730	1,408	7
Marin	221	0	555	334	1
Mariposa	55	0	139	83	1
Mendocino	1,547	116	2,978	1,431	3
Merced	2,166	306	4,027	1,861	12
Modoc	318	0	725	406	6
Mono	0	0	0	0	0
Monterey	141	0	330	189	2
Napa	732	0	1,550	819	4
Nevada	670	0	1,605	935	2
Orange	2,272	0	5,616	3,344	2
Placer	4,896	1,713	8,079	3,183	15
Plumas	0	0	0	0	0
Riverside	4,008	544	7,471	3,463	14
Sacramento (do not know)	835	0	2,017	1,182	2
Sacramento East	3,616	1,128	6,105	2,488	22
Sacramento West	8,103	3,610	12,596	4,493	21
San Benito	3,362	0	7,620	4,258	3
San Bernardino	387	0	895	508	2
San Diego	2,434	476	4,392	1,958	8
San Francisco	0	0	0	0	0
San Joaquin (do not know)	0	0	0	0	0
San Joaquin West	3,835	674	6,997	3,161	16
San Joaquin West	3,119	403	5,835	2,716	14
San Luis Obispo	734	0	1,606	873	3
San Mateo	221	0	555	334	1
Santa Barbara	1,105	0	2,775	1,670	1

Pheasant: Estimated Harvest and Confidence Interval by County					
County	Estimated Harvest	Estimated Harvest Lower Bound (95% CI)	Estimated Harvest Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	276	0	694	417	1
Santa Cruz	111	0	277	167	1
Shasta	946	151	1,741	795	5
Sierra	0	0	0	0	0
Siskiyou	1,992	174	3,809	1,817	9
Solano	20,603	13,348	27,858	7,255	50
Sonoma	1,638	38	3,239	1,600	9
Stanislaus	719	187	1,250	531	10
Sutter	7,641	3,444	11,837	4,196	21
Tehama	6,837	2,255	11,418	4,581	17
Trinity	986	0	2,036	1,050	5
Tulare	2,588	900	4,276	1,688	12
Tuolumne	55	0	139	83	1
Ventura	553	0	1,154	602	2
Yolo (do not know)	555	24	1,086	531	6
Yolo North	8,101	4,792	11,411	3,309	42
Yolo South	2,595	1,211	3,979	1,384	18
Yuba	2,522	861	4,183	1,661	11

Pheasant: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Alameda	186	0	716	530	1
Alpine	0	0	0	0	0
Amador	1,932	530	3,334	1,402	9
Butte	14,397	9,030	19,764	5,367	69
Calaveras	1,238	95	2,381	1,143	6
Colusa	12,137	7,914	16,360	4,223	84
Contra Costa	3,099	1,252	4,947	1,847	20
Del Norte	55	0	139	83	1
El Dorado	749	71	1,428	679	4
Fresno	3,415	1,195	5,635	2,220	14
Glenn	6,612	4,059	9,165	2,553	56
Humboldt	1,273	118	2,428	1,155	5
Imperial	13,383	9,278	17,488	4,105	91
Inyo	595	0	1,333	738	5
Kern	3,941	1,519	6,363	2,422	20
Kings	221	17	425	204	3
Lake	15	0	60	44	1
Lassen	1,435	537	2,333	898	19
Los Angeles	1,096	56	2,137	1,041	4
Madera	1,061	177	1,945	884	7
Marin	111	0	277	167	1
Mariposa	55	0	139	83	1
Mendocino	2,431	255	4,607	2,176	5
Merced	3,721	1,551	5,890	2,169	25
Modoc	794	0	1,795	1,001	9
Mono	0	0	0	0	0
Monterey	380	0	1,269	889	3
Napa	771	162	1,381	609	7
Nevada	431	0	925	494	4
Orange	805	0	1,977	1,172	2
Placer	6,041	1,989	10,092	4,051	22
Plumas	314	0	688	374	3
Riverside	2,909	298	5,519	2,611	14
Sacramento (do not know)	800	0	1,805	1,005	3
Sacramento East	5,663	2,573	8,754	3,091	33
Sacramento West	6,017	3,029	9,005	2,988	27
San Benito	709	0	1,571	861	3
San Bernardino	718	0	1,441	723	4
San Diego	3,305	0	7,754	4,449	11
San Francisco	0	0	0	0	0
San Joaquin (do not know)	15	0	60	44	1
San Joaquin West	3,926	1,326	6,526	2,600	21
San Joaquin West	5,312	876	9,747	4,435	22
San Luis Obispo	805	0	1,706	901	4
San Mateo	212	0	441	229	3
Santa Barbara	553	0	1,387	835	1

Pheasant: Estimated Number of Days Hunted and Confidence Interval by County					
County	Estimated Number of Days Hunted	Estimated Number of Days Hunted Lower Bound (95% CI)	Estimated Number of Days Hunted Upper Bound (95% CI)	Confidence Interval	Sample Size
Santa Clara	829	0	2,000	1,172	2
Santa Cruz	553	0	1,188	636	2
Shasta	3,333	0	7,569	4,236	6
Sierra	0	0	0	0	0
Siskiyou	8,678	518	16,837	8,160	14
Solano	14,038	9,566	18,510	4,472	62
Sonoma	2,111	0	4,334	2,223	10
Stanislaus	2,202	45	4,359	2,157	15
Sutter	12,709	6,129	19,289	6,580	35
Tehama	5,166	371	9,962	4,796	21
Trinity	2,239	0	4,500	2,261	6
Tulare	3,527	850	6,205	2,677	17
Tuolumne	630	0	1,417	787	3
Ventura	884	0	1,791	907	3
Yolo (do not know)	840	0	1,772	932	6
Yolo North	10,847	6,243	15,451	4,604	58
Yolo South	3,530	1,922	5,139	1,608	32
Yuba	4,089	2,070	6,108	2,019	23

ABOUT RESPONSIVE MANAGEMENT

Responsive Management is an internationally recognized public opinion and attitude survey research firm specializing in natural resource and outdoor recreation issues. Our mission is to help natural resource and outdoor recreation agencies and organizations better understand and work with their constituents, customers, and the public.

Utilizing our in-house, full-service telephone, mail, and web-based survey facilities with 50 professional interviewers, we have conducted more than 1,000 telephone surveys, mail surveys, personal interviews, and focus groups, as well as numerous marketing and communication plans, needs assessments, and program evaluations.

Clients include the federal natural resource and land management agencies, most state fish and wildlife agencies, state departments of natural resources, environmental protection agencies, state park agencies, tourism boards, most of the major conservation and sportsmen's organizations, and numerous private businesses. Responsive Management also collects attitude and opinion data for many of the nation's top universities.

Specializing in research on public attitudes toward natural resource and outdoor recreation issues, Responsive Management has completed a wide range of projects during the past 25 years, including dozens of studies of hunters, anglers, wildlife viewers, boaters, park visitors, historic site visitors, hikers, birdwatchers, campers, and rock climbers. Responsive Management has conducted studies on endangered species; waterfowl and wetlands; and the reintroduction of large predators such as wolves, grizzly bears, and the Florida panther.

Responsive Management has assisted with research on numerous natural resource ballot initiatives and referenda and has helped agencies and organizations find alternative funding and increase their membership and donations. Additionally, Responsive Management has conducted major organizational and programmatic needs assessments to assist natural resource agencies and organizations in developing more effective programs based on a solid foundation of fact.

Responsive Management has conducted research on public attitudes toward natural resources and outdoor recreation in almost every state in the United States, as well as in Canada, Australia, the United Kingdom, France, Germany, and Japan. Responsive Management has also conducted focus groups and personal interviews with residents of the African countries of Algeria, Cameroon, Mauritius, Namibia, South Africa, Tanzania, Zambia, and Zimbabwe.

Responsive Management routinely conducts surveys in Spanish and has conducted surveys in Chinese, Korean, Japanese and Vietnamese and has completed numerous studies with specific target audiences, including Hispanics; African-Americans; Asians; women; children; senior citizens; urban, suburban, and rural residents; large landowners; and farmers.

Responsive Management's research has been upheld in U.S. District Courts; used in peer-reviewed journals; and presented at major natural resource, fish and wildlife, and outdoor recreation conferences across the world. Company research has been featured in most of the nation's major media, including CNN, *The New York Times*, *The Wall Street Journal*, and on the front pages of *USA Today* and *The Washington Post*. Responsive Management's research has also been highlighted in *Newsweek* magazine.

Visit the Responsive Management website at:

www.responsivemanagement.com