



www.cavitybackbullets.com

Pursuant to Section 250.1, Title 14, California Code of Regulations, the listed projectiles and/or ammunition are certified as containing 1% or less of lead and may be used for the take of various wildlife species in California. It is the responsibility of the hunter to verify the individual projectile or ammunition is compliant with the method of take regulations for the individual species or species group.

	Caliber	Trade Name or Marketing Line	Grains	Composition of Projectile	% Lead Content by Weight	Product #	Unique Identifying Characteristics
	.243/6MM	Cavity Back® Maximum Kill Zone® Bullet	92	Solid Copper	< 1%	CB-MKZ-6MM-92	CNC constructed bullet featuring an open tip and a rear cavity increasing effective case capacity. Bullet expansion up to 2.5X calibery with a lower opening velocity. Match grade accuracy. Patent Pending
	.264/6.5MM		105			CB-MKZ-6.5-105	
	.264/6.5MM		118			CB-MKZ-6.5-118	
	.277/6.8MM		105			CB-MKZ-6.8-105	
	.277/6.8MM		120			CB-MKZ-6.8-120	
	.308/7.62		125			CB-MKZ-7.62-125	
	.308/7.62		125			CB-MKZ-300BO-125	
	.308/7.62		168			CB-MKZ-7.62-168	
	.310		125			CB-MKZ-x39-125	
			.243/6MM			Cavity Back® Tactical Match Target® Bullet	
.277/6.8MM		120	CB-TMT-6.8-120				