

WEST DELTA

Conservation Opportunity Region Overview

Regional Setting

The West Delta Conservation Opportunity Region (COR) is located in northeastern Contra Costa County. It is a unique region characterized by open space and beautiful vistas, where the Bay Area, Delta, and Central Valley meet. Its convenient location near the San Francisco Bay Area, natural beauty, and mild climate have attracted many people to the area, with a predicted increase of 127,000 people in Contra Costa County between 2007 and 2025.¹ While retaining a rural lifestyle, the West Delta provides new housing, jobs, farms, and ranches. The West Delta also contains habitat for endangered species, where a significant portion of this urban growth will occur, creating a potential conflict between conservation and economic development. The [East Contra Costa County Habitat Conservation Plan/Natural Community Conservation Plan](#) (ECCC HCP/NCCP)² seeks to avoid such conflict by providing an opportunity to preserve diverse ecosystems, unique species, and scenic landscapes while clearing regulatory obstacles to continued economic development and growth.




Figure 1: General overview map of the West Delta (Source: East Bay Regional Parks District) PLACEHOLDER ONLY

16 Planning Context

17 The West Delta COR includes areas identified in the ECCC HCP/NCCP, the [Three Creeks Parkway Restoration Project](#),
18 and the Contra Costa shoreline containing [Antioch Dunes National Wildlife Refuge](#), [Dow Wetlands](#), [Big Break Regional](#)
19 [Shoreline](#), and [Dutch Slough Tidal Marsh Restoration](#)³. The Antioch Dunes National Wildlife Refuge and Big Break
20 Regional Shoreline are managed to provide public education, recreation, and wildlife benefits. The adjacent Dow plant
21 manages the Dow Wetlands. Other public lands in the region include potential regional park sites as identified in the
22 [East Bay Regional Park District \(EBRPD\)'s Master Plan](#), Jersey Island owned by the Ironhouse Sanitary District and
23 County Flood Control facilities that provide creek and riparian habitat.

24
25 The East Contra Costa County Habitat Conservancy is implementing the ECCC HCP/NCCP that provides a framework
26 for natural resource conservation in eastern Contra Costa County, while offering an improved environmental
27 permitting process for impacts on endangered species. This allows Contra Costa County, the Contra Costa County
28 Flood Control and Water Conservation District (Flood and Water District), the EBRPD, and the Cities of Brentwood,
29 Clayton, Oakley, and Pittsburg to coordinate endangered species permitting for activities and projects in the region
30 that they perform or approve. The ECCC HCP/NCCP helps to avoid costly and time-consuming project-by-project
31 permitting and uncoordinated, biologically ineffective mitigation. It provides a framework for comprehensive species,
32 wetlands, and ecosystem conservation that contributes to the recovery of threatened and endangered species in
33 northern California, such as the California tiger salamander (*Ambystoma californiense*). The City of Antioch originally
34 elected not to participate in the ECCC HCP/NCCP; however, as of 2017, the City of Antioch is in the process of
35 developing its own HCP/NCCP, modeled after the ECCC HCP/NCCP, to streamline their entitlement and permitting
36 process.

37
38 Contra Costa County has an [Urban Limit Line](#) (ULL) that was voter-approved in 1990 and extended in 2006. The ULL
39 restricts urban development to no more than 35 percent of the land in the County and requires that at least 65
40 percent of the land in the County be preserved for agriculture, open space, wetlands, parks, and other non-urban
41 uses. Establishing an ULL in the region helps to prevent urban sprawl, provide more infill housing development near
42 transit and existing urban infrastructure, and ensure that public infrastructure and services such as schools, fire, and
43 police services are not overburdened.

45 Opportunities for Conservation

47 *East Contra Costa County HCP/NCCP*

48 The ECCC HCP/NCCP provides regional conservation and development guidelines to protect natural resources while
49 improving and streamlining the permit process for endangered species and wetland regulations. Over 150 rare species
50 occur in the East County area, including the California tiger salamander, San Joaquin kit fox (*Vulpes macrotis mutica*),
51 California red-legged frog (*Rana draytonii*), Alameda whipsnake (*Masticophis lateralis euryxanthus*), western
52 burrowing owl (*Athene cunicularia hypugea*), Swainson's hawk (*Buteo swainsoni*), vernal pool fairy shrimp
53 (*Branchinecta lynchi*), and Mt. Diablo helianthella (*Helianthella castanea*).² Within the 174,018-acre inventory area,
54 the ECCC HCP/NCCP will provide permits for between 8,670 and 11,853 acres of development and will authorize an
55 additional 1,126 acres for rural infrastructure projects.² The ECCC HCP/NCCP Preserve System will encompass 23,800
56 to 30,300 acres of land that will be managed for the benefit of 28 species as well as the habitats they and other
57 species depend upon. The ECCC HCP/NCCP supports local control over land use and offers more flexibility in meeting
58 other needs such as housing, transportation, and economic growth in the area by proactively addressing the long-
59 term conservation needs.²

60 *California EcoRestore*

61 The *California EcoRestore* initiative³ implements a comprehensive suite of habitat restoration actions to support the
62 long-term health of the Delta and its native fish and wildlife species. It includes projects situated in the West Delta
63 focused on tidal marsh, shoreline, and riparian restoration, including the Dutch Slough and Winter Island Tidal Marsh
64 Restoration projects.

66 The [Dutch Slough Tidal Marsh Restoration Project](#) is focused on the conservation of tidal/subtidal ecosystems,
67 riparian forest restoration, and managed marsh habitats.³ The project’s location in Oakley was formerly slated for
68 urban development. It offers the opportunity, soil types, and elevations to create 1,187 acres of tidal marsh and
69 complex intertidal channels favored by native Delta species. The project site consists of three leveed parcels to be
70 restored to a mosaic of tidal marsh, riparian
71 woodland, open water, managed marsh, and
72 upland habitats. Tidal habitat conservation is a
73 critical action to increase the number of native
74 species and improve the general ecological
75 health of the Delta.⁴ Native grasslands and
76 riparian forests will also be restored in the
77 upland portions of the site. The Dutch Slough
78 project is adjacent to Big Break Regional
79 Shoreline and Marsh Creek and so provides
80 landscape-scale connectivity benefits.



Figure 2: Dutch Slough (Photo: C. Sloop)

82 The 589 acre [Winter Island](#) Tidal Habitat
83 Restoration project will restore tidal connectivity
84 to the interior of Winter Island. The goal of the
85 project is to breach the perimeter levee to create
86 aquatic habitat at intertidal and shallow subtidal elevations, associated high marsh and riparian habitats to benefit
87 native fish species.

89 The [Knightsen Wetland Restoration and Flood Protection Project](#) involves wetlands restoration and flood protection
90 on a 645-acre parcel acquired by the EBRPD in partnership with the ECCC Habitat Conservancy. This project will
91 restore a mosaic of habitats on a 645-acre property near the community of Knightsen. The project will convert
92 agriculture and fallow fields to a landscape that provides habitat that supports special status species (including giant
93 garter snake (*Thamnophis gigas*), western burrowing owl, and others), provides flood protection for the community of
94 Knightsen, improves Delta water quality, and allows for recreational opportunities. This is a partnership with the
95 ECCC Habitat Conservancy, EBRPD, and the Knightsen Community Services District.

96 [Potential Solutions to Recognized Challenges](#)

97 The primary conservation challenges in the West Delta relate to habitat loss due to housing development, impacts from
98 agricultural operations, negative effects from noxious invasive species, and projected impacts on ecosystems and
99 infrastructure from climate change.

100 [Wildlife-friendly Agriculture](#)

101 Like elsewhere in the Delta, agriculture has been the main way of life, industry, and cultural linkage to the land in
102 the West Delta for several generations of residents. According to the 2015 Economic Contributions of Contra Costa
103 County Agriculture Report, agriculture in the county provides 2,277 jobs and contributes approximately \$225
104 million to the local economy.⁵ Because of the strong cultural ties to the land, local landowners are concerned about
105 the potential to lose their livelihood and lifestyle if habitat restoration displaces agriculture. Wildlife-friendly
106 farming could provide a link between wildlife conservation and agriculture by integrating conservation and food
107 production to benefit wildlife and conserve biodiversity on farmland. Wildlife-friendly agricultural practices include
108 farming crops that also benefit wildlife—for example rice or irrigated pasture—and provide drainage ditches,
109 hedgerows, and trees for habitat value.⁶ The Central Valley Farm Land Trust (CVFLT), formerly Brentwood Agricultural
110 Land Trust, is a land trust that works with West Delta farmers and the agricultural community to protect fertile orchards and
111 farms permanently through an active farmland conservation program. Using agricultural easements and by partnering with
112 local agencies, CVFLT has helped to secure properties such as the 520-acre Cecchini property by Discovery Bay to preserve
113 farmland at risk of development, and to provide important habitat for the Swainson’s hawk, burrowing owl, and the
114 Western long-eared bat (*Myotis evotis*).⁷

116 Recreational Opportunities

117 The EBRPD’s recent acquisitions in the West Delta COR include properties that make up future potential parklands
118 with the intent to conduct restoration projects, provide habitat for special status species, and provide recreational
119 opportunities by providing key trail links. On the Ironhouse Sanitary District’s 3,520-acre Jersey Island, recycled water
120 is used to irrigate fields of hay. The EBRPD is collaborating with the Ironhouse Sanitary District to evaluate other sites
121 on the island for recreation and education opportunities, including a focus on how reclaimed water is used for
122 farming. The Flood and Water District is actively seeking opportunities across the West Delta COR to have their
123 facilities function as a combination of flood control and habitat, including along Marsh Creek, Walnut Creek, Pinole
124 Creek, and other areas.

125
126 Integrated Flood Management

127 Reclamation Districts maintain the levees that provide flood protection for agricultural operations in the region. The
128 Flood and Water District covers all of the West Delta COR, and owns property throughout Contra Costa County for the
129 purpose of constructing and maintaining regional flood control basins, channels, and creeks. Formed in 1951, and funded
130 primarily through property taxes and developer fees, the Flood and Water District protects Contra Costa County
131 communities, offering regional flood protection and environmental resources stewardship in the District-owned creeks,
132 and providing technical information and education to cities and residents.

133 The Upper Sand Creek Basin (SCB) is a \$10 million flood protection and habitat restoration project in Antioch. It will expand
134 the basin to store 8 times more storm water than before and build an 1800-foot-long dam, ranging in height from one to
135 40-feet, and will restore 3,500 linear feet of Sand Creek. It will also include planting over 2,500 willow trees, creating 10
136 acres of wetlands inside the basin, and installing an innovative trash capture device to help clean up the creek. The SCB is
137 an important part of the District's Marsh Creek regional flood protection master plan. The basin works in conjunction with
138 other facilities in the watershed to temporarily hold floodwater waters from an extreme rainstorm and release them more
139 slowly downstream. This significantly reduces the flood risk for Antioch, Brentwood, and Oakley residents living
140 downstream along Sand Creek and Marsh Creek.

141 Climate Change and Adaptation Opportunities for Long-term Sustainability

142 It is critical to develop actions and identify the resources needed to integrate climate change adaptation into natural
143 resources management practices. Therefore, Delta conservation planning needs to incorporate projected changes
144 into a scenario planning approach. This critical tool can help anticipate effects of climate change on Delta ecosystems,
145 species, infrastructure, agricultural practices, recreation, and other land uses, and integrate these into the long-term
146 conservation-planning picture. As a result, regional scale adaptation to global climate change will require novel
147 approaches to regionally integrated management of water, energy, food, and ecosystem processes over the long
148 term, supported by monitoring and scientific studies.⁸

149 In general, the Delta region is expected to experience more intense winter flooding and storm effects, causing
150 greater erosion of riparian areas and increased sedimentation in wetlands.^{9,10,11,12} In the West Delta, as in other
151 Delta regions, more intense winter storms with increased winter river flows will likely significantly increase the
152 hydraulic pressure on levees which could lead to catastrophic flooding.¹³ In the summer, lower river flows are
153 expected to increase the likelihood of saltwater intrusion farther upstream in the Delta, disrupting ecosystem
154 processes, food webs, agriculture, and local water supplies along the Contra Costa shoreline.^{11,14} Winters will likely
155 become wetter and warmer, with more extreme weather events earlier or later in the season, reduced snow packs
156 in the Sierra Nevada, earlier snowmelt with most precipitation falling as winter rain, and increases in run-off
157 quantity and velocity during storm events.^{11-14,15} Annual mean temperatures and precipitation are expected to
158 increase in the West Delta by 2100.¹²

159 Climate change is also expected to affect the range and habitat needs of special status species. The West Delta
160 conservation opportunity region is located at the transition zone between the Delta, San Joaquin Valley, and Mount Diablo
161 ecosystems. The area supports the northern and western-most extent of some species. As summers become dryer, it will
162 be important to create and restore habitats and protect movement corridors for species migrating to cooler, wetter areas.
163 For example, as vernal pools in the area remain dry with reduced precipitation, there will be a need to create seasonal
164 wetlands and vernal pools for species to populate in areas that will provide the needed hydro-period to support their
165 lifecycles. Protected areas will need to provide safe movement corridors for animals to move across the landscape to find
166 new appropriate ranges.

167 As a pilot study in the Central Delta, for example, scientists and resource managers created permanently flooded
168 wetlands on a 307-acre parcel on Sherman Island as part of the [Mayberry Farms Subsidence Reversal and Carbon](#)
169 [Sequestration Project](#). By restoring 192 acres of emergent wetlands and enhancing approximately 115 acres of seasonally
170 flooded wetlands, the project anticipates climate benefits by sequestering atmospheric carbon and reversing subsidence
171 and develop knowledge to inform operators of private wetlands.

172 Planners and land managers can use available tools and models to look ahead and determine the best way to prioritize
173 conservation actions based on the likelihood of long-term action efficacy, the potential for outcomes to evolve over time,
174 and cost effectiveness. A scenario planning approach, for example, that is incorporated within a Structured Decision
175 Making (SDM) process could include a decision model that incorporates projections for long-term management and
176 funding needs to anticipate the effects of near-term conservation actions into the future. Regular reevaluation of
177 scenarios over time will allow land managers and planners to reexamine how earlier projections played out and adjust
178 conservation land management over time.
179

180 [Link to Delta Conservation Framework](#)

181 The Delta Conservation Framework is a high-level conservation-planning framework through 2050 with a landscape-
182 scale focus across the entire Delta, Suisun Marsh, and Yolo Bypass. The Framework recommends using multi-
183 stakeholder partnerships to develop *Regional Conservation Strategies* (RCSs) to establish finer scale regional
184 objectives and implementation actions. A regional partnership could develop a RCS that considers all conservation
185 opportunities in the West Delta region, including flood management and wildlife-friendly agricultural efforts that links
186 the ECCC HCP/NCCP Preserve Area to surrounding areas. As mentioned above, the Delta Conservation Framework's
187 landscape-scale goals and strategies focus on developing multi-benefit conservation solutions through integrative
188 data analysis and scenario planning (Goals C to F). Implementation of more specific strategies and objectives should
189 serve to reestablish ecological function, assist species recovery, and integrate conservation benefits with flood
190 protection, wildlife-friendly farming operations, and recreation at the local and landscape scales.
191

192 [Entities/Partnerships Important for Implementation \(Current and Ongoing\)](#)

193 The cornerstones of successful conservation planning and implementation in the Delta are: 1) establishing and
194 maintaining trust among stakeholders through continuous communication and evaluation of goal-based progress,
195 2) an agreed-upon structure for roles and responsibilities to manage an implementation partnership, and 3)
196 science-based decision support. Signatories to the Implementing Agreement of the ECCC HCP/NCCP include ECCC

197

Habitat Conservancy, County of Contra Costa, City of Brentwood, City of Clayton, City of Oakley, the Flood and Water District, EBRPD, United States Fish and Wildlife Service, and California Department of Fish and Wildlife.



Figure 3: Three Creeks Parkway Restoration area - Marsh and Sand creek confluence (Photo: C. Sloop)

The Department of Water Resources and Department of Fish and Game are chief partners for the Dutch Slough and Winter Island tidal restoration projects. American Rivers, the Flood and Water District, Friends of Marsh Creek Watershed, and City of Brentwood are important partners in the Three Creeks Parkway Restoration Project.

- ¹ East Contra Costa Habitat Conservancy. 2015. East Contra Costa County Habitat Conservation Plan/Natural Community Conservation Plan Annual Report 2015. Available: http://www.co.contra-costa.ca.us/depart/cd/water/HCP/Meetings/pdfs/2016/4-25-16/7a%202015_ECCCCHC_AnnualReport_wTablesFigures%20web.pdf. Accessed: October 3, 2017.
- ² Jones & Stokes. 2006. East Contra Costa County Habitat Conservation Plan and Natural Community Conservation Plan. October. (J&S 01478.01.) San Jose, CA. Available: http://www.co.contra-costa.ca.us/depart/cd/water/hcp/archive/final-hcp-rev/final_hcp_nccp.html. Accessed: October 3, 2017.
- ³ Natural Resources Agency (2017). California EcoRestore projects. California Natural Resources Agency, Sacramento, CA. Available: <http://resources.ca.gov/ecorestore/california-ecorestore-projects/>. Accessed: October 3, 2017.
- ⁴ Robinson, A., S. Safran, J. Beagle, L. Grenier, R. Grossinger, E. Spotswood, S. Dusterhoff and A. Richey (2016). A Delta Renewed: A guide to science-based ecological restoration in the Sacramento-San Joaquin Delta, a report for the Delta Landscapes Project: Management tools for landscape-scale restoration of ecological functions. Prepared for California Department of Fish and Wildlife, Sacramento, CA. San Francisco Estuary Institute (SFEI) Aquatic Science Center, Richmond, CA. Available: http://www.sfei.org/sites/default/files/project/SFEI_DeltaRenewed_102616_lowres.pdf. Accessed: January 25, 2017.
- ⁵ Contra Costa County. 2015 Crop Report. Available: <http://www.cccounty.us/DocumentCenter/View/41302>. Accessed: October 3, 2017.
- ⁶ Burmester, D., D. S. Zezulak, E. Eggeman., K. Fleming, J. Garcia, M. Grube, S. Rodriguez, H. Spautz (2015). Wildlife-friendly agriculture – What we have accomplished, what we have learned. California Department of Fish and Wildlife, Ecosystem Restoration Program, Sacramento, CA.
- ⁷ Winzer, Amy (2017). Impact of SALC Agricultural Easements on California Agricultural Land. California Institute for Rural Studies. Available: <http://www.cirsinc.org/rural-california-report/entry/impact-of-salc-agricultural-easements-on-california-agricultural-land>. Accessed: October 2017.
- ⁸ Liu, Qinqin (2016). Interlinking climate change with water energy-food nexus and related ecosystem processes in California case studies. *Ecological Processes* 5:1-14. Available: <https://link.springer.com/content/pdf/10.1186%2Fs13717-016-0058-0.pdf>. Accessed: September 26, 2017.
- ⁹ Hayhoe, K., D. Cayan, C. B. Field, P. C. Frumhoff, E. P. Maurer, N. L. Miller, S. C. Moser, S. H. Schneider, K. N. Cahill, E. E. Cleland, L. Dale, R. Drapek, R. M. Hanemann, L. S. Kalkstein, J. Lenihan, C. K. Lunch, R. P. Neilson, S. C. Sheridan, and J. H. Verville (2004). Emissions pathways, climate change, and impacts on California. *PNAS* 101: 12422–12427. Available: <http://www.pnas.org/content/101/34/12422.full.pdf>. Accessed: September 26, 2017.
- ¹⁰ Cayan, D. R., E. P. Maurer, M. D. Dettinger, M. Tyree, and K. Hayhoe (2007). Climate change scenarios for the California region. *Climate Change* 87(supplement 1): 21-42. Available: http://meteora.ucsd.edu/cap/pdffiles/Cayan_calif_scen_jan2008.pdf. Accessed: September 26, 2017.
- ¹¹ Dettinger, M., J. Anderson, M. Anderson, L. R. Brown, D. Cayan, and E. Maurer (2016). Climate Change and the Delta. *San Francisco Estuary and Watershed Science*, 14(3). Available: <http://escholarship.org/uc/item/2r71j15r>. Accessed: September 26, 2017.
- ¹² Cal-Adapt (2017). Exploring California’s climate change research. Cal-Adapt. Available: <http://beta.cal-adapt.org/>. Accessed: October 2017.
- ¹³ Luoma, S. N., C. N. Dahm, M. Healey, and J. M. Moore (2015). Challenges facing the Sacramento-San Joaquin Delta: Complex, chaotic or simply cantankerous? Delta Stewardship Council, Delta Science Program, Sacramento, CA.
- ¹⁴ Natural Resources Agency (2014). Safeguarding California: Reducing climate risk. An update to the 2009 California Climate Change Adaptation Strategy. California Natural Resources Agency, Sacramento, CA. Available: http://resources.ca.gov/docs/climate/Final_Safeguarding_CA_Plan_July_31_2014.pdf. Accessed: April 2017.
- ¹⁵ PRBO (2011). Projected effects of climate change in California: Ecoregional summaries emphasizing consequences for wildlife. Point Blue Conservation Science (PRBO), Petaluma, CA. Available: <http://data.prbo.org/apps/bssc/uploads/Ecoregional021011.pdf>. Accessed: April 2017.