

CDFW CRITERIA FOR CLASSIFICATION OF REPORTED DEPREDATION INCIDENTS

CONFIRMED – Depredation is **confirmed** in those cases where there is reasonable physical evidence that an animal was actually attacked and/or killed by a predator. The primary confirmation factor would ordinarily be the presence of bite marks and associated subcutaneous hemorrhaging and tissue damage, indicating that the attack occurred while the victim was alive, as opposed to simply feeding on an already dead animal. Spacing between canine tooth punctures, feeding pattern on the carcass, fresh tracks, scat, hairs rubbed off on fences or brush, and/or eye witness accounts of the attack may help identify the specific species or individual responsible for the depredation. Predation might also be confirmed in the absence of bite marks and associated hemorrhaging (i.e., if much of the carcass has already been consumed by the predator or scavengers) **if** there is other physical evidence to confirm predation on the live animal. This might include blood spilled or sprayed at a nearby attack site or other evidence of an attack or struggle. There may also be nearby remains of other victims for which there is still sufficient evidence to confirm predation, allowing reasonable inference of confirmed predation on the animal that has been largely consumed.

PROBABLE – Having some evidence to suggest possible predation, but lacking sufficient evidence to clearly confirm predation by a particular species, a kill may be classified as **probable** depending on a number of other factors such as: (1) Has there been any recently confirmed predation by the suspected depredating species in the same or nearby area? (2) How recently had the livestock owner or his employees observed the livestock? (3) Is there evidence (telemetry monitoring data, sightings, howling, fresh tracks, etc.) to suggest that the suspected depredating species may have been in the area when the depredation occurred? All of these factors, and possibly others, should be considered in the investigator's best professional judgment.

POSSIBLE/UNKNOWN – Lacking sufficient evidence to classify an incident as either confirmed or probable predation, the **possible/unknown** classification is appropriate if it is unclear what the cause of death may have been. The investigator may or may not have much of a carcass remaining for inspection, or the carcass may have deteriorated so as to be of no use. The investigator would want to consider if the area has been frequented by a predator, or if the habitat is one which the predator is likely to use. Possible predation may include cases where counts show that abnormal numbers of livestock are missing or have disappeared above and beyond past experience, and where other known cases of predation have occurred previously in the area.

OTHER – Cause of livestock deaths should be classified as **other** when it is discovered that the cause of death was not likely caused by the animal originally reported during a request for assistance. Examples of **other** may include cases where the cause of death is confirmed or is likely due to predation by some other animal or cause determined at the time of the investigation such as red fox instead of coyote or other causes such as, bloat, poisonous plants, stillborn, disease, lightning strike, vehicle collision, etc.