LITERATURE CITED

- Adalsteinsson, S.A., Branch, W.R., Trape, S., Vitt, L.J., and Hedges, S.B. 2009. Molecular phylogeny, classification, and biogeograpy of snakes of the family Leptotyphlopidae (Reptilia, Squamata). Zootaxa 2240:1–50.
- Adams, M.J. 1999. Correlated factors in amphibian decline: exotic species and habitat change in western Washington. Journal of Wildlife Management 63:1162–1171.
- Adams, M.J. 2000. Pond permanence and the effects of exotic vertebrates on anurans. Ecological Applications 10:559–568.
- Adams, M.J. and Bury, R.B. 2002. The endemic headwater stream amphibians of the American Northwest: associations with environmental gradients in a large forested preserve. Global Ecology and Biogeography 11:169–178.
- Adams, M.J., Bury, R.B., and Swarts, S.A. 1998. Amphibians of the Fort Lewis Military Reservation, Washington: sampling techniques and community patterns. Northwestern Naturalist 79:12–18.
- Adams, M.J., Pearl, C.A., and Bury, R.B. 2003. Indirect facilitation of an anuran invasion by non-native fishes. Ecology Letters 6:343–351.
- Adams, M.J., Pearl, C.A., Galvan, S., and Mccreary, B. 2011. Non-native species impacts on pond occupancy by an anuran. The Journal of Wildlife Management 75:30–35.
- Adams, S.B. and Frissell, C.A. 2001. Thermal habitat use and evidence of seasonal migration by Rocky Mountain tailed frogs, *Ascaphus montanus*, in Montana. Canadian Field Naturalist 115:251–256.

- Adest, G.A. 1977. Genetic relationships in the genus *Uma* (Iguanidae). Copeia 1977:47–52.
- Aguilar, A., Douglas, R.B., Gordon, E., Baumsteiger, J., and Goldsworthy, M.O. 2013. Elevated genetic structure in the coastal tailed frog (*Ascaphus truei*) in managed redwood forests. Journal of Heredity 104:202–216.
- Alberts A.C., Brown, T.K., Grant, T.D., Lemm, J.M., Montagne, J.P., Milroy, L.G., III, and Jackintell, L.A. 2004. Conservation of the San Diego coast horned lizard on the Southwestern Riverside County Multi-Species Reserve. Final Project Report to the Metropolitan Water District of Southern California for Agreement No. 1550. Applied Conservation Division, Zoological Society of San Diego, San Diego, CA.
- Aldridge, R.D. 1979. Seasonal spermatogenesis in sympatric *Crotalus viridis* and *Arizona elegans* in New Mexico. Journal of Herpetology 13:187–192.
- Altig, R. and Brodie, E.D., Jr. 1972. Laboratory behavior of *Ascaphus truei* tadpoles. Journal of Herpetology 6:21–24.
- Anderson, B.W. and Ohmart, R.D. 1982. Revegetation for Wildlife Enhancement along the Lower Colorado River. Bureau of Reclamation, Boulder City, NV.
- Anderson, J.D. 1960. Cannibalism in *Dicamptodon* ensatus. Herpetologica 16:260.
- Anderson, J.D. 1961. The courtship behavior of *Ambystoma macrodactylum croceum*. Copeia 1961:132–139.
- Anderson, J.D. 1967. A comparison of the life histories of coastal and montane populations of

- *Ambystoma macrodactylum* in California. The American Midland Naturalist 77:323–355.
- Anderson, J.D. 1968a. A comparison of the food habits of Ambystoma macrodactylum sigillatum, Ambystoma macrodactylum croceum, and Ambystoma tigrinum californiense. Herpetologica 24:273–284.
- Anderson, J.D. 1968b. Thermal histories of two populations of *Ambystoma macrodactylum*. Herpetologica 24:29–35.
- Andre, S.E., Parker, J., and Briggs, C.J. 2008. Effect of temperature on host response to *Batra-chochytrium dendrobatidis* infection in the mountain yellow-legged frog (*Rana muscosa*). Journal of Wildlife Diseases 44:717–720.
- Andrews, K.M., Gibbons, J.W., and Jochimsen, D.M. 2008. Ecological effects of roads on amphibians and reptiles: a literature review, in Mitchell, J.C., Brown, R.E.J., and Bartholomew, B. (Eds): Urban Herpetology. Society for the Study of Amphibians and Reptiles, Salt Lake City, UT, pp.121–143.
- Anton, T.G. 1994. Observation of predatory behavior in the regal ringneck snake (*Diadophis punctatus regalis*) under captive conditions. Bulletin of the Chicago Herpetological Society 29:95.
- Anzalone, C., Kats, L., and Gordon, M. 1998. Effects of solar UV-B radiation on embryonic development in *Hyla cadaverina*, *Hyla regilla*, and *Taricha torosa*. Conservation Biology 12:646–653.
- Arnold, S.J. and Halliday, T. 1986. Natural history notes: *Hyla regilla*. Predation. Herpetological Review 17:44.
- Ashton, D.T., Marks, S.B., and Welsh, H.H., Jr. 2006. Evidence of continued effects from timber harvesting on lotic amphibians in redwood forests of northwestern California. Forest Ecology and Management 221:183–193.
- Atsatt, S.R. 1913. The reptiles of the San Jacinto area of southern California. University of California Publications in Zoology 12:31–50.
- Baird, S.F. 1854. Descriptions of new genera and species of North American frogs. Proceedings of the Academy of the Natural Sciences of Philadelphia 7:59–62.
- Baird, S.F. 1858. Description of new genera and species of North American lizards in the Museum of the Smithsonian Institution. Proceedings of the Academy of the Natural Sciences of Philadelphia 10:253–256.
- Baird, S.F. 1859. Report upon the reptiles of the route, in Explorations and Surveys, R.R. Route from the Mississippi River to the Pacific Ocean, 1853–56, Vol. 10, Williamson's Route. Zoological Report, Part 6, Number 4, Washington, DC, pp.37–45.

- Baird, S.F. and Girard, C. 1852. Descriptions of new species of reptiles collected by the U.S. exploring expedition under the command of Capt. Charles Wilkes. Proceedings of the Academy of the Natural Sciences of Philadelphia 6:174–177.
- Baird, S.F. and Girard, C. 1853a. Catalogue of North American Reptiles in the Museum of the Smithsonian Institution. Part I: Serpents. Smithsonian Institution, Washington, DC.
- Baird, S.F. and Girard, C. 1853b. Communication by Mr. Charles Girard on behalf of Prof. Baird and himself, upon a species of frog and another toad. Proceedings of the Academy of Natural Sciences of Philadelphia 6:378–379.
- Baldwin, K.S. and Stanford, R.A. 1987. Natural history notes: *Ambystoma tigrinum californiense*. Predation. Herpetological Review 18:33.
- Balfour, P.S. and Ranlett, J. 2006. Natural history notes: *Spea hammondii*. Predation. Herpetological Review 37:212.
- Ballesteros-Barrera, C., Martínez-Meyer, E., and Gadsden, H. 2007. Effects of land-cover transformation and climate change on the distribution of two microendemic lizards, genus *Uma*, of northern Mexico. Journal of Herpetology 41:733–740.
- Bancroft, B.A., Baker, N.J., Searle, C.L., Garcia, T.S., and Blaustein, A.R. 2008. Larval amphibians seek warm temperatures and do not avoid harmful UVB radiation. Behavioral Ecology 19:879–886.
- Banta, B.H. 1963. Remarks upon the natural history of *Gerrhonotus panamintinus* Stebbins. Occasional Papers of the California Academy of Science 36:1–12.
- Banta, B.H. and Leviton, A.E. 1961. Mating behavior of the Panamint Lizard, *Gerrhonotus panamintinus* Stebbins. Herpetologica 17:204–206.
- Banta, B.H., Mahrdt, C.R., and Beaman, K.R. 1996. Elgaria panamintina. Catalogue of American Amphibians and Reptiles 629:1–4.
- Banta, B.H. and Morafka, D.J. 1968. An annotated checklist of the recent amphibians and reptiles of the Pinnacles National Monument and Bear Valley, San Benito and Monterey counties, California, with some ecological observations. The Wasmann Journal of Biology 26:161–183.
- Barrows, C.W. 2006. Population dynamics of a threatened sand dune lizard. The Southwestern Naturalist 51:514–523.
- Barrows, C.W. 2012. Temporal patterns of abundance of arthropods on sand dunes. The Southwestern Naturalist 57:262–266.
- Barrows, C.W. and Allen, M.F. 2007. Persistence and local extinctions of endangered lizard *Uma*

- *inornata* on isolated habitat patches. Endangered Species Research 3:61–68.
- Barrows, C.W. and Allen, M.F. 2009. Conserving species in fragmented habitats: population dynamics of the flat-tailed horned lizard, *Phrynosoma mcallii*. The Southwestern Naturalist 54:307–316.
- Barrows, C.W. and Allen, M.F. 2010. Patterns of occurrence of reptiles across a sand dune landscape. Journal of Arid Environments 74:186–192.
- Barrows, C.W., Allen, E.B., Brooks, M.L., and Allen, M.F. 2009. Effects of an invasive plant on a desert sand dune landscape. Biological Invasions 11:673–686.
- Barrows, C.W. Allen, M.F., and Rotenberry, J.T. 2006. Boundary processes between a desert sand dune community and an encroaching suburban landscape. Biological Conservation 131:486–494.
- Barrows, C.W., Preston, K., Rotenberry, J.T., and Allen, M. 2008. Using occurrence records to model historic distributions and estimate habitat losses for two psammophilic lizards. Biological Conservation 141:1885–1893.
- Barrows, C.W., Rotenberry, J.T., and Allen, M.F. 2010. Assessing sensitivity to climate change and drought variability of a sand dune endemic lizard. Biological Conservation 143:731–736.
- Barry, S.J. and Fellers, G.M. 2013. History and status of the California red-legged frog (*Rana draytonii*) in the Sierra Nevada, California, USA. Herpetological Conservation and Biology 8:456–502.
- Barry, S.J. and Jennings, M.R. 1998. Eutaenia sirtalis tetrataenia Cope in Yarrow, 1875 and Coluber infernalis Blainville, 1835 (Currently Thamnophis s. tetrataenia and T. s. infernalis): proposed conservation of usage of the subspecific names by the designation of a neotype for T. s. infernalis (Case 3012). Bulletin of Zoological Nomenclature 55:224–228.
- Beauchamp, B., Wone, B., Bros, S., and Kutilek, M. 1998. Habitat use of the flat-tailed horned lizard (*Phrynosoma mcallii*) in a disturbed environment. Journal of Herpetology 32:210–216.
- Beck, D.D. 1985. The Natural History, Distribution and Present Status of the Gila Monster in Utah. Utah Division of Wildlife Resources, Nongame Section, Salt Lake City.
- Beck, D.D. 1990. Ecology and behavior of the Gila monster in southwestern Utah. Journal of Herpetology 24:54–68.
- Beck, D.D. 2005. Biology of Gila Monsters and Beaded Lizards. University of California Press, Berkeley.

- Becker, D. and Henderson, B. 2010. Notes on Owens River *Rana pipiens* Habitat Assessment. Unpublished Report prepared on April 21.
- Belden, L.K., Moore, I.T., Mason, R.T., Wingfield, J.C., and Blaustein, A.R. 2003. Survival, the hormonal stress response and UV-B avoidance in cascades frog tadpoles (*Rana cascadae*) exposed to UV-B radiation. Functional Ecology 17:409–416.
- Bell, J.L., Sloan, L.C., and Snyder, M.A. 2004. Regional changes in extreme climatic events: a future climate scenario. Journal of Climate 17:81–87.
- Bell, M.A. and Haglund, T.R. 1978. Selective predation of threespine sticklebacks (*Gasterosteus aculeatus*) by garter snakes. Evolution 32:304–319.
- Bellemin, J.M. and Stewart, G.R. 1977. Diagnostic characters and color convergence of the garter snakes *Thamnophis elegans terrestris* and *Thamnophis couchii atratus* along the central California coast. Bulletin of the Southern California Academy of Sciences 76:73–84.
- Berger, L., Speare, R., Daszak, P., Green, D.E., Cunningham, A.A., Goggin, C.L., Slocombe, R. et al. 1998. Chytridiomycosis causes amphibian mortality associated with population declines in the rain forests of Australia and Central America. Proceedings of the National Academy of Sciences of the United States of America 95:9031–9036.
- Bezy, R.L. 1967. A new night lizard (*Xantusia vigilis sierrae*) from the southern Sierra Nevada in California. Journal of the Arizona Academy of Science 4:163–167.
- Bezy, R.L. 2009. *Xantusia sierra*, in Jones, L. and Lovich, R. (Eds): Lizards of the American Southwest: A Photographic Field Guide, Rio Nuevo Publishing, Tucson, AZ, pp.432–435.
- Bezy, R.L., Gorman, G.C., Kim, Y.J., and Wright, J.W. 1977. Chromosomal and genetic divergence in the fossorial lizards of the family Anniellidae. Systematic Zoology 26:57–71.
- Bezy, R.L. and Sites, J.W. 1987. A preliminary study of allozyme evolution in the lizard family Xantusiidae. Herpetologica 43:280–292.
- Bezy, R.L. and Wright, J. 1971. Karyotypic variation and relationships of the California legless lizard, *Anniella pulchra* Gray (Reptilia: Anniellidae). Herpetological Review 3:71–72.
- Bicket, J.C. 1982. Geographic distribution: Heloderma suspectum cinctum. Herpetological Review 13:131.
- Bickham, J.W., Lamb, T., Minx, P., and Patton, J.C. 1996. Molecular systematics of the genus *Clemmys* and the intergeneric relationships of emydid turtles. Herpetologica 52:89–97.

- Biek, R., Mills, L., and Bury, R. 2002. Terrestrial and stream amphibians across clearcut-forest interfaces in the Siskiyou Mountains, Oregon. Northwest Science 76:129–140.
- Blanchard, F.N. 1924. A new snake of the genus *Arizona*. Occasional Papers of the Museum of Zoology 150:1–5.
- Blanchard, F.N. 1942. The ring-neck snakes, genus *Diadophis*. Bulletin of the Chicago Academy Sciences 7:1–144.
- Blaustein, A.R. and O'Hara, R.K. 1987. Aggregation behaviour in *Rana cascadae* tadpoles: association preferences among wild aggregations and responses to non-kin. Animal Behaviour 35:1549–1555.
- Blaustein, A.R., Romansic, J.M., Scheessele, E.A., Han, B.A., Pessier, A.P., and Longcore, J.E. 2005. Interspecific variation in susceptibility of frog tadpoles to the pathogenic fungus *Batra-chochytrium dendrobatidis*. Conservation Biology 19:1460–1468.
- Blouin, M.S., Phillipsen, I.C., and Monsen, K.J. 2010. Population structure and conservation genetics of the Oregon spotted frog, *Rana pretiosa*. Conservation Genetics 11:2179–2194.
- Bobzien, S. and DiDonato, J. 2007. The status of California tiger salamander (*Ambystoma californiense*), California red-legged frog (*Rana draytonii*), foothill yellow-legged frog (*Rana boylii*), and other aquatic herpetofauna in the East Bay Regional Park District, California. Report available from EBRP, Oakland, CA.
- Bogert, C.M. 1930. An annotated list of the amphibians and reptiles of Los Angeles County, California. Bulletin of the Southern California Academy of Sciences 29:3–14.
- Bogert, C.M. 1935. *Salvadora grahamiae virgultea*, a new subspecies of the patch-nosed snake.

 Bulletin of the Southern California Academy of Sciences 34:88–94.
- Bogert, C.M. 1939. A study of the genus *Salvadora*, the patch nosed-snakes. Publication in Biological Sciences, University of California at Los Angeles 1:177–236.
- Bogert, C.M. 1945. Two additional races of the patch-nosed snake, *Salvadora hexalepis*. American Museum Novitates 1285:1–14.
- Bogert, C.M. and Martín del Campo, R. 1956. The Gila monster and its allies: the relationships, habits, and behavior of the lizards of the family Helodermatidae. Bulletin of the American Museum of Natural History 109:1–238.
- Bolster, B.C. (Ed.). 1998. Terrestrial Mammal Species of Special Concern in California. Draft Final Report prepared by P.V. Brylski, P.W.

- Collins, E.D. Pierson, W.E. Rainey and T.E. Kucera. Report submitted to California Department of Fish and Game Wildlife Management Division, Nongame Bird and Mammal Conservation Program for Contract No. FG3146WM.
- Bolster, B.C. 2010. A status review of the California tiger salamander (*Ambystoma californiense*). California Department of Fish and Game, Nongame Wildlife Program Report 2010-4. 99pp.
- Bolster, B.C., King, T., and Robbins, M. 2000.
 Distribution of Mojave and Colorado Desert fringe-toed lizards, *Uma scoparia* and *Uma notata notata*. California Department of Fish and Game, Habitat Conservation Division, Sacramento.
- Bonham, C. and Lockhart, M. 2011. A Status Review of the Mountain Yellow-Legged Frog. Report to the Fish and Game Commission, California Department of Fish and Game, Sacramento.
- Bonney, R., Cooper, C.B., Dickinson, J., Kelling, S., Phillips, T., Rosenberg, K.V., and Shirk, J. 2009. Citizen science: a developing tool for expanding science knowledge and scientific literacy. BioScience 59:977–984.
- Boorse, G.C. and Denver, R.J. 2003. Endocrine mechanisms underlying plasticity in metamorphic timing in spadefoot toads. Integrative and Comparative Biology 43:646–657.
- Bostic, D.L. 1971. Herpetofauna of the Pacific Coast of north central Baja California, Mexico, with a description of a new subspecies of *Phyllodactylus xanti*. Transactions of the San Diego Society of Natural History 16:237–263.
- Boundy, J. 1990. Biogeography and Variation in Southern Populations of the Garter Snake *Thamnophis atratus*, with a Synopsis of the *T. couchii* Complex. Master's Thesis. California State University, San Jose.
- Boundy, J. and Balgooyen, T.G. 1988. Record lengths for some amphibians and reptiles from the western United States. Herpetological Review 19:26–27.
- Boundy, J. and Rossman, D.A. 1995. Allocation and status of the garter snake names *Coluber infernalis* Blainville, *Eutaenia sirtalis tetrataenia* Cope and *Eutaenia imperialis* Coues and Yarrow. Copeia 1995:236–240.
- Bourque, R.M. 2008. Spatial Ecology of an Inland Population of the Foothill Yellow-Legged Frog (*Rana boylii*) in Tehama County, California. Master's Thesis. Humboldt State University, Arcata, CA.
- Bowerman, J. and Pearl, C.A. 2010. Ability of Oregon spotted frog (*Rana pretiosa*) embryos

- from central Oregon to tolerate low temperatures. Northwestern Naturalist 91:198–202.
- Bradford, D.F., Gordon, M.S., Johnson, D.F., Andrews, R.D., and Jennings, W.B. 1994. Acidic deposition as an unlikely cause for amphibian population declines in the Sierra Nevada, California. Biological Conservation 69:155–161.
- Bradford, D.F., Jaeger, J.R., and Jennings, R.D. 2004. Population status and distribution of a decimated amphibian, the relict leopard frog (*Rana onca*). The Southwestern Naturalist 49:218–228.
- Bradford, D.F., Swanson, C., and Gordon, M.S. 1992. Effects of low pH and aluminum on two declining species of amphibians in the Sierra Nevada, California. Journal of Herpetology 26:369–377.
- Bradley, G.A., Rosen, P.C., Sredl, M.J., Jones, T.R., and Longcore, J.E. 2002. Chytridiomycosis in native Arizona frogs. Journal of Wildlife Diseases 38:206–212.
- Bradley, W.G. and Deacon, J.E. 1966. Distribution of the Gila monster in the northern Mojave Desert. Copeia 1966:365–366.
- Brame, A.H., Jr. 1956. The number of eggs laid by the California newt, *Taricha torosa*. Herpetologica 12:325.
- Brame, A.H., Jr. 1968. The number of egg masses and eggs laid by the California newt, *Taricha torosa*. Journal of Herpetology 2:169–170.
- Brame, A.H. and Murray, K.F. 1968. Three new slender salamanders (*Batrachoseps*) with a discussion of relationships and speciation within the genus. Bulletin of the Natural History Museum of Los Angeles County 4:1–35.
- Brattstrom, B.H. 1951. The number of young of *Xantusia*. Herpetologica 7:143–144.
- Brattstrom, B.H. 1952. The food of the nightlizards, genus *Xantusia*. Copeia 1952:168–172.
- Brattstrom, B.H. 1963. A preliminary review of the thermal requirements of amphibians. Ecology 44:238–255.
- Brattstrom, B.H. 1965. Body temperatures of reptiles. The American Midland Naturalist 73:376–422.
- Brattstrom, B.H. 1988. Habitat destruction in California with special reference to *Clemmys marmorata*: a perspective, in De Lisle, H.F., Brown, P.R., Kaufman, B., and McGurty, B.M. (Eds): *Proceedings of the Conference on California Herpetology*. Special Publication no. 4. Southwestern Herpetologists Society, Van Nuys, CA, pp.13–24.
- Brattstrom, B.H. 1997. Status of the subspecies of the coast horned lizard, *Phrynosoma coronatum*. Journal of Herpetology 31:434–436.

- Brattstrom, B.H. and Bondello, M.C. 1979. The effect of ORV sounds on the emergence of Couch's spadefoot toad, *Scaphiopus couchii*. Bureau of Land Management, Riverside, CA.
- Brattstrom, B.H. and Bondello, M.C. 1983. Effects of off-road vehicle noise on desert vertebrates, in Webb, R.H. and Wilshire, H.G. (Eds): Environmental Effects of Off-Road Vehicles: Impacts and Management in Arid Regions, Springer-Verlag, New York, pp.167–206.
- Brattstrom, B.H. and Warren, J.W. 1953. A new subspecies of racer, *Masticophis flagellum*, from the San Joaquin Valley of California. Herpetologica 9:177–179.
- Brehme, C.S. 2003. Responses of Small Terrestrial Vertebrates to Roads in a Coastal Sage Scrub Ecosystem. Master's Thesis. San Diego State University. San Diego, CA.
- Briggs, C.J., Knapp, R.A., and Vredenburg, V.T. 2010. Enzootic and epizootic dynamics of the chytrid fungal pathogen of amphibians. Proceedings of the National Academy of Sciences 107:9695–9700.
- Briggs, L.J. 1987. Breeding biology of the cascade frog, *Rana cascadae*, with comparisons to *R. aurora* and *R. pretiosa*. Copeia 1987:241–245.
- Brode, J.M. 1967. Occurrence of *Ambystoma* macrodactylum in the Warner Mountains of northeastern California. Herpetologica 23:315–316.
- Brown, D.E. and Carmony, N.B. 1991. Gila Monster: Facts and Folklore of America's Aztec lizard, High Lonesome Books, Silver City, NM, 130pp.
- Brown, H.A. 1967. Embryonic temperature adaptations and genetic compatibility of two allopatric populations of the spadefoot toad, *Scaphiopus hammondii*. Evolution 21:742–761.
- Brown, H.A. 1969. The heat resistance of some anuran tadpoles (Hylidae and Pelobatidae). Copeia 1969:138–147.
- Brown, H.A. 1975a. Temperature and development of the tailed frog *Ascaphus truei*. Comparative Biochemistry and Physiology A. 50:397–406.
- Brown, H.A. 1975b. Reproduction and development of the red-legged frog, *Rana aurora*, in northwestern Washington. Northwest Science 49:241–252.
- Brown, H.A. 1976. The status of California and Arizona populations of the western spadefoot toads (genus *Scaphiopus*). Natural History Museum of Los Angeles County Contributions in Science 286:1–15.
- Brown, H.A. 1977. Oxygen-consumption of a large, cold-adapted frog egg (*Ascaphus truei* (Amphibia-Ascaphidae). Canadian Journal of Zoology 55:343–348.

- Brown, H.A. 1990. Morphological variation and age-class determination in overwintering tadpoles of the tailed frog *Ascaphus truei*. Journal of Zoology 220:171–184.
- Brown, T.K., Lemm, J.M., Montagne, J., Tracey, J.A., and Alberts, A.C. 2008. Spatial ecology, habitat use, and survivorship of resident and translocated red diamond rattlesnakes (*Crotalus ruber*), in Hayes, W.K., Beaman, K.R., Cardwell, M.D., and Bush, S.P. (Eds): The Biology of Rattlesnakes Symposium, Loma Linda University Press, Loma Linda, CA.
- Brown, T.W. 1980. Present status of the garter snake on Santa Catalina Island, in Power, D.M. (Ed.): The California Islands: Proceedings of a Multidisciplinary Symposium, Santa Barbara Museum of Natural History, Santa Barbara, CA, pp.585–595.
- Bryant, H.C. 1911. The horned lizards of California and Nevada of the genera *Phrynosoma* and *Anota*. University of California Publications in Zoology 9:1–84.
- Bryant, H.C. 1917. The leopard frog in California. California Fish and Game 3:91.
- Buck, J.C., Truong, L., and Blaustein, A.R. 2011.

 Predation by zooplankton on Batrachochytrium dendrobatidis: biological control of the deadly amphibian chytrid fungus? Biodiversity and Conservation 20:3549–3553.
- Bulger, J.B., Scott, N.J., and Seymour, R.B. 2003. Terrestrial activity and conservation of adult California red-legged frogs *Rana aurora draytonii* in coastal forests and grasslands. Biological Conservation 110:85–95.
- Bull, E.L. and Carter, B.E. 1996. Tailed Frogs: Distribution, Ecology, and Association with Timber Harvest in Northeastern Oregon. USDA Forest Service Research Paper PNW-RP-4971–11.
- Bunck, C.M., Burns, K.L., Green, D.E., Knickelbein, B.A., Schneider, J.E., Smith, D.J., and Wright, S.D. 2009. National Wildlife Health Center: Health & Disease Surveys of Declining Amphibian Populations at Regional ARMI Monitoring Sites. Unpublished Report.
- Bunn, D., Mummert, A., Hoshovsky, M., Gilardi, K., and Shanks, S. 2007. California Wildlife: Conservation Challenges; California's Wildlife Action Plan, Sacramento, CA.
- Burgess, R.C., Jr. 1950. Development of spade-foot toad larvae under laboratory conditions. Copeia 1950:49–51.
- Burke, R.L., Leuteritz, T.E., and Wolf, A.J. 1996. Phylogenetic relationships of emydine turtles. Herpetologica 52:572–584.

- Burkholder, L.L. and Diller, L.V. 2007. Life history of postmetamorphic coastal tailed frogs (*Ascaphus truei*) in northwestern California. Journal of Herpetology 41:251–262.
- Burrage, B.R. 1965. Notes on the eggs and young of the lizards *Gerrhonotus multicarinatus webbi* and *G. m. nanus*. Copeia 1965:512.
- Burt, C.E. 1931. An interpretation of certain experimental and observational data on the limbless lizard, *Anniella pulchra* Gray. Copeia 1931:105–106.
- Bury, R.B. 1968. The distribution of *Ascaphus truei* in California. Herpetologica 24:39–46.
- Bury, R.B. 1970a. A biogeographic analysis of the herpetofauna of Trinity County, California. Journal of Herpetology 4:165–178.
- Bury, R.B. 1970b. Food similarities in the tailed frog, *Ascaphus truei*, and the Olympic salamander, *Rhyacotriton olympicus*. Copeia 1970:170–171.
- Bury, R.B. 1972. Small mammals and other prey in diet of Pacific giant salamander (*Dicamptodon ensatus*). The American Midland Naturalist 87:524–526.
- Bury, R.B. 1986. Feeding ecology of the turtle, *Clemmys marmorata*. Journal of Herpetology 20:515–521.
- Bury, R.B. 2005. *Dicamptodon ensatus*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.653–654.
- Bury, R.B. 2008a. Do urban areas favor invasive turtles in the Pacific Northwest, in Mitchell, J.C., Brown, R.E.J., and Bartholomew, B. (Eds): Urban Herpetology, Society for the Study of Amphibians and Reptiles, Salt Lake City, UT, pp.343–345.
- Bury, R.B. 2008b. Low thermal tolerances of stream amphibians in the Pacific Northwest: implications for riparian and stream management.

 Applied Herpetology 5:63–74.
- Bury, R.B. and Adams, M.J. 1999. Variation in age at metamorphosis across a latitudinal gradient for the tailed frog, *Ascaphus truei*. Herpetologica 55:283–291.
- Bury, R.B. and Balgooyen, T. 1976. Temperature selectivity in legless lizard, *Anniella pulchra*. Copeia 1976:152–155.
- Bury, R.B. and Corn, P.S. 1988. Douglas-fir forests in the Oregon and Washington Cascades: relation of the herpetofauna to stand age and moisture, in Szaro, R.C., Severson, K.E., and Patton, D.R. (Eds): Management of Amphibians, Reptiles, and Small Mammals in North America. General Technical Report RM-166. United States Department of Agriculture Forest Service, Rocky

- Mountain Forest and Range Experiment Station, Fort Collins, CO, pp.11–22.
- Bury, R.B., Corn, P.S., Aubry, K.B., Gilbert, F.F., and Jones, L.L.C. 1991. Aquatic amphibian communities in Oregon and Washington, in Ruggiero, L.F., Aubry, K.B., Carey, A.B., and Huff, M.H. (Eds): Wildlife and Vegetation of Unmanaged Douglas-Fir Forests, United States Department of Agriculture, Forest Service, General Technical Report PNW-GTR-285, pp.353–362.
- Bury, R.B., Fellers, G.M., and Ruth, S.B. 1969. First records of *Plethodon dunni* in California, and new distributional data on *Ascaphus truei, Rhyacotriton olympicus*, and *Hydromantes shastae*. Journal of Herpetology 3:157–161.
- Bury, R.B. and Germano, D.J. 2008. *Actinemys marmorata* (Baird and Girard 1852) western pond turtle, Pacific pond turtle, in Rhodin, A.G.J., Pritchard, P.C.H., van Dijk, P.P., Samure, R.A., Buhlmann, K.A. and Iverson, J.B. (Eds): Conservation Biology of Freshwater Turtles and Tortoises, Chelonian Monograph No. 5. Chelonian Research Foundation, Lunenberg, MA, pp.I.I—I.9.
- Bury, R.B. and Martin, M. 1967. The food of the salamander *Rhyacotriton olympicus*. Copeia 1967:487.
- Bury, R.B., Welsh, H.H., Jr., Germano, D.J., Ashton, D.T. (Eds). 2012. Western Pond Turtle- Biology, Sampling Techniques, Inventory and Monitoring, Conservation, and Management: Northwest Fauna No. 7, The Society for Northwestern Vertebrate Biology, Olympia, WA, 128pp.
- Calef, G.W. 1973. Natural mortality of tadpoles in a population of *Rana Aurora*. Ecology 54:741–758.
- California Climate Action Team. 2006. Climate Action Team Report to Governor Schwarzenegger and the Legislature. California Environmental Protection Agency, Sacramento.
- Caltrans. 2012. Highway Crossings for Herptiles (Reptiles and Amphibians). Preliminary Investigation requested by Margaret Gabil, Caltrans District 4, Division of Environmental Planning & Engineering.
- Camp, C.L. 1915. Batrachoseps major and Bufo cognatus californicus, new amphibia from southern California. University of California Publications in Zoology 12:327–334.
- Camp, C.L. 1916a. Description of *Bufo canorus*, a new toad from the Yosemite National Park. University of California Publications in Zoology 17:59–62.
- Camp, C.L. 1916b. Notes on the local distribution and habits of the amphibians and reptiles of

- southeastern California in the vicinity of the Turtle Mountains. University of California Publications in Zoology 12:503–544.
- Camp, C.L. 1917. Notes on the systematic status of the toads and frogs of California. University of California Publications in Zoology 17:115–125.
- Carothers, J.H. 1986. An experimental confirmation of morphological adaptation: toe fringes in the sand-dwelling lizard *Uma scoparia*. Evolution 40:871–874.
- Carpenter, C.C. 1963. Patterns of behavior in three forms of the fringe-toed lizards (*Uma*-Iguanidae). Copeia 1963:406–412.
- Carroll, S., Ervin, E., and Fisher, R. 2005. Natural history notes: *Taricha torosa torosa*. Overwintering larvae. Herpetological Review 36:297.
- Cary, J.A. 2010. Determining Habitat Characteristics That Predict Oviposition Site Selection for Pond-Breeding Northern Red-Legged Frogs (*Rana aurora*) in Humboldt County, California. Humboldt State University, Arcata, CA.
- Cary, W. 1889. Biennial report of the fish commissioner of the state of Nevada. Appendix to the Journals of the Senate and Assembly 14th session, pp.3–7.
- Case, S.M. 1978. Biochemical systematics of members of the genus *Rana* native to western North America. Systematic Zoology 27:299–311.
- Case, T.J. and Fisher, R.N. 2001. Measuring and predicting species presence: coastal sage scrub case study, in Hunsaker, C.T., Goodchild, M.F., Friedl, M.A., and Case, T.J. (Eds): Spatial Uncertainty in Ecology: Implications for Remote Sensing and GIS Applications, Springer, New York, pp.47–71.
- Catenazzi, A. and Kupferberg, S.J. 2013. The importance of thermal conditions to recruitment success in stream-breeding frog populations distributed across a productivity gradient.

 Biological Conservation 168:40–48.
- Cayan, D.R., Luers, A., Franco, G., Hanemann, M., Croes, B., and Vine, E. 2008a. Overview of the California climate change scenarios project. Climatic Change 87:1–6.
- Cayan, D.R., Luers, A., Hanemann, M., Franco, G., and Croes, B. 2006. Possible Scenarios of Climate Change in California: Summary and Recommendations. White paper from California Climate Change Center.
- Cayan, D.R., Maurer, E.P., Dettinger, M.D., Tyree, M. and Hayhoe, K. 2008b. Climate change scenarios for the California region. Climatic Change 87 (Suppl. 1):S21–S42.
- CBD (Center for Biological Diversity). 2006. Petition to list the Amargosa River distinct

- population segment of the Mojave fringe-toed Lizard (*Uma scoparia*) as threatened or endangered under the U.S. Endangered Species Act.
- CDFG (California Department of Fish and Game). 2008. California Aquatic Invasive Species Management Plan, CDFW, Sacramento, CA.
- CDFW. 2013. Report: A Look Back at CDFW in 2012. CDFG, Sacramento, CA.
- Chan, L.M. and Zamudio, K.R. 2009. Population differentiation of temperate amphibians in unpredictable environments. Molecular Ecology 18:3185–3200.
- Chan-McLeod, A.C.A. 2003. Factors affecting the permeability of clearcuts to red-legged frogs. The Journal of Wildlife Management 67:663–671.
- Chan-McLeod, A.C.A. and Moy, A. 2007. Evaluating residual tree patches as stepping stones and short-term refugia for red-legged frogs Journal of Wildlife Management. 71:1836–1844.
- Chan-McLeod, A.C.A. and Wheeldon, B. 2004. Natural history notes: *Rana aurora*. Habitat and movement. Herpetological Review 35:375.
- Chang, A.T. and Shaffer, H.B. 2010. Population Genetics and Phylogenetics of *Rana cascadae* in the Lassen and Klamath Region. Unpublished Report to the United States Forest Service.
- Chelgren, N.D., Pearl, C.A., Adams, M.J., and Bowerman, J. 2008. Demography and movement in a relocated population of Oregon spotted frogs (*Rana pretiosa*): influence of season and gender. Copeia 2008:742–751.
- Chelgren, N.D., Rosenberg, D., Heppell, S., and Gitelman, A. (2006) Carryover aquatic effects on survival of metamorphic frogs during pond emigration. Ecological Applications 16:250–261.
- Chen, X., Barrows, C.W., and Li, B. 2006. Is the Coachella Valley fringe-toed lizard (*Uma inornata*) on the edge of extinction a Thousand Palms Preserve in California? The Southwestern Naturalist 51:28–34.
- Christin, M., Gendron, A.D., Brousseau, P., Ménard, L., Marcogliese, D.J., Cyr, D., Ruby, S., and Fournier, M. 2003. Effects of agricultural pesticides on the immune system of *Rana pipiens* and on its resistance to parasitic infection. Environmental Toxicology and Chemistry 22:II27–II33.
- Clark, R.W., Brown, W.S., Stechert, R., and Zamudio, K.R. 2010. Roads, interrupted dispersal, and genetic diversity in timber rattlesnakes. Conservation Biology 24:1059–1069.
- Clarke, R.F. 1958. An ecological study of reptiles and amphibians in Osage County, Kansas. Emporia State Research Studies 7:1–52.

- Clarkson, R.W. and Rorabaugh, J.C. 1989. Status of leopard frogs (*Rana pipiens* complex: Ranidae) in Arizona and southeastern California. The Southwestern Naturalist 34:531–538.
- Claussen, D.L. 1973. The thermal relations of the tailed frog *Ascaphus truei* and the Pacific tree frog *Hyla regilla*. Comparative Biochemistry and Physiology A 44:137–153.
- Cliff, F.S. 1954. Snakes of the islands in the Gulf of California, Mexico. Transactions of the San Diego Society of Natural History 12:67–98.
- Coe, W.R. and Kunkel, B.W. 1906. Studies on the California limbless lizard, *Anniella*. Transactions of the Connecticut Academy of Arts and Sciences. 12:349–403.
- Cole, C.J. 1962. Notes on the distribution and food habits of *Bufo alvarius* at the eastern edge of its range. Herpetologica. 18:172–175.
- Coleman, J.L., Ford, N.B., and Herriman, K. 2008. A road survey of amphibians and reptiles in a bottomland hardwood forest. Southeastern Naturalist. 7:339–348.
- Collins, J.P. and Lewis, M.A. 1979. Overwintering tadpoles and breeding season variation in the *Rana pipiens* complex in Arizona. The Southwestern Naturalist 24:371–373.
- Collins, J.T. and Taggart, T.W. 2009. Standard Common and Current Scientific Names for North American Amphibians, Turtles, Reptiles and Crocodilians. Center for North American Herpetology, Lawrence, KS.
- Comrack, L., Bolster, B., Gustafson, J., Steele, D., and Burket, E. 2008. Species of special concern: a brief description of an important California Department of Fish and Game designation. California Department of Fish and Game, Wildlife Branch, Nongame Wildlife Program, Sacramento.
- Cooper, D.S. and Mathewson, P. 2008. Griffith Park Wildlife Management Plan. Report from Cooper Ecological Monitoring, Inc., Los Angeles, CA.
- Cooper, J.G. 1869. The naturalist in California. The American Naturalist 3:470–481.
- Cooper, J.G. 1870. The fauna of California and its geographical distribution. Proceedings of the California Academy of Sciences 1:118–123.
- Cope, E.D. 1869. Diagnosis of *Heloderma suspectum*. Proceedings of the Academy of Natural Sciences of Philadelphia 21:4–5.
- Cope, E.D. 1883. Notes on the geographical distribution of Batrachia and Reptilia in western North America. Proceedings of the Academy of Natural Sciences of Philadelphia 35:10–35.
- Cope, E.D. 1892. A critical review of the characters and variations of the snakes of North America.

- Proceedings of the United States National Museum 14:589–694.
- Cope, E.D. 1894. On the iguanian genus *Uma* Baird. The American Naturalist 28:434–435.
- Cope, E.D. 1895a. On some new North American snakes. The American Naturalist 29:676–680.
- Cope, E.D. 1895b. On the species of *Uma* and *Xantusia*. The American Naturalist 29:938–939.
- Corn, P.S. and Bury, R. 1989. Logging in western Oregon: responses of headwater habitats and stream amphibians. Forest Ecology and Management 29:39–57.
- Corn, P.S. and Fogleman, J.C. 1984. Extinction of montane populations of the northern leopard frog (*Rana pipiens*) in Colorado. Journal of Herpetology 18:147–152.
- Corn, P.S. and Livo, L.J. 1989. Leopard frog and wood frog reproduction in Colorado and Wyoming. Northwestern Naturalist 70:1–9.
- Cowles, R.B. and Bogert, C.M. 1944. A preliminary study of the thermal requirements of desert lizards. Bulletin American Museum Natural History 83:265–296.
- Crayon, J.J. 1988. Natural history notes: *Rana catesbiana*. Diet. Herpetological Review 29:232.
- Crother, B.I. 2009. Are standard names lists taxonomic straightjackets? Herpetologica 65:129–135.
- Cunningham, J.D. 1955. Arboreal habits of certain reptiles and amphibians in southern California. Herpetologica 11:217–220.
- Cunningham, J.D. 1956. Food habits of the San Diego alligator lizard. Herpetologica 12:225–230.
- Cunningham, J.D. 1959a. Notes on *Anniella*. Herpetologica 15:19–20.
- Cunningham, J.D. 1959b. Reproduction and food of some California snakes. Herpetologica 15:17–19.
- Cunningham, J.D. 1962. Observations on the natural history of the California toad, *Bufo californicus* Camp. Herpetologica 17:255–260.
- Cunningham, J.D. 1963. Additional observations on the ecology of the Yosemite toad, *Bufo canorus*. Herpetologica 19:56–61.
- Cunningham, J.D. 1966. Additional observations on the body temperatures of reptiles. Herpetologica 22:184–189.
- Cushman, K.A. and Pearl, C.A. 2007. A Conservation Assessment for the Oregon Spotted Frog (*Rana pretiosa*). Unpublished Report to USDA Forest Service Region 6. 46pp.
- Dalrymple, G.H., Steiner, T.M., Nodell, R.J., and Bernardino, F.S., Jr. 1991. Seasonal activity of the snakes of Long Pine Key, Everglades National Park. Copeia 1991:294–302.

- D'Amore, A., Hemingway, V., and Wasson, K. 2010. Do a threatened native amphibian and its invasive congener differ in response to human alteration of the landscape? Biological Invasions 12:145–154.
- D'Amore, A., Kirby, E., and McNicholas, M. 2009. Invasive species shifts ontogenetic resource partitioning and microhabitat use of a threatened native amphibian. Aquatic Conservation: Marine and Freshwater Ecosystems 19:534–541.
- Davidson, C. 2004. Declining downwind: amphibian population declines in California and historical pesticide use. Ecological Applications 14:1892–1902.
- Davidson, C. 2010. Natural history notes: *Rana draytonii*. Prey. Herpetological Review 41:66.
- Davidson, C., Benard, M., Shaffer, H., Parker, J., O'Leary, C., Conlon, J., and Rollins-Smith, L. 2007. Effects of chytrid and carbaryl exposure on survival, growth and skin peptide defenses in foothill yellow-legged frogs. Environmental Science and Technology 41:1771–1776.
- Davidson, C. and Fellers, G.M. 2005. *Bufo canorus*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.400–401.
- Davidson, C., Shaffer, H.B., and Jennings, M.R. 2002. Spatial tests of the pesticide drift, habitat destruction, UV-B, and climate change hypotheses for California amphibian declines. Conservation Biology 16:1588–1601.
- Davidson, C., Stanley, K., and Simonich, S.M. 2012. Contaminant residues and declines of the Cascades frog (*Rana cascadae*) in the California Cascades, USA. Environmental Toxicology and Chemistry 31:1895–1902.
- Davis, M.A. and Heathcote, J. 2007. The price and quantity of residential land in the United States. Journal of Monetary Economics 54:2595–2620.
- De Lisle, H.F. 1979. Gila monster (*Heloderma suspectum*) found in California. Herpetology (Southwestern Herpetologists Society) 10:5–7.
- De Lisle, H.F. 1983. Banner year for California Gilas. Herpetology (Southwestern Herpetologists Society) 13:11.
- De Lisle, H., Canton, G., Feldner, J., O'Connor, P., Peterson, M., and Brown, P. 1986. The distribution and present status of the herpetofauna of the Santa Monica Mountains of Los Angeles and Ventura counties, California. Special Publication No. 2. Southwestern Herpetologists Society, Van Nuys, CA.
- de Queiroz, K. and Reeder, T.W. 2008. Squamata: Lizards. in Crother, B.I. (Ed.): Scientific and

- Standard English Names of Amphibians and Reptiles of North America North of Mexico, with Comments Regarding Confidence in Our Understanding, Society for the Study of Amphibians and Reptiles Herpetological Circular, Salt Lake City, UT, pp.24–45.
- De Vlaming, V.L. and Bury, R.B. 1970. Thermal selection in tadpoles of the tailed frog *Ascaphus truei*. Journal of Herpetology 4:179–189.
- Degenhardt, W.G., Painter, C.W., and Price, A.H. 1996. Amphibians and reptiles of New Mexico. University of New Mexico Press, Alburquerque, NM.
- Dejean, T., Valentini, A., Duparc, A., Pellier-Cuit, S., Pompanon, F., Taberlet, P., and Miaud, C. 2011. Persistence of environmental DNA in freshwater ecosystems. PLOS ONE 6:e23398.
- Denver, R.J. 1997a. Environmental stress as a developmental cue: corticotropin-releasing hormone is a proximate mediator of adaptive phenotypic plasticity in amphibian metamorphosis. Hormones and Behavior 31:169–179.
- Denver, R.J. 1997b. Proximate mechanisms of phenotypic plasticity in amphibian metamorphosis. Integrative and Comparative Biology 37:172.
- Denver, R.J., Mirhadi, N., and Phillips, M. 1998.
 Adaptive plasticity in amphibian metamorphosis: response of *Scaphiopus hammondii* tadpoles to habitat desiccation. Ecology 79:1859–1872.
- Dethlefsen, E.S. 1948. A subterranean nest of the Pacific giant salamander, *Dicamptodon ensatus* (Eschscholtz). The Wasmann Collector 7:81–84.
- Dever, J.A. 2007. Fine-scale genetic structure in the threatened foothill yellow-legged frog (*Rana boylii*). Journal of Herpetology 41:168–173.
- Dickinson, J.L., Zuckerberg, B., and Bonter, D.N. 2010. Citizen science as an ecological research tool: challenges and benefits. Annual Review of Ecology, Evolution, and Systematics 41:149–172.
- Dickman, M. 1968. The effect of grazing by tadpoles on the structure of a periphyton community. Ecology 49:1188–1190.
- Dill, W.A. 1944. The fishery of the lower Colorado River. California Fish and Game. 30:109–211.
- Diller, L.V. and Wallace, R.L. 1996. Distribution and habitat of *Rhyacotriton variegatus* in managed, young growth forests in north coastal California. Journal of Herpetology 30:184–191.
- Diller, L.V. and Wallace, R.L. 1999. Distribution and habitat of *Ascaphus truei* in streams on managed, young growth forests in north coastal California. Journal of Herpetology 33:71–79.
- Dimmitt, M.A. and Ruibal, R. 1980a. Environmental correlates of emergence in spadefoot toads (*Scaphiopus*). Journal of Herpetology 14:21–29.

- Dimmitt, M.A. and Ruibal, R. 1980b. Exploitation of food resources by spadefoot toads (*Scaphiopus*). Copeia 1980:854–862.
- Dixon, J.D. 1975. Geographic distribution: *Gerrhonotus panamintinus*. Herpetological Review 6:45.
- Dixon, J.R. 1967. Amphibians and Reptiles of Los Angeles County. Los Angeles Museum of Natural History, Los Angeles, CA.
- Dole, J.W. 1967. The role of substrate moisture and dew in the water economy of leopard frogs, *Rana pipiens*. Copeia 1967:141–149.
- Dole, J.W. 1971. Dispersal of recently metamorphosed leopard frogs, *Rana pipiens*. Copeia 1971:221–228.
- Doubledee, R.A., Mueller, E.B., and Nisbet, R.M. 2003. Bullfrogs, disturbance regimes, and the persistence of California red-legged frogs. Journal of Wildlife Management 67:424–438.
- Douglas, M., Douglas, M., Schuett, G., Beck, D., and Sullivan, B. 2010. Conservation phylogenetics of helodermatid lizards using multiple molecular markers and a supertree approach. Molecular Phylogenetics and Evolution 55:153–167.
- Drennan, J.E., Jackman, R.E., Marlow, D.R., and Wiseman, K.D. 2006. Identifying climatic and water flow triggers associated with breeding activities of a foothill yellow-legged frog (*Rana boylii*) population on the North Fork Feather River, California. Garcia and Associates, San Francisco, CA.
- Drost, C.A. and Fellers, G.M. 1996. Collapse of a regional frog fauna in the Yosemite area of the California Sierra Nevada, U.S.A. Conservation Biology 10:414–425.
- Dugan, E.A., Figueroa, A., and Hayes, W.K. 2008. Home range size, movements, and mating phenology of sympatric red diamond (*Crotalus ruber*) and southern Pacific (*C. oreganus helleri*) rattlesnakes in southern California, in Hayes, W.K., Beaman, K.R., Cardwell, M.D., and Bush, S.P. (Eds): The Biology of Rattlesnakes Symposium, Loma Linda University Press, Loma Linda, CA, pp.353–364.
- Dugan, E.A. and Hayes, W.K. 2012. Diet and feeding ecology of the red diamond rattlesnake, *Crotalus ruber* (Serpentes: Viperidae). Herpetologica 2:203–217.
- Dumas, P.C. 1966. Studies of the *Rana* species complex in the Pacific northwest. Copeia 1966:60–74.
- Dundee, H.A. and Miller, M.C. 1968. Aggregative behavior and habitat conditioning by the prairie ringneck snake, *Diadophis punctatus arnyi*. Tulane Studies in Zoology and Botany 15:41–58.

- Dunlap, D.G. 1955. Inter- and intraspecific variation in Oregon frogs of the genus *Rana*. The American Midland Naturalist 54:314–331.
- Dupuis, L. and Steventon, D. 1999. Riparian management and the tailed frog in northern coastal forests. Forest Ecology and Management 124:35–43.
- Dupuis, L.A., Bunnell, F.L., and Friele, P.A. 2000. Determinants of the tailed frog's range in British Columbia, Canada. Northwest Science 74:109–115.
- Elliott, L., Gerhardt, C., and Davidson, C. 2009.
 The Frogs and Toads of North America: A
 Comprehensive Guide to Their Identification,
 Behavior, and Calls, Houghton Mifflin Harcourt,
 New York
- Ely, E. 1992. Geographic distribution: *Thamnophis hammondii*. Herpetological Review 23:124–125.
- Emery, A.R., Berst, A.H., and Kodaira, K. 1972. Under-ice observations of wintering sites of leopard frogs. Copeia 1972:123–126.
- Emmerich, K. and Cunningham, L. 2003. Geographic distribution: *Diadophis punctatus*. Herpetological Review 34:169.
- Ernst, C.H. and Ernst, E.M. 2003. Snakes of the United States and Canada, Smithsonian Books, Washington, DC.
- Ernst, C.H. and Lovich, J.E. 2009. Turtles of the United States and Canada. Johns Hopkins University Press, Baltimore, MD.
- Ervin, E.L., Anderson, A.E., Cass, T.L., and Murcia, R.E. 2001. Natural history notes: *Spea hammondii*. Elevation record. Herpetological Review 32:36.
- Ervin, E.L., Beaman, K.R., and Fisher, R.N. 2013. Correction of locality records of the endangered arroyo toad (*Anaxyrus californicus*) in the desert regions of Southern California. Bulletin of the Southern California Academy of Sciences 112:197–205.
- Ervin, E.L. and Burkhardt, T.R. 2006. Natural history notes: *Ambystoma tigrinum mavortium*. Extralimital populations. Herpetological Review 37:435.
- Ervin, E.L. and Cass, T.L. 2007. Natural history notes: *Spea hammondii*. Reproductive pattern. Herpetological Review 38:196–197.
- Ervin, E.L. and Fisher, R.N. 2001. Natural history notes: *Thamnophis hammondii*. Prey. Herpetological Review. 32:265–266.
- Ervin, E.L. and Fisher, R.N. 2007. Natural history notes: *Thamnophis hammondii*. Foraging behavior. Herpetological Review 38:345–346.
- Ervin, E.L., Kisner, D.A., and Fisher, R.N. 2006. Natural history notes: *Bufo californicus*. Mortality. Herpetological Review 37:199.

- Ervin, E.L., Smith, C.D., and Christopher, S.V. 2005. Natural history notes: *Spea hammondii*. Reproduction. Herpetological Review 36:309–310.
- Eschscholtz, J.F.V. 1833. Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf Russisch-Kaiserlich Kriegsschupp Predpriaetië in den Jahren 1823-1826 herausgegeben von D. Martin Heinrich Rathke. Fünftes Heft. G. Reimer, Berlin. (In German)
- Ewert, M.A. 1991. Cold torpor, diapause, delayed hatching and aestivation in reptiles and birds, in Deeming, D.C. and Ferguson, M.W.J. (Eds): Egg Incubation: Its Effects on Embryonic Development in Birds and Reptiles, Cambridge University Press, Cambridge, UK, pp.173–191.
- Fahrig, L., Pedlar, J.H., Pope, S.E., Taylor, P.D., and Wegner, J.F. 1995. Effect of road traffic on amphibian density. Biological Conservation 73:177–182.
- Feaver, P.E. 1971. Breeding Pool Selection and Larval Mortality of Three California Ampibians: Ambystoma tigrinum californiense Gray Hyla regilla Baird and Girard and Scaphiopus hammondi hammondi Girard. Master's Thesis. Fresno State College, Fresno, CA.
- Feldman, C.R. and Parham, J.F. 2002. Molecular phylogenetics of emydine turtles: taxonomic revision and the evolution of shell kinesis.

 Molecular Phylogenetics and Evolution 22:388–398.
- Feldman, C.R. and Spicer, G.S. 2006. Comparative phylogeography of woodland reptiles in California: repeated patterns of cladogenesis and population expansion. Molecular Ecology 15:2201–2222.
- Fellers, G.M. 2005a. *Rana boylii*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.534–536.
- Fellers, G.M. 2005b. *Rana draytonii*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.552–554.
- Fellers, G.M. and Drost, C.A. 1993. Disappearance of the cascades frog *Rana cascadae* at the southern end of its range, California, U.S.A. Biological Conservation 65:177–181.
- Fellers, G.M. and Kleeman, P.M. 2007. California red-legged frog (*Rana draytonii*) movement and habitat use: implications for conservation. Journal of Herpetology 41:276–286.

- Fellers, G.M., Launer, A.E., Rathbun, G., Bobzien, S., Alvarez, J., Sterner, D., Seymour, R.B., and Westphal, M. 2001. Overwintering tadpoles in the California red-legged frog (*Rana aurora draytonii*). Herpetological Review 32:156–157.
- Fellers, G.M., Pope, K.L., Stead, J.E., Koo, M.S., and Welsh, H.H., Jr. 2008. Turning population trend monitoring into active conservation: can we save the Cascades frog (*Rana cascadae*) in the Lassen region of California? Herpetological Conservation and Biology 3:28–39.
- Fellers, G.M., Wood, L.L., Carlisle, S., and Pratt, D. 2010. Unusual subterranean aggregations of the California giant salamander, *Dicamptodon ensatus*. Herpetological Conservation and Biology 5:149–154.
- Ferguson, D.E. 1961. the geographic variation of *Ambystoma macrodactylum* Baird, with the description of two new subspecies. The American Midland Naturalist 65:311–338.
- Ficetola, G.F., Miaud, C., Pompanon, F., and Taberlet, P. 2008. Species detection using environmental DNA from water samples. Biology Letters 4:423–425.
- Fisher, R.N. 2004. Life on the "Island": animals, in Houk, R. (Ed.): Understanding the Life of Point Loma, Cabrillo National Monument Foundation, San Diego, CA, pp.112–131.
- Fisher, R.N. and Case, T.J. 2000. Distribution of the herpetofauna of coastal Southern California with reference to elevation effects. in Keeley, J., Baer-Keeley, M., and Fotheringham, C.J. (Eds): 2nd Interface Between Ecology and Land Development in Caifornia, United States Geological Survey Open-File Report 00-62, pp.137–143.
- Fisher, R.N. and Shaffer, H.B. 1996. The decline of amphibians in California's Great Central Valley. Conservation Biology 10:1387–1397.
- Fisher, R.N., Suarez, A.V., and Case, T.J. 2002. Spatial patterns in the abundance of the coastal horned lizard. Conservation Biology 16:205–215.
- Fitch, H.S. 1936. Amphibians and reptiles of the Rogue River Basin, Oregon. The American Midland Naturalist 17:634–652.
- Fitch, H.S. 1938. *Rana boylii* in Oregon. Copeia 1938:148–148.
- Fitch, H.S. 1940. A biogeographical study of the *ordinoides* Artenkreis of garter snakes (genus *Thamnophis*). University of California Publications in Zoology 44:1–150.
- Fitch, H.S. 1941. The feeding habits of California garter snakes. California Fish and Game 27:2–32.

- Fitch, H.S. 1948. Further remarks concerning *Thamnophis ordinoides* and its relatives. Copeia 1948:121–126.
- Fitch, H.S. 1970. Reproductive cycles in lizards and snakes. University of Kansas Museum of Natural History Miscellaneous Publications 52:1–247.
- Fitch, H.S. 1975. A demographic study of the ringneck snake (*Diadophis punctatus*) in Kansas. University of Kansas Museum of Natural History Miscellaneous Publications 62:1–53.
- Fite, K.V., Blaustein, A., Bengston, L., and Hewitt, H.E. 1998. Evidence of retinal light damage in *Rana cascadae*: a declining amphibian species. Copeia 1998:906–914.
- Fontanella, F.M., Feldman, C.R., Siddall, M.E., and Burbrink, F.T. 2008. Phylogeography of *Diadophis punctatus*: extensive lineage diversity and repeated patterns of historical demography in a trans-continental snake. Molecular Phylogenetics and Evolution 46:1049–1070.
- Ford, R.S. 1981. Geographic distribution: *Heloderma suspectum cinctum*. Herpetological Review 12:64.
- Ford, R.S. 1983. Reptiles and Amphibians, in Stone, R.D. and Sumida, V.A. (Eds): The Kingston Range of California: A Resource Survey. Vol. 10. Environmental Field Program, University of California, Santa Cruz, pp.123–130.
- Foreman, L.D. (Ed.). 1997. Flat-Tailed Horned Lizard Rangewide Management Strategy. Report of Interagency Working Group.
- Forsman, E.D. and Swingle, J.K. 2007. Use of arboreal nests of tree voles (*Arborimus spp.*) by amphibians. Herpetological Conservation and Biology 2:113–118.
- Forson, D. and Storfer, A. 2006. Effects of atrazine and iridovirus infection on survival and life-history traits of the long-toed salamander (*Ambystoma macrodactylum*). Environmental Toxicology and Chemistry 25:168–173.
- Fouquette, M.J., Jr. 1968. Remarks on the type specimen of *Bufo alvarius* Girard. The Great Basin Naturalist 28:70–72.
- Fouquette, M.J., Jr., Painter, C.W., and Nanjappa, P., Jr. 2005. *Bufo alvarius* Girard, 1859: Colorado River toad, in Lannoo, M.J. (Ed.): *Amphibian Declines: The Conservation Status of United States Species*. University of California Press, Berkeley, pp.384–386.
- Fox, W. 1951. Relationships among the garter snakes of the *Thamnophis elegans rassenkreis*. University of California Publications in Zoology 50:485–530.
- Fox, W. 1956. Seminal receptacles of snakes. The Anatomical Record 124:519–539.

- Franco, G., Cayan, D.R., Moser, S., Hanemann, M., and Jones, M. 2011. Second California assessment: integrated climate change impacts assessment of natural and managed systems. Climatic Change 2011:SI–SI9.
- Fried, J.S., Torn, M.S., and Mills, E. 2004. The impact of climate change on wildfire severity: a regional forecast for northern California.

 Climatic Change 64:169–191.
- Fromer, P.S., Doder, M., and Patterson, C. 1983. A Population Study of the Mojave Fringe-Toed Lizard (*Uma scoparia*) on the Twentynine Palms MCAGGC. Recon Number R 1397. Natural Resources Office, Marine Corps Air Ground Combat Center, Twentynine Palms, CA.
- Frost, D.R., Grant, T., Faivovich, J., Bain, R., Haas, A., Haddad, C., De Sá, R. et al. 2006a. The amphibian tree of life. Bulletin of the American Museum of Natural History 297:1–291.
- Frost, D.R., Grant, T., and Mendelson, J.R. 2006b. *Ollotis* Cope, 1875 is the oldest name for the genus currently referred to as *Cranopsis* Cope, 1875 (Anura: Hyloides: Bufonidae). Copeia 2006:558–558.
- Frost, D.R. and Hillis, D.M. 1990. Species in concept and practice: herpetological applications. Herpetologica 46:86–104.
- Frost, D.R., McDiarmid, R.W., and Mendelson, J.R. 2009a. Response to the point of view of Gregory B. Pauly, David M. Hillis, and David C. Cannatella, by the Anuran Subcommittee of the SSAR/Hl/ASIH Scientific and Standard English Names List. Herpetologica 65:136–153.
- Frost, D.R., Mendelson, J.R., and Pramuk, J. 2009b. Further notes on the nomenclature of Middle American toads (Bufonidae). Copeia 2009:418–418.
- Frost, J.S. and Platz, J.E. 1983. Comparative assessment of modes of reproductive isolation among four species of leopard frogs (*Rana pipiens* complex). Evolution 37:66–78.
- FTHL ICC (Flat-Tailed Horned Lizard Interagency Coordinating Committee). 2003. Flat-Tailed Horned Lizard Rangewide Management Strategy, 2003 Revision: An Arizona-California Conservation Strategy.
- Fuhrman, F.A. 1967. Tetrodotoxin. Scientific American. 217:60–71.
- Fuller, D.D. and Lind, A.J. 1992. Implications of fish habitat improvement structures for other stream vertebrates, in Harris, R. and Erman, D. (Eds): Proceedings of the Symposium on Biodiversity of Northwestern California, Santa Rosa, pp.96–104.

- Fuller, T.E. 2008. The Spatial Ecology of the Exotic Bullfrog (*Rana catesbeiana*) and Its Relationship to the Distribution of the Native Herpetofauna in a Managed River System. Master's Thesis. Humboldt State University, Arcata, CA.
- Fuller, T.E., Pope, K.L., Ashton, D.T., and Welsh, H.H., Jr. 2010. Linking the distribution of an invasive amphibian (*Rana catesbeiana*) to habitat conditions in a managed river system in northern California. Restoration Ecology 19:204–213.
- Funk, R.S. 1966. Notes about *Heloderma suspectum* along the western extremity of its range. Herpetologica 22:254–258.
- Funk, R.S. 1974. Geographic distribution: *Kinoster*non sonoriense. Herpetological Review 5:20.
- Funk, W.C. and Dunlap, W.W. 1999. Colonization of high-elevation lakes by long-toed salamanders (*Ambystoma macrodactylum*) after the extinction of introduced trout populations. Canadian Journal of Zoology 77:1759–1767.
- Funk, W.C., Pearl, C.A., Draheim, H.M., Adams, M.J., Mullins, T.D., and Haig, S.M. 2008.
 Range-wide phylogeographic analysis of the spotted frog complex (*Rana luteiventris* and *Rana pretiosa*) in northwestern North America.
 Molecular Phylogenetics and Evolution 49:198–210.
- Gamradt, S. and Kats, L. 1996. Effect of introduced crayfish and mosquitofish on California newts. Conservation Biology 10:1155–1162.
- Gamradt, S. and Kats, L. 1997. Impact of chaparral wildfire-induced sedimentation on oviposition of stream-breeding California newts (*Taricha torosa*). Oecologia 110:546–549.
- Gamradt, S., Kats, L., and Anzalone, C. 1997. Aggression by non-native crayfish deters breeding in California newts. Conservation Biology 11:793–796.
- Garcia and Associates. 2005. Results of 2004 Surveys and Monitoring for Foothill Yellow-Legged Frogs (*Rana boylii*) within the Rock Creek-Cresta Project Area, North Fork Feather River and 2002-2004 Recreation and Pulse Flow Biological Evaluation Summary. Prepared for Pacific Gas and Electric Company, San Ramon, California, Job 332/80, 89pp.
- Garcia, T.S., Romansic, J.M., and Blaustein, A.R. 2006. Survival of three species of anuran metamorphs exposed to UV-B radiation and the pathogenic fungus *Batrachochytrium dendrobatidis*. Diseases of Aquatic Organisms. 72:163.
- Garcia-Paris, M., Buchholz, D.R., and Parra-Olea, G. 2003. Phylogenetic relationships of Pelobatoidea re-examined using mtDNA. Molecular Phylogenetics and Evolution. 28:12–23.

- Gardner, T.J., Foley, D.H., Brodie, E.D., and Young, K.V. 2004. Barrier fences prevent road mortalities in the flat-tailed horned lizard (*Phrynosoma mcallii*). Herpetological Review 35:250–250.
- Garman, S. 1884. The reptiles and batrachians of North America. Memoirs of the Museum of Comparative Zoology 8:1–185.
- Garwood, J.M. 2009. Spatial Ecology of the Cascades Frog: Identifying Dispersal, Migration, and Resource Uses at Multiple Spatial Scales. Master's Thesis. Humboldt State University, Arcata, CA.
- Garwood, J.M. and Welsh, H.H., Jr. 2007. Ecology of the Cascades Frog (*Rana cascadae*) and Interactions with Garter Snakes and Nonnative Trout in the Trinity Alps Wilderness, California. Final Report to California Department of Fish and Game and National Fish and Wildlife Foundation, 75pp.
- Gehlbach, F.R. 1965. Herpetology of the Zuni Mountains region, northwestern New Mexico. Proceedings of the US National History Museum 116:243–332.
- Gehlbach, F.R. 1974. Evolutionary relations of southwestern ringneck snakes (*Diadophis punctatus*). Herpetologica 30:140–148.
- Gergus, E.W.A. 1998. Systematics of the *Bufo microscaphus* complex: allozyme evidence. Herpetologica 54:317–325.
- Gergus, E.W.A., Grismer, L.L., and Beaman, K.R. 1997. Geographic distribution: *Bufo californicus*. Herpetological Review 28:47.
- Germano, D.J. 2010. Ecology of western pond turtles (*Actinemys marmorata*) at sewage-treatment facilities in the San Joaquin Valley, California. The Southwestern Naturalist 55:89–97.
- Germano, D.J. and Bury, R.B. 2001. Western pond turtles (*Clemmys marmorata*) in the Central Valley of California: status and population structure. Transactions-Western Section of the Wildlife Society 37:22–36.
- Germano, D.J. and Bury, R.B. 2009. Variation in body size, growth, and population structure of *Actinemys marmorata* from lentic and lotic habitats in southern Oregon. Journal of Herpetology 43:510–520.
- Germano, D.J. and Rathbun, G.B. 2008. Growth, population structure, and reproduction of western pond turtles (*Actinemys marmorata*) on the central coast of California. Chelonian Conservation and Biology 7:188–194.
- Germano, D.J., Rathbun, G.B., and Saslaw, L.R. 2001. Managing exotic grasses and conserving declining species. Wildlife Society Bulletin 29:551–559.

- Germano, J.M. and Bishop, P.J. 2009. Suitability of amphibians and reptiles for translocation.

 Conservation Biology 23:7–15.
- Gerson, M. 2011. Population status and habitat affinities of the Blainville's horned lizard (*Phrynosoma blainvillii*) at a site in the northern San Joaquin Valley, California, USA. Herpetological Conservation and Biology 6(2):228–236.
- Gibbs, J.P. and Shriver, W.G. 2002. Estimating the effects of road mortality on turtle populations. Conservation Biology 16:1647–1652.
- Gibbs, J.P. and Shriver, W.G. 2005. Can road mortality limit populations of pool-breeding amphibians? Wetlands Ecology and Management 13: 281–289.
- Gilbertson, M.K., Haffner, D.G., Drouillard, K.G., Albert, A., and Dixon, B. 2003. Immunosuppression in the northern leopard frog (*Rana pipiens*) induced by pesticide exposure. Environmental Toxicology and Chemistry 22:101–110.
- Gilhen, J. 1970. An unusual Nova Scotian population of the northern ringneck snake, *Diadophis punctatus edwardsi* (Merrem). Occasional Papers of the Nova Scotia Museum, Halifax 9:1–13.
- Girard C. 1859. in Baird. Reptiles of the Boundary, with Notes by the Naturalists of the Survey. Department of the Interior, Washington, DC.
- Giuliani, D. 1996. Resurvey of Eastern Sierra Nevada Salamanders. Unpublished Report. California Department of Fish and Game, Sacramento.
- Goebel, A.M., Ranker, T.A., Corn, P.S., and Olmstead, R.G. 2009. Mitochondrial DNA evolution in the *Anaxyrus boreas* species group. Molecular Phylogenetics and Evolution 50:209–225.
- Goldberg, C.S. and Waits, L.P. 2010. Comparative landscape genetics of two pond-breeding amphibian species in a highly modified agricultural landscape. Molecular Ecology 19:3650–3663.
- Goldberg, S.R. 1972. Reproduction in the southern alligator Lizard *Gerrhonotus multicarinatus*. Herpetologica 28:267–273.
- Goldberg, S.R. 1983. Reproduction of the coast horned lizard, *Phrynosoma coronatum*, in southern California. The Southwestern Naturalist 28:478–479.
- Goldberg, S.R. 1999. Reproduction in the red diamond rattlesnake in California. California Fish and Game 85:177–180.
- Goldberg, S.R. 2000. Reproduction in the glossy snake, *Arizona elegans* (Serpentes: Colubridae) from California. Bulletin of the Southern California Academy of Sciences 99:105–109.

- Goldberg, S.R. and Beaman, K.R. 2003. Natural history notes: *Elgaria panamintina*. Reproduction. Herpetological Review 34: 143.
- Goldberg, S.R. and Miller, C. 1985. Reproduction of the silvery legless lizard, *Anniella pulchra pulchra* (Anniellidae), in Southern California. The Southwestern Naturalist 30:617–619.
- Goldberg, S.R., Mahrdt, C.R., and Beaman, K.R. 2010. Reproduction in Cope's leopard lizard, *Gambelia copeii* (Squamata: Crotaphytidae). Bulletin of the Southern California Academy of Sciences 109:15–17.
- Gomez, D.M. and Anthony, R.G. 1996. Amphibian and reptile abundance in riparian and upslope areas of five forest types in western Oregon.

 Northwest Science 70:109–119.
- Gonsolin, T.E. 2010. Ecology of Foothill Yellow-Legged Frogs in Upper Coyote Creek, Santa Clara County, CA. Master's Thesis. San Jose State University, San Jose, CA.
- Good, D.A. 1988. Allozyme variation and phylogenetic relationships among the species of *Elgaria* (Squamata: Anguidae). Herpetologica 44:154–162.
- Good, D.A. 1989. Hybridization and cryptic species in *Dicamptodon* (Caudata: Dicamptodontidae). Evolution 43:728–744.
- Good, D.A. and Wake, D.B. 1992. Geographic variation and speciation in the torrent salamanders of the genus *Rhyacotriton* (Caudata: Rhyacotritonidae). University of California Publications in Zoology 126:1–91.
- Goodman, R.H., Jr. 1997. Occurrence of double clutching in the southwestern pond turtle, *Clemmys marmorata pallida*, in the Los Angeles Basin. Chelonian Conservation and Biology 2:419–420.
- Goodman, R.H., Jr., Watanabe, S.K., Condon, K.P., Pires, M.P., and Benton, M.S. 1998. Geographic distribution: *Batrachoseps gabrieli*. Herpetological Review 29:171.
- Gorman, J. 1957. Recent collections of the California limbless lizard, *Anniella pulchra*. Copeia 1957:148–150.
- Graeter, G.J., Buhlmann, K.A., Wilkinson, L.R., and Gibbons, J.W. (Eds). 2013. Inventory and Monitoring: Recommended Techniques for Reptiles and Amphibians, with Application to the United States and Canada. Paratners in Amphibian and Reptile Conservation, Birmingham, AL.
- Grant, D., Anderson, O., and Twitty, V. 1968. Homing orientation by olfaction in newts (*Taricha rivularis*). Science 160:1354–1356.
- Grant, T.J. and Doherty, P.F. 2006. Natural history notes: *Phrynosoma mcallii*. Hibernation. Herpetological Review 37:346–347.

- Grant, T.J. and Doherty, P.F. 2007. Monitoring of the flat-tailed horned lizard with methods incorporating detection probability. Journal of Wildlife Management 71:1050–1056.
- Grant, T.J. and Doherty, P.F. 2009. Potential mortality effects of off-highway vehicles on the flat-tailed horned lizard (*Phrynosoma mcallii*): a manipulative experiment. Environmental Management 43:508–513.
- Grasso, R.L. 2005. Palatability and Antipredator Response of Yosemite Toad (*Bufo canorus*) to Nonnative Brook Trout (*Salvelinus fontinalis*) in the Sierra Nevada Mountains of California. Master's Thesis. California State University, Sacramento.
- Grasso, R.L., Coleman, R.M., and Davidson, C. 2010. Palatability and antipredator response of Yosemite toads (*Anaxyrus canorus*) to nonnative brook trout (*Salvelinus fontinalis*) in the Sierra Nevada Mountains of California. Copeia 2010:457–462.
- Gray, J.E. 1839. *Phrynosoma blainvillii*, in The Zoology of Captain Beechey's voyage: Compiled from the collections and notes made by Captain Beechey, the officers and naturalist of the expedition, during a voyage to the Pacific and Behring's Straits performed in his majesty's ship blossom, under the command of Captain FW Beechey, in the years 1825, 26, 27 and 28, HG Bohn, London, p.96.
- Gray, J.E. 1852. Descriptions of several new genera of reptiles, principally from the collection of HMS Herald. Annual Magazine of Natural History 10:437–440.
- Graybeal, A. 1993. The phylogenetic utility of cytochrome b: lessons from bufonid frogs. Molecular Phylogenetics and Evolution 2:256–269.
- Green, D.E. and Kagarise Sherman, C. 2001.
 Diagnostic histological findings in Yosemite toads (*Bufo canorus*) from a die-off in the 1970s.
 Journal of Herpetology 35:92–103.
- Green, D.M. 1985. Differentiation in amount of centromeric hetero-chromatin between subspecies of the red-legged frog, *Rana aurora*. Copeia, 1985:1071–1074.
- Green, D.M. 1986a. Systematics and evolution of western North American frogs allied to *Rana aurora* and *Rana boylii*: electrophoretic evidence. Systematic Zoology 35:283–296.
- Green, D.M. 1986b. Systematics and evolution of western North American frogs allied to *Rana aurora* and *Rana boylii*: karyological evidence. Systematic Zoology 35:273–282.
- Green, D.M., Kaiser, H., Sharbel, T.F., Kearsley, J., and McAllister, K.R. 1997. Cryptic species of

- spotted frogs, *Rana pretiosa* complex, in western North America. Copeia 1997:1–8.
- Green, D.M., Sharbel, T.F., Kearsley, J., and Kaiser, H. 1996. Postglacial range fluctuation, genetic subdivision and speciation in the western North American spotted frog complex, *Rana pretiosa*. Evolution 50:374–390.
- Greenberg, D.B. 2002. The Ecology of Movement and Site Selection in Desert Rattlesnakes (Crotalus Mitchellii and Crotalus Ruber) of the Southwestern United States. PhD Dissertation. University of California, Santa Barbara.
- Greenberg, D.B. and McClintock, W.J. 2008. Remember the third dimension: terrain modeling improves estimates of snake home range size. Copeia 2008:801–806.
- Gregory, P.T. 1977. Life-history parameters of the red-sided garter snake (*Thamnophis sirtalis parietalis*) in an extreme environment, the Interlake region of Manitoba. National Museum of Canada Publications in Zoology 13:1–44.
- Gregory, P.T. and Larsen, K.W. 1993. Geographic variation in reproductive characteristics among Canadian populations of the common garter snake (*Thamnophis sirtalis*). Copeia 1993:946–958.
- Griffin, P.C. and Case, T.J. 2001. Terrestrial habitat preferences of adult arroyo southwestern toads. Journal of Wildlife Management 65:633–644.
- Grinnell, J. 1908. The Biota of the San Bernardino Mountains. University of California Press, Berkeley.
- Grinnell, J. and Camp, C.L. 1917. A distributional list of the amphibians and reptiles of California. University of California Publications in Zoology 17:127–208.
- Grinnell, J., and Grinnell, H.W. 1907. Reptiles of Los Angeles County, California. Throop Institute Bulletin 35:1–64.
- Grinnell, J. and Storer, T.I. 1924. Animal life in the Yosemite. University of California Press, Berkeley.
- Grismer, L.L. 1994. The origin and evolution of the peninsular herpetofauna of Baja California, México. Herpetological Natural History 2:51–106.
- Grismer, L.L. 2002. Amphibians and reptiles of Baja California, including its Pacific islands, and the islands in the Sea of Cortés. University of California Press, Berkeley.
- Grismer, L.L. and Galvan, M.A. 1986. A new night lizard (*Xantusia henshawi*) from a sandstone habitat in San Diego County, California.

 Transactions of the San Diego Society of Natural History 21:155–165.

- Groff, L.A. 2011. A Species Distribution Model for Guiding Oregon Spotted Frog (Rana pretiosa) Surveys Near the Southern Extent of Its Geographic Range. Master's Thesis. Humboldt State University, Arcata, CA.
- Hager, S.B. 1996. Natural history notes: *Phrynosoma coronatum blainvillii*. Growth. Herpetological Review 27:80.
- Hager, S.B. and Brattstrom, B.H. 1997. Surface activity of the San Diego horned lizard *Phrynosoma coronatum blainvilli*. The Southwestern Naturalist 42:339–344.
- Haggard, J.A.G. 2000. A Radio Telemetric Study of the Movement Patterns of Adult Northern Red-Legged Frogs (*Rana aurora aurora*) at Freshwater Lagoon, Humboldt County, California. Humboldt State University, Arcata, CA.
- Haggarty, M. 2006. Habitat Differentiation and Resource Use among Different Age Classes of Post Metamorphic *Rana boylii* on Red Bank Creek, Tehama County, California. Master's Thesis. Humboldt State University, Arcata, CA.
- Halama, K.J., Malisch, A.J., Aspell, M., Rotenberry, J.T., and Allen, M.F. 2008. Modeling the landscape niche characteristics of red diamond rattlesnakes (*Crotalus ruber*): implications for biology and conservation, in Hayes, W.K., Beaman, K.R., Cardwell, M.D., and Bush, S.P. (Eds): The Biology of Rattlesnakes Symposium, Loma Linda University Press, Loma Linda, CA, pp.463–472.
- Hall, D.H. and Steidl, R.J. 2007. Movements, activity, and spacing of Sonoran mud turtles (*Kinosternon sonoriense*) in interrupted mountain streams. Copeia 2007:403–412.
- Hallowell, E. 1852. Descriptions of new species of reptiles inhabiting North America. Proceedings of the Academy of Natural Sciences of Philadelphia 6:177–182.
- Hammerson, G.A. 1977. Head body temperature differences monitored by telemetry in the snake *Masticophis flagellum piceus*. Comparative Biochemistry and Physiology 57:399–402.
- Hancock, J.P. 2009. Arroyo Toad (*Anaxyrus californicus*) Life History, Population Status, Population Threats, and Habitat Assessment of Conditions at Fort Hunter Liggett, Monterey County, California. Master's Thesis. California Polytechnic State Unviersity, San Luis Obispo.
- Hansen, R.W. 1988. Kern Canyon Slender Salamander (*Batrachoseps simatus*). California Department of Transportation, Biological Survey Report, District 6, Fresno.
- Hansen, R.W. and Wake, D.B. 2005a. *Batrachoseps campi*, in Lannoo, M.J. (Ed.): Amphibian

- Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.669–671.
- Hansen, R.W. and Wake, D.B. 2005b. Batrachoseps minor, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.682–683.
- Hansen, R.W. and Wake, D.B. 2005c. *Batrachoseps relictus*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.688–690.
- Hansen, R.W., Goodman, R.H. and Wake, D.B. 2005d. *Batrachoseps gabrieli*, in M.J. Lannoo, (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.672–673.
- Hanson, K., Snyder, J., and Kats, L. 1994. Natural history notes: *Taricha torosa*. Diet. Herpetological Review 25:62.
- Harding, J.H. 1997. Amphibians and Reptiles of the Great Lakes Region. University of Michigan Press, Ann Arbor.
- Harte, J., Ostling, A., Green, J.L., and Kinzig, A. 2004. Climate change and extinction risk. Nature 430:33.
- Hatch, A.C. and Blaustein, A.R. 2000. Combined effects of UV-b, nitrate, and low pH reduce the survival and activity level of larval cascades frogs (*Rana cascadae*). Archives of Environmental Contamination and Toxicology 39:494–499.
- Hawkins, C.P., Gottschalk, L.J., and Brown, S.S. 1988. Densities and habitat of tailed frog tadpoles in small streams near Mount St. Helens Washington U.S.A. following the 1980 eruption. Journal of the North American Benthological Society 7:246–252.
- Hayes, M.P. and Cliff, F.S. 1982. A checklist of the herpetofauna of Butte County, the Butte Sink, and Sutter Buttes, California. Herpetological Review 13:85–87.
- Hayes, M.P. and Jennings, M.R. 1986. Decline of ranid frog species in western North America: are bullfrogs (*Rana catesbeiana*) responsible? Journal of Herpetology 20:490–509.
- Hayes, M.P. and Jennings, M.R. 1988. Habitat correlates of distribution of the California red-legged frog (*Rana aurora draytonii*) and the foothill yellow-legged frog (*Rana boylii*): implications for management. in Szaro, R.C., Severson, K.E., and Patton, D.R. (Eds): Management of Amphibians, Reptiles, and Small Mammals in North America, General Technical Report RM-166. United States Department of

- Agriculture Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO, pp.144–158.
- Hayes, M.P. and Krempels, D.M. 1986. Vocal sac variation among frogs of the genus *Rana* from western North America. Copeia 1986:927–936.
- Hayes, M.P. and Miyamoto, M.M. 1984. Biochemical, behavioral and body size differences between *Rana aurora aurora* and *R. a. draytoni*. Copeia 1984:1018–1022.
- Hayes, M.P., Pearl, C.A., and Rombough, C.J. 2001.

 Rana aurora aurora. Movement. Herpetological
 Review 32:35–36.
- Hayes, M.P., Quinn, T., Dugger, D.J., Hicks, T.L., Melchiors, M.A., and Runde, D.E. 2006. Dispersion of coastal tailed frog (*Ascaphus truei*): an hypothesis relating occurrence of frogs in non-fish-bearing headwater basins to their seasonal movements. Journal of Herpetology 40:531-543.
- Hayes, M.P., Rombough, C.J., and Hayes, C.P. 2007. Natural History: *Rana aurora*. Movement. Herpetological Review 38:192–193.
- Hayes, M.P., Rombough, C.J., Padgett-Flohr, G.E., Hallock, L.A., Johnson, J.E., Wagner, R.S., and Engler, J.D. 2009. Amphibian chytridiomycosis in the Oregon spotted frog (*Rana pretiosa*) in Washington State, U.S.A. Northwestern Naturalist 90:148–151.
- Hayes, M.P. and Tennant, M.R. 1985. Diet and feeding behavior of the California red-legged frog, *Rana aurora draytonii* (Ranidae). The Southwestern Naturalist 30:601–605.
- Hayhoe, K., Cayan, D., Field, C.B., Frumhoff, P.C., Maurer, E.P., Miller, N.L., Moser, S.C. et al. 2004. Emissions pathways, climate change, and impacts on California. Proceedings of the National Academy of Sciences of the United States of America 101:12422–12427.
- Heath, J.E. 1965. Temperature regulation and diurnal activity in horned lizards. University of California Publications in Zoology 64:97–136.
- Hedgecock, D. 1978. Population subdivision and genetic divergence in red-bellied newt, *Taricha rivularis*. Evolution 32:271–286.
- Hedgecock, D. and Ayala, F.J. 1974. Evolutionary divergence in the genus *Taricha* (Salamandridae). Copeia 1974:738–747.
- Heifetz, W. 1941. A review of the lizards of the genus *Uma*. Copeia 1941:99–111.
- Hels, T. and Buchwald, E. 2001. The effect of road kills on amphibian populations. Biological Conservation 99:331–340.
- Hemphill, D.V. 1952. The Vertebrate Fauna of the Boreal Areas of the Southern Yolla Bolly

- Mountains, California. PhD Dissertation. Oregon State University, Corvalis.
- Henry, W.V. and Twitty, V.C. 1940. Contributions to the life histories of *Dicamptodon ensatus* and *Ambystoma gracile*. Copeia 1940:247–250.
- Hensley, F.R., Jones, T.R., Maxwell, M.S., Adams, L.J., and Nedella, N.S. 2010. Demography, terrestrial behavior, and growth of Sonora mud turtles (*Kinosternon sonoriense*) in an extreme habitat. Herpetological Monographs 24:174–193.
- Hensley, M.M. 1949. Mammal diet of *Heloderma*. Herpetologica 5:152.
- Heyer, W.R., Donnelly, M.A., McDiarmid, R.W., Hayek, L.A.C., and Foster, M.S. (Eds). 1994. Measuring and Monitoring Biological Diversity: Standard Methods for Amphibians. Smithsonian Institution Press, Washington, DC.
- Highton, R. 2000. Detecting cryptic species using allozyme data, in Bruce, J.C., Jaeger, R.G., and Houck, L.D. (Eds): The Biology of Plethodontid Salamanders, Kluwer Academic/Plenum Publishing, New York, pp.215–241.
- Hill, R.E. and Mackessy, S.P. 2000. Characterization of venom (Duvernoy's secretion) from twelve species of colubrid snakes and partial sequence of four venom proteins. Toxicon 38:1663–1687.
- Hillis, D.M. 1988. Systematics of the *Rana pipiens* complex: puzzle and paradigm. Annual Review of Ecology and Systematics 19:39–63.
- Hillis, D.M., Frost, J.S., and Wright, D.A. 1983. Phylogeny and biogeography of the *Rana pipiens* complex: a biochemical evaluation. Systematic Zoology 32:132–143.
- Hillis, D.M. and Wilcox, T.P. 2005. Phylogeny of the New World true frogs (*Rana*). Molecular Phylogenetics and Evolution 34:299–314.
- HilleRisLambers, J., Yelenik, S.G., Colman, B.P., and Levine, J.M. 2010. California annual grass invaders: the drivers or passengers of change? Journal of Ecology 98:1147–1156.
- Hilton, W.A. 1948. Salamander notes from the Northwest. Herpetologica 4:120.
- Hodge, R.P. 2004. Geographic distribution: *Rana aurora*. Herpetological Review 35:79.
- Holcomb, C. 2012. Examining the Relationship between Landscape Connectivity and the Breeding Effort of the Red-Legged Frog (*Rana aurora*) in Western Washington Wetlands. Master's Thesis. Evergreen State College, Olympia, WA.
- Holland, D.C. 1989. A Synopsis of the Ecology and Current Status of the Western Pond Turtle (*Clemmys marmorata*). Report. United States Fish and Wildlife Service National Ecology Research Center, Fort Collins, CO.

- Holland, D.C. 1992a. Level and Pattern in Morphological Variation: A Phylogeographic Study of the Western Pond Turtle (*Clemmys marmorata*). PhD Dissertation. University of Southwestern Louisiana, Lafayette.
- Holland, D.C. 1992b. A Synopsis of the Ecology and Status of the Western Pond Turtle (*Clemmys marmorata*) in 1991. United States Fish and Wildlife Service, San Simeon, CA.
- Holland, D.C. 1994. The Western Pond Turtle: Habitat and History. Report. United States Department of Energy, Bonneville Power Administration Environment, Portland, OR.
- Holman, J.A. and Fritz, U. 2001. A new emydine species from the Middle Miocene (Barstovian) of Nebraska, U.S.A. with a new generic arrangement for the species of *Clemmys* sensu McDowell (1964) (Reptilia: Testudines: Emydidae). Zoologische Abhandlungen-Staatliches Museum Fur Tierkunde in Dresden 51:331–353.
- Holte, D.L. 1998. Nest Site Characteristics of the Western Pond Turtle, Clemmys marmorata, at Fern Ridge Reservoir, in West Central Oregon. Master's Thesis. Oregon State University, Corvallis.
- Holway, D.A. 1995. Distribution of the argentine ant (*Linepithema humile*) in Northern California. Conservation Biology 9:1634–1637.
- Holway, D.A. 1998. Effect of argentine ant invasions on ground-dwelling arthropods in northern California riparian woodlands.

 Oecologia 116:252–258.
- Hossack, B.R., Corn, P.S., and Fagre, D.B. 2006. Divergent patterns of abundance and age-class structure of headwater stream tadpoles in burned and unburned watersheds. Canadian Journal of Zoology 84:1482–1488.
- Hothem, R.L., Meckstroth, A.M., Wegner, K.E., Jennings, M.R., and Crayon, J.J. 2009. Diets of three species of anurans from the Cache Creek watershed, California, U.S.A. Journal of Herpetology 43:275–283.
- Howard, C.W. 1974. Comparative reproductive ecology of horned lizards (genus *Phrynosoma*) in southwestern United States and northern Mexico. Journal of the Arizona Academy of Sciences 9:108–116.
- Howard, J.H., and Wallace, R.L. 1985. Life history characteristics of populations of the long-toed salamander (*Ambystoma macrodactylum*) from different altitudes. The American Midland Naturalist 113:361–373.
- Hughes, L. 2000. Biological consequences of global warming: is the signal already apparent? Trends in Ecology and Evolution 15:56–61.

- Hulse, A.C. 1974. Food habits and feeding behavior in *Kinosternon sonoriense* (Chelonia; Kinosternidae). Journal of Herpetology 8:195–199.
- Hulse, A.C. 1982. Reproduction and population structure in the turtle, *Kinosternon sonoriense*. The Southwestern Naturalist 27:447–456.
- Hunt, L.E. 1983. A nomenclatural rearrangement of the genus *Anniella* (Sauria: Anniellidae). Copeia 1983:79–89.
- Hunt, L.E. 1984. Morphological Variation in the Fossorial Lizard Anniella. Master's Thesis. University of Kansas, Lawrence.
- ICF Jones and Stokes. 2010. Hatchery and Stocking Program Environmental Impact Report/
 Environmental Impact Statement. Final. January. (ICF J&S 00264.08) (SCH #2008082025).
 Prepared for the California Department of Fish and Game and US Fish and Wildlife Service, Sacramento.
- ICZN (International Commission on Zoological Nomenclature). 2000. Opinion 1960 *Crotalus ruber* Cope 1892 (Reptilia, Serpentes): specific name given precedence over that of *Crotalus exsul* Garman, 1884. Bulletin of Zoological Nomenclature 57:189–190.
- Iverson, J.B. 1976. *Kinosternon sonoriense*. Catalogue of American Amphibians and Reptiles 176:1–2.
- Jacobson, E.R. 1993. Implications of infectious diseases for captive propagation and introduction programs of threatened/endangered reptiles. Journal of Zoo and Wildlife Medicine 24:245-255.
- Jacobson, E.R. and Whitford, W.G. 1971. Physiological responses to temperature in the patch-nosed snake, *Salvadora hexalepis*. Herpetologica 27:289–295.
- Jaeger, J.R., Riddle, B.R., Jennings, R.D., and Bradford, D.F. 2001. Rediscovering *Rana onca*: evidence for phylogenetically distinct leopard frogs from the border region of Nevada, Utah, and Arizona. Copeia 2001:339–354.
- Jancowski, K. and Orchard, S. 2013. Stomach contents from invasive American bullfrogs *Rana catesbeiana* (= *Lithobates catesbeianus*) on southern Vancouver Island, British Columbia, Canada. NeoBiota 16:17–37.
- Janzen, F.J., Krenz, J.G., Haselkorn, T.S., and Brodie, E.D. 2002. Molecular phylogeography of common garter snakes (*Thamnophis sirtalis*) in western North America: implications for regional historical forces. Molecular Ecology 11:1739–1751.
- Jayne, B.C. and Bennett, A.F. 1990. Selection on locomotor performance capacity in a natural population of garter snakes. Evolution 44:1204–1229.

- Jennings, M.R. 1984. Longevity records for lizards of the family Helodermatidae. Bulletin of the Maryland Herpetological Society 20:22–23.
- Jennings, M.R. 1987. Impact of the curio trade for San Diego horned lizards (*Phrynosoma coronatum blainvillii*) in the Los Angeles basin, California: 1885–1930. Journal of Herpetology 21:356–358.
- Jennings, M.R. 1988a. Natural history and decline of native ranids in California, in De Lisle, H.F., Brown, P.R., Kaufman, B., and McGurty, B.M. (Eds): Proceedings of the Conference on California Herpetology. Special Publication No 4. Southwestern Herpetologists Society, Van Nuys, CA, pp.61–72.
- Jennings, M.R. 1988b. Origin of the population of Rana aurora draytonii on Santa Cruz Island, California. Herpetological Review 19:76.
- Jennings, M.R. 1988c. *Phrynosoma coronatum*. Catalogue of American Amphibians and Reptiles 428:1-5.
- Jennings, M.R. and Fuller, M.M. 2004. Origin and distribution of leopard frogs, *Rana pipiens* complex, in California. California Fish and Game 90:II9–I39.
- Jennings, M.R. and Hayes, M.P. 1985. Pre-1900 overharvest of California red-legged frogs (*Rana aurora draytonii*): the inducement for bullfrog (*Rana catesbeiana*) introduction. Herpetologica 41:94–103.
- Jennings, M.R. and Hayes, M.P. 1994a. Amphibian and Reptile Species of Special Concern in California. California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova.
- Jennings, M.R. and Hayes, M.P. 1994b. Decline of native ranid frogs in the desert Southwest, in Brown, P.R. and Wright, J.W. (Eds): Herpetology of the North American Deserts, Proceedings of a Symposium. Special Publication No 5. Southwestern Herpetologists Society, Van Nuys, CA, pp.183–211.
- Jennings, M.R. and Hayes, M.P. 2005. Natural history notes: *Rana boylii*. Coloration. Herpetological Review 36:438.
- Jockusch, E.L., Martínez-Solano, I., Hansen, R.W., and Wake, D.B. 2012. Morphological and molecular diversification of slender salamanders (Caudata: Plethodontidae: *Batrachoseps*) in the southern Sierrae Nevada of California with descriptions of two new species. Zootaxa 3190:1–30.
- Jockusch, E.L. and Wake, D.B. 2002. Falling apart and merging: diversification of slender salamanders (Plethodontidae: *Batrachoseps*) in the American West. Biological Journal of the Linnean Society 76:361–391.

- Jockusch, E.L., Wake, D.B., and Yanev, K.P. 1998. New species of *Batrachoseps* (Caudata: Plethodontidae) from the Sierra Nevada, California. Los Angeles County Museum Contributions in Science 472:1–17.
- Jockusch, E.L., Yanev, K.P., and Wake, D.B. 2001. Molecular phylogenetic analysis of slender salamanders, genus *Batrachoseps* (Amphibia: Plethodontidae), from central coastal California with descriptions of four new species. Herpetological Monographs 15:54–99.
- Johnson, J., Thomson, R.C., Micheletti, S., and Shaffer, H.B. 2010. The origin of tiger salamander populations in California: introductions or relicts? Conservation Genetics 12:35–370.
- Jones, K.B. 1983. Movement patterns and foraging ecology of Gila monsters (*Heloderma suspectum* Cope) in northwestern Arizona. Herpetologica 39:247–253.
- Joseph, M.B., Piovia-Scott, J., Lawler, S.P., Pope, K.L. 2011. Indirect effects of introduced trout on Cascades frogs (*Rana cascadae*) via shared aquatic prey. Freshwater Biology 56:828–838.
- Kagarise Sherman, C. 1980. A Comparison of the Natural History and Mating System of Two Anurans: Yosemite Toads (*Bufo canorus*) and Black Toads (*Bufo exsul*). PhD Dissertation. University of Michigan, Ann Arbor.
- Kagarise Sherman, C. and Morton, M.L. 1984. The toad that stays on its toes. Natural History 93:72–78.
- Kagarise Sherman, C. and Morton, M.L. 1993.
 Population declines of Yosemite toads in the eastern Sierra Nevada of California. Journal of Herpetology 27:186–198.
- Karlstrom, E.L. 1962. The toad genus *Bufo* in the Sierra Nevada of California: ecological and systematic relationships. University of California Publications in Zoology 62: I–IO4.
- Karlstrom, E.L. and Livezey, R.L. 1955. The eggs and larvae of the Yosemite toad *Bufo canorus* Camp. Herpetologica 11:221–227.
- Karraker, N.E. 1999. Natural history notes: *Rhyacotriton variegatus*. Nest site. Herpetological Review 30:160–161.
- Karraker, N.E., Pilliod, D.S., Adams, M.J., Bull, E.L., Corn, P.S., Diller, L.V., Dupuis, L.A. et al. 2006. Taxonomic variation in oviposition by tailed frogs (*Ascaphus* spp). Northwestern Naturalist 87:87–97.
- Kats, L.B., Breeding, J.A., Hanson, K.M., and Smith, P. 1994. Ontogenetic changes in California newts (*Taricha torosa*) in response to chemical cues from conspecific predators.

- Journal of the North American Benthological Society 13:321–325.
- Kats, L.B., Elliott, S.A., and Currens, J. 1992. Intraspecific oophagy in stream-breeding California newts (*Taricha torosa*). Herpetological Review 23:7–8.
- Kelly, P.A., Phillips, S.E., and Williams, D.F. 2005. Documenting ecological change in time and space: the San Joaquin Valley of California, in Lacey, E.A. and Myers, P. (Eds): Mammalian Diversification: from Chromosomes to Phylogeography (a Celebration of the Career of James L. Patton), University of California Publications in Zoology, Berkeley, pp.57–78.
- Kennicott, R. 1860. Descriptions of new species of North American serpents in the Museum of the Smithsonian Institution, Washington. Proceedings of the Academy of Natural Sciences of Philadelphia 12:328–338.
- Kephart, D.G. and Arnold, S.J. 1982. Garter snake diets in a fluctuating environment: a seven-year study. Ecology 63:1232–1236.
- Kerby, J.L. and Kats, L. 1998. Modified interactions between salamander life stages caused by wildfire-induced sedimentation. Ecology 79:740–745.
- Kerby, J.L., Richards-Hrdlicka, K.L., Storfer, A., and Skelly, D.K. 2010. An examination of amphibian sensitivity to environmental contaminants: are amphibians poor canaries? Ecology Letters 13:60–67.
- Kessel, E.L. and Kessel, B.B. 1943a. The rate of growth of the young larvae of the Pacific giant salamander, *Dicamptodon ensatus* (Eschscholtz). The Wasmann Collector 5:108–111.
- Kessel, E.L. and Kessel, B.B. 1943b. The rate of growth of the older larvae of the Pacific giant salamander, *Dicamptodon ensatus* (Eschscholtz). The Wasmann Collector 5:141–142.
- Kessel, E.L. and Kessel, B.B. 1944. Metamorphosis of the pacific giant salamander, *Dicamptodon ensatus* (Eschscholtz). The Wasmann Collector 6:38–48.
- Kiesecker, J.M. and Blaustein, A.R. 1998. Effects of introduced bullfrogs and smallmouth bass on microhabitat use, growth, and survival of native red-legged frogs (*Rana aurora*). Conservation Biology 12:776–787.
- Kiesecker, J.M. and Blaustein, A.R. 1999. Pathogen reverses competition between larval amphibians. Ecology 80:2442–2448.
- Kimball, S. and Schiffman, P.A. 2003.

 Differing effects of cattle grazing on native and alien plants. Conservation Biology 17:1681–1693.

- King, K.A., Martinez, C.T., and Rosen, P.C. 1996. Contaminants in Sonoran mud turtles from Quitobaquito Springs, Organ Pipe Cactus National Monument, Arizona. United States Fish and Wildlife Service, Region 2, Phoenix, AZ.
- King, T. and Robbins, M. 1991. A status survey of Kinosternon sonoriense and Bufo alvarius along the California side of the lower Colorado River Basin. California Department of Fish and Game, Inland Fisheries, Rancho Cordova.
- Kingsbury, B.A. 1989. Factors influencing activity in *Coleonyx variegatus*. Journal of Herpetology 23:399–404.
- Kirk, J.J. 1988. Western spotted frog (*Rana pretiosa*) mortality following forest spraying of DDT. Herpetological Review 19:51–53.
- Klauber, L.M. 1924. Notes on the distribution of snakes in San Diego County, California. Bulletin of the Zoological Society of San Diego 1:1–23.
- Klauber, L.M. 1928. A list of the amphibians and reptiles of San Diego County, California. Bulletin of the Zoological Society of San Diego 4:1–8.
- Klauber, L.M. 1929. Range extensions in California. Copeia 1929:15–22.
- Klauber, L.M. 1930. A list of the amphibians and reptiles of San Diego County, California. Bulletin of the Zoological Society of San Diego 5:1–8.
- Klauber, L.M. 1931. A statistical survey of the snakes of the southern border of California. Bulletin of the Zoological Society of San Diego 8:1–93.
- Klauber, L.M. 1934. An annotated list of the amphibians and reptiles of the southern border of California. Bulletin of the Zoological Society of San Diego 11:1–28.
- Klauber, L.M. 1936. The horned lizards of the coronatum group. Copeia 1936:103–110.
- Klauber, L.M. 1939. Studies of reptile life in the arid southwest. Bulletin of the Zoological Society of San Diego 14:1–100.
- Klauber, L.M. 1945. The geckos of the genus *Coleonyx* with descriptions of new subspecies. Transactions of the San Diego Society of Natural History 10:133–216.
- Klauber, L.M. 1946. The glossy snake, *Arizona*, with descriptions of new subspecies. Transactions of the San Diego Society of Natural History 10:311–398.
- Klauber, L.M. 1956. Rattlesnakes: Their Habits, Life Histories and Influence on Mankind. Vols. 1–2, University of California Press, Los Angeles.
- Kluge, A.G. 1966. A new pelobatine frog from the lower Miocene of South Dakota with a discussion of the evolution of the *Scaphiopus-Spea* complex.

- Los Angeles County Museum of Natural History 113:1–26.
- Knapp, R.A. 2005. Effects of nonnative fish and habitat characteristics on lentic herpetofauna in Yosemite National Park, U.S.A. Biological Conservation 121:265–279.
- Knapp, R.A. and Matthews, K.R. 2000. Non-native fish introductions and the decline of the mountain yellow-legged frog from within protected areas. Conservation Biology 14:428–438.
- Knowles, N. and Cayan, D.R. 2002. Potential effects of global warming on the Sacramento/San Joaquin watershed and the San Francisco estuary. Geophysical Research Letters 29:1891–1895.
- Knowles, N. and Cayan, D.R. 2004. Elevational dependence of projected changes in the San Francisco estuary and watershed. Climatic Change 62:319–336.
- Knowlton, G.F. 1944. Some insect food of *Rana pipiens*. Copeia 1944:119.
- Kuchta, S.R. 2005. *Taricha torosa*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.904–908.
- Kuchta, S.R. 2007. Contact zones and species limits: hybridization between lineages of the California newt, *Taricha torosa*, in the southern Sierra Nevada. Herpetologica 63:332–350.
- Kuchta, S.R. and Tan, A.M. 2006a. Limited genetic variation across the range of the red-bellied newt, *Taricha rivularis*. Journal of Herpetology 40:561–565.
- Kuchta, S.R. and Tan, A.M. 2006b. Lineage diversification on an evolving landscape: phylogeography of the California newt, *Taricha torosa* (Caudata: Salamandridae). Biological Journal of the Linnean Society 89:213–239.
- Kuhnz, L. 2000. Microhabitats and Home Range of the California Legless Lizard Using Biotelemetry. Master's Thesis. California State University, San Jose
- Kuhnz, L., Burton, R., Slattery, P., and Oakden, J. 2005. Microhabitats and population densities of California legless lizards, with comments on effectiveness of various techniques for estimating numbers of fossorial reptiles. Journal of Herpetology 39:395–402.
- Kupferberg, S.J. 1996a. Hydrologic and geomorphic factors affecting conservation of a river-breeding frog (*Rana boylii*). Ecological Applications. 6:1332–1344.
- Kupferberg, S.J. 1996b. The Ecology of Native Tadpoles (*Rana boylii* and *Hyla regilla*) and the

- Impact of Invading Bullfrogs (*Rana catesbeiana*) in a Northern California River. PhD Dissertation. University of California, Berkeley.
- Kupferberg, S.J. 1997. Bullfrog (Rana catesbeiana) Invasion of a California River: The Role of Larval Competition. Ecology 78:1736–1751.
- Kupferberg, S.J., Catenazzi, A., Lunde, K., Lind, A.J., and Palen, W.J. 2009a. Parasitic copepod (*Lernaea cyprinacea*) outbreaks in foothill yellow-legged frogs (*Rana boylii*) linked to unusually warm summers and amphibian malformations in northern California. Copeia 2009:529–537.
- Kupferberg, S.J., Lind, A.J., Mount, J., and Yarnell, S. 2009b. Pulsed Flow Effects on Foothill Yellow-Legged Frog (*Rana boylii*): Integration of Empirical, Experimental, and Hydrodynamic Modeling Approaches. Report. California Energy Commission, PIER, Sacramento.
- Kupferberg, S.J., Lind, A.J., and Palen, W.J. 2009c.
 Pulsed Flow Effects on the Foothill Yellow-legged frog (*Rana boylii*): Population Modeling. Report.
 California Energy Commission, PIER, Sacramento.
- Kupferberg, S.J., Lind, A.J., Thill, V., and Yarnell, S.M. 2011. Water velocity tolerance in tadpoles of the foothill yellow-legged frog (*Rana boylii*): swimming performance, growth and survival. Copeia 2011:141–152.
- Kupferberg, S.J., Palen, W.J., Lind, A.J., Bobzien, S., Catenazzi, A., Drennan, J., and Power, M.E. 2012. Effects of flow regimes altered by dams on survival, population declines, and range-wide losses of California river-breeding frogs. Conservation Biology 26:513–524.
- La Berteaux, D.L. and Garlinger, B.H. 1998. Inyo California Towhee (*Pipilo crissalis eremophilus*) Census in the Argus and Coso Mountain Ranges, Inyo County, California. Contract N2474-90-M-3113. Naval Air Weapons Station, China Lake, CA.
- La Rivers, I. 1942. Some new amphibian and reptile records for Nevada. Journal of Entomology and Zoology 34:53–68.
- Lacan, I., Matthews, K., and Feldman, K. 2008.

 Interaction of an introduced predator with future effects of climate change in the recruitment dynamics of the imperiled Sierra Nevada yellow-legged frog (*Rana sierrae*). Herpetological Conservation and Biology 3:211–223.
- Lande, R. 1988. Genetics and demography in biological conservation. Science 241:1455.
- Langen, T.A., Ogden, K.M., and Schwarting, L.L. 2009. Predicting hot spots of herpetofauna road mortality along highway networks. Journal of Wildlife Management 73:104–114.

- Lannoo, M.J., ed. 2005. Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley.
- Lappin, A.K. and Swinney, E.J. 1999. Sexual dimorphism as it relates to natural history of leopard lizards (Crotaphytidae: *Gambelia*). Copeia 1999:649–660.
- Larsen, K.W., Gregory, P.T., and Antoniak, R. 1993. Reproductive ecology of the common garter snake *Thamnophis sirtalis* at the northern limit of its range. The American Midland Naturalist 129:336–345.
- Larson, A. 1980. Paedomorphosis in relation to rates of morphological and molecular evolution in the salamander *Aneides flavipunctatus* (Amphibia, Plethodontidae). Evolution 34:
- Larson, M.D. 2012. Diet of the Cascades Frog (*Rana cascadae*) as It Relates to Prey Availability in the Klamath Mountains of Northwest California.

 Master's Thesis. Humboldt State University,
 Arcata.
- Larson, N.M. 1984. Geographic Variation in the Two-Striped Garter Snake, *Thamnophis hammon-dii*. Master's Thesis. California State Polytechnic University, Pomona.
- Lawler, J.J., Shafer, S.L., Bancroft, B.A., and Blaustein, A.R. 2010. Projected climate impacts for the amphibians of the western hemisphere. Conservation Biology 24:38–50.
- Lawler, S.P., Dritz, D., Strange, T., and Holyoak, M. 1999. Effects of introduced mosquitofish and bullfrogs on the threatened California red-legged frog. Conservation Biology 13:613–622.
- Lawson, R. and Dessauer, H.C. 1979. Biochemical genetics and systematics of garter snakes of the *Thamnophis elegans, Thamnophis couchii* and *Thamnophis ordinoides* complex. Occasional Papers of the Museum of Zoology, Louisiana State University 56:1–24.
- Lazaroff, D.W., Rosen, P.C., and Lowe, C.H. 2006. Amphibians, Reptiles, and Their Habitats at Sabino Canyon, University of Arizona Press, Tucson.
- Le Conte, J. 1854. Description of four new species of *Kinosternum*. Proceedings of the Academy of Natural Sciences of Philadelphia 7:180–190.
- Leaché, A.D., Koo, M.S., Spencer, C.L., Papenfuss, T.J., Fisher, R.N., and McGuire, J.A. 2009. Quantifying ecological, morphological, and genetic variation to delimit species in the coast horned lizard species complex (*Phrynosoma*). Proceedings of the National Academy of Sciences of the United States of America 106:12418–12423.

- Leaché, A.D. and Mulcahy, D.G. 2007. Phylogeny, divergence times and species limits of spiny lizards (*Sceloporus magister* species group) in western North American deserts and Baja California. Molecular Ecology 16:5216–5233.
- Leatherman, B. 1996. Natural history notes: *Phrynosoma coronatum blainvillii*. Conservation. Herpetological Review 27:80.
- Leavitt, D.H., Bezy, R.L., Crandall, K.A., and Sites, J. 2007. Multi-locus DNA sequence data reveal a history of deep cryptic vicariance and habitat-driven convergence in the desert night lizard *Xantusia vigilis* species complex (Squamata: Xantusiidae). Molecular Ecology 16:4455–4481.
- Lebassi, B., Gonzalez, J., Fabris, D., Maurer, E., Miller, N., Milesi, C., Switzer, P., and Bornstein, R. 2009. Observed 1970-2005 cooling of summer daytime temperatures in coastal California. Journal of Climate 22:3558–3573.
- Lee, J.C. 1975. The autecology of *Xantusia henshawi henshawi* (Sauria: Xantusiidae). Transactions of the San Diego Society of Natural History 17:259–278.
- Leidy, R.A., Gonsolin, E., and Leidy, G.A. 2009. Late-summer aggregation of the foothill yellow-legged frog (*Rana boylii*) in central California. The Southwestern Naturalist 54:367–368.
- Lemm, J.M. 2006. Field Guide to Amphibians and Reptiles of the San Diego Region. University of California Press, Berkeley.
- Lenihan, J.M., Bachelet, D., Neilson, R.P., and Drapek, R. 2008. Response of vegetation distribution, ecosystem productivity, and fire to climate change scenarios for California. Climatic Change 87:S215–S230.
- Leviton, A.E. and Banta, B.H. 1964. Mid-winter reconnaissance of the herpetofauna of the Cape Region of Baja California, Mexico. Proceedings of the California Academy of Sciences 4:127–156.
- Leyse, K. 2005. Intentional Introductions and Biodiversity in Fishless Waters: The Effects of Introduced Fish on Native Aquatic Species. PhD Dissertation. University of California, Davis.
- Licht, L.E. 1969. Comparative breeding behavior of the red-legged frog (*Rana aurora aurora*) and the western spotted frog (*Rana pretiosa pretiosa*) in southwestern British Columbia. Canadian Journal of Zoology 47:1287–1299.
- Licht, L.E. 1971. Breeding habits and embryonic thermal requirements of the frogs, *Rana aurora aurora* and *Rana pretiosa pretiosa*, in the Pacific Northwest. Ecology 52:116–124.
- Licht, L.E. 1974. Survival of embryos, tadpoles, and adults of the frogs *Rana aurora aurora* and *Rana pretiosa pretiosa* sympatric in southwestern

- British Columbia. Canadian Journal of Zoology 52:613–627.
- Licht, L.E. 1986a. Comparative escape behavior of sympatric *Rana aurora* and *Rana pretiosa*. The American Midland Naturalist 115:239–247.
- Licht, L.E. 1986b. Food and feeding behavior of sympatric red-legged frogs, *Rana aurora*, and spotted frogs, *Rana pretiosa*, in southwestern British Columbia. Canadian Field-Naturalist 100:22–31.
- Licht, L.E. 1991. Habitat selection of *Rana pipiens* and *Rana sylvatica* during exposure to warm and cold temperatures. The American Midland Naturalist 125:259–268.
- Licht, P. and Brown, A. 1967. Behavioral thermoregulation and its role in ecology of red-bellied newt, *Taricha rivularis*. Ecology 48:598–611.
- Ligon, D.B. and Peterson, C.C. 2002. Physiological and behavioral variation in estivation among mud turtles (*Kinosternon spp.*). Physiological and Biochemical Zoology 75:283–293.
- Ligon, D.B. and Stone, P. 2003. Radiotelemetry reveals terrestrial estivation in Sonoran mud turtles (*Kinosternon sonoriense*). Journal of Herpetology 37:750–754.
- Lind, A.J. 2005. Reintroduction of a Declining Amphibian: Determining an Ecologically Feasible Approach for the Foothill Yellow-Legged Frog (*Rana boylii*) through Analysis of Decline Factors, Genetic Structure, and Habitat Associations. PhD Dissertation. University of California, Davis.
- Lind, A.J., Bettaso, J.B., and Yarnell, S.M. 2003. Natural history notes: *Rana boylii* and *Rana catesbeiana*. Reproductive behavior. Herpetological Review 34:235.
- Lind, A.J., Spinks, P.Q., Fellers, G.M., and Shaffer, H.B. 2011. Rangewide phylogeography and landscape genetics of the western U.S. endemic frog *Rana boylii* (Ranidae): implications for the conservation of frogs and rivers. Conservation Genetics 12:269–284.
- Lind, A.J., Welsh, H.H., Jr., and Wilson, R.A. 1996. The effects of a dam on breeding habitat and egg survival of the foothill yellow-legged frog (*Rana boylii*) in northwestern California. Herpetological Review 27:62–67.
- Linnaeus, C. 1758. Systema Naturae, Edition 10. Impensis Direct. Laurentii Salvii, Stockholm. (In Swedish)
- Linsdale, J.M. 1932. Amphibians and reptiles from Lower California. University of California Publications in Zoology 38:345–386.
- Linzey, D.W. 1967. Food of the leopard frog, *Rana p. pipiens*, in central New York. Herpetologica 23:II–I7.

- Liss, W.J. and Larson, G.L. 1991. Ecological effects of stocked trout on north Cascades naturally fishless lakes. Park Science 11:22–23.
- Liss, W.J., Larson, G.L., Deimling, E., Ganio, L.M., Gresswell, R., Hoffman, R., Kiss, M. et al. 1995. Ecological effects of stocked trout in naturally fishless high mountain lakes. Technical Report NPS/PNROSU/NRTR-95-03. North Cascades National Park Service Complex, United States National Park Service, Seattle, WA.
- Livezey, R.L. 1955. A northward range extension for Bufo canorus Camp. Herpetologica 11:212.
- Lockington, W.N. 1879. Notes on some reptiles and Batrachia of the Pacific Coast. American Naturalist 13:780–783.
- Loomis, R.B. 1965. The yellow-legged frog, *Rana boylii*, from the Sierra San Pedro Martír, Baja California Norte, Mexico. Herpetologica 21:78–80.
- Lovich, J. and Meyer, K. 2002. The western pond turtle (*Clemmys marmorata*) in the Mojave River, California, U.S.A.: highly adapted survivor or tenuous relict? Journal of Zoology 256:537–545.
- Lovich, J.E. and Beaman, K.R. 2007. A history of Gila monster (*Heloderma suspectum cinctum*) records from California with comments on factors affecting their distribution. Bulletin of the Southern California Academy of Sciences 106:39–58.
- Lovich, J.E. and Beaman, K.R. 2008. Distribution of native turtles in the arid southwestern United States with comments on *Kinosternon sonoriense*: a species presumed to be lost from California's herpetofauna, in Reynolds, R.E. (Ed.): The 2008 Desert Symposium Field Guide and Proceedings. California State University, Desert Studies Consortium and LSA Associates, Soda Springs, pp.127–134.
- Lovich, J.E., Drost, C., Monatesti, A.J., Casper, D., Wood, D.A., and Girard, M. 2010. Reptilian prey of the Sonora mud Turtle (*Kinosternon sonoriense*) with comments on saurophagy and ophiophagy in North American turtles. The Southwestern Naturalist 55:135–138.
- Lovich, J.E. and Haxel, G. 2011. A previously unreported locality record for the Gila Monster (*Heloderma suspectum*). Bulletin of the Southern California Academy of Sciences 110:59–62.
- Lovich, J.E., Madrak, S.V., Drost, C.A., Monatesti, A.J., Casper, D., and Znari, M. 2012. Optimal egg size in a suboptimal environment: reproductive ecology of female Sonora mud turtles (Kinosternon sonoriense) in central Arizona, USA. Amphibia-Reptilia 33:161–170.

- Lovich, R.E. 2001. Phylogeography of the night lizard, *Xantusia henshawi*, in southern California: evolution across fault zones. Herpetologica 57:470–487.
- Lovich, R.E. 2009a. Phylogeography and Conservation of the Arroyo Toad (*Bufo californicus*). PhD Dissertation. Loma Linda University, Loma Linda, CA.
- Lovich, R.E. 2009b. Sandstone night lizard, in Jones, L.L.C. and Lovich, R.E. (Eds): Lizards of the American Southwest. Rio Nuevo, Tucson, AZ, pp.420–423.
- Lovich, R.E. and Grismer, L.L. 2001. *Xantusia gracilis*. Catalogue of American Amphibians and Reptiles 772:1–2.
- Lubcke, G.M. and Wilson, D.S. 2007. Variation in shell morphology of the western pond turtle (*Actinemys marmorata* Baird and Girard) from three aquatic habitats in northern California. Journal of Herpetology 41:107–114.
- Luckenbach, R.A. and Bury, R.B. 1983. Effects of off-road vehicles on the biota of the Algodones Dunes, Imperial County, California. The Journal of Applied Ecology 20:265–286.
- Lynch, J.F. 1974. Ontogenetic and Geographic Variation in the Morphology and Ecology of the Black Salamander (*Aneides flavipunctatus*). PhD Dissertation. University of California, Berkeley.
- Lynch, J.F. 1981. Patterns of ontogenetic and geographic variation in the black salamander, Aneides flavipunctatus (Caudata: Plethodontidae). Smithsonian Contributions to Zoology 324:1–53.
- Lynch, J.F. 1985. The feeding ecology of *Aneides* flavipunctatus and sympatric plethodontid salamanders in northwestern California. Journal of Herpetology 19:328–352.
- Macey, J.R. and Papenfuss, T.J. 1991a. Amphibians, in Hall, C.A. (Ed.): Natural History of the White Inyo Range, University of California Press, Berkeley, pp.277–290.
- Macey, J.R. and Papenfuss, T.J. 1991b. Reptiles, Hall, C.A. (Ed.): Natural History of the White Inyo Range. University of California Press, Berkeley, pp.291–360.
- Macey, J.R., Strasburg, J., Brisson, J., Vredenburg, V., Jennings, M., and Larson, A. 2001. Molecular phylogenetics of western North American frogs of the *Rana boylii* species group. Molecular Phylogenetics and Evolution 19:131–143.
- MacTague, L. and Northen, P.T. 1993. Underwater vocalization by the foothill yellow-legged frog (*Rana boyli*). Transactions of the Western Section of the Wildlife Society 29:1–7.
- Mahrdt, C.R., Lovich, R., and Zimmitti, S.J. 2002. Natural history notes: *Bufo californicus*. Habitat

- and population status. Herpetological Review 33:123–125.
- Mahrdt, C.R., McGuire, J.A., and Beaman, K.R. 2010. *Gambelia copeii*. Catalogue of American Amphibians and Reptiles 87:1–8.
- Marco, A. and Blaustein, A. 1999. The effects of nitrite on behavior and metamorphosis in Cascades frogs (*Rana cascadae*). Environmental Toxicology and Chemistry 18:946–949.
- Marco, A., Quilchano, C., and Blaustein, A. 1999. Sensitivity to nitrate and nitrite in pond-breeding amphibians from the pacific northwest, U.S.A. Environmental Toxicology and Chemistry 18:2836–2839.
- Marks, S.B. and Doyle, D. 2005. *Taricha rivularis*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.901–908.
- Marlow, R.W., Brode, J.M., and Wake, D.B. 1979. A new salamander, genus *Batrachoseps*, from the Inyo Mountains of California: with a discussion of relationships in the genus. Contributions in Science of the Natural History Museum of Los Angeles County 308:1–17.
- Martin, D.L. 2008. Decline, Movement and Habitat Utilization of the Yosemite Toad (*Bufo canorus*): An Endangered Anuran Endemic to the Sierra Nevada of California. PhD Dissertation. University of California, Santa Barbara.
- Martin K.J. and McComb, B.C. 2003. Amphibian habitat associations at patch and landscape scales in the central Oregon Coast Range. Journal of Wildlife Management 67:672–683.
- Martin, R.F. 1972. Evidence from osteology, in Blair, W.F. (Ed.): Evolution in the Genus *Bufo*. University of Texas Press, Austin, pp.37–70.
- Marty, J.T. 2005. Effects of cattle grazing on diversity in ephemeral wetlands. Conservation Biology 19:1626–1632.
- Maslin, T.P. and Secoy, D.M. 1986. A checklist of the lizard genus *Cnemidophorus*. Contributions in Zoology, University of Colorado Museum 1:1–60.
- Matsuda, B.M. and Richardson, J.S. 2005. Movement patterns and relative abundance of coastal tailed frogs in clearcuts and mature forest stands. Canadian Journal of Forest Research 35:II3I-II38.
- Maurer, E.P. 2007. Uncertainty in hydrologic impacts of climate change in the Sierra Nevada, California, under two emissions scenarios. Climatic Change 82:309–325.
- Maurer, E.P. and Duffy, P.B. 2005. Uncertainty in projections of streamflow changes due to climate

- change in California. Geophysical Research Letters 32:L03704.
- Mautz, W.J. 1979. The metabolism of reclusive lizards, the Xantusiidae. Copeia 1979:577–584.
- Mautz, W.J. and Case, T.J. 1974. A diurnal activity cycle in the granite night lizard, *Xantusia henshawi*. Copeia 1974:243–251.
- Mayhew, W.W. 1962. Scaphiopus couchii in California's Colorado Desert. Herpetologica 18:153–161.
- Mayhew, W.W. 1964a. Photoperiodic responses in three species of the lizard genus *Uma*. Herpetologica 20:95–113.
- Mayhew, W.W. 1964b. Taxonomic status of California populations of the lizard genus *Uma*. Herpetologica 20:170–183.
- Mayhew, W.W. 1965. Adaptations of the amphibian, *Scaphiopus couchi*, to desert conditions. The American Midland Naturalist 74:95–109.
- Mayhew, W.W. 1966. Reproduction in the psammophilous lizard *Uma scoparia*. Copeia 1966:114–122.
- Mayhew, W.W. 1968. Biology of desert amphibians and reptiles, in Brown, G.W.J. (Ed.): Desert Biology, Vol. 1. Academic Press, New York, pp.195–356.
- Mazerolle, M.J. 2004. Amphibian road mortality in response to nightly variations in traffic intensity. Herpetologica 60:45–53.
- Mazerolle, M.J., Bailey, L.L., Kendall, W.L., Andrew, R.J., Converse, S.J., and Nichols, J.D. 2007.
 Making great leaps forward: accounting for detectability in herpetological field studies.
 Journal of Herpetology 41:672–689.
- McAllister, K.R. and Leonard, W.P. 1997. Washington State status report for the Oregon spotted frog. Washington Department of Fish and Wildlife, Olympia. 38pp.
- McAllister, K.R., Leonard, W.P., and Storm, R.M. 1993. Spotted frog (*Rana pretiosa*) surveys in the Puget trough of Washington, 1989–1991. Northwestern Naturalist 74:10–15.
- McCauley, R.H. 1945. The Reptiles of Maryland and the District of Columbia. Free Press Printing Co., Burlington, VT.
- McClanahan, L., Jr. 1967. Adaptations of the spadefoot toad *Scaphiopus couchii*, to desert environments. Comparative Biochemistry and Physiology 20:73–99.
- McComb, W.C., McGarigal, K., and Anthony, R.G. 1993. Small mammal and amphibian abundance in streamside and upslope habitats of mature Douglas-fir stands, western Oregon. Northwest Science 67:7–15.
- McGrann, M., Wright, G., Dial, R., and McGrann, A. 2006. Off-highway vehicle impact on the

- flat-tailed horned lizard, *Phrynosoma mcallii*, in the Colorado Desert of southern California. California Fish and Game 92:67–80.
- McGuire, J.A. 1996. Phylogenetic systematics of crotaphytid lizards (Reptilia: Iguania: Crotaphytidae). Bulletin of Carnegie Museum of Natural History 32:1–143.
- McGuire, J.A. and Grismer, L.L. 1993. The taxonomy and biogeography of *Thamnophis hammondii* and *T. digueti* (Reptilia: Squamata: Colubridae) in Baja California, Mexico. Herpetologica 49:354–365.
- McGuire, J.A., Linkem, C.W., Koo, M.S., Hutchison, D.W., Lappin, A.K., Orange, D.I., Lemos-Espinal, J., Riddle, B.R., and Jaeger, J.R. 2007. Mitochondrial introgression and incomplete lineage sorting through space and time: phylogenetics of Crotaphytid lizards. Evolution 61:2879–2897.
- Metter, D.E. 1964. A morphological and ecological comparison of 2 populations of *Ascaphus truei* Stejneger. Copeia 1964:181–195.
- Miller, A.H. and Stebbins, R.C. 1964. The Lives of Desert Animals in Joshua Tree National Monument. University of California Press, Berkeley.
- Miller, C.M. 1944. Ecologic relations and adaptations of the limbless lizards of the genus *Anniella*. Ecological Monographs 14:271–289.
- Miller, D.A.W., Brehme, C.S., Hines, J.E., Nichols, J.D., and Fisher, R.N. 2012. Joint estimation of habitat dynamics and species interactions: disturbance reduces co-occurrence of non-native predators with an endangered toad. The Journal of Animal Ecology 81:1288–1297.
- Miller, M.P., Haig, S.M., and Wagner, R.S. 2006. Phylogeography and spatial genetic structure of the southern torrent salamander: implications for conservation and management. Journal of Heredity 97:561–570.
- Minnich, J.E. and Shoemaker, V.H. 1972. Water and electrolyte turnover in a field population of the lizard, *Uma scoparia*. Copeia 1972:650–659.
- Mitchell, J.C. 1994. Reptiles of Virginia. Smithsonian Books, Washington, DC.
- Mitrovich, M.J. 2006. A Case Study in Conservation Science: The Spatial Ecology and Evolutionary History of the Coachwhip Snake (*Masticophis flagellum*) and Striped Racer (*Masticophis lateralis*). PhD Dissertation. San Diego State University, San Diego, CA.
- Mitrovich, M.J., Diffendorfer, J.E., and Fisher, R.N. 2009. Behavioral response of the coachwhip (*Masticophis flagellum*) to habitat fragment size and isolation in an urban landscape. Journal of Herpetology 43:646–656.

- Mitrovich, M.J., Gallegos, E.A., Lyren, L.M., Lovich, R.E., and Fisher, R.N. 2011. Habitat use and movement of the endangered arroyo toad (*Anaxyrus californicus*) in Coastal Southern California. Journal of Herpetology 45:319–328.
- Mittleman, M.B. and Myers, G.S. 1949. Geographic variation in the ribbed frog, *Ascaphus truei*. Proceedings of the Biological Society of Washington 62:57–68.
- Monsen, K.J. and Blouin, M.S. 2003. Genetic structure in a montane ranid frog: restricted gene flow and nuclear-mitochondrial discordance. Molecular Ecology 12:3275–3286.
- Monsen, K.J. and Blouin, M.S. 2004. Extreme isolation by distance in a montane frog *Rana cascadae*. Conservation Genetics 5:827–835.
- Montanucci, R.R. 1965. Observations on the San Joaquin leopard lizard, *Crotaphytus wislizenii silus*. Herpetologica 21:270–283.
- Montanucci, R.R. 1968. Notes on the distribution and ecology of some lizards in the San Joaquin Valley, California. Herpetologica 24:316–320.
- Montanucci, R.R. 2004. Geographic variation in *Phrynosoma coronatum* (Lacertilia, Phrynosomatidae): further evidence for a peninsular archipelago. Herpetologica 60:117–139.
- Morafka, D.J. and Banta, B.H. 1976. Ecological relationships of the recent herpetofauna of Pinnacles National Monument, Monterey, and San Benito counties, California. The Wasmann Journal of Biology 34:304–324.
- Morey, S.R. 1998. Pool duration influences age and body mass at metamorphosis in the western spadefoot toad: implications for vernal pool conservation, in Ecology, Conservation, and Management of Vernal Pool Ecosystems: Proceedings from a 1996 Conference. California Native Plant Society, Sacramento, pp.86–91.
- Morey, S.R. 2005. *Spea hammondii*. in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.514–517.
- Morey, S.R. and Guinn, D.A. 1992. Activity patterns, food habits, and changing abundance in a community of vernal pool amphibians. in Williams, D.F., Byrne, S., and Rado, T.A. (Eds): Endangered and Sensitive Species of the San Joaquin Valley, California: Their Biology, Management, and Conservation. California Energy Commission and the Wildlife Society, Western Section, Sacramento, pp.149–158.
- Morey, S.R. and Janes, D.N. 1994. Variation in larval habitat duration influences metamorphosis in *Scaphiopus couchii*, in Brown, P.R. and Wright, J.W. (Eds): Herpetology of the North American

- Deserts. Special Publication No. 5, Southwestern Herpetologists Society, Van Nuys, CA.
- Morey, S.R. and Reznick, D. 2001. Effects of larval density on postmetamorphic spadefoot toads (*Spea hammondii*). Ecology 82:510–522.
- Morey, S.R. and Reznick, D.N. 2004. The relationship between habitat permanence and larval development in California spadefoot toads: field and laboratory comparisons of developmental plasticity. Oikos 104:172–190.
- Morgan, J.A.T., Vredenburg, V.T., Rachowicz, L.J., Knapp, R.A., Stice, M.J., Tunstall, T., Bingham, R.E. et al. 2007. Population genetics of the frog-killing fungus *Batrachochytrium dendrobatidis*. Proceedings of the National Academy of Sciences of the United States of America 104:13845–13850.
- Moritz, C. 1994. Defining "Evolutionarily Significant Units" for conservation. Trends in Ecology and Evolution 9:373–375.
- Morton, M.L. and Sokoloski, K.N. 1978. Sympatry in *Bufo boreas* and *Bufo canorus* and additional evidence of natural hybridization. Bulletin of the Southern California Academy of Sciences 77:52–55.
- Mosher, H.S., Fuhrman, F.A., Buchwald, H.D., and Fischer, H.G. 1964. Tarichatoxin–tetrodotoxin: a potent neurotoxin. Science 144:1100–1110.
- Moyle, P.B. 1973. Effects of introduced bullfrogs, *Rana catesbeiana*, on the native frogs of the San Joaquin Valley, California. Copeia 1973:18–22.
- Moyle, P.B. 2002. Inland Fishes of California. University of California Press, Berkeley.
- Moyle, P.B., Williams, J.E., and Wikramanayake, E.D. 1989. Fish Species of Special Concern of California. California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova.
- Moyle, P.B., Yoshiyama, R.M., Williams, J.E., and Wikramanayake, E.D. 1995. Fish species of special concern in California. 2nd ed. California Department of Fish and Game, Inland Fisheries Division, Rancho Cordova.
- Mulcahy, D., Spaulding, A., Mendelson, J., and Brodie, E. 2006. Phylogeography of the flat-tailed horned lizard (*Phrynosoma mcallii*) and systematics of the *P. mcallii-platyrhinos* mtDNA complex. Molecular Ecology 15:1807–1826.
- Mullally, D.P. 1953. Observations on the ecology of the toad *Bufo canorus*. Copeia 1953:182–183.
- Mullally, D.P. 1956. The relationships of the Yosemite and western toads. Herpetologica 12:133–135.
- Mullen, L.B., Woods, H.A., Schwartz, M.K., Sepulveda, A.J., and Lowe, W.H. 2010. Scaledependent genetic structure of the Idaho giant

- salamander (*Dicamptodon aterrimus*) in stream networks. Molecular Ecology 19:898–909.
- Mullin, S.J., Imbert, H., Fish, J.M., Ervin, E.L., and Fisher, R.N. 2004. Snake (Colubridae: *Thamnophis*) predatory responses to chemical cues from native and introduced prey species. The Southwestern Naturalist 49:449–456.
- Murphy, R.W., Kovac, V., Haddrath, O., Allen, G., Fishbein, A., and Mandrak, N. 1995. mtDNA gene sequence, allozyme, and morphological uniformity among red diamond rattlesnakes, *Crotalus ruber* and *Crotalus exsul*. Canadian Journal of Zoology 73:270–281.
- Murphy, R.W., Trépanier, T.L., and Morafka, D.J. 2006. Conservation genetics, evolution and distinct population segments of the Mojave fringe-toed lizard, *Uma scoparia*. Journal of Arid Environments 67:226–247.
- Musgrave, M.E. 1930. *Bufo alvarius*, a poisonous toad. Copeia 1930:96–99.
- Muth, A. and Fisher, M. 1992. Development of Baseline Data and Procedures for Monitoring Populations of the Flat-Tailed Horned Lizard, *Phrynosoma mcallii*. Contract Report No. FG9268 to California Department of Fish and Game, Sacramento.
- Myers, C.W. 1965. Biology of the ringneck snake, *Diadophis punctatus*. Florida. Bulletin of the Florida State Museum, Biological Sciences 10:43–90.
- Myers, E.A., Rodríguez-Robles, J.A., Denardo, D.F., Staub, R.E., Stropoli, A., Ruane, S., and Burbrink, F.T. 2013. Multilocus phylogeographic assessment of the California Mountain Kingsnake (*Lampropeltis zonata*) suggests alternative patterns of diversification for the California Floristic Province. Molecular Ecology 22:5418–5429.
- Myers, G.S. 1930. The status of the southern California toad, *Bufo californicus* Camp. Proceedings of the Biological Society of Washington 43:73–78.
- Myers, G.S. and Maslin, T.P., Jr. 1948. The California plethodont salamander, *Aneides flavipunctatus* (Strauch), with a description of a new subspecies and notes on other western *Aneides*. Proceedings of the Biological Society of Washington 61:127–138.
- Myers, N., Mittermeier, R.A., Mittermeier, C.G., da Fonseca, G.A.B., and Kent, J. 2000. Biodiversity hotspots for conservation priorities. Nature 403:853–858.
- Nagy, Z.T., Lawson, R., Joger, U., and Wink, M. 2004. Molecular systematics of racers , whip-

- snakes and relatives (Reptilia: Colubridae) using mitochondrial and nuclear markers. Journal of Zoological Systematics and Evolutionary Research 42:223–233.
- National Audubon Society. 2011. The Christmas Bird Count Historical Results. Available from http:// www.audubon.org.
- Newbold, T.A.S. 2005. Desert horned lizard (*Phrynosoma platyrhinos*) locomotor performance: the influence of cheatgrass (*Bromus tectorum*). The Southwestern Naturalist 50:17–23.
- Newman, R.A. 1989. Developmental plasticity of *Scaphiopus couchii* tadpoles in an unpredictable environment. Ecology 70:1775–1787.
- Nielson, M., Lohman, K., Daugherty, C.H., Allendorf, F.W., Knudsen, K.L., and Sullivan, J. 2006. Allozyme and mitochondrial DNA variation in the tailed frog (Anura: *Ascaphus*): the influence of geography and gene flow. Herpetologica 62:235–258.
- Nielson, M., Lohman, K., and Sullivan, J. 2001. Phylogeography of the tailed frog (*Ascaphus truei*): implications for the biogeography of the Pacific Northwest. Evolution 55:147–160.
- Nieto, N.C. 2004. Prevalence of Chytridiomycosis in Red-Legged Frog (*Rana aurora aurora*) Larvae in and around Redwood National Park, Northern Coastal California, with Notes on Other Parasites. Master's Thesis. Humboldt State University, Arcata, CA.
- Noble, G.K. and Clausen, H.J. 1936. The aggregation behavior of *Storeria dekayi* and other snakes, with especial reference to the sense organs involved. Ecological Monographs 6:269–316.
- Norris, K.S. 1949. Observations on the habits of the horned lizard *Phrynosoma mcallii*. Copeia 1949:176–180.
- Norris, K.S. 1958. The evolution and systematics of the iguanid genus *Uma* and its relation to the evolution of other North American desert reptiles. Bulletin of the American Museum of Natural History 114:253–326.
- Northwest Forest Plan. 1994. Record of Decision for Amendments to Forest Service and Bureau of Land Management Planning Documents within the Range of the Northern Spotted Owl. USDA Forest Service and USDI Burea of Land Management, Washington, DC, 74pp.
- Nussbaum, R.A. 1969. A nest site of the Olympic salamander, *Rhyacotriton olympicus* (Gaige). Herpetologica 25:277–278.
- Nussbaum, R.A. 1976. Geographic variation and systematics of salamanders of the genus *Dicamptodon* Strauch (Ambystomatidae).

- Miscellaneous Publications of the Museum of Zoology 149:1–94.
- Nussbaum, R.A., Brodie, E., and Storm, R. 1983. Amphibians and Reptiles of the Pacific Northwest. University of Idaho Press, Moscow, ID.
- Nussbaum, R.A. and Tait, C.K. 1977. Aspects of the life history and ecology of the Olympic salamander, *Rhyacotriton olympicus* (Gaige). The American Midland Naturalist 98:176–199.
- O'Donnell, R.P., Staniland, K., and Mason, R.T. 2007. Experimental evidence that oral secretions of northwestern ring-necked snakes (*Diadophis punctatus occidentalis*) are toxic to their prey. Toxicon 50:810–815.
- O'Hara, R.K. and Blaustein, A.R. 1981. An investigation of sibling recognition in *Rana cascadae* tadpoles. Animal Behaviour 29:1121–1126.
- O'Hara, R.K. and Blaustein, A.R. 1985. Rana cascadae tadpoles aggregate with siblings: an experimental field study. Oecologia 67:44–51.
- Ohmart, R.D., Anderson, B.W., and Hunter, W.C. 1988. The ecology of the lower Colorado River from Davis Dam to the Mexico-United States international boundary: a community profile. United States Fish and Wildlife Service Biological Report 85(7.19):1–296.
- Olson, D.H., Anderson, P.D., Frissell, C.A., Welsh, H.H., Jr., and Bradford, D.F. 2007. Biodiversity management approaches for stream-riparian areas: perspectives for Pacific Northwest headwater forests, microclimates, and amphibians. Forest Ecology and Management 246:81–107.
- Olson, D.H. and Burnett, K.M. 2009. Design and management of linkage areas across headwater drainages to conserve biodiversity in forest ecosystems. Forest Ecology and Management 258S:S117–S126.
- O'Regan, S.M., Palen, W.J., and Anderson, S.C. 2014. Climate warming mediates negative impacts of rapid pond drying for three amphibian species. Ecology 95:845–855.
- Ouren, D.S., Haas, C., Melcher, C.P., Stewart, S.C., Ponds, P.D., Sexton, N.R., Burris, L., Fancher, T., and Bowen, Z.H. 2007. Environmental effects of off-highway vehicles on Bureau of Land Management lands: A Literature Synthesis, Annotated Bibliographies, Extensive Bibliographies, and Internet Resources. Open-File Report 2007-1353. US Geological Survey, Reston, VA, pp.1–225.
- Ovaska, K., Hyatt, L., and Sopuck, L. 2002. Geographic distribution: *Rana aurora*. Herpetological Review 33:318.
- Pace, A. 1974. Systematic and biological studies of the leopard frogs (*Rana pipiens* complex) of the

- United States. Miscellaneous publications of the Museum of Zoology, University of Michigan 184:I–140.
- Packer, W.C. 1960. Bioclimatic influences on the breeding migration of *Taricha rivularis*. Ecology 41:509–517.
- Packer, W.C. 1961. Feeding behavior in adult *Taricha*. Copeia 1961:351–352.
- Packer, W.C. 1962. Aquatic homing behavior in *Taricha rivularis*. Copeia 1962:207–208.
- Packer, W.C. 1963. Observations on the breeding migration of *Taricha rivularis*. Copeia 1963:378–382.
- Padgett-Flohr, G.E. 2008. Pathogenicity of Batrachochytrium dendrobatidis in two threatened California amphibians: Rana draytonii and Ambystoma californiense. Herpetological Conservation and Biology 3:182–191.
- Padgett-Flohr, G.E. 2010. Landscape epidemiology of *Batrachochytrium dendrobatidis* in central California. Ecography 33:688–697.
- Padgett-Flohr, G.E. and Hayes, M.P. 2011. Assessment of the vulnerability of the Oregon spotted frog (*Rana pretiosa*) to the amphibian Chytrid fungus (*Batrachochytrium dendrobatidis*). Hereptological Conservation and Biology 6:99–106.
- Padgett-Flohr, G.E. and Hopkins, R.L. 2009.

 Batrachochytrium dendrobatidis, a novel pathogen approaching endemism in central California.

 Diseases of Aquatic Organisms 83:1–9.
- Padgett-Flohr, G.E. and Longcore, J.E. 2007. Natural history notes: *Taricha torosa*. Fungal infection. Herpetological Review 78:176–177.
- Palen, W.J. and Schindler, D.E. 2010. Water clarity, maternal behavior, and physiology combine to eliminate UV radiation risk to amphibians in a montane landscape. Proceedings of the National Academy of Sciences of the United States of America 107:9701–9706.
- Palen, W.J., Schindler, D.E., Adams, M.J., Pearl, C.A., Bury, R.B., and Diamond, S.A. 2002. Optical characteristics of natural waters protect amphibians from UV-B in the U.S. Pacific northwest. Ecology 83:2951–2957.
- Papenfuss, T.J. and Macey, J.R. 1986. A Review of the Population Status of the Inyo Mountains Salamander (*Batrachoseps campi*). Final Report under Order 10188-5671-5 for the United States Fish and Wildlife Service. Endangered Species Office, Sacramento, CA.
- Papenfuss, T.J. and Parham, J.F. 2013. Four new species of California legless lizards (Anniella). Breviora 536:1–17.
- Parham, J. and Papenfuss, T.J. 2009. High genetic diversity among fossorial lizard populations

- (Anniella pulchra) in a rapidly developing landscape (Central California). Conservation Genetics 10:169–176.
- Parisi, M. (Ed.). 2003. Atlas of the Biodiversity of California. California Department of Fish and Game, Sacramento.
- Parker, M.S. 1994. Feeding ecology of streamdwelling Pacific giant salamander larvae (*Dicamptodon tenebrosus*). Copeia 1994:705–718.
- Parker, W.S. and Brown, W.S. 1974. Notes on the ecology of regal ringneck snakes (*Diadophis punctatus regalis*) in northern Utah. Journal of Herpetology 8:262–263.
- Parmesan, C. 2006. Ecological and evolutionary responses to recent climate change. Annual Review of Ecology, Evolution and Systematics 37:637–669.
- Parmesan, C. and Yohe, G. 2003. A globally coherent fingerprint of climate change impacts across natural systems. Nature 421:37–42.
- Patten, M.A. and Myers, S.J. 1992. Geographic distribution: *Bufo californicus*. Herpetological Review 23:122.
- Patten, R.B. and Banta, B.H. 1980. A rattlesnake, Crotalus ruber, feeds on a road-killed animal. Journal of Herpetology 14:111–112.
- Pauly, G.B., Hillis, D.M., and Cannatella, D.C. 2004. The history of a nearctic colonization: molecular phylogenetics and biogeography of the nearctic toads. Evolution 58:2517–2535.
- Pauly, G.B., Hillis, D.M., and Cannatella, D.C. 2009. Taxonomic freedom and the role of official lists of species names. Herpetologica 65:115–128.
- Pearl, C.A. 2005. *Rana aurora*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.58–530.
- Pearl, C.A. and Adams, M.J. 2005. *Rana cascadae*. in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp. 538–540.
- Pearl, C.A., Adams, M.J., Bury, R.B., and McCreary, B. 2004. Asymmetrical effects of introduced bullfrogs (*Rana catesbeiana*) on native ranid frogs in Oregon. Copeia 2004:II-20.
- Pearl, C.A., Adams, M.J., and Leuthold, N. 2009. Breeding habitat and local population size of the Oregon spotted frog (*Rana pretiosa*) in Oregon, U.S.A. Northwestern Naturalist 90:136–147.
- Pearl, C.A, Adams, M.J., Leuthold, N., and Bury, R. 2005a. Amphibian occurrence and aquatic invaders in a changing landscape: implications for wetland mitigation in the Willamette Valley, Oregon, USA. Wetlands 25:76–88.

- Pearl, C.A., Bowerman, J. and Knight, D. 2005b. Feeding behavior and aquatic habitat use by Oregon spotted frogs (*Rana pretiosa*) in central Oregon. Northwestern Naturalist 86:36–38.
- Pearl, C.A., Bull, E.L., Green, D.E., Bowerman, J., Adams, M.J., Hyatt, A., and Wente, W.H. 2007. Occurrence of the amphibian pathogen *Batrachochytrium dendrobatidis* in the Pacific Northwest. Journal of Herpetology 41:145–149.
- Pearl, C.A. and Hayes, M.P. 2002. Predation by Oregon spotted frogs (*Rana pretiosa*) on western toads (*Bufo boreas*) in Oregon. The American Midland Naturalist 147:145–152.
- Pearl, C.A. and Hayes, M.P. 2005. *Rana pretiosa*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.577–580.
- Pearl, C.A., Hayes, M.P., Haycock, R., Engler, J.D., and Bowerman, J. 2005c. Observations of interspecific amplexus between western North American ranid frogs and the introduced American bullfrog (*Rana catesbeiana*) and an hypothesis concerning breeding interference. The American Midland Naturalist 154: 126–134.
- Pearse, D. and Pogson, G. 2000. Parallel evolution of the melanic form of the California legless lizard, *Anniella pulchra*, inferred from mitochondrial DNA sequence variation. Evolution 54:1041–1046.
- Peek, R. 2010. Landscape Genetics of Foothill Yellow-Legged Frogs (*Rana boylii*) in Regulated and Unregulated Rivers: Assessing Connectivity and Genetic Fragmentation. Master's Thesis. University of San Francisco, San Francisco, CA.
- Perkins, C.B. 1938. The snakes of San Diego County with descriptions and key. Bulletin of the Zoological Society of San Diego 13:1–66.
- Perry, G., Buchanan, B.W., Fisher, R.N., Salmon, M., and Wise, S.E. 2008. Effects of artificial night lighting on amphibians and reptiles in urban environments, in Mitchell, J.C., Brown, J., and Bartholomew, B. (Eds): *Urban Herpetology*. Society for the Study of Amphibians and Reptiles. Salt Lake City, UT, pp.239–256.
- Perry, G. and Fisher, R.N. 2006. Night lights and reptiles: observed and potential effects, in Rich, C. and Longcore, T. (Eds): Ecological Consequences of Artificial Night Lighting. Island Press, Washington, DC, pp.169–191.
- Petranka, J.W. 1998. Salamanders of the United States and Canada. Smithsonian Institution Press, Washington, DC.

- Pfennig, D. 1990. The adaptive significance of an environmentally-cued developmental switch in an anuran tadpole. Oecologia 85:101–107.
- Phillipsen, I.C., Funk, W.C., Hoffman, E.A., Monsen, K.J., and Blouin, M.S. 2011. Comparative analyses of effective population size within and among species: ranid frogs as a case study. Evolution 65:2927–2945.
- Pianka, E.R. and Parker, W.S. 1975. Ecology of horned lizards: a review with special reference to *Phrynosoma platyrhinos*. Copeia 1975:141–162.
- Picco, A.M., Brunner, J.L., and Collins, J.P. 2007. Susceptibility of the endangered California tiger salamander, *Ambystoma californiense*, to Ranavirus infection. Journal of Wildlife Diseases 43:286–290.
- Pilliod, D.S., Bury, R.B., Hyde, E.J., Pearl, C.A., and Corn, P.S. 2003. Fire and amphibians in North America. Forest Ecology and Management 178:163–181.
- Pilliod, D.S. and Fronzuto, J.A. 2005. *Ambystoma macrodactylum*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.617–621.
- Pilliod, D.S., and Peterson, C.R. 2001. Local and landscape effects of introduced trout on amphibians in historically fishless watersheds. Ecosystems 4:322–333.
- Piovia-Scott, J., Pope, K.L., Lawler, S.P., Cole, E.M., and Foley, J.E. 2011. Factors related to the distribution and prevalence of the fungal pathogen *Batrachochytrium dendrobatidis* in *Rana cascadae* and other amphibians in the Klamath Mountains. Biological Conservation 144:2913–2921.
- Piry, S., Luikart, G., and Cornuet, J.M. 1999. BOTTLENECK: a computer program for detecting recent reductions in the effective size using allele frequency data. Journal of Heredity 90:502–503.
- Platz, J.E. 1976. Biochemical and morphological variation of leopard frogs in Arizona. Copeia 1976:660–672.
- Platz, J.E. 1988. *Rana yavapaiensis*. Catalogue of American Amphibians and Reptiles 418:1–2.
- Platz, J.E., Clarkson, R.W., Rorabaugh, J.C., and Hillis, D.M. 1990. *Rana berlandieri*: recently introduced populations in Arizona and southeastern California. Copeia 1990:324–333.
- Platz, J.E. and Frost, D. 1984. *Rana yavapaiensis*, a new species of leopard frog (*Rana pipiens* complex). Copeia 1984:940–948.
- Platz, J.E. and Mecham, J.S. 1979. Rana chiricahuensis, a new species of leopard frog (Rana

- pipiens complex) from Arizona. Copeia 1979:383–390.
- Platz, J.E. and Platz, A.L. 1973. *Rana pipiens* complex: hemoglobin phenotypes of sympatric and allopatric populations in Arizona. Science 179:1334–1336.
- Pollett, K.L., MacCracken, J.G. and MacMahon, J.A. 2010. Stream buffers ameliorate the effects of timber harvest on amphibians in the Cascade Range of Southern Washington, USA. Forest Ecology and Management 260:1083–1087.
- Pomeroy, L.V. 1981. Developmental Polymorphism in the Tadpoles of the Spadefoot Toad *Scaphiopus multiplicatus*. PhD Dissertation. University of California, Riverside.
- Pope, C.H. 1939. Turtles of the United States and Canada. AA Knopf, New York.
- Pope, K., Brown, C., Hayes, M., Green, G., and Macfarlane, D. 2014. Cascades Frog Conservation Assessment. United States Department of Agriculture, Forest Service, General Technical Report PSW-GTR-244 32, 116pp.
- Pope, K.L. 2008. Assessing changes in amphibian population dynamics following experimental manipulations of introduced fish. Conservation Biology 22:1572–1581.
- Pope, K.L., Garwood, J.M., Welsh, H.H., Jr., and Lawler, S.P. 2008. Evidence of indirect impacts of introduced trout on native amphibians via facilitation of a shared predator. Biological Conservation 141:1321–1331.
- Pope, K.L. and Larson, M.D. 2013. Status of the Cascades Frog (*Rana Cascadae*) in the Southern Cascade Mountains of California. Final Report to the United States Forest Service for the years 2008-2012. ISA #12-05-06-02.
- Pope, K.L., Larson, M.D., and Piovia-Scott, J. 2011. Status of Remnant Populations of Cascades Frogs (*Rana cascadae*) in the Lassen Area of California. Draft Final Report to the United States Forest Service, Lassen National Forest.
- Pope, S.E., Fahrig, L. and Merriam, H.G. 2000. Landscape complementation and metapopulation effects on leopard frog populations. Ecology 81:2498–2508.
- Pough, F.H. 1974. *Uma scoparia*. Catalogue of American Amphibians and Reptiles 155:1–2.
- Pounds, J.A., Bustamante, M.R., Coloma, L.A., Consuegra, J.A., Fogden, M.P.L., Foster, P.N., La Marca, E. et al. 2006. Widespread amphibian extinctions from epidemic disease driven by global warming. Nature 439:161–167.
- PRBO (PRBO Conservation Science). 2011.
 Projected effects of climate change in California:
 ecoregional summaries emphasizing conse-

- quences for wildlife. Version 1.0. Accessed January 30, 2012. http://data.prbo.org/apps/bssc/climatechange.
- Price, A.H. and Sullivan, B.K. 1988. *Bufo microscaphus*. Catalogue of American Amphibians and Reptiles 415:1–3.
- Prugh, L.R., Hodges, K.E., Sinclair, A.R.E., and Brashares, J.S. 2008. Effect of habitat area and isolation on fragmented animal populations. Proceedings of the National Academy of Sciences of the United States of America 105:20770–20775.
- Pyke, C.R. 2005. Interactions between habitat loss and climate change: implications for fairy shrimp in the Central Valley ecoregion of California, U.S.A. Climatic Change 68:199–218.
- Pyron, R.A. and Burbrink, F.T. 2009. Neogene diversification and taxonomic stability in the snake tribe Lampropeltini (Serpentes: Colubridae). Molecular Phylogenetics and Evolution 52:524–529.
- Rainey, W.E. 1985. Genetic Variation in *Anniella nigra*. Attachment in Bury. Status Report, *Anniella nigra*, in Central California. Office of Endangered Species, United States Fish and Wildlife Service, Portland, OR.
- Rathbun, G.B., Jennings, M.R., Murphey, T.G., and Siepel, N.R. 1993. Status and Ecology of Sensitive Aquatic Vertebrates in Lower San Simeon and Pico Creeks, San Luis Obispo County, California. Final Report under Cooperative Agreement 14-16-0009-91-1909 between U.S. Fish and Wildlife Service and California Department of Parks and Recreation. Publication No. PB93-230779, National Technical Information Service, Springfield, VA.
- Rathke, M.H. 1833. *Triton torosus*, in Zoologischer Atlas, enthaltend Abbildungen und Beschreibungen neuer Thierarten, während des Flottcapitains von Kotzebue zweiter Reise um die Welt, auf Russisch-Kaiserlich Kriegsschupp Predpriaetië in den Jahren 1823-1826 herausgegeben von D. Martin Heinrich Rathke. Fünftes Heft. G. Reimer, Berlin, pp.12–14. (In German)
- Ray, C. 1958. Vital limits and rates of desiccation in salamanders. Ecology 39:75–83.
- Recuero, R., Martinez-Solano, I., Parra-Olea, G., and Garcia-Paris, M. 2006a. Phylogeography of *Pseudacris regilla* (Anura: Hylidae) in western North America, with a proposal for a new taxonomic rearrangement. Molecular Phylogenetics and Evolution 39:293–304.
- Recuero, R., Martinez-Solano, I., Parra-Olea, G., and Garcia-Paris, M. 2006b. Corrigendum to "Phylogeography of *Pseudacris regilla* (Anura:

- Hylidae) in western North America, with a proposal for a new taxonomic rearrangement" [Mol. Phylogenet. Evol. 39 (2006) 293–304]. Molecular Phylogenetics and Evolution 41:511.
- Reeder, T.W., Cole, C.J., and Dessauer, H.C. 2002. Phylogenetic relationships of whiptail lizards of the genus *Cnemidophorus* (Squamata: Teiidae): a test of monophyly, reevaluation of karyotypic evolution, and review of hybrid origins. American Museum Novitates 3365:1–61.
- Reese, D.A. 1996. Comparative Demography and Habitat Use of Western Pond Turtles in Northern California: The Effects of Damming and Related Alterations. PhD Dissertation. University of California, Berkeley.
- Reese, D.A. and Welsh, H.H., Jr. 1997. Use of terrestrial habitat by western pond turtles, *Clemmys marmorata*: implications for management. in Proceedings of an International Conference on Conservation, Restoration, and Management of Tortoises and Turtles. State University of New York, Purchase, pp.352–357.
- Reese, D.A. and Welsh, H.H., Jr. 1998. Comparative demography of *Clemmys marmorata* populations in the Trinity River of California in the context of dam-induced alterations. Journal of Herpetology 32:505–515.
- Reeve, W.L. 1952. Taxonomy and distribution of the horned lizard genus *Phrynosoma* (family Iguanidae). University of Kansas Science Bulletin 34:817–960.
- Reilly, S.B., Portik, D.M., Koo, M.S., and Wake, D.B. In Press. Discovery of a new, disjunct population of a narrowly distributed salamander (*Taricha rivularis*) in California presents conservation challenges. Journal of Herpetology 48.
- Relyea, R.A. 2005a. The lethal impacts of Roundup and predatory stress on six species of North American tadpoles. Archives of Environmental Contamination and Toxicology 48:351–357.
- Relyea, R.A. 2005b. The lethal impact of Roundup on aquatic and terrestrial amphibians. Ecological Applications 15:1118–1124.
- Relyea, R.A. 2008. A cocktail of contaminants: how mixtures of pesticides at low concentrations affect aquatic communities. Oecologia 159:363–376.
- Relyea, R.A. and Jones, D.K. 2009. The toxicity of Roundup Original MAX(R) to thirteen species of larval amphibians. Environmental Toxicolology and Chemistry 28:2004–2008.
- Remsen, J.V., Jr. 1978. Bird species of special concern in California. California Department of Fish and Game, Wildlife Management Branch Report 78(1):1–63pp.

- Reynolds, F.A. 1943. Notes on the western glossy snake in captivity. Copeia 1943:196.
- Rhodin, A.G.J., van Dijk, P.P., Iverson, J.B., and Shaffer, H.B. 2010. Turtles of the world, 2010 update: annotated checklist of taxonomy, synonymy, distribution, and conservation status. Chelonian Research Monographs 5:85–164.
- Richter, K.O. and Azous, A.L. 1995. Amphibian occurrence and wetland characteristics in the Puget Sound Basin. Wetlands 15:305–312.
- Rieder, J.P., Newbold, T.A.S., and Ostoja, S.M. 2010. Structural changes in vegetation coincident with annual grass invasion negatively impacts sprint velocity of small vertebrates. Biological Invasions 12:2429–2439.
- Riemer, W.J. 1958. Variation and systematic relationships within the salamander genus *Taricha*. University of California Publications in Zoology 56:301–390.
- Riley, S.P.D., Busteed, G., Kats, L., Vandergon, T., Lee, L., Dagit, R., Kerby, J., Fisher, R., and Sauvajot, R. 2005. Effects of urbanization on the distribution and abundance of amphibians and invasive species in southern California streams. Conservation Biology 19: 1894–1907.
- Riley, S.P.D., Shaffer, H.B., Voss, S.R. and Fitz-patrick, B.M. 2003. Hybridization between a rare, native tiger salamander (*Ambystoma californiense*) and its introduced congener. Ecological Applications 13:1263–1275.
- Rissler, L.J. and Apodaca, J.J. 2007. Adding more ecology into species delimitation: ecological niche models and phylogeography help define cryptic species in the black salamander (*Aneides flavipunctatus*). Systematic Biology 56:924–942.
- Ritter, W.E. 1897. The life-history and habits of the Pacific coast newt (*Diemyctylus torosus* Esch.). Proceedings of the California Academy of Sciences, 3rd Series 1:73–114.
- Rochester, C.J., Brehme, C.S., Clark, D.R., Stokes, D.C., Hathaway, S.A., and Fisher, R.N. 2010. Reptile and amphibian responses to large-scale wildfires in southern California. Journal of Herpetology 44:333–351.
- Rodríguez-Robles, J.A., Bell, C.J., and Greene, H.W. 1999a. Food habits of the glossy snake, *Arizona elegans*, with comparisons to the diet of sympatric long-nosed snakes, *Rhinocheilus lecontei*. Journal of Herpetology 33:87–92.
- Rodríguez-Robles, J.A., DeNardo, D.F., and Staub, R.E. 1999b. Phylogeography of the California mountain kingsnake, *Lampropeltis zonata* (Colubridae). Molecular Ecology 8:1923–1934.

- Rodríguez-Robles, J.A. and Galina-Tessaro P. 2006. Natural history notes: *Thamnophis hammondii*. Diet. Herpetological Review 37:355.
- Roelants, K., Gower, D.J., Wilkinson, M., Loader, S.P., Biju, S.D., Guillaume, K., Moriau, L., and Bossuyt, F. 2007. Global patterns of diversification in the history of modern amphibians. Proceedings of the National Academy of Sciences, USA 104:887–892.
- Rohr, J.R., Schotthoefer, A.M., Raffel, T.R., Carrick, H.J., Halstead, N., Hoverman, J.T., Johnson, C.M. et al. 2008. Agrochemicals increase trematode infections in a declining amphibian species. Nature 455:1235–1239.
- Romansic, J.M., Diez, K.A., Higashi, E.M., Johnson, J.E., and Blaustein, A.R. 2009a. Effects of the pathogenic water mold *Saprolegnia ferax* on survival of amphibian larvae. Diseases of Aquatic Organisms 83:187–193.
- Romansic, J.M., Higashi, E.M., Diez, K.A., and Blaustein, A.R. 2007. Susceptibility of newly-metamorphosed frogs to a pathogenic water mould (*Saprolegnia* sp.). Herpetological Journal 17:161–166.
- Romansic, J.M., Waggener, A.A., Bancroft, B.A., and Blaustein, A.R. 2009b. Influence of ultraviolet-B radiation on growth, prevalence of deformities, and susceptibility to predation in Cascades frog (*Rana cascadae*) larvae. Hydrobiologia 624:219–233.
- Roos, M. 1992. The Hydrology of the 1987–1992 California Drought. Technical Paper. State of California Resources Agency, Department of Water Resources, Division of Flood Management.
- Root, T.L., MacMynowski, D.P., Mastrandrea, M.D., and Schneider, S.H. 2005. Human-modified temperatures induce species changes: joint attribution. Proceedings of the National Academy of Sciences of the United States of America 102:7465–7469.
- Root, T.L., Price, J.T., Hall, K.R., Schneider, S.H., Rosenzweig, C., and Pounds, J.A. 2003. Fingerprints of global warming on wild animals and plants. Nature 421:57–60.
- Rorabaugh, J.C. 2005. *Rana pipiens*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.570–577.
- Rorabaugh, J.C., Palermo, C.L., and Dunn, S.C. 1987. Distribution and relative abundance of the flat-tailed horned lizard (*Phrynosoma mcallii*) in Arizona. The Southwestern Naturalist 32:103–109.
- Rorabaugh, J.C., Sredl, M.J., Miera, V., and Drost, C.A. 2002. Continued invasion by an introduced

- frog (*Rana berlandieri*): southwestern Arizona, southeastern California, and Rio Colorado, Mexico. The Southwestern Naturalist 47:12–20.
- Rorabaugh, J.C. and Young, K.V. 2009. Flat-tailed horned lizard, *Phrynosoma mcallii* (Hallowell, 1852), in Jones, L.L.C. and Lovich, R.E. (Eds.): Lizards of the American Southwest: A Photographic Field Guide. Rio Nuevo Publishers, Tucson, AZ, pp.182–185.
- Rossman, D.A. 1979. Morphological evidence for taxonomic partitioning of the *Thamnophis elegans* complex (Serpentes, Colubridae). Occasional Papers of the Museum of Zoology, Louisiana State University 55:1–12.
- Rossman, D.A., Ford, N.B., and Seigel, R.A. 1996. The Garter Snakes: Evolution and Ecology. University of Oklahoma Press, Norman.
- Rossman, D.A. and Stewart, G.R. 1987. Taxonomic reevaluation of *Thamnophis couchii* (Serpentes: Colubridae). Occasional Papers of the Museum of Zoology, Louisiana State University 63:1–25
- Rovito, S.M. 2010. Lineage divergence and speciation in the web-toed salamanders (Plethodontidae: *Hydromantes*) of the Sierra Nevada, California. Molecular Ecology 19:4554–4571.
- Rowe, J.C. and Garcia, T.S. 2013. Impacts of wetland restoration efforts on an amphibian assemblage in a multi-invader community. Wetlands 34:141–153.
- Royle, J.A. and Young, K.V. 2008. A hierarchical model for spatial capture-recapture data. Ecology 89:2281–2289.
- Ruibal, R. 1959. The ecology of a brackish water population of *Rana pipiens*. Copeia 1959:315–322.
- Rundio, D.E. and Olson, D.H. 2001. Palatability of southern torrent salamander (*Rhyacotriton variegatus*) larvae to Pacific giant salamander (*Dicamptodon tenebrosus*) larvae. Journal of Herpetology 35:133–136.
- Ruppert, R.M. 2010a. A recent sighting of the banded Gila monster, (*Heloderma suspectum cinctum*) in Mojave National Preserve, California. Mojave National Preserve Science Newsletter 2010:1–3.
- Ruppert, R.M. 2010b. Geographic distribution: Heloderma suspectum cinctum. Herpetological Review 41:107.
- Russell, R.W. and Anderson, J.D. 1956. A disjunct population of the long-nosed salamander from the coast of California. Herpetologica 12:137–140.
- Rüthling, P.D. 1915. Hibernation of reptiles in southern California. Copeia 1915:10–11.
- Ruthven, A.G. 1907. A collection of reptiles and amphibians from southern New Mexico and

- Arizona. Bulletin of the American Museum of Natural History 23:483–604.
- Ryan, M.E., Johnson, J.R., and Fitzpatrick, B.M. 2009. Invasive hybrid tiger salamander genotypes impact native amphibians. Proceedings of the National Academy of Sciences of the United States of America 106:11166–11171.
- Salt, G.S. 1952. The bell toad, *Ascaphus truei*, in Mendocino County, California. Copeia 1952:193–194.
- Sartorius, S.S. and Rosen, P.C. 2000. Breeding phenology of the lowland leopard frog (*Rana yavapaiensis*): implications for conservation and ecology. The Southwestern Naturalist 45:267–273.
- Sattler, P.W. 1980. Genetic relationships among selected species of North American *Scaphiopus*. Copeia. 1980:605–610.
- Sauer, J.R., Hines, J.E., Fallon, J.E., Pardieck, K.L., Ziolkowski, D.J., Jr., and Link, W.A. 2011. The North American Breeding Bird Survey, results and analysis 1966–2009. Version 3.23.2011 USGS Patuxent Wildlife Research Center, Laurel, MD.
- Savage, W.K. 2008. Landscape Genetics and Phylogenetic Relationships in the *Ambystoma macrodactylum* species complex. PhD Dissertation. University of California, Davis.
- Savage, W.K., Fremier, A.K., and Shaffer, H.B. 2010. Landscape genetics of alpine Sierra Nevada salamanders reveal extreme population subdivision in space and time. Molecular Ecology 19:3301–3314.
- Schloegel, L.M., Picco, A.M., Kilpatrick, A.M., Davies, A.J., Hyatt, A.D., and Daszak, D. 2009. Magnitude of the U.S. trade in amphibians and presence of *Batrachochytrium dendrobatidis* and Ranavirus infection in imported North American bullfrogs (*Rana catesbeiana*). Biological Conservation 142:1420–1426.
- Schmidt, B.R. and Zumbach, S. 2008. Amphibian road mortality and how to prevent it: a review, in Mitchell, J.C., Jung Brown, R.E. and Bartholomew, B. (Eds.): Urban Herpetology. Society for the Study of Amphibians and Reptiles, Salt Lake City, UT, pp.157–167.
- Schmieder, R.R. and Nauman, R.S. 1994. Effects of Non-Native Aquatic Predators on Premetamorphic California Red-Legged Frogs (*Rana aurora draytonii*). University of California, Santa Cruz, 12pp.
- Schoenherr, A.A. 1976. The Herpetofauna of the San Gabriel Mountains, Los Angeles County, California, including Distribution and Biogeography. Special Publication No. 1. Southwestern Herpetologists Society, Van Nuys, CA.

- Schreber, H. 1782. Der Naturforscher. Johann Jacob Gebaur, Halle. (In German)
- Schulte, J.A., Macey, J.R., and Papenfuss, T.J. 2006. A genetic perspective on the geographic association of taxa among arid North American lizards of the *Sceloporus magister* (Squamata: Iguanidae: Phrynosomatidae). Molecular Phylogenetics and Evolution 39:873–880.
- Scott, N.J., Rathbun, G.B., Murphey, T.G., and Harker, M.B. 2008. Reproduction of Pacific pond turtles (*Actinemys marmorata*) in coastal streams of central California. Herpetological Conservation and Biology 3:143–148.
- Searcy, C.A. and Shaffer, H.B. 2008. Calculating biologically accurate mitigation credits: insights from the California tiger salamander. Conservation Biology 22:997–1005.
- Searcy, C.A. and Shaffer, H.B. 2011. Determining the migration distance of a vagile vernal pool specialist: how much land is required for conservation of California tiger salamanders?, in Alexander, D.G. and Schlising, R.A. (Eds): Research and Recovery in Vernal Pool Landscapes, Studies from the Herbarium, No. 16. California State University, Chico, pp.73–87.
- Secor, S.M. 1995. Ecological aspects of foraging mode for the snakes *Crotalus cerastes* and *Masticophis flagellum*. Herpetological Monographs 9:169–186.
- Seeliger, L.M. 1945. Variation in the Pacific mud turtle. Copeia 1945:150–159.
- Setser, K. 2004. Natural History, Demography, and Home Range Characteristics of a Southern California Population of *Phrynosoma mcallii* Inhabiting Atypical Habitat. Master's Thesis. Utah State University, Logan.
- Sever, D.M., Moriarty, E.C., Rania, L.C., and Hamlett, W.C. 2001. Sperm storage in the oviduct of the internal fertilizing frog *Ascaphus truei*. Journal of Morphology 248:1–21.
- Shaffer, H.B., Cook, D., Fitzpatrick, B.M., Leyse, K., Picco, A., and Trenham, P.C. 2009. Guidelines for the relocation of California tiger salamanders (*Ambystoma californiense*). Report. United States Fish and Wildlife Service, Sacramento, CA.
- Shaffer, H.B., Fellers, G.M., Magee, A., and Voss, S.R. 2000. The genetics of amphibian declines: population substructure and molecular differentiation in the Yosemite Toad, *Bufo canorus* (Anura, Bufonidae) based on single-strand conformation polymorphism analysis (SSCP) and mitochondrial DNA sequence data. Molecular Ecology 9:245–257.
- Shaffer, H.B., Fellers, G.M., Randal, V., Oliver, J.C., and Pauly, G.B. 2004. Species boundaries,

- phylogeography and conservation genetics of the red-legged frog (*Rana aurora/draytonii*) complex. Molecular Ecology 13:2667–2677.
- Shedd, J., Bogiatto, R.J. and Kirn, S.A. 2011. Natural history notes: *Phrynosoma blainvillii*. Commensalism. Herpetological Review 42:94–95
- Shoemaker, V.H., McClanahan, L., and Ruibal, R. 1969. Seasonal changes in body fluids in a field population of spadefoot toads. Copeia 1969:585–591.
- Shuford, W.D. and Gardali, T. (Eds). 2008.
 California Bird Species of Special Concern: A
 Ranked Assessment of Species, Subspecies, and
 Distinct Populations of Birds of Immediate
 Conservation Concern in California. Studies of
 Western Birds 1. Western Field Ornithologists,
 Camarillo, CA, and California Department of
 Fish and Game, Sacramento.
- Sinclair, E.A., Bezy, R.L., Bolles, K., Camarillo, R.J.L, Crandall, K.A., and Sites, J. 2004. Testing species boundaries in an ancient species complex with deep phylogeographic history: genus *Xantusia* (Squamata: Xantusiidae). The American Naturalist 164:396–414.
- Slater, J.R. 1939. Description and life-history of a new *Rana* from Washington. Herpetologica 1:145–149.
- Slevin, J.R. 1928. The amphibians of western North America: an account of the species known to inhabit California, Alaska, British Columbia, Washington, Oregon, Idaho, Utah, Nevada, Arizona, Sonora, and Lower California. Occasional Papers of the California Academy of Sciences 16:1–152
- Smith, H.M. 1946. Handbook of Lizards: Lizards of the United States and Canada. Comstock Publishing, Ithaca, NY.
- Smith, H.M., Brown, L.E., Chiszar, D., Grismer, L.L., Allen, G.S., Fishbein, A., Hollingsworth, B.D. et al. 1998. *Crotalus ruber* Cope, 1892 (Reptilia, Serpentes): proposed precedence of the specific name over that of *Crotalus exsul* Garman, 1884. Bulletin of Zoological Nomenclature 55:229–232.
- Sneed, D. 14 May 2009. Cuesta group makes monster find on field trip. The Tribune, San Luis Obispo, B1.
- Snyder, M.A. and Sloan, L.C. 2005. Transient future climate over the western United States using a regional climate model. Earth Interactions 9:1–21
- Snyder, M.A., Sloan, L.C., and Bell, J.L. 2004. Modeled regional climate change in the hydrologic regions of California: a CO₂ sensitivity study. Journal of the American Water Resources Association 40:591–601.

- Snyder, M.A., Sloan, L.C., Diffenbaugh, N.S., and Bell, J.L. 2003. Future climate change and upwelling in the California Current. Geophysical Research Letters 30:1–4
- Sparling, D.W., Fellers, G.M., and McConnell, L.L. 2001. Pesticides and amphibian population declines in California, U.S.A. Environmental Toxicology and Chemistry 20:1591–1595.
- Spear, S.F and Storfer, A. 2008. Landscape genetic structure of coastal tailed frogs (*Ascaphus truei*) in protected vs. managed forests. Molecular Ecology 17:4642–4656.
- Spear, S.F. and Storfer, A. 2010. Anthropogenic and natural disturbance lead to differing patterns of gene flow in the Rocky Mountain tailed frog, *Ascaphus montanus*. Biological Conservation 143:778–786.
- Spencer, W.D., Beier, P., Penrod, K., Winters, K., Paulman, C., Rustigian-Romsos, H., Strittholt, J., Parisi, M., and Pettler, A. 2010. California Essential Habitat Connectivity Project: A Strategy for Conserving a Connected California. Prepared for California Department of Transportation, California Department of Fish and Game, and Federal Highways Administration.
- Spinks, P.Q., Pauly, G.B., Crayon, J.J., and Shaffer, H.B. 2003. Survival of the western pond turtle (*Emys marmorata*) in an urban California environment. Biological Conservation 113:257–267.
- Spinks, P.Q. and Shaffer, H.B. 2005. Range-wide molecular analysis of the western pond turtle (*Emys marmorata*): cryptic variation, isolation by distance, and their conservation implications. Molecular Ecology 14:2047–2064.
- Spinks, P.Q. and Shaffer, H.B. 2009. Conflicting mitochondrial and nuclear phylogenies for the widely disjunct *Emys* (Testudines: Emydidae) species complex, and what they tell us about biogeography and hybridization. Systematic Biology 58:1–20.
- Spinks, P.Q., Thomson, R.C., Lovely, G.A., and Shaffer, H.B. 2009. Assessing what is needed to resolve a molecular phylogeny: simulations and empirical data from emydid turtles. BMC Evolutionary Biology 9:56
- Spinks, P.Q., Thomson, R.C., and Shaffer, H.B. 2010. Nuclear gene phylogeography reveals the historical legacy of an ancient inland sea on lineages of the western pond turtle, *Emys marmorata* in California. Molecular Ecology 19:542–56.
- Spinks, P.Q., Thomson, R.C., and Shaffer, H.B. 2014. The advantages of going large: genome-

- wide SNPs clarify the complex population history and systematics of the threatened western pond turtle. Molecular Ecology 23:2228–2241
- Sredl, M.J., Collins, E.P., and Howland, J.M. 1997.
 Mark-Recapture Studies of Arizona Leopard
 Frogs. Arizona Game and Fish Department,
 Phoenix.
- Stanila, B.D. 2009. Morphology and Demography of Sonoran Mud Turtles (*Kinosternon sonoriense*) along an Aquatic Habitat Permanence Gradient. Master's Thesis. University of Central Oklahoma, Edmond.
- Staub, N. and Wake, D. 2005. *Aneides flavipunctatus*. in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.660–661.
- Staub, R.E. and Mulks, M.F. 2009. Preliminary Assessment of Habitat Damage in the Laguna Mountains and Impacts on the San Diego Mountain Kingsnake. Unpublished report.
- Stebbins, R.C. 1943. Adaptations in the nasal passages for sand burrowing in the saurian genus *Uma*. The American Naturalist 77: 38–52.
- Stebbins, R.C. 1944. Some aspects of the ecology of the Iguanid genus *Uma*. Ecological Monographs 14:311–332.
- Stebbins, R.C. 1948. Nasal structure in lizards with reference to olfaction and conditioning of the inspired air. American Journal of Anatomy 83:183–221.
- Stebbins, R.C. 1951. Amphibians of Western North America. University of California Press, Berkley.
- Stebbins, R.C. 1954. Amphibians and Reptiles of Western North America. McGraw-Hill Book Company, New York.
- Stebbins, R.C. 1955. Southern occurrence of the Olympic salamander, *Rhyacotriton olympicus*. Herpetologica 11:238–239.
- Stebbins, R.C. 1958. A new alligator lizard from the Panamint Mountains, Inyo County, California. American Museum Novitates 1883:27.
- Stebbins, R.C. 1959. Reptiles and Amphibians of the San Francisco Bay Region. University of California Press, Berkeley.
- Stebbins, R.C. 1966. Field Guide to Western Reptiles and Amphibians. Houghton Mifflin Company, Boston, MA.
- Stebbins, R.C. 1972. California Amphibians and Reptiles. University of California Press, Berkeley.
- Stebbins, R.C. 1985. A Field Guide to Western Amphibians and Reptiles. Houghton Mifflin Company, Boston, MA.

- Stebbins, R.C. 2003. A Field Guide to Western Reptiles and Amphibians. Houghton Mifflin Company, Boston, MA.
- Stebbins, R.C. and Lowe, C.H. 1951. Subspecific differentiation in the Olympic salamander *Rhyacotriton olympicus*. University of California Publications in Zoology 50:465–484.
- Stejneger, L. 1899. Description of a new genus and species of discoglossoid toad from North America. Proceedings of the United States National Museum 21:899–901.
- Stewart, G.R. 1972. An unusual record of sperm storage in a female garter snake (genus *Thamnophis*). Herpetologica 28:346–347.
- Stewart, I.T., Cayan, D.R., and Dettinger, M. 2005. Changes toward earlier streamflow timing across western North America. Journal of Climate. 18:1136–1155.
- Stoddard, M.A. and Hayes, J.P. 2005. The influence of forest management on headwater stream amphibians at multiple spatial scales. Ecological Applications 15:811–823.
- Stone, P.A. 2001. Movements and demography of the Sonoran mud turtle, *Kinosternon sonoriense*. The Southwestern Naturalist 46:41–53.
- Stone, P.A., Babb, M.E., Stanila, B.D., Kersey, G., and Stone, Z. 2005. Natural history notes: *Kinosternon sonoriense*. Diet. Herpetological Review 36:167–168.
- Stone, P.A., Stone, M.E.B., Stanila, B.D., and Locey, K.J. 2011. Terrestrial flight response: a new context for terrestrial activity in Sonoran mud turtles. The American Midland Naturalist 165:128–136.
- Storer, T.I. 1925. A synopsis of the amphibia of California. University of California Publications in Zoology 27:1–342.
- Storer, T.I. 1930. Notes on the range and life-history of the Pacific fresh-water turtle, *Clemmys marmorata*. University of California Publications in Zoology 35:421–441.
- Storm, R.M. 1960. Notes on the breeding biology of the red-legged frog (*Rana aurora aurora*). Herpetologica 16:251–259.
- Storm, R.M. and Pimentel, R.A. 1954. A method for studying amphibian breeding populations. Herpetologica 10:161–166.
- Stralberg, D., Jongsomjit, D., Howell, C.A., Snyder, M.A., Alexander, J.D., Wiens, J.A., and Root, T.L. 2009. Re-shuffling of species with climate disruption: a no-analog future for California birds? PIOS ONE 4:e6825.
- Stromberg, M.R. 1997. Natural history notes: *Taricha torosa*. Response to fire. Herpetological Review 28:82–83.

- Stuart, S.N., Chanson, J.S., Cox, N.A., Young, B.E., Rodrigues, A.S.L., Fischman, D.L., and Waller, R.W. 2004. Status and trends of amphibian declines and extinctions worldwide. Science 306:1783–1786.
- Suarez, A. and Case, T. 2002. Bottom-up effects on persistence of a specialist predator: ant invasions and horned lizards. Ecological Applications 12:291–298.
- Suarez, A., Richmond, J., and Case, T. 2000. Prey selection in horned lizards following the invasion of Argentine ants in southern California. Ecological Applications 10:711–725.
- Sullivan, B.K. 1981. Distribution and relative abundance of snakes along a transect in California. Journal of Herpetology 15:247–248.
- Sullivan, B.K. and Fernandez, P.J. 1999. Breeding activity, estimated age-structure, and growth in Sonoran Desert anurans. Herpetologica 55:334–343.
- Sullivan, B.K. and Malmos, K.B. 1994. Call variation in the Colorado River toad (*Bufo alvarius*): behavioral and phylogenetic implications. Herpetologica 50:146–156.
- Sun, M.C. 2012. *Batrachochytrium dendrobatidis*Prevalence in Northern Red-Legged Frogs (*Rana aurora*): 10 Years Later. Master's Thesis. Humboldt State University, Arcata, CA.
- Survey and manage program. 2010. Annual Species Review. USDI Burea of Land Management. Available from http://www.blm.gov/or/plans/ surveyandmanage/species.php
- Sutherland, R.W., Dunning, P.R., and Baker, W.M. 2010. Amphibian encounter rates on roads with different amounts of traffic and urbanization. Conservation Biology 24:1626–1635.
- Sweet, S.S. 1992. Initial Report on the Ecology and Status of the Arroyo Toad (*Bufo microscaphus* californicus) on the Los Padres National Forest of Southern California, with Management Recommendations. Los Padres National Forest, Goleta, CA.
- Sweet, S.S. 1993. Second Report on the Biology and Status of the Arroyo Toad (*Bufo microscaphus californicus*) on the Los Padres National Forest of southern California. Los Padres National Forest, Goleta, CA.
- Sweet, S.S. and Leviton, A.E. 1983. Geographic distribution: Rana aurora draytoni. Herpetological Review 14:27.
- Sweet, S.S. and Sullivan, B.K. 2005. *Bufo californicus*. in Amphibian declines: the conservation status of United States species, Lannoo, M.J. (Ed.): University of California Press, Berkeley, pp.396–400.

- Sype, W.E. 1975. Breeding Habits, Embryonic Thermal Requirements and Embryonic and Larval Development of the Cascade Frog, *Rana* cascadae Slater. PhD Dissertation. Oregon State University, Corvallis.
- Tait, C.K. and Diller, L.V. 2006. Life history of the southern torrent salamander (*Rhyacotriton variegatus*) in coastal northern California. Journal of Herpetology 40:43–54
- Tan, A.M. and Wake, D. 1995. MtDNA phylogeography of the California newt, *Taricha torosa* (Caudata, Salamandridae). Molecular Phylogenetics and Evolution 4:383–394.
- Tejon Ranch Conservancy. 2008. Tejon Ranch Conservation and Land Use Agreement. Available from: http://www.tejonconservancy.org/.
- Tevis, L., Jr. 1943. Field notes on a red rattlesnake in Lower California. Copeia 1943:242–245.
- Thomas, C.D., Cameron, A., Green, R.E., Bakkenes, M., Beaumont, L.J., Collingham, Y.C., Erasmus, B.F.N., de Siqueira, M.F., Grainger, A., and Hannah, L. 2004. Extinction risk from climate change. Nature 427:145–148.
- Thompson, C., Sweitzer, R., Gabriel, M., Purcell, K., Barrett, R. and Poppenga, R. 2014. Impacts of rodenticide and insecticide toxicants from marijuana cultivation sites on fisher survival rates in the Sierra National Forest, California. Conservation Letters 7:91–102
- Thomson, R.C., Spinks, P.Q., and Shaffer, H.B. 2010. Distribution and abundance of invasive red-eared sliders (*Trachemys scripta elegans*) in California's Sacramento river basin and possible impacts on native western pond turtles (*Emys marmorata*). Chelonian Conservation and Biology 9:297–302.
- Tihen, J.A. 1962. Osteological observations on New World *Bufo*. The American Midland Naturalist 67:157–183.
- Tinkham, E.R. 1962. Notes on the occurrence of *Scaphiopus couchii* in California. Herpetologica 18:204.
- Tinkham, E.R. 1971. The biology of the Gila monster, in Bucherl, W. and Buckley, E.E. (Eds): Venomous Animals and Their Venoms: Venomous Vertebrates, Vol. 2. Academic Press, New York, pp.387–413.
- Todd, B.D., Scott, D.E., Pechmann, J.H.K., and Gibbons, J.W. 2011. Climate change correlates with rapid delays and advancements in reproductive timing in an amphibian community. Proceedings of the Royal Society Series B 278:2191–2197.
- Tollestrup, K. 1979. The Ecology, Social Structure, and Foraging Behavior of Two Closely Related

- Species of Leopard Lizards, *Gambelia silus* and *Gambelia wislizenii*. PhD Dissertation. University of California, Berkeley.
- Tollestrup, K. 1981. The social behavior and displays of 2 species of horned lizards, *Phrynosoma platyrhinos* and *Phrynosoma coronatum*. Herpetologica 37:130–141.
- Tracey, J.A. 2000. Movement of Red Diamond Rattlesnakes (*Crotalus ruber*) in Heterogeneous Landscapes in Coastal Southern California. Master's Thesis. University of California, San Diego.
- Tracey, J.A., Zhu, J., and Crooks, K. 2005. A set of nonlinear regression models for animal movement in response to a single landscape feature. Journal of Agricultural Biological and Environmental Statistics 10:1–18.
- Trenham, P.C. 1998. Demography, migration, and metapopulation structure of pond breeding salamanders. PhD Dissertation. University of California, Davis, California.
- Trenham, P.C. and Shaffer, H.B. 2005. Amphibian upland habitat use and its consequences for population viability. Ecological Applications 15:1158–1168.
- Trépanier, T.L. and Murphy, R.W. 2001. The Coachella Valley fringe-toed lizard (*Uma inornata*): genetic diversity and phylogenetic relationships of an endangered species. Molecular Phylogenetics and Evolution 18:327–334.
- Turner, F.B. and Medica, P.A. 1982. The distribution and abundance of the flat-tailed horned lizard (*Phrynosoma mcallii*). Copeia 1982:815–823.
- Turner, F.B., Rorabaugh, J.C., Nelson, E.C., and Jorgensen, M.C. 1980. A Survey of the Occurrence and Abundance of the Flat-Tailed Horned Lizard (*Phrynosoma mcallii*) in California. Contract YA-5l2-CT8-58. Unpublished Report.
- Turner, F.B., Weaver, D.C., and Rorabaugh, J.C. 1984. Effects of reduction in windblown sand on the abundance of the fringe-toed lizard (*Uma inornata*) in the Coachella Valley, California. Copeia 1984:370–378.
- Twining, H. and Hensley, A. 1943. Distribution of muskrats in California. California Fish and Game 29:64–78.
- Twitty, V.C. 1935. Two new species of *Triturus* from California. Copeia 1935:73–80.
- Twitty, V.C. 1942. The species of Californian *Triturus*. Copeia 1942:65–76.
- Twitty, V.C. 1955. Field experiments on the biology and genetic relationships of the Californian species of *Triturus*. Journal of Experimental Zoology 129:129–147.

- Twitty, V.C. 1959. Migration and speciation in newts. Science 130:1735–1743.
- Twitty, V.C. 1961. Experiments on homing behavior and speciation in *Taricha*, in Blair, W.F. (Ed.): Vertebrate Speciation. University of Texas Press, Austin, pp.415–459.
- Twitty, V.C. 1964. *Taricha rivularis* (Twitty), red-bellied newt. Catalogue of American Amphibians and Reptiles 9:1–2.
- Twitty, V.C. 1966. Of Scientists and Salamanders. WH Freeman & Company, San Francisco, CA.
- Twitty, V.C., Grant, D., and Anderson, O. 1964. Long distance homing in newt *Taricha rivularis*. Proceedings of the National Academy of Sciences of the United States of America 51:51–58.
- Twitty, V.C., Grant, D., and Anderson, O. 1966. Course and timing of homing migration in newt *Taricha rivularis*. Proceedings of the National Academy of Sciences of the United States of America 56:864–871.
- Twitty, V.C., Grant, D., and Anderson, O. 1967a. Initial homeward orientation after long-distance displacements in newt *Taricha rivularis*. Proceedings of the National Academy of Sciences of the United States of America 57:342–348.
- Twitty, V.C., Grant, D., and Anderson, O. 1967b. Home range in relation to homing in newt *Taricha rivularis* (Amphibia: Caudata). Copeia 1967:649–653.
- Tyler, T., Liss, W.J., Ganio, L.M., Larson, G.L., Hoffman, R., Deimling, E., and Lomnicky, G. 1998. Interaction between introduced trout and larval salamanders (*Ambystoma macrodactylum*) in high-elevation lakes. Conservation Biology 12:94–105.
- Ultsch, G.R. 2006. The ecology of overwintering among turtles: where turtles overwinter and its consequences. Biological Reviews 81:339–367.
- US Census Bureau. 2013. California Demographic Profile. Accessed August 27, 2014. census.gov.
- USDA (United States Department of Agriculture). 2007. Census of Agriculture. Accessed August 27, 2014. http://www.agcensus.usda.gov/Publications/2007/Online_Highlights/County_Profiles/California/index.asp.
- USFWS (United States Fish and Wildlife Service). 1996. Endangered and threatened wildlife and plants: determination of threatened status for the California red-legged frog. Federal Register 61:25813–25833.
- USFWS. 1997. Recovery Plan for the Threatened Marbled Murrelet (*Brachyramphus marmoratus*) in Washington, Oregon, and California. USFWS, Portland, OR.

- USFWS. 1999. Recovery Plan for the Arroyo Southwestern Toad. USFWS, Portland, OR.
- USFWS. 2002. Recovery Plan for the California Red-Legged Frog (*Rana aurora draytonii*). USFWS, Portland, OR.
- USFWS. 2008. Endangered and Threatened Wildlife and Plants; 90-Day Finding on Petition to List the Amargosa River Population of the Mojave Fringe-Toed Lizard (*Uma scoparia*) as Threatened or Endangered with Critical Habitat. Ventura, CA.
- USFWS. 2009. Arroyo Toad 5-Year Review: Summary and Evaluation. Ventura, CA.
- USFWS. 2011a. Endangered and threatened wildlife and plants; withdrawal of proposed rule to list the flat-tailed horned lizard as threatened. Federal Register 76:14210–14268.
- USFWS. 2011b. Endangered and threatened wildlife and plants; 12-month finding on a petition to list the Amargosa River population of the Mojave fringe-toed lizard as an endangered or threatened distinct population segment. Federal Register 76:61321–61330.
- USFWS. 2014. Endangered and threatened wildlife and plants; threatened status for the Oregon spotted frog. Federal Register 79:51658–51710.
- USNPS (United States National Park Service). 2010. Channel Islands National Park: Restoring Santa Cruz Island. Accessed August 27, 2014. http:// www.nps.gov/chis/naturescience/restoringsanta-cruz-island.htm.
- Valentine, B.D. and Dennis, D.M. 1964. A comparison of the gill-arch system and fins of three genera of larval salamanders, *Rhyacotriton*, *Gyrinophilus*, and *Ambystoma*. Copeia 1964:196–201.
- Van Denburgh, J. 1894. Descriptions of three new lizards from California and lower California, with a note on *Phrynonsoma blainvillii*. Proceedings of the California Academy of Sciences.4:296–301.
- Van Denburgh, J. 1895. Notes on the habits and distribution of *Autodax iecanus*. Proceedings of the California Academy of Sciences 5:776–778.
- Van Denburgh, J. 1897. The reptiles of the Pacific coast and Great Basin: An account of the species known to inhabit California, and Oregon, Washington, Idaho and Nevada. Occassional Papers of the California Academy of Sciences, San Francisco.
- Van Denburgh, J. 1922. The reptiles of western North America: an account of the species known to inhabit California and Oregon, Washington, Idaho, Utah, Nevada, Arizona, British Columbia, Sonora and lower California. Vol. 1. Lizards.

- Occassional Papers of the California Academy of Sciences 10:1–611.
- Van Denburgh, J. and Slevin, J.R. 1913. A list of the amphibians and reptiles of Arizona, with notes on the species in the collection of the Academy. Proceedings of the California Academy of Sciences 3:391–454.
- Van Loben Sels, R.C., Congdon, J.D., and Austin, J.T. 1997. Life history and ecology of the Sonoran mud turtle (*Kinosternon sonoriense*) in southeastern Arizona: a preliminary report. Chelonian Conservation and Biology 2:338–344.
- Van Wagner, T.J. 1996. Selected Life-History and Ecological Aspects of a Population of Foothill Yellow-Legged Frogs (*Rana boylii*) from Clear Creek, Nevada County, California. Master's Thesis. California State University, Chico.
- Vesely, D.G. 1996. Terrestrial Amphibian Abundance and Species Richness in Headwater Riparian Buffer Strips, Oreogn Coast Range. Master's Thesis. Oregon State University, Corvallis, OR, 48pp.
- Vesely, D.G. and McComb, W.C. 2002. Salamander abundance and amphibian species richness in riparian buffer strips in the Oregon Coast Range. Forest Science 48:291–297.
- Vitt, L.J. 1975. Observations on reproduction in five species of Arizona snakes. Herpetologica 31:83–84.
- Vitt, L.J. and Ohmart, R.D. 1978. Herpetofauna of the lower Colorado River: Davis Dam to the Mexican border. Proceedings of the Western Foundation of Vertebrate Zoology 2:35–72.
- Von Bloeker, J.C.J. 1942. Fauna and flora of the El Segundo sand dunes: 13. Amphibians and reptiles of the dunes. Bulletin of the Southern California Academy of Sciences 41:29–38.
- Vredenburg, V.T. 2004. Reversing introduced species effects: experimental removal of introduced fish leads to rapid recovery of a declining frog. Proceedings of the National Academy of Sciences of the United States of America 101:7646–7650.
- Vredenburg, V.T., Bingham, R., Knapp, R., Morgan, J.A.T., Moritz, C., and Wake, D. 2007. Concordant molecular and phenotypic data delineate new taxonomy and conservation priorities for the endangered mountain yellow-legged frog. Journal of Zoology 271:361–374.
- Vredenburg, V.T., Knapp, R.A., Tunstall, T.S., and Briggs, C.J. 2010. Dynamics of an emerging disease drive large-scale amphibian population extinctions. Proceedings of the National Academy of Sciences of the United States of America 107:9695–9700.

- Wahbe, T.R. and Bunnell, F.L. 2003. Relations among larval tailed frogs, forest harvesting, stream microhabitat, and site parameters in southwestern British Columbia. Canadian Journal of Forest Research 33:1256–1266.
- Wahbe, T.R., Bunnell, F.L., and Bury, R.B. 2004. Terrestrial movements of juvenile and adult tailed frogs in relation to timber harvest in coastal British Columbia. Canadian Journal of Forest Research 34:2455–2466.
- Wake, D.B. 1996. A new species of *Batrachoseps* (Amphibia: Plethodontidae) from the San Gabriel Mountains, southern California. Contributions in Science from the Natural History Museum of Los Angeles County 463:I–I2.
- Wake, D.B. and Jockusch, E.L. 2000. Detecting species borders using diverse data sets: plethodontid salamanders in California, in Bruce, R.C., Jaeger, R.G., and Houck, L.D. (Eds): The Biology of the Plethodontidae. Kluwer Academic/Plenum Publishers, New York, pp.95–119.
- Wake, D.B., and Papenfuss, T.J., 2005. Hydromantes platycephalus, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species, University of California Press, Berkeley, pp.83–784.
- Wake, D.B., Yanev, K.P., and Hansen, R.W. 2002. New species of slender salamander, genus *Batrachoseps*, from the southern Sierra Nevada of California. Copeia 2002:1016–1028.
- Wallace, R.L. and Diller, L.V. 1998. Length of the larval cycle of *Ascaphus truei* in coastal streams of the redwood regions, northern California. Journal of Herpetology 32:404–409.
- Walther, G.R., Post, E., Convey, P., Menzel, A., Parmesan, C., Beebee, T.J.C., Fromentin, J.M., Hoegh-Guldberg, O., and Bairlein, F. 2002. Ecological responses to recent climate change. Nature 416:389–395.
- Wang, I.J. 2009b. Fine-scale population structure in a desert amphibian: landscape genetics of the black toad (*Bufo exsul*). Molecular Ecology 18:3847–3856.
- Wang, I.J. 2012. Environmental and topographical variables shape patterns of genetic structure and effective population size in the Yosemite toad. Diversity and Distributions 18:1033–1041.
- Wang, I.J., Johnson, J.R., Johnson, B.B., and Shaffer, H.B. 2011. Effective population size is strongly correlated with breeding pond size in the endangered California tiger salamander, *Ambystoma californiense*. Conservation Genetics 12:911–920
- Wang, I.J., Savage, W.K., and Shaffer, H.B. 2009. Landscape genetics and least-cost path analysis

- reveal unexpected dispersal routes in the California tiger salamander (*Ambystoma californiense*). Molecular Ecology 18:1365–1374.
- Wang, J. 2009a. A new method for estimating effective population sizes from a single sample of multilocus genotypes. Molecular Ecology 18:2148–2164.
- Ward, P.S. 1987. Distribution of the introduced Argentine ant (*Iridomyrmex humilis*) in natural habitats of the lower Sacramento Valley and its effects on the indigenous ant fauna. Hilgardia 55:I–I6.
- Watson, J.W., McAllister, K.R., and Pierce, D.J. 2003. Home ranges, movements, and habitat selection of Oregon spotted frogs (*Rana pretiosa*). Journal of Herpetology 37:292–300.
- Watters, T.S. and Kats, L.B. 2006. Longevity and breeding site fidelity in the California newt (*Taricha torosa*): a long-term study showing the efficacy of pit tagging. Herpetological Review 37:151.
- Weinstein, S.B. 2009. An aquatic disease on a terrestrial salamander: individual and population level effects of the amphibian chytrid fungus, Batrachochytrium dendrobatidis, on Batrachoseps attenuatus (Plethodontidae). Copeia 2009:653–660.
- Wells, M.T. 1998. Wildlife Management Plan for Torrey Pines State Reserve: Terrestrial Vertebrates. Wildlife Management Plan for Torrey Pines State Reserve, Torrey Pines State Reserve, La Jolla, CA.
- Welsh, H.H., Jr. 1985. Geographic distribution: *Ascaphus truei*. Herpetological Review 16: 59.
- Welsh, H.H., Jr. 1988. An ecogeographic analysis of the herpetofauna of the Sierra San Pedro Martir region, Baja California: with a contribution to the biogeography of the Baja California herpetofauna. Proceedings of the California Academy of Sciences 46:1–72.
- Welsh, H.H., Jr. 1990. Relictual amphibians and old-growth forests. Conservation Biology 4:309–319.
- Welsh, H.H., Jr. 2011. Frogs, fish and forestry: an integrated watershed network paradigm conserves biodiversity and ecological services. Diversity 2011:503–530.
- Welsh, H.H., Jr., and Bury, R.B. 2005. *Plethodon elongates*, in Lannoo, M.J. (Ed.): Amphibian Declines: The Conservation Status of United States Species. University of California Press, Berkeley, pp.806–807.
- Welsh, H.H., Jr., Fellers, G., and Lind, A. 2007. Amphibian populations in the terrestrial

- environment: Is there evidence of declines of terrestrial forest amphibians in northwestern California? Journal of Herpetology 41: 469–482.
- Welsh, H.H., Jr., and Hodgson, G.R. 2008. Amphibians as metrics of critical biological thresholds in forested headwater streams of the Pacific Northwest, U.S.A. Freshwater Biology 53:1470–1488.
- Welsh, H.H., Jr., and Hodgson, G.R. 2011. Spatial relationships in a dendritic network: the herpetofaunal metacommunity of the Mattole River catchment of northwest California. Ecography 34:49–66.
- Welsh, H.H., Jr., Hodgson, G.R., Duda, J.J., and Emlen, J.M. 2010. Faunal assemblages and multi-scale habitat patterns in headwater tributaries of the South Fork Trinity River: an unregulated river embedded within a multipleuse landscape. Animal Biodiversity and Conservation 33:63–87.
- Welsh, H.H., Jr., Hodgson, G.R., and Lind, A.J. 2005. Ecogeography of the herpetofauna of a northern California watershed: linking species patterns to landscape processes. Ecography 28:521–536.
- Welsh, H.H., Jr., and Lind, A.J. 1988. Old-growth forests and the distribution of terrestrial herpetofauna, in Szaro, R.C., Severson, K.E., and Patton, D.R. (Eds): Management of Amphibians, Reptiles, and Small Mammals in North America. General Technical Report RM-166. US Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station, Fort Collins, CO, pp.439–459.
- Welsh, H.H., Jr., and Lind, A.J. 1991. The structure of the herpetofaunal assemblage in the Douglas-fir/hardwood forests of northwestern California and southwestern Oregon. US Department of Agriculture, Forest Service, General Technical Report PNW 285:395–413.
- Welsh, H.H., Jr., and Lind, A.J. 1992. Population ecology of two relictual salamanders from the Klamath Mountains of northwestern California, in McCullough, D. and Barret, R. (Eds): Wildlife 2001: Populations. Elsevier Science Publications Limited, London, pp.419–437.
- Welsh, H.H., Jr., and Lind, A.J. 1995. Habitat correlates of the Del Norte salamander, *Plethodon elongatus* (Caudata, Plethodontidae), in northwestern California. Journal of Herpetology 29:198–210.
- Welsh, H.H., Jr., and Lind, A.J. 1996. Habitat correlates of the southern torrent salamander, *Rhyacotriton variegatus* (Caudata: Rhyacotritoni-

- dae), in northwestern California. Journal of Herpetology 30:385–398.
- Welsh, H.H., Jr., and Lind, A.J. 2002. Multiscale habitat relationships of stream amphibians in the Klamath-Siskiyou Region of California and Oregon. Journal of Wildlife Management 66:581–602.
- Welsh, H.H., Jr., and Ollivier, L.M. 1998. Stream amphibians as indicators of ecosystem stress: a case study from California's redwoods. Ecological Applications 8:1118–1132.
- Welsh, H.H., Jr., Pope, K.L., and Boiano, D. 2006. Sub-alpine amphibian distributions related to species palatability to non-native salmonids in the Klamath mountains of northern California. Diversity and Distributions 12:298–309.
- Welsh, H.H., Jr., Roelofs, T.D., and Frissell, C.A. 2000. Aquatic ecosystems of the redwood region, in Noss, R. (Ed.): The Redwood Forest. Island Press, Washington, DC, pp.165–200.
- Westerling, A.L. and Bryant, B.P. 2008. Climate change and wildfire in California. Climatic Change 87:S231–S249.
- Westerling, A.L., Bryant, B.P., Preisler, H.K., Holmes, T.P., Hidalgo, H.G., Das, T., and Shrestha, S.R. 2011. Climate change and growth scenarios for California wildfire. Climatic Change 109:S445–S463.
- Westerling, A.L., Cayan, D.R., Brown, T.J., Hall, B.L., and Riddle, L.G. 2004. Climate, Santa Ana winds and autumn wildfires in southern California. EOS, Transactions, American Geophysical Union 85:289–296.
- Wheeler, C.A., Garwood, J.M., and Welsh, H.H., Jr. 2005. Natural history notes: *Rana boylii*. Physiological skin color transformation. Herpetological Review 36:164–165.
- Wheeler, C.A. and Welsh, H.H., Jr. 2008. Mating strategy and breeding patterns of the foothill yellow-legged frog (*Rana boylii*). Herpetological Conservation and Biology 3:128–142.
- Wheeler, C.A., Welsh, H.H., Jr., and Roelofs, T. 2006. Oviposition Site Selection, Movement, and Spatial Ecology of the Foothill Yellow-Legged Frog (*Rana boylii*). California Department of Fish and Game, Sacramento.
- White, M. and Kolb, J.A. 1974. A preliminary study of *Thamnophis* near Sagehen Creek, California. Copeia 1974:126–136
- Wiens, J. and Titus, T. 1991. A phylogenetic analysis of *Spea* (Anura, Pelobatidae). Herpetologica 47:21–28.
- Wilgenbusch, J. and De Queiroz, K. 2000. Phylogenetic relationships among the phryno-

- somatid sand lizards inferred from mitochondrial DNA sequences generated by heterogeneous evolutionary processes. Systematic Biology 49:592–612.
- Wilkins, R.N. and Peterson, N.P. 2000. Factors related to amphibian occurrence and abundance in headwater streams draining second-growth Douglas-fir forests in southwestern Washington. Forest Ecology and Management 139:79–91.
- Williams, D.F. 1986. Mammalian Species of Special Concern in California. California Department of Fish and Game, Sacramento.
- Wilson, G.A. and Rannala, B. 2003. Bayesian inference of recent migration rates using multilocus genotypes. Genetics 163:1177–1191.
- Wilson, L.D. 1971. The coachwhip snake *Mastico-phis flagellum* (Shaw): taxonomy and distribution. Tulane Studies in Zoology and Botany 16: 31–99.
- Wilson, L.D. 1973. Masticophis flagellum. Catalogue of American Amphibians and Reptiles 145:1–4.
- Wiseman, K.D. and Bettaso, J. 2007. Natural history notes: *Rana boylii*. Cannibalism and predation. Herpetological Review 38:193.
- Wiseman, K.D., Marlow, K.R., Jackman, R.E., and Drennan, J.E. 2005. Natural history notes: *Rana boylii*. Predation. Herpetological Review 36:162–163.
- Wojtaszek, B.F., Staznik, B., Chartrand, D.T., Stephenson, G.R., and Thompson, D.G. 2004. Effects of Vision® herbicide on mortality, avoidance response, and growth of amphibian larvae in two forest wetlands. Environmental Toxicology and Chemistry 23:832–842.
- Wollmuth, L.P., Crawshaw, L.I., Forbes, R.B., and Grahn, D.A. 1987. Temperature selection during development in a montane anuran species, *Rana cascadae*. Physiological Zoology 60:472–480.
- Wone, B. and Beauchamp, B. 2003. Movement, home range, and activity patterns of the horned lizard, *Phrynosoma mcallii*. Journal of Herpetology 37:679–686.
- Wood, D.A., Fisher, R.N., and Reeder, T.W. 2008. Novel patterns of historical isolation, dispersal, and secondary contact across Baja California in the Rosy Boa (*Lichanura trivirgata*). Molecular Phylogenetics and Evolution 46:484–502.
- Wood, D.A. and Richmond, J.Q. 2003. Geographic distribution: *Diadophis punctatus*. Herpetological Review 34:169
- Woodhams, D.C., Bosch, J., Briggs, C.J., Cashins, S., Davis, L.R., Lauer, A., Muths et al. 2011.

 Mitigating amphibian disease: strategies to maintain wild populations and control chytridiomycosis. Frontiers in Zoology 8:8

- Woodson, W.D. 1949. Gila monster in California. Herpetologica 5:151.
- Woodward, B.D. 1982. Sexual selection and nonrandom mating patterns in desert anurans (*Bufo woodhousei, Scaphiopus couchi, S. multiplicatus* and *S. bombifrons*). Copeia 1982:351–355.
- Worthylake, K.M. and Hovingh, P. 1989. Mass mortality of salamanders (*Ambystoma tigrinum*) by bacteria (*Acinetobacter*) in an oligotrophic seepage mountain lake. The Great Basin Naturalist 49:364–372.
- Wright, A.H. and Wright, A.A. 1949. Handbook of Frogs and Toads of the United States and Canada. Comstock Publishing Co., Ithaca, NY.
- Wright, A.H., and Wright, A.A. 1957. Handbook of Snakes of the United States and Canada. Comstock Publishing Co., Ithaca, NY.
- Wright, A.N., Hijmans, R.J., Schwartz, M.W., and H.B. Shaffer. 2013. California Amphibian and Reptile Species of Future Concern: Conservation and Climate Change. Final Report to the California Department of Fish and Wildlife, Nongame Wildlife Program, Task 12, Contract No. Po685904.
- Wroble, J. and Waters, D. 1989. Summary of tailed frog (*Ascaphus truei*) and Olympic salamander (*Rhyacotriton olympicus variegatus*) stream surveys for the Pacific Lumber Company, October 1987 to September 1988. Pacific Lumber Co., Scotia, CA.
- Yanev, K.P. 1978. Evolutionary Studies of the Plethodontid Salamander Genus *Batrachoseps*. PhD Dissertation. University of California, Berkeley.
- Yanev, K.P. 1980. Biogeography and distribution of three parapatric salamander species in coastal and borderland California, in Power, D.M. (Ed.): The California Islands: Proceedings of a Multidisciplinary Symposium. Santa Barbara Museum of Natural History, Santa Barbara, California, pp.531–550.
- Yanev, K.P. and Wake, D.B. 1981. Genic differentiation in a relict desert salamander, *Batrachoseps campi*. Herpetologica 37:16–28.
- Yarnell, S.M. 2000. The Influence of Sediment Supply and Transport Capacity on Foothill Yellow-Legged Frog Habitat, South Yuba River, California. Master's Thesis. University of California, Davis.
- Yarnell, S.M. 2005. Spatial Heterogeneity of *Rana boylii* Habitat: Physical Processes, Quantification and Ecological Meaningfulness. PhD Dissertation. University of California, Davis.
- Yarrow, H.C. 1882. Descriptions of new species of reptiles and amphibians in the United States

- National Museum. Proceedings of the United States National Museum 5:438–443.
- Young, K.V. 2010. Comparative Ecology of Narrowly Sympatric Horned Lizards under Variable Climatic Conditions. PhD Dissertation. Utah State University, Logan.
- Young, K.V. and Royle, J. 2005. Abundance and Site Occupancy of Flat-Tailed Horned Lizard (*Phrynosoma mcallii*) Populations in Arizona and California. Final Report to US Bureau of Reclamation, US Navy, and Arizona Game and Fish Department.
- Young, K.V. and Young, A. 2000. Scientific study of the flat-tailed horned lizard, *Phrynosoma mcallii*. Final Report to US Department of the Navy.

- Young, K.V. and Young, A.T. 2005. Indirect Effects of Development on the Flat-Tailed Horned Lizard. Final Report to Arizona Game and Fish Department, Yuma, 11pp.
- Zalusky, S.B., Gaudin, A.J., and Swanson, J.R. 1980. A comparative study of cranial osteology in the North American sand lizards, genus *Uma* (Reptilia: Iguanidae). Copeia 1980:296–310.
- Zeiner, D.C., Laudenslayer, W.F., Jr., and Mayer, K.E. 1988. California's Wildlife. Vol. 1. Amphibians and Reptiles. California Department of Fish and Game, Sacramento.
- Zweifel, R.G. 1955. Ecology, distribution, and systematics of frogs of the *Rana boylii* group. University of California Publications in Zoology 54:207–292.