

2021-22 Risk Assessment: Available Data

Last updated: February 11, 2022

Contents

Items with updated information are followed by an *.

2021-22 Risk Assessment: Available Data	- 1 -
Triggers requiring management action	- 1 -
Confirmed Entanglements: §132.8(c)(1)*	- 1 -
Marine Life Concentrations: §132.8(c)(1)	- 2 -
Management considerations	- 3 -
Information from NOAA: §132.8(d)(2)	- 3 -
Effectiveness of management measures: §132.8(d)(3)	- 3 -
Total economic impact to the fleet: §132.8(d)(4)	- 3 -
Historic patterns and current Actionable Species migration: §132.8(d)(6) and (11)*	- 4 -
Fishing Season dynamics: §132.8(d)(7)*	- 6 -
Distribution and abundance of key forage: §132.8(d)(8)	- 14 -
Ocean conditions: §132.8(d)(9)*	- 14 -
Current Impact Score Calculation: §132.8(d)(10)*	- 15 -

TRIGGERS REQUIRING MANAGEMENT ACTION

Confirmed Entanglements: §132.8(c)(1)*

Data provided by: Lauren Saez and Dan Lawson, National Marine Fisheries Service (NMFS)

As of February 9, there has been one confirmed humpback whale entanglement, 0 confirmed blue whale entanglements, and 0 confirmed leatherback sea turtle entanglements reported to West Coast Region during 2022. The single confirmed humpback whale entanglement was reported 5 miles off Cypress Point in Monterey (Fishing Zone 4) in unidentified gear consisting of a red colored line and no visible buoy.

For Actionable Species entanglements reported to NMFS West Coast Region in 2021, see the [January 12, 2022 Available Data document](#).

Table 1. Actionable Species Entanglements in 2022, prepared by West Coast Region.

Actionable Species	Number Confirmed Entanglements in California Commercial Dungeness Crab Gear	Number Confirmed Entanglements in Unknown Fishing Gear Reported off California
Humpback whales	0	1
Blue whales	0	0
Leatherback sea turtles	0	0

During 2021, there were no confirmed entanglements of either blue whales or leatherback sea turtles in California commercial Dungeness crab gear (reported from any location) or Unknown Fishing Gear (reported from California) during the current calendar year, so the cumulative Impact Score was 0 for these two species. There was a total of four confirmed humpback whale entanglements which CDFW reviewed and assigned an Impact Score (see the Current Impact Score Calculation section). All of these were reported prior to the start of the 2021-22 Dungeness crab season, and therefore do not count towards the current season Impact Score.

During 2022, there have been no confirmed entanglements of either blue whales or leatherback sea turtles in California commercial Dungeness crab gear (reported from any location) or Unknown Fishing Gear (reported from California), so the cumulative Impact Score for the current calendar year is 0 for these two species. There has been a single confirmed humpback whale entanglement reported in unidentified gear from Fishing Zone 4 (20220127Mn). CDFW will consider assigning an Impact Score after further review of available documentation. CDFW will also seek input from the Working Group prior to assigning an Impact Score.

Table 2. Impact Score Calculations based on Confirmed Entanglements in California commercial Dungeness crab gear and confirmed entanglements in Unknown Fishing Gear reported off California.

Actionable Species	Current Fishing Season Impact Score (2021-22)	Current Calendar Year Impact Score (2022)
Humpback whales	0	0 <i>*but see above</i>
Blue whales	0	0
Leatherback sea turtles	0	0

Marine Life Concentrations: §132.8(c)(1)

Data provided by: Monterey Bay Whale Watch; processed by Karin Forney (NOAA Southwest Fisheries Science Center), California Department of Fish and Wildlife, Scott Benson (NOAA Southwest Fisheries Science Center, in collaboration with Upwell.org)

Table 3. Summary of available CDFW-approved survey data for marine life concentrations for each Fishing Zone, and whether the triggers established in Section 132.8(c)(2) have been met for any Fishing Zone.

Fishing Zone	CDFW-approved survey data	Triggers attained?
Zone 1	NA	No
Zone 2	NA	No
Zone 3	NA	No
Zone 4	MBWW	No
Zone 5	NA	No
Zone 6	NA	No

Monterey Bay Whale Watch (Fishing Zone 4)*

- MBWW conducted whale-watching trips in southern Monterey Bay on five of seven days during the week of February 1 - 7, 2022.
- The average number of humpback whales-per-trip during the last seven days (February 1-7) was 1.6, with a peak of five whales observed on a single trip on February 5, 2022.
- No blue whales have been observed by MBWW since Nov 13, 2021, when one whale was documented.

CDFW Aerial Survey (Fishing Zones TBD)

CDFW intends to conduct an aerial survey on February 12, 2022. Survey findings will be shared during the Working Group meeting on February 15, 2022 and incorporated into an updated version of this document.

Leatherback Sea Turtle Telemetry (All Fishing Zones)*

The adult male leatherback turtle that was captured approximately 3 miles northwest of Pillar Point (Half Moon Bay, CA) and tagged with a satellite-linked transmitter on October 16, 2021 is approximately 560 miles southeast of Hawaii. The turtle continues to move in a southwest direction.

MANAGEMENT CONSIDERATIONS

Information from NOAA: §132.8(d)(2)

No additional information was shared

Effectiveness of management measures: §132.8(d)(3)

Data provided by: California Department of Fish and Wildlife

CDFW's effectiveness evaluation for the management actions specified in §132.8(e) will be provided in the February 14, 2022 Initial Assessment.

Total economic impact to the fleet: §132.8(d)(4)

Data provided by: California Department of Fish and Wildlife

The RAMP regulations specify that, when deciding amongst multiple management measures which would equivalently reduce entanglement risk, CDFW shall consider total economic impact to the fleet and fishing communities. CDFW will provide this evaluation in the February 14, 2022 Initial Assessment.

Historic patterns and current Actionable Species migration: §132.8(d)(6) and (11)*

Data provided by: Monterey Bay Whale Watch, processed by Karin Forney (NOAA Southwest Fisheries Science Center); Point Blue Conservation Science, NOAA Environmental Research Division

Monterey Bay Whale Watch (Fishing Zone 4)

- The semi-monthly average number of whales-per-half-day-trip during the first week of February is low, but slightly higher than historical patterns for this time of the year (Figure 1).
- The absence of blue whales since mid-November is consistent with their historical seasonal migration patterns to lower latitudes during winter.




Figure 1. Historical Monterey Bay Whale Watch data for 2003-2022, summarizing the average and variation in the number of humpback whales per half-day trip on a semi-monthly basis (1st- 15th, 16th- end of month). This boxplot follows standard statistical practice in that the black horizontal line is the average number of whales; the blue box shows the 25th-75th percentiles (i.e., half of all past whale numbers are within the blue box); the vertical lines show the range of whale numbers excluding outliers, and outliers are shown as small black dots. Values for 2021 (large blue dots) and 2022 (red triangles) are provided for reference, placing recent whale numbers in a historical context.

Point Blue Conservation Science Data Portal (*Fishing Zones 3, 4, 6*)

During the seven-day period ending February 10, 2022 trained observers at the Farallon Islands did not report any humpback or blue whales within Fishing Zone 3, and trained naturalists aboard Monterey Bay Whale Watch and Marine Life Studies did not report any humpback or blue whales within Fishing Zone 4. 20 humpback whale sightings were reported within Fishing Zone 6 by trained naturalists from the Channel Islands National Marine Sanctuary and National Park Service. All sightings were reported between Santa Barbara/Ventura and the Channel Islands (Figure 2).




Figure 2. Locations of 20 humpback whale sightings within Fishing Zone 6. Reporting locations are represented by white circles. A given report may or may not represent multiple individuals. Fishing Zone boundaries are represented by the dashed green line.

Fishing Season dynamics: §132.8(d)(7)*

Data provided by: California Department of Fish and Wildlife

CDFW data presented in this section is preliminary and subject to revision.

Marine Landings Data System (All Fishing Zones)

Weekly total landing volume has decreased since the beginning of January, with the highest harvest coming from Fishing Zone 3, followed by Fishing Zone 1 (Figure 3). So far, 67% of the total volume harvested for this season has been from Fishing Zone 1, with 29% from Fishing Zone 3 and less than five percent coming from each of the other Fishing Zones.

Weekly vessel activity and number of landings has also declined since the beginning of January, with the highest activity in Bodega Bay, San Francisco, Crescent City, and Trinidad (Figure 4). Overall, 42% of the total volume harvested for this season has been landed into Crescent City, with 20% landed into Eureka, 11% each landed into San Francisco and Half Moon Bay, seven percent landed into Bodega Bay, six percent landed into Trinidad, and less than five percent landed into Fort Bragg, Monterey, and Morro Bay.

Looking at vessel activity by port over the course of the season, the highest activity has been in Crescent City (82 vessels) and Eureka (67 vessels), followed by San Francisco (53 vessels), Half Moon Bay (53 vessels), and Bodega Bay (51 vessels; Figure 5). Vessels have also made landings into Fort Bragg (30), Trinidad (22), Monterey (14), and Morro Bay (3).

Unit price (price per pound) is generally trending upwards for Crescent City, Trinidad, Eureka, Bodega Bay, San Francisco, and Half Moon Bay, with more mixed trends in Fort Bragg and

Monterey (Figure 6). The most variable pricing has been in Half Moon Bay, with high prices (> \$10/lb) paid for some of the landings into Bodega Bay, San Francisco, Half Moon Bay, and Monterey.

Table 4. Summary of fleet dynamics information, as of February 10, 2022.

Metric	Value	Additional Info
Season status	Open statewide	Fleet Advisory was lifted for all Fishing Zones on January 18, 2022.
Number of daily landings	3,910	NA
Total volume (pounds)	9,462,403	NA
Total Ex-Vessel Value	\$48,426,971	NA
Average unit price	\$5.25	NA
Total number of active vessels	352	NA
Maximum potential traps (based on active permits)	117,075	Estimates are also provided in the Bi-Weekly Fishing Activity Reports subsection.

Volume of Landings (Pounds), by Week and Fishing Zone, 2021-22 Season




Figure 3. Cumulative volume (pounds) harvested by week and Fishing Zone. Week 1 starts with the first day the commercial Dungeness crab fishery was open in any area, November 15, 2021. All data are preliminary and subject to change. Certain week*Fishing Zone combinations are withheld due to confidentiality constraints.

Volume of Landings (Pounds), by Week and Port Complex, 2021-22 Season




Figure 4. Cumulative volume (pounds) landed by week and port complex. Week 1 starts with the first day the commercial Dungeness crab fishery was open in any area, November 15, 2021. All data are preliminary and subject to change. Certain week*port complex combinations are withheld due to confidentiality constraints.

Number of Active Vessels, by Week and Port Complex, 2021-22 Season




Figure 5. Number of active vessels by week and port complex. Week 1 starts with the first day the commercial Dungeness crab fishery was open in any area, November 15, 2021. All data are preliminary and subject to change. Certain week*port complex combinations are withheld due to confidentiality constraints.

Average Unit Price, Excluding Personal Use, By Week and Complex, 2021-22 Season




Figure 6. Mean unit price by week and port complex. Week 1 starts with the first day the commercial Dungeness crab fishery was open in any area, November 15, 2021. All data are preliminary and subject to change. Certain week*port complex combinations are withheld due to confidentiality constraints.

Bi-Weekly Fishing Activity Reports (*All Fishing Zones*)

- CDFW has received bi-weekly reports since the first reporting period of November 16, 2021 through the most recent reporting period of February 1, 2022. A summary of reports received for February 1, 2022 period is provided in Table 6; note this summary may not

reflect all permitted vessels participating in the fishery. In addition, a summary of traps by RAMP Zone over the five most recent reporting periods is provided in Table 7.

- The February 1, 2022 reporting period covers fishery participation from January 16-31, 2022. About 65,320 traps are estimated to be deployed statewide, with 47% of these located within Fishing Zone 3 and 43% of these located within Fishing Zone 1 (Table 5).
- Estimated deployed traps during the February 1, 2022 reporting period represents a decline of more than 25,000 since the season high which occurred during the January 1, 2022 reporting period (Table 6). The majority of gear removal has been from Fishing Zone 1.

Table 5. Summary of information provided for the January 16, 2022 bi-weekly reporting period by Fishing Zone (1-6). Accessed from CDFW's Bi-Weekly Reporting database on February 8, 2022. CONFID refers to data withheld due to confidentiality and all data are preliminary and subject to change.

Fishing Zone	Permits Reporting	Avg. Trap Number	Total Traps	Avg. Min. Depth (fa.)	Avg. Max. Depth (fa.)	Max. Depth (fa.)	Final Report	Number of Lost Traps
Zone 1	129	359	45,898	13	33	68	11	77
Zone 2	32	222	6,215	14	30	55	5	39
Zone 3	120	281	33,139	21	42	83	5	13
Zone 4	21	182	3,828	24	51	90	0	NA
Zone 5	0	0	0	0	0	0	0	0
Zone 6	0	0	0	0	0	0	0	0
Totals	302	NA	89,080	NA	NA	NA	21	129

Table 6. Summary of information provided for the February 1, 2022 bi-weekly reporting period by Fishing Zone (1-6). Accessed from CDFW's Bi-Weekly Reporting database on February 8, 2022. CONFID refers to data withheld due to confidentiality and all data are preliminary and subject to change.

Fishing Zone	Permits Reporting	Avg. Trap Number	Total Traps	Avg. Min. Depth (fa.)	Avg. Max. Depth (fa.)	Max. Depth (fa.)	Final Report	Number of Lost Traps
Zone 1	99	326	28,361	12	31	68	28	133
Zone 2	21	202	3,652	14	31	60	5	20
Zone 3	108	292	30,616	20	43	80	11	94
Zone 4	15	179	2,691	21	50	90	1	1
Zone 5	CONFID	CONFID	CONFID	CONFID	CONFID	CONFID	CONFID	CONFID
Zone 6	CONFID	CONFID	CONFID	CONFID	CONFID	CONFID	CONFID	CONFID
Totals	243	NA	65,320	NA	NA	NA	45	252

Table 7. Total reported traps deployed in each Fishing Zone for the most recent five bi-weekly reporting periods. CONFID refers to data withheld due to confidentiality and all data are preliminary and subject to change.

Fishing Zone	Dec 1 -Total Traps	Dec 16 -Total Traps	Jan 1 -Total Traps	Jan 16 -Total Traps	Feb 1 -Total Traps
Zone 1	30,074	48,625	46,736	45,898	28,361
Zone 2	3,763	7,294	6,606	6,215	3,652
Zone 3	Not open	Not open	33,664	33,139	30,616
Zone 4	Not open	544	3,529	3,828	2,691
Zone 5	CONFID	CONFID	0	0	CONFID
Zone 6	CONFID	0	0	0	CONFID
Totals	> 31,966	> 56,463	> 90,535	> 89,080	> 65,320

CDFW Aerial Survey

CDFW intends to conduct an aerial survey on February 12, 2022. Survey findings will be shared during the Working Group meeting on February 15, 2022 and incorporated into an updated version of this document.


Data provided by: California Department of Fish and Wildlife

CDFW intends to conduct an aerial survey on February 12, 2022. Survey findings will be shared during the Working Group meeting on February 15, 2022 and incorporated into an updated version of this document.

Data provided by: National Weather Service Climate Prediction Center, California Current Integrated Ecosystem Assessment Program

As of February 10, 2022 La Niña conditions are expected to continue into the Northern Hemisphere spring (77% change during March-May) and then transition to ENSO-neutral (56% change during May-July).

The most recent Habitat Compression Index values are for November 2021 (see the [January 12, 2022 Available Data document](#)). Compression was high in February from 2014-2019, but has been low or moderate during the last two years (Figure 7).



Low Compression ($HCI > 1SD$)
Medium Compression ($HCI > MN$ and $HCI < 1SD$)
High Compression ($HCI < MN$)

Available Data, February 11, 2022 - 14 -

Large Marine Heatwave Tracker

There has been little change in the position or intensity of the NEP21 large marine heatwave since the information shared in the [January 12, 2022 Available Data document](#). Recent satellite imagery shows the heatwave remains offshore, with normal conditions present near the coast (Figure 8).




Figure 8. Science-quality (delayed 3-weeks), daily interpolated standardized sea surface temperature anomalies (SSTa) in the California Current ecosystem available for analysis of MHW presence. Dark outline shows the current extent of MHW conditions, as delineated by values of the normalized SST + 1.29 SD from normal. Blue dashed line represents the US West Coast EEZ. SST data from NOAA's Optimum interpolation Sea Surface Temperature analysis (OISST), with the SST anomaly calculated using climatology from NOAA's AVHRR-only OISST dataset.

Current Impact Score Calculation: §132.8(d)(10)*

Data provided by: California Department of Fish and Wildlife

Pursuant to the Risk Assessment and Mitigation Program (Section 132.8, Title 14, CCR), Impact Score Calculations will be assigned beginning with the 2021 calendar year based on confirmed

entanglements of Actionable Species (humpback whales, blue whales, or leatherback sea turtles) reported to CDFW by NOAA. Impact Score totals for the current fishing season (2021-22) and calendar year (2022) are provided in Table 3 (see above).

For 2021, after considering available information provided by NMFS and following discussion with the Working Group on April 13, 2021 and January 14, 2022, CDFW has made the following Impact Score assignments

- 20210403Mn: Unknown Fishing Gear, reported from Fishing Zone 6; Impact Score = 0.38
- 20210609Mn: California commercial Dungeness crab gear, reported from Mexico, gear from Fishing Zone 3; Impact Score = 0.75
- 20210713Mn: Unknown Fishing Gear, reported from Fishing Zone 6; Impact Score = 0.38
- 20210828Mn: Unknown Fishing Gear, reported from Fishing Zone 6; Impact Score = 0.38

This results in a total Impact Score of 1.89 for 2021.