

EXHIBIT A

EXHIBIT A

**References Cited in Declaration of Dr. Kenneth Cummins
in Support of Plaintiffs' Motion for Summary Judgment**

- Andelman, S.J., Fagan, W.F. 2000. Umbrellas and flagships: Efficient conservation surrogates or expensive mistakes? *PNAS* 97:5954-5959
- Araki, H., Cooper, B., Blouin, M.S. 2007. Genetic Effects of Captive Breeding Cause a Rapid, Cumulative Fitness Decline in the Wild. *Science* 318: 00-103
- Banks, J.R., Ackleh, A.S., Stark, J. 2010. The Use of surrogate species in risk assessment: Using life history data to safeguard against false negatives. *Society for Risk Analysis* 30:175-182
- Block, W.M., Brennan, L.A., Gutierrez, R.J. 1987. Evaluation of guild-indicator species for use in resource management. *Environmental Management* 11:265-269
- California Department of Fish and Game (CDFG). January 2002. Escapement and Life History Patterns of Adult Steelhead in freshwater Creek California, 2000-2001 Annual Report.
- California Department of Fish and Game (CDFG). September 2008a. Escapement and Spawning Distribution of Adult Salmonids in freshwater Creek, 2007-08.
- California Department of Fish and Game (CDFG). September 2008b. Results of Juvenile Salmonid Downstream Migrant Trapping conducted on Freshwater Creek, 2007.
- Carignan, V., Villard, M. 2002. Selecting Indicator Species to Monitor Ecological Integrity: A Review. *Environmental Monitoring and Assessment* 78:45-61
- Caro, T., Eadie, J., & Sih, A. 2005. Use of substitute species in conservation Biology. *Conservation Biology* 19:1821-1826
- Dickson, B.G., Fleishman, E., Dobkins, D.S., Hurteau, S.R. 2009. Relationship between avifaunal occupancy and riparian vegetation in the central great basin (Nevada, U.S.A.). *Restoration Ecology*. 17(5):722-730
- Favreau, J.M., Drew, C.A., Hess, G.R., Rubino, M.J., Koch, F.H., Eschelbach, K.A. 2006. Recommendations for assessing the effectiveness of surrogate species approaches. *Biodiversity and Conservation* 15:3949-3969
- Hatchery Scientific Review Group. 2004. Hatchery Reform: Principles and Recommendations of the HSRG. www.hatcheryreform.org
- Hitt, N.P., Frissell, C.A. 2004. A case study of surrogate species in aquatic conservation planning. *Aquatic Conserv: Mar. Freshw. Ecosyst.* 14:625-633
- Jonsson, N., Jonsson, B., Hansen, L.P. 2003. The marine survival and growth of wild and hatchery-reared Atlantic salmon. *Journal of Applied Ecology* 40:900-911
- Kostow, K.E. 2004. Differences in juvenile phenotypes and survival between hatchery stocks and a

natural population provide evidence for modified selection due to captive breeding. *Can. J. Fish. Aquat. Sci.* 61:577-589

Landres, P.B. 1992. Ecological Indicators: Panacea or Liability? Chap. 74 in *Ecological Indicators, Vol. 2*. London: Elsevier Applied Science

Landres, P.B., Verner, J., Thomas, J.W. 1988. Ecological Uses of Vertebrate Indicator Species: A Critique. *Conservation Biology* 2:316-328

Mannan, R.W., Morrison, M.L., Meslow, E.C. 1984. Comment: the use of guilds in forest bird management. *Wildlife Society Bulletin* 12:426-430

McEwan, D., Jackson T.A. 1996. Steelhead restoration and management plan for California. California Department of Fish and Game, Inland Fisheries Division, Sacramento, California 234 pp.

McGinnis, Samuel. 2006. *Field guide to freshwater fishes of California*. Berkeley: University of California Press.

Mesick, C., McLain, J., Marston, D. and Heyne, T. 2008. Limiting factor analyses and recommended studies for fall-run Chinook Salmon and rainbow trout in the Tuolumne River. Anadromous Fish Restoration Program, U.S. Fish and Wildlife Service, Office of the National Marine Fisheries Service, California Department of Fish and Game.

Morrison, M.L. 1986. Birds as indicators of environmental change. *Current Ornithology* 3:429-451

Reisenbichler, R.R., McIntyre, J.D. 1977. Genetic differences in growth and survival of juvenile hatchery and wild steelhead trout, *Salmo gairdneri*. *Journal of the Fisheries Board of Canada* 34:123-128.

Roper, B, and Scarnecchia, DL. 1996. A comparison of trap efficiencies for wild and hatchery age-0 Chinook salmon. *North American Journal of Fisheries Management* 16:214-217.

Rowland, M.M., Wisdom, M.J., Suring L.H., Meinke, C.W. 2006. Greater sage-grouse as an umbrella species for sagebrush-associated vertebrates. *Biological Conservation* 129:323-335.

Wales, J.H. 1954. Relative Survival of Hatchery and Wild Trout. *Progressive Fish-Culturist* 16:125-127

Weber, E.D., Fausch, K.D. 2003. Interactions between hatchery and wild salmonids in streams: differences in biology and evidence for competition. *Can. J. Fish. Aquat. Sci* 60(8):1018-1036

Welsh, H.H., Hodgson, G.R., Harvey, B.C., Roche, M.E. 2001. Distribution of Juvenile Coho Salmon in relation to Water Temperatures in Tributaries of the Mattole River. *California North American Journal of Fisheries Management* 21: 464-470

Wenger, S.J. 2008. Use of surrogates to predict the stressor response of imperiled species. *Conservation Biology* 22:1564-1571