

Data Sources

The CPFV southern California observer data from two independent surveys (1975-1978 and 1985-1989) conduct by the CDFG were provided by Paulo Serpa, Pacific States Marine Fisheries Commission (PSMFC), and received on 1/11/2005.

The trip level CPFV data were provided by from Wade Van Buskirk (PSMFC), and received on 11/24/2004

Landings data from CALCOM and CFIS, and trawl logs were provided by Gerry Kobylinsky, California PacFIN Coordinator (CDFG/PSMFC) and received on 3/03/2005

Commercial length-frequency data from the California port sampling program was provided by Valerie Taylor, CDFG, and received on 1/27/05

RecFIN data were extracted on 2/18/05

The month and block aggregated CPFV logbook data were provided by Kevin Hill, NMFS, and received on 2/25/05

The CalCOFI survey data were provided by Susie Jacobson, NMFS, and was received on 3/04/05.

Gonad index data from bimonthly trawl survey conducted off Ventura and Santa Barbara Counties from 1994 to 1995 were provided by Stephen Wertz, CDFG, and received on 2/25/05.

Los Angeles County Sanitation Districts (Palos Verdes) were provided by Dave Montagne and Shelly Walther, Los Angeles County Sanitation Districts, and received on 3/17/05

Hyperion Sanitation survey data were provided Curtis Cash, City of Los Angeles, Dept. of Public Works, Bureau of Sanitation, and received on 03/21/05.

Orange County Sanitation District survey data were provided Hai Nguyen, Orange County Sanitation District, and received on 03/24/05.

San Diego County Sanitation District survey data were provided Timothy Stebbins, City of San Diego Ocean Monitoring Program Environmental Monitoring & Technical Services Division, Metropolitan Wastewater Department, and received on 04/26/05.

K. Literature cited

Cope J.M., Piner, K., Minte-Vera, C.V., and Punt, A.E. 2003. Status and future prospects for the cabezon (*Scorpaenichthys marmoratus*) as assessed in 2003. Stock Assessment Report.

Daugherty, A.E. 1949. Sculpin. *In* The commercial fish catch of California for the year 1947 with a historical review, 1916-1947. p. 122-124. California Department of Fish and Game Fishery Bulletin 74.

Dorn, M.W. 2002. Advice on West Coast Rockfish Harvest Rates from Bayesian Meta-Analysis of Stock-Recruit Relationships. *North American Journal of Fisheries Management* 22: 280-300.

Dotson, R.C. and Charter, R.L. 2003. Trends in the southern California sport fishery. *CalCOFI report* 44: 94-106.

Eschmeyer, W.N., Herald, E.S., and Hammann, H. 1983. A field guide to Pacific coast fishes of North America. Houghton Mifflin, Boston, MA, 336 p.

Francis, R.I.C.C. 1992. Use of risk analysis to assess fishery management strategies: a case study using orange roughy (*Hoplostethus atlanticus*) on the Chatham Rise. *New Zealand Journal of Marine and Freshwater Research* 49: 922-930.

Frey, H.W. 1971. California's living marine resources and their utilization. California Department of Fish and Game, 148 p.

Hartmann, A.R. 1987. Movement of scorpionfishes (Scorpaenidae: *Sebastes* and *Scorpaena*) in the Southern California Bight. *California Department of Fish and Game* 73: 68-79.

Hoenig, J.M. 1983. Empirical use of longevity data to estimate mortality rates. *Fishery Bulletin* 82: 898:903.

Limbaugh, C. 1955. Fish life in the kelp beds and the effects of kelp harvesting. *University of California, Institute of Marine Research*, 55-9: 1-158.

Love, M.S., Axell, B., Morris, P., Collins, R., and Brooks, A. 1987. Life history and fishery of the California scorpionfish, *Scorpaena guttata*, within the Southern California Bight. *Fishery Bulletin* 85: 90-116.

Moser, H.G., Charter, P.E., Smith, P.E., Ambrose, D.A., Charter, S.R., Meyer, C.A., Sandknop, E.M., and Watson, W. 1993. Distributional atlas of fish larvae and eggs in the California current region: taxa with 1000 or more total larvae, 1951 through 1984. *CalCOFI Atlas* No. 31.

Myers, R.A., Bowen, K.G., and Barrowman, N.J. 1999. Maximum reproductive rate of fish at low population sizes. *Canadian Journal of Fisheries and Aquatic Sciences* 56: 2404-2419.

Myers, R.A., Barrowman, N.J., Hilborn, R., and Kehler, D.G. 2002. Inferring Bayesian Priors with Limited Direct Data: Applications to Risk Analysis. *North American Journal of Fisheries Management* 22: 351–364.

Orton, G. 1955. Early developmental stages of the California scorpionfish, *Scorpaena guttata*. *Copeia* 1955: 210-214.

The Pacific Fishery Management Council. 1993. The Pacific Coast Groundfish Fishery Management Plan: Fishery Management Plan for the California, Oregon, and Washington Groundfish Fishery as Amended Through Amendment 7. Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 220, Portland, OR 97220-1384. 224 pp.

Pacific Fishery Management Council. 2002. Status of the Pacific Coast Groundfish Fishery Through 2001 and Acceptable Biological Catches for 2002: Stock Assessment and Fishery Evaluation. Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 220, Portland, OR 97220-1384. 379 pp.

Pacific Fishery Management Council. 2004. Pacific Coast Groundfish Fishery Management Plan: Fishery Management Plan for the California, Oregon, and Washington Groundfish Fishery as Amended Through Amendment 17. Pacific Fishery Management Council, 7700 NE Ambassador Place, Suite 220, Portland, OR 97220-1384. 133 pp.

Stephens, Andi and Alec D. MacCall. 2004. A multispecies approach to subsetting logbook data for purposes of Estimating CPUE. *Fisheries Research* 70:299-310.

L. Complete parameter and data in the native code of the stock assessment

SS2NAMES.NAM

```
##### Scorpionfish base names file #####
#This file must be named: SS2NAMES.NAM
#Filename of data file
US.DAT
#Filename of control file
US.CTL
#Run number: simply an identifier used in ss2-report.txt cumulative output file
1
#Read SS2.PAR (0=no, 1=yes)
0
#Verbosity of console display during run(0/1/2)
1
#Produce_detailed_rep_file_(0/1)
1
#Number of bootstrap datafiles to create in nudata.dat
0
#Phases greater than this value are set to -1; good for debugging input by letting you can view rep file after just phase 1
100
#String containing prefix for output of version number e.g. Code_version_:_
Code_version_:_
#Burn in for mcmc chain
10
#Thinning interval for mcmc
```