

## Nearshore Fishery Management Plan: Section 1 References

- [Anonymous]. 2000. Program and Abstracts. In: Beyond El Niño: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. 98 p.
- Adams, PB. 1992a. Brown rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p 127-128. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Adams, PB. 1992b. Canary rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p 129. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Adams PB. 1992c. Copper rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors). California's living marine resources and their utilization. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12. p. 128.
- Adams PB, Butler JL, Baxter CH, Laidig TE, Dahlin KA, Wakefield WW. 1995. Population estimates of Pacific coast groundfishes from video transects and swept-area trawls. Fishery Bulletin 93:446-455.
- Adams PB, Howard DF. 1996. Natural mortality of blue rockfish, *Sebastes mystinus*, during their first year in nearshore benthic communities. Fishery Bulletin 94:156-162.
- Adams, P.B., J.L. Butler, C.H. Baxter, T.E. Laidig, K.A. Dahlin and W.W. Wakefield. 1995. Population estimates of Pacific coast groundfishes from video transects and swept-area trawls. Fish. Bull. 93:446-455.
- Agardy MT. 1994. Closed areas: a tool to complement other forms of fisheries management. In: Limiting access to marine fisheries: Keeping the focus on conservation. K.L. Gimbel ed. Washington: Center for Marine Conservation and Wildlife Fund.
- Ainley DG, Anderson DW, Kelly PR. 1981. Feeding ecology of marine cormorants in southwestern North America. Condor 83:120-131.
- Ainley DG, Sydman WJ, Parrish R, Lenarz W. 1993. Oceanic factors influencing distribution of young rockfish (*Sebastes*) in central California: a predator's perspective. California Cooperative Oceanic Fisheries Investigations Reports 34:133-139.
- Airame S, Cahn M, Carr M, Dever E, Gaines S, Haaker P, Kendall B, Murray S, Reed D, Richards D, Roughgarden J, Schroeter S, Siegel D, Vetter R, Warner RR, Washburn L. Estimating reserve size for conservation and fisheries management. Forthcoming.
- Allen BM. 1916. Notes on the spiny lobster (*Panulirus interruptus*) of the California coast. University of California Publications in Zoology 16(12):139-152.
- Allen LG. 1985. A habitat analysis of the nearshore marine fishes from southern California. Bulletin of the Southern California Academy of Sciences 84(3):133-155.
- Allen MJ. 1982. Functional structure of soft-bottom fish communities of the southern California shelf. Ph.D. Thesis, Scripps Institute of Oceanography, University of California San Diego. 577 p.

- Allison GW, Lubchenco J, Carr MC. 1998. Marine reserves are necessary but not sufficient for marine conservation. *Ecol. Appl.* 8 (suppl):S79-S92.
- Ally JRR, Ono DS, Read RB, Wallace M. 1991. Status of major southern California marine sport fish species with management recommendations, based on analyses of catch and size composition data collected on board commercial passenger fishing vessels from 1985 through 1987. *Calif. Dept. Fish and Game Admin. Rep.* 90-2: 376 p.
- Ambrose DA. 1996. Cottidae: Sculpins. In: H.G. Moser (Editor), *The early stages of fishes in the California Current region*. California Cooperative Oceanic Fisheries Investigations. Allen Press, Inc., Lawrence, Kansas. Atlas No. 33. p 821-839.
- American Fisheries Society. 1991. *Common and scientific names of fishes from the United States and Canada*. Fifth Edition. Bethesda, Maryland. 183 p.
- Anderson TW. 1983. Identification and development of nearshore juvenile rockfishes (Genus *Sebastes*) in central California kelp forests. [M.A. Thesis]. Fresno (CA): California State University. 216 p.
- Antonelis GA Jr, Fiscus CH. 1980. The pinnipeds of the California Current. *California Cooperative Oceanic Fisheries Investigations Reports* 21:68-78.
- Ashcraft S. 2001. In: Leet B, Dewees CW, and Klingbeil R. (editors). *California's living marine resources: A status report*. Calif. Department of Fish and Game.
- Ballantine, W. J. 1997. Design principles for systems of 'no-take' reserves. Paper for workshop on: *The Design and Monitoring of Marine Reserves at Fisheries Center, University of British Columbia, Vancouver*.
- Baltz DM. 1976. Food habits and food niche overlap of piscivorous marine birds wintering on Monterey Bay, California [M.A. Thesis]. San Jose (CA): San Jose State University. 75 p.
- Barker MW. 1979. Population and fishery dynamics of recreationally exploited marine bottomfishes of northern Puget Sound [Ph.D. Thesis]. Seattle (WA): University of Washington. 135 p.
- Barlow J. 1997. Preliminary estimates of cetacean abundance off California, Oregon, and Washington based on a 1996 ship survey and comparisons of passing and closing modes. *Southwest Fisheries Science Center, National Marine Fisheries Service*. La Jolla, CA. Admin. Rept. LJ9711. 25 p.
- Barlow J. 1995. The Abundance of cetaceans in California waters. Part I: ship surveys in summer and fall of 1991. *Fish Bull.* 93:114. 93(1).
- Barraclough WE. 1967a. Data record. Number, size and food of larval and juvenile fish caught with a two boat surface trawl in the Strait of Georgia April 25-29, 1966. *Fisheries Research Board of Canada Manuscript Report Series No. 922*, 54 p.
- Barraclough WE. 1967b. Data record. Number, size and food of larval and juvenile fish caught with an Isaacs-Kidd trawl in the surface waters of the Strait of Georgia April 25-29, 1966. *Fisheries Research Board of Canada Manuscript Report Series No. 926*, 79 p.
- Barraclough WE, Fulton JD. 1968. Data record. Food of larval and juvenile fish caught with a surface trawl in Saanich Inlet during June and July 1966. *Fisheries Research Board of Canada Manuscript Report Series No. 1003*, 78 p.

- Barraclough WE., Robinson DG, Fulton JD. 1968. Data Record. Number, size composition, weight and food of larval and juvenile fish caught with a two-boat surface trawl in the Saanich Inlet April 23-July 21, 1968. Fisheries Research Board of Canada Manuscript Report Series No. 1004, 305 p.
- Barss WH. 1989. Maturity and reproductive cycle for 35 species from the family Scorpaenidae found off Oregon. Portland, OR: Oregon Department of Fish and Wildlife. Report No. 89-7. 36 p.
- Barton MG. 1982. Intertidal vertical distribution and diets of five species of central California stichaeoid fishes. California Department of Fish and Game 68(3):174-182.
- Baxter R. 1999. Brown rockfish. In: J. Orsi (Editor), Report on the 1980-1995 fish, shrimp, and crab sampling in the San Francisco Estuary, California, p 443-452. California Department of Fish and Game, Technical Report No. 63.
- Beedy E. 1990. Black skimmer. Elegant tern. Black tern <http://www.dfg.ca.gov/whdab/>
- Berwick N. 2000. Magnuson-Stevens Fishery Conservation Act (MSA) & essential fish habitat (EFH). NMFS Habitat Conservation Division summary. <http://www.nwr.noaa.gov/1habcon/habweb/msa.htm> (4/18/2000).
- Bloeser JA. 1999. Diminishing returns: The status of west coast rockfish. Pacific Marine Conservation Council. 94 p.
- Bodkin JL. 1986. Fish assemblages in *Macrocystis* and *Nereocystis* kelp forests off central California. Fishery Bulletin 84(4):799-808.
- Bodkin JL. 1988. Effects of kelp forest removal on associated fish assemblages in central California. Journal of Experimental Marine Biology and Ecology 117:227-238.
- Boehlert GW, Yoklavich MM. 1984. Variability in age estimates in *Sebastes* as a function of methodology, different readers, and different laboratories. California Department of Fish and Game 70(4):210-224.
- Borton SF. 1982. A structural comparison of fish assemblages from eelgrass and sand habitats at Alki Point, Washington. M.S. Thesis, University of Washington. 85 p.
- Braham HW, Rice D W. 1984. The right whale, *Balaena glacialis*. Mar. Fish. Rev. 46(4):3844.
- Bray RN. 1978. Daily foraging migrations of the blacksmith (*Chromis punctipinnis*), a planktivorous kelp-bed fish. Ph.D. Thesis, University of California, Santa Barbara.
- Bray RN, Purcell LJ, Miller AC. 1986. Ammonium excretion in a temperate-reef community by a planktivorous fish, *Chromis punctipinnis* (Pomacentridae), and potential uptake by young giant kelp, *Macrocystis pyrifera* (Laminariales). Marine Biology 90:327-334.
- Briggs KT, Tyler WB, Lewis DB, Carlson DR. 1987. Bird communities at sea off California: 1975-1983. Studies in Avian Biol. No. 11. 74 p.
- Bryant M. 1978. Ecological studies of the striped perch *Embiotoca lateralis* and the kelp greenling *Hexagrammus decagrammus* in Carmel Bay, California. M.A. Thesis, California State University Fresno. 77 p.
- Buckley RM, Hueckel GJ. 1985. Biological processes and ecological development on an artificial reef in Puget Sound, Washington. Bulletin of Marine Science 37(1):50-69.

Bureau of Commercial Fisheries. 1940. The Commercial Fish Catch of California for the Years 1936-1939, Inclusive. Fish Bulletin 57.

Bureau of Commercial Fisheries. 1949. The Commercial Fish Catch of California for the Year 1947 With a Historical Review, 1916-1947. Fish Bulletin 74.

Burge RT, Schultz SA. 1973. The marine environment in the vicinity of Diablo Cove with special reference to abalones and bony fishes. California Department of Fish And Game, Marine Research Technical Report No. 19, 433 p.

Cailliet GM, Burton EJ, Cope JM, Kerr LA, Larson RJ, Lea RN, VenTresca D, Knaggs EH. 2000. Biological characteristics of nearshore fishes of California; A review of existing knowledge and proposed additional studies for the Pacific Ocean Interjurisdictional Fisheries Management Plan Coordination and Development Project, final report to Pacific States Marine Fisheries Commission.

Calambokidis J, Barlow J. 1991. Chlorinated hydrocarbon concentrations and their use for describing population discreteness in harbor porpoises from Washington, Oregon, and California. p.101-110. In: J. E. Reynolds III and D. K. Odell (eds.) Marine mammal strandings in the United States. NOAA Tech. Rep. NMFS 98.

California Coastal Commission. 1996. Procedural guidance manual: addressing polluted runoff in the California coastal zone.

California Coastal Commission. 1997. California offshore oil and gas leasing and development status report.

California Department of Fish and Game. Marine Mammal Project. Unpublished data.

California Department of Fish and Game. 1961. Biostatistical Section, Marine Resources Operations. The Marine Fish Catch of California for the Year 1960. Fish Bulletin 117.

California Department of Fish and Game. 1963. Biostatistical Section, Marine Resource Operations. The California Marine Fish Catch for 1961. Fish Bulletin 121. p. 1-47.

California Department of Fish and Game. 1982. California Fish and Wildlife Plan. Volume II-Species Plans, Part C-Living Marine Resources. Preliminary Draft. June 1982. California Department of Fish and Game, 1416 Ninth Street, Sacramento, California, 95814.

California Department of Fish and Game. 1990. California Marine Fish Landings for 1977-1986. Fish Bulletin 173.

California Department of Fish and Game. 1991. Final supplemental environmental document. Ocean Sport Fishing Regulations, rockfish.

California Department of Fish and Game. 1993. Final program environmental document; ocean sportfishing regulations. Resources Agency, Department of Fish and Game. 198 p.

California Department of Fish and Game. 1995. Report to the California legislature on the northern and central California nearshore commercial hook-and-line fishery. California Department of Fish and Game. 48 p.

California Department of Fish and Game. 2001. California's Living Marine Resources: A Status Report. 591 p.

California Department of Fish and Game. 2001a. Draft, Constituent involvement plan for the nearshore fishery management plan (08 January 2001). Resources Agency, Department of Fish and Game. 11 p.

California Department of Fish and Game. 2001b. The Marine Life Management Act Master Plan: a guide for the development of fishery management plans. Draft. Resources Agency, Department of Fish and Game. 99 p.

California Department of Fish and Game. 2001c. Giant and bull kelp commercial and sport fishing 2000 Final Environmental Document.

California Environmental Resources Evaluation System (CERES). 1999. Economic Assessment of Seven Ocean-Dependent Activities, California's Ocean Resources: An Agenda for the Future. Website: <http://ceres.ca.gov/cra/ocean/html/appendixa.html>

California Fish and Game Commission. 2001. Policy on Restricted Access Commercial Fisheries. [http://www.dfg.ca.gov/fg\\_comm/p4misc.html#RESTRICT](http://www.dfg.ca.gov/fg_comm/p4misc.html#RESTRICT) (31 March 2001).

California Resources Agency. 1995. California's ocean resources: an agenda for the future.

California Seafood Council. 2001. California's Fishing Industry. Buellton, CA. <http://www.ca-seafood.org/>

Carlisle JG Jr, Turner CH, Ebert EE. 1964. Artificial habitat in the marine environment. California Department of Fish and Game, Fish Bulletin 124, 93 p.

Carlson HR, Straty RR. 1981. Habitat and nursery grounds of Pacific rockfish, *Sebastes* spp., in rocky coastal areas of southeastern Alaska. Marine Fisheries Review 43(7):13-19.

Carr MH. 1983. Spatial and temporal patterns of recruitment of young-of-the-year rockfishes (Genus *Sebastes*) into a central California kelp forest. M.A. Thesis, San Francisco State University. 104 p.

Carr MH. 1991. Habitat selection and recruitment of an assemblage of temperate zone reef fishes. Journal of Experimental Marine Biology and Ecology 146:113-137.

Carter HR, Gilmer DS, Takekawa JE, Lowe RW, Wilson UW. 2001. Breeding seabirds in California, Oregon, and Washington. Found at: <http://biology.usgs.gov/s+t/noframe/b022.htm>

Carter HR, McAllister MLC, Iselb MEP. 1995. Mortality of marbled murrelets in gill nets in North America. In: 1995. Ecology and Conservation of the Marbled Murrelet. Gen. Tech. Rep. PSW-GTR-152. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Dept. of Agriculture; 420 p.

Casillas E, Crockett L, deReynier Y, Glock J, Helvey M, Meyer B, Schmitt C, Yoklavich M, Bailey A, Chao B, Johnson B, and Pepperell T. 1998. Essential Fish Habitat West Coast Groundfish Appendix, National Marine Fisheries Service, Seattle, Washington. Located at website <http://www.nwr.noaa.gov/1sustfish/efhappendix/page1.html>

Chavez FP, Pennington JT, Michisaki RP, Buck KR. 2000. Response of the pelagic ecosystem in response to a ten-year warming trend in Monterey Bay, California. In: Beyond El Nino: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. p. 30. Abstract 022.

Chen LC. 1971. Systematics, variation, distribution, and biology of rockfishes of the subgenus *Sebastes* (Pisces, Scorpaenidae, *Sebastes*). Bulletin of Scripps Institute of Oceanography, University of California, 18:1-107.

- Chen LC. 1986. Meristic variation in *Sebastes* (Scorpaenidae), with an analysis of character association and bilateral pattern and their significance in species separation. NOAA Technical Report No. 45, 17 p.
- Chen MF, Henry-Ford D, Groff JM. 1995. Isolation and characterization of *Flexibacter maritimus* from marine fishes of California. *Journal of Aquatic Animal Health*. Vol. 7:318-326.
- Clemens WA, Wilby GV. 1961. Fishes of the Pacific Coast of Canada. Fisheries Research Board of Canada, Bulletin No. 68 (Second edition), 443 p.
- Cogswell HL. 1977. Water birds of California. Univ. Calif. Press, Berkeley. 399 p.
- Coombs CI. 1979. Reef fishes near Depoe Bay, Oregon: movement and the recreational fishery. M.S. Thesis, Oregon State University. 39 p.
- Cowen RK. 1983. The effects of sheephead (*Semicossyphus pulcher*) predation on red sea urchin (*Stongylocentrotus franciscanus*) populations: an experimental analysis. *Oecologia* 58:249-255.
- Cowen RK. 1985. Large scale patterns of recruitment by the labrid *Semicossyphus pulcher*, causes and implications. *J. Mar. Res.* 43(3)1985:719-742.
- Cowen RK. 1986. Site-specific differences in the feeding ecology of the California sheephead *Semicossyphus pulcher* (Labridae). *Environmental Biology of Fishes* 16(1-3):193-203.
- Cowen RK. 1990. Sex changes and life history patterns of the Labrid, *Semicossyphus pulcher*, across and environmental gradient. *Copeia* 1990(3):787-795.
- Cowen RK. 1991. Variation in planktonic larval stage duration of *Semicossyphus pulcher*. *Mar. Ecol. Prog. Series* 69, 1-2:9-15.
- Coyer JA. 1979. The invertebrate assemblage associated with *Macrocystis pyrifera* and its utilization as a food source by kelp forest fishes. Ph.D. Thesis, University of Southern California. 364 p.
- Crow KD. 1995. The reproductive biology of kelp greenling *Hexagrammos decagrammus*. [M.S. Thesis]. San Francisco (CA): San Francisco State University, 32 p.
- Crow KD, Powers DA, Bernardi G. 1997. Evidence of maternal contributors in nest of kelp greenling (*Hexagrammos decagrammus*, Hexagrammidae) *Copeia* 1997(1):9-15.
- Crozier GF. 1966. Features of carotenoid metabolism in growth and sexual maturation of the labrid fish *Pimelometopon pulchrum* (Ayres). Ph.D. Thesis, University of California, San Diego. 80 p.
- Crozier GF. 1969. Effects of controlled diet on the morphological color change of a marine teleost. *Journal of Experimental Marine Biology and Ecology* 4:1-8.
- Culver BN. 1986. Results from tagging black rockfish (*Sebastes melanops*) off the Washington and northern Oregon coast). In: Proceedings of the International Rockfish Symposium, Lowell Wakefield Fisheries Symposium, Anchorage, Alaska, USA, October 20-22, 1986. Alaska Sea Grant Report, No. 87-2, p 231-239.
- Danner EM, Wilson TC, Schlotterbeck RE. 1994. Comparison of rockfish recruitment of nearshore artificial and natural reefs off the coast of central California. *Bulletin of Marine Science* 55(2-3):333-343.
- David LR. 1939. Embryonic and early larval stages of the grunion, *Leuresthes tenuis*, and of the sculpin, *Scorpaena guttata*. *Copeia* 1939(2):75-81.

- Davis, G.E. 1989. Designated harvest refugis" the next stage of marine fishery management in California. Calif. Coop. Oceanic Fish. Invest. Rep. 30:53:58.
- Davis, G.E., D.J. Kushner, J.M. Mondragon, J.E. Mondragon, D. Lerma, D.V. Richards. 1997. Kelp Forest Monitoring Handbook. Volume 1: Sampling Protocol. Channel Islands National Park. Ventura, California.
- DeLacy AC, Hitz CR, Dryfoos RL. 1964. Maturation, gestation, and birth of rockfish (*Sebastes*) from Washington and adjacent waters. Washington Department of Fisheries, Fisheries Research Papers 2:51-67.
- DeMartini EE. 1981. The spring-summer ichthyofauna of surfgrass (*Phyllospadix*) meadows near San Diego, California. Bulletin of the Southern California Academy of Sciences 80(2):81-90.
- DeMartini EE. 1986. Reproductive colorations, paternal behavior and egg masses of kelp greenling, *Hexagrammos decagrammus*, and whitespotted greenling, *H. stelleri*. Northwest Science 60(1):32-35.
- DeMartini EE, Barnett AM, Johnson TD, Ambrose RF. 1994. Growth and production estimates for biomass-dominant fishes on a southern California artificial reef. Bulletin of Marine Science 55(2-3): 484-500.
- DeMott GE. 1983. Movement of tagged lingcod and rockfishes off Depoe Bay, Oregon. M.S. Thesis, Oregon State University. 55 p.
- Dempster RP, Rohrs WF. 1983. Spawning record of the lingcod, *Ophiodon elongatus* (Girard, 1854), in captivity. Journal of Aquariculture and Aquatic Sciences 3(3):41-45.
- Dewees CM, Gotshall DW. 1974. An experimental artificial reef in Humboldt Bay, California. California Fish and Game 60(3):109-127
- Dewees CM, Ueber E, (eds.). 1990. Effects of different fishery management schemes on bycatch, joint catch, and discards, Summary of a national workshop sponsored by the California Sea Grant College and the National Marine Fisheries Service, January 29-31, 1990, San Francisco, California. California Sea Grant College, University of California, La Jolla, California. Report No. T-CSGCP-019.
- Diaz MED, Hammann MG. 1987. Trophic relations among fishes associated to a kelp forest, *Macrocystis pyrifera*, in Bahia de Todos Santos, Baja California, Mexico. Ciencias Marinas 13(4):81-96.
- Dohl TP, Guess RC, Duman ML, Helm RC. 1983. Cetaceans of central and northern California, 1980-83: Status, abundance, and distribution. Final Report to the Minerals Management Service, Contract No. 1412000129090. 284 p.
- Dom M. 2000. Advice on west coast rockfish harvest rates from Bayesian meta-analysis of stock-recruit relationships. 11<sup>th</sup> Western Groundfish Conference; 24-28 April, 2000; Sitka, Alaska. Abstract, p.17.
- Drumm L, National Marine Mammal Lab. 2000. Detailed information on whales. <http://www.nmml.afsc.noaa.gov/education/cetaceans>.
- Dugan JE, Davis GE. 1993. Applications of marine refugia to coastal fisheries management. Can. J. Fish. Aquat. Sci. 50:2029-2042.
- Dunn JR, Hitz CR. 1969. Oceanic occurrence of black rockfish (*Sebastes melanops*) in the central north Pacific. Journal of the Fisheries Research Board of Canada 26(11):3094-3097.

- Ebeling AW, Bray RN. 1976. Day versus night activity of reef fishes in a kelp forest off Santa Barbara, California. *Fishery Bulletin* 74(4):703-717.
- Ebeling AW, Larson RJ, Alevizon WS. 1980a. Habitat groups and island-mainland distribution of kelp fishes off Santa Barbara, California. In: D.M. Powers (Editor), *The California Islands: Proceedings of a Multi disciplinary Symposium*, p 403-431. Santa Barbara Museum of Natural History, Santa Barbara.
- Ebeling AW, Larson RJ, Alevizon WS, Bray RN. 1980b. Annual variability of reef-fish assemblages in kelp forests off Santa Barbara, California. *Fishery Bulletin* 78(2):361-377.
- Echeverria T, Lenarz WH. 1984. Conversions between total, fork, and standard lengths in 35 species of *Sebastes* from California. *Fishery Bulletin* 82(1):249-251.
- Edwards DG, Cech JJ Jr. 1990. Aquatic and aerial metabolism of juvenile monkeyface prickleback, *Cebidichthys violaceus*, an intertidal fish of California. *Comparative Biochemistry and Physiology* 96A(1):61-65.
- Edwards TW. 1981. The assimilation efficiency of *Cebidichthys violaceus* (Family: Stichaeidae), a herbivorous fish from the rocky intertidal zone of central California. M.A. Thesis, California State University Fullerton. 77 p.
- Edwards TW, Horn MH. 1982. Assimilation efficiency of a temperate-zone intertidal fish (*Cebidichthys violaceus*) fed diets of macroalgae. *Marine Biology* 67:247-253.
- Eigenmann CH. 1891. The spawning season of San Diego fishes. *The American Naturalist*:578-579.
- Eldridge MB. (Editor). 1994. Progress in rockfish recruitment studies. National Marine Fisheries Service, Southwest Fisheries Science Center, Administrative Report No. T-94-01, 55 p.
- Environmental Protection Agency. 1997. The incidence and severity of sediment contamination in surface waters of the United States volume 1: National Sediment Quality Survey. EPA 823-R-97-006.
- Erwin EM. 1977. Black skimmer breeding ecology and behavior. *Auk* 94:709-717.
- Eschmeyer WN. (Editor). 1998. Catalog of Fishes. Special Publication No. 1 of the Center for Biodiversity Research and Information, California Academy of Sciences, San Francisco. KNI Incorporated, Anaheim, California. 2905 p.
- Eschmeyer WN, Herald ES. 1983. A field guide to Pacific coast fishes of North America. Houghton Mifflin CO., Boston, MA. 336 p.
- Feder HM, Turner CH, Limbaugh C. 1974. Observations on fishes associated with kelp beds in southern California. California Department of Fish and Game, Fish Bulletin 160,144 p.
- Ferrero RC, DeMaster DP, Hill PS, Muto M, Lopez AL. 2000. Alaska Marine Mammal Stock Assessments, 2000. NOAA Technical Memorandum NMFS AFSC119.
- Fisheries and Oceans Canada. 2000. Pacific Region integrated fisheries management plan; rockfish hook and line Outside; 2000.
- Fisheries and Oceans Canada. 2001. Pacific Region integrated fisheries management plan; rockfish hook and line Inside; April 1/2000 to March 31/2001.
- Fitch JE. 1958. Offshore fishes of California. California Department of Fish and Game. 80 p.

- Fitch JE. 1960. Black sea bass. In: California ocean fisheries resources to the year 1960, p 48-49. California Department of Fish and Game. 79 p.
- Fitch JE, Lavenberg RJ. 1971. Marine Food and Game Fishes of California. University of California Press, Berkeley. 179 p.
- Fitch JE, Lavenberg RJ. 1975. Tidepool and nearshore fishes of California. University of California Press, Berkeley. 156 p.
- Fleischer LA. 1987. Guadalupe fur seal, *Arctocephalus townsendi*. In: J. P. Croxall and R. L. Gentry (eds.). Status, biology, and ecology of fur seals. Proceedings of an international symposium and workshop. Cambridge, England, 23-27 April 1984 . p. 43-48. U.S. Dept. of Commerce, NOAA, NMFS, NOAA Tech. Rept. NMFS 51.
- Follett WI, Ainley D. 1976. Fishes collected by pigeon guillemots, *Cephus columba* (Pallas), nesting on southeast Farallon Island, California. California Fish and Game 62(1):28-31.
- Forney KA. 1999. The abundance of California harbor porpoise estimated from 1993-97 aerial line transect surveys. Admin. Rep. LJ9902. Available from Southwest Fisheries Center, National Marine Fisheries Service, P.O. Box 271, La Jolla, CA 92038. 16 p.
- Forney KA, Barlow J, Carretta JV. 1995. The abundance of cetaceans in California waters. Part II: Aerial surveys in winter and spring of 1991 and 1992. Fish. Bull. 93:1526.
- Forney KA, Barlow J, Muto MM, Lowry M, Baker J, Cameron G, Mobley J, Stinchcomb C, Carretta JV. 2000. U.S. Pacific marine mammal stock assessments: 2000. NOAA/TM/NMFS/SWFSC/300.
- Francis RICC. 1995. The analysis of otolith data - a mathematician's perspective (what, precisely, is your model?) In: The Belle W. Baruch Library in Marine Science Number 19: Recent Developments in Fish Otolith Research, D.H. Secor, J.M. Dean and S.E. Campana ed. University of South Carolina Press, Columbia, South Carolina p. 81-95.
- Fris MB, Horn MH. 1993. Effects of diets of different protein content on food consumption, gut retention, protein conversion, and growth of *Cebidichthys violaceus* (Girard), an herbivorous fish of temperate zone marine waters. Journal of Experimental Marine Biology and Ecology 166:185-202.
- Fujita, R.M., T. Toran, and K. Honey. 1997. Can No-take Reserves help rebuild and sustain the Pacific Coast Groundfish Fishery? A discussion paper submitted to the Pacific Fisheries Management Council's Alternative Groundfish Management Committee.
- Fuhrman FA, Fuhrman GJ, Dull DL, Moser HS. 1969. Toxins from eggs of fishes and amphibians. J. Agric. Food and Chem. 17:417-424.
- Gaines SD, Roughgarden J. 1987. Fish in offshore kelp forests affect recruitment to intertidal barnacle populations. Science 235:479-481.
- Garrison KJ, Miller BS. 1982. Review of the early life history of Puget Sound fishes. Fisheries Research Institute, School of Fisheries University of Washington, Contract No. 80-ABA-3680, Unpublished report FRI-UW-8216. 729 p.
- Gascon D, Miller RA. 1981. Colonization by nearshore fish on small artificial reefs in Barkley Sound, British Columbia. Canadian Journal of Zoology 59:1635-1646.
- Gascon D, Miller RA. 1982. Space utilization in a community of temperate reef fishes inhabiting small experimental artificial reefs. Canadian Journal of Zoology 60:798-806.

- Gates DE, Frey HW. 1974. Designated common names of certain marine organisms of California. California Department of Fish and Game, Fish Bulletin 161:55-90.
- Gearin PJ, Melin SR, DeLong RL, Kajimura H, Johnson MA. 1994. Harbor porpoise interactions with a chinook salmon setnet fishery in Washington state. Special Issue, 15, Report of the International Whaling Commission. p. 427-438.
- Ghazanshahi J, Huchel TD, Devinsky JS. 1983. Alteration of southern California rocky shore ecosystems by public recreational use. Journal of Environmental Management. 16:379-394
- Gibson RN. 1982. Recent studies on the biology of intertidal fishes. Oceanography and Marine Biology Annual Review 20:363-414.
- Gingras, M. 1998. Memo-Report on Stock Assessment of Nearshore Reef Fishes. California Department of Fish and Game, pp. 8. Unpublished Data.
- Gisiner R. 1998. Workshop on the effects of anthropogenic noise in the marine environment. Marine Mammal Science Project. Office of Naval Research. 140 p.
- Gorbunova NN. 1970. Spawning and development of greenlings (Family Hexagrammidae). In: T.S. Rass (Editor), Greenlings: Taxonomy, Biology, Interoceanic Transplantation, p. 121-185. Academy of Sciences of the USSR, Transactions of the Institute of Oceanology, Volume 59. Translated from Russian by the Israel Program for Scientific Translations, Jerusalem.
- Gotshall DW. 1969. A tagging study of the blue rockfish, *Sebastes mystinus*. M.S. Thesis, Humboldt State University. 67 p.
- Gotshall DW, Smith JG. 1965. Food of the blue rockfish, *Sebastes mystinus*. California Department of Fish and Game 51(3):147-162.
- Gowan RE. 1983. Population dynamics and exploitation rates of rockfish (*Sebastes* spp.) in central Puget Sound, Washington. Ph.D. Thesis. University of Washington. 90 p.
- Granholm S. 1990. Cormorants <http://www.dfg.ca.gov/whdab/>
- Gress F, Anderson DW. 1983. A recovery plan for the California brown pelican. U.S. Fish and Wildlife Service, Portland, OR. 179 p.
- Gress F, Kelly PR, Lewis DB, Anderson DW. 1980. Feeding activities and prey preference of California brown pelicans breeding in the Southern California Bight. Unpublished report. Calif. Dept. of Fish and Game, Endangered Species Program, Sacramento, CA. 38 p.
- Grossman GD. 1982. Dynamics and organization of a rocky intertidal fish assemblage: The persistence and resilience of taxocene structure. The American Naturalist 119(5):611-637.
- Group of Experts on the Scientific Aspects of Marine Pollution. 1993. Impact of oil and related chemicals on the marine environment. Reports and Studies No. 50. International Maritime Organization, London. 180+ix p.
- Gulf of Mexico Fishery Management Council. 1999. Red snapper management. <http://www.gulfcouncil.org/oldstories/oldstories/99-11-24-snapper2000%20proposals> (4 March 2001).
- Halderson L, Love M. 1991. Maturity and fecundity in the rockfishes, *Sebastes* spp., a review. Marine Fisheries Review 53(2):25-31.

- Haldorson L, Richards LJ. 1986. Post-larval copper rockfish in the Strait of Georgia: habitat use, feeding, and growth in the first year. In: Proceedings of the International Rockfish Symposium, Lowell Wakefield Fisheries Symposium, Anchorage, Alaska, USA, October 20-22, 1986. Alaska Sea Grant Report, No. 87-2, p. 129-141.
- Hallacher LE. 1977. Patterns of space and food use by inshore rockfishes (Scorpaenidae: *Sebastes*) of Carmel bay, California. Ph.D. Thesis, University of California Berkeley. 114 p.
- Hallacher LE. 1984. Relocation of original territories by displaced black-and-yellow rockfish, *Sebastes chrysomelas*, from Carmel Bay, California. California Department of Fish and Game 70(3):158-162.
- Hallacher LE, Roberts CD. 1985. Differential utilization of space and food by the inshore rockfishes (Scorpaenidae: *Sebastes*) of Carmel Bay, California. Environmental Biology of Fishes 12(2):91-110.
- Halpern B. 2002. The impacts of marine reserves: Do reserves work and does reserve size matter? Ecol. App. 8(suppl.):S72-78.
- Hampton S, Kelly P. 2001. Boat disturbance observations at Castle Rock and Hurricane Point common murre and Brandt's comorant nesting colony. 1998-2000. Unpublished.
- Hanawa K. 2000. Climate changes in the North Pacific sector during recent 100 years. In: Beyond El Niño: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. p. 42-43. Abstract 044.
- Hanni KD, Long DJ, Jones RE, Pyle P, Morgan LE. 1997. Sightings and strandings of Guadalupe fur seals in central and northern California, 1988-1995. J. of Mamm. 78:684-690.
- Hare SR, Mantua NJ. 2000. Empirical indicators of climate variability and ecosystem response since 1965. In: Beyond El Niño: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. p. 43. Abstract 045.
- Harrison C. 1978. A field guide to the nests, eggs and nestlings of North American birds. W. Collins Sons and Co., Cleveland, OH. 416 p.
- Hart JL. 1973. Pacific Fishes of Canada. Fisheries Research Board of Canada Bulletin 180, 740 p.
- Hartmann AR. 1987. Movement of scorpionfishes (Scorpaenidae: *Sebastes* and *Scorpaena*) in the Southern California Bight. California Department of Fish and Game 73(2):68-79.
- Hastings A, Botsford LW. 1999. Equivalence in yield from marine and traditional fisheries management. Sci. 284:1537-1538
- Hatfield B, Estes J. 2000. Preliminary results of an evaluation of the potential threat to sea otters posed by the nearshore finfish trap fishery. U.S. Geological Survey, Santa Cruz, California.
- Heilprin DJ. 1992. The role of olfaction in the homing ability of the blue rockfish, *Sebastes mystinus*, in Carmel Bay, California. M.S. Thesis, San Jose State University. 63 p.
- Helm RC. 1990. Population dynamics of an intertidal eel blenny, *Cebidichthys violaceus*: Diet, growth, homing, and avian predation. Ph.D. Thesis, University of California, Davis. 131 p.
- Helvey M. 1982. First observations of courtship behavior in rockfish, Genus *Sebastes*. Copeia 1982(4):765-770.

- Helvey M. 1985. Behavioral factors influencing fish entrapment at offshore cooling-water intake structures in southern California. *Marine Fisheries Review* 47(1):18-26.
- Heyning JE, Lewis TD. 1990. Fisheries interactions involving baleen whales off southern California. *Rep. Int. Whal. Commn.* 40:427-431.
- Heyning JE, Lewis TD, Woodhouse CD. 1994. A note on odontocete mortality from fishing gear entanglements off Southern California. *Rep. Int. Whal. Commn. Special Issue* 15:439-442.
- High WL. 1984. Some consequences of lost fishing gear. In: Proceedings of the workshop on the fate and impact of marine debris; 27-29 November 1984; Honolulu Hawaii. Shomura and Yoshida (eds.). US Dept. of Commerce. p. 430-437.
- Hobson ES. 1994. Ecological relations in the evolution of acanthopterygian fishes in warm temperate communities of the northeastern Pacific. *Environmental Biology of Fishes* 40:4990.
- Hobson ES, Chess JR. 1976. Trophic interactions among fishes and zooplankters near shore at Santa Catalina Island, California. *Fishery Bulletin* 74(3):567-598.
- Hobson ES, Chess JR. 1986. Relationships among fishes and their prey in a nearshore sand community off southern California. *Environmental Biology of Fishes* 17(3):201-226.
- Hobson ES, Chess JR. 1988. Trophic relations of the blue rockfish, *Sebastes mystinus*, in a coastal upwelling system off northern California. *Fishery Bulletin* 86(4):715-743.
- Hobson ES, Chess JR, Howard DF. 1996. Zooplankters consumed by blue rockfish during brief access to a current off California's Sonoma coast. *California Department of Fish and Game* 82(2):87-92.
- Hobson ES, McFarland WN, Chess JR. 1981. Crepuscular and nocturnal activities of Californian nearshore fishes, with consideration of their scotopic visual pigments and the photic environment. *Fishery Bulletin* 79(1):1-17.
- Hoelzer G. 1982. Movement patterns and the development of interactive behavior in juveniles of two territorial species of rockfish (Scorpaenidae: *Sebastes*). M.A. Thesis, San Jose State University. 53 p.
- Hoelzer G. 1987. The effect of early experience on aggression in two territorial scorpaenid fishes. *Environmental Biology of Fishes* 19(3):183-194.
- Holbrook SJ, Schmitt RJ. 1988. Effects of predation risk on foraging behavior: mechanisms altering patch choice. *Journal of Experimental Marine Biology and Ecology* 121:151-163.
- Holbrook SJ, Schmitt RJ, Stephens JS Jr. 1997. Changes in an assemblage of temperate reef fishes associated with a climate shift. *Ecological Applications* 7(4):1299-1310.
- Horn MH, Murray SN, Edwards TW. 1982. Dietary selectivity in the field and food preferences in the laboratory for two herbivorous fishes (*Cebidichthys violaceus* and *Xiphister mucosus*) from a temperate intertidal zone. *Marine Biology* 67:237-246.
- Horn MH, Neighbors MA. 1984. Protein and nitrogen assimilation as a factor in predicting the seasonal macroalgal diet of the monkeyface prickleback. *Transactions of the American Fisheries Society* 113:388-396.
- Horn MH, Neighbors MA, Murray SN. 1986. Herbivore responses to a seasonally fluctuating food supply: growth potential of two temperate intertidal fishes based on the protein and energy assimilated from their macroalgal diets. *Journal of Experimental Marine Biology and Ecology* 103:217-234.

- Horn MH, Neighbors MA, Rosenberg MJ, Murray SN. 1985. Assimilation of carbon from dietary and nondietary macroalgae by a temperate-zone intertidal fish, *Cebidichthys violaceus* (Girard) (Teleostei: Stichaeidae). *Journal of Experimental Marine Biology and Ecology* 86:241-253.
- Horn MH, Riegler C. 1981. Evaporative water loss and intertidal vertical distribution in relation to body size and morphology of stichaeoid fishes from California. *Journal of Experimental Marine Biology and Ecology* 50:273-288.
- Horton HF. 1989. Species profile: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Northwest). Dover and rock soles. U.S. Fish and Wildlife Service Biological Report 82(11.123), 27 p.
- Houk JL. 1992a. Black rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p 117-118. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Houk JL. 1992b. Blue rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p 118-120. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Howard D. 1992. Kelp Greenling. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p. 164-165. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Hueckel GJ, Stayton RL. 1982. Fish foraging on an artificial reef in Puget Sound, Washington. *Marine Fisheries Review* 44(6-7):38-44.
- Hunt GL, Pitman RL, Naughton M, Winnett K, Newman A, Kelly PR, Briggs KT. 1979. Distribution, status, reproductive ecology, and foraging habits of breeding seabirds. Book II, Part III, Vol. III of Marine Mammal and Seabird Surveys of the Southern California Bight Area, 1975-1979. Unpublished Report to the Bureau of Land Management, Univ. of California, Irvine, California.
- Ireland CD, Horn MH. 1991. Effects of macrophyte secondary chemicals on food choice and digestive efficiency of *Cebidichthys violaceus* (Girard), an herbivorous fish of temperate marine waters. *Journal of Experimental Marine Biology and Ecology* 153:179-194.
- Jagiello. 1999. Lingcod Rebuilding. Pacific Fisheries Management Council. 13 p.
- Jaques DL, Anderson DW. 1988. Brown pelican use of the Moss Landing Wildlife Management Area: roosting behavior, habitat use, and interactions with humans. Calif. Dept. of Fish and Game, Nongame Bird and Mammal Section Report. 58 p. and appendices.
- Johnson KA. 1997. Rockfish (*Sebastes* spp.) recruitment to soft bottom habitats in Monterey Bay, CA. [M.S. Thesis] .Stanislaus (CA): California State University Stanislaus. 70 p.
- Johnson TD, Barnett AM, DeMartini EE, Craft LL, Ambrose RF Purcell LJ. 1994. Fish production and habitat utilization on a southern California artificial reef. *Bulletin of Marine Science* 55(2-3):709-723.
- Jones JA. 1981. Competition for substrates in laboratory experiments between *Anoplarchus purpureus* (Pisces, Stichaeidae) and three related species from the central California rocky intertidal zone. M.A. Thesis, California State University Fullerton. 62 p.

- Joseph EB. 1980. Conceptual and practical difficulties of allocation in mixed commercial/recreational fisheries in the southeastern United States. In Allocation of Fishery Resources. Proceedings of the technical consultation on allocation of fishery resources, Vichy, France, 20-23 April 1980.
- Julian F, and M. Beeson. 1998. Estimates of marine mammal, turtle, and seabird mortality for two California gillnet fisheries: 1990-1995. Fishery Bulletin 96:271-284.
- Karpov KA, Albin DP, Van Buskirk WH. 1995. The marine recreational fishery in northern and central California: A historical comparison (1958-86), status of stocks (1980-86), and effects of changes in the California Current. California Department of Fish and Game, Fish Bulletin 176, 192 p.
- Karpov KA, Haaker PL, Taniguchi IK, Rogers Bennett L. 2000. Serial depletion on the collapse of the California abalone (*Haliotis* spp.) fishery. In: Workshop on Rebuilding Abalone Stocks in British Columbia. Edited by A. Campbell. Can. Spec. Publ. Aquat. Sci. 130. p 1124.
- Karpov KA, Kwiecien GS. 1988. Conversions between total, fork, and standard lengths for 41 species in 15 families of fish from California using preserved and fresh specimens. California Department of Fish and Game Marine Resources Administrative Report 88-9, 14 p.
- Keitt BS. 2000. Status of the Xantus' murrelet (*Synthliboramphus hypoleucus*) on the islands of Baja California, Mexico. Unpublished report, Island Conservation and Ecology Group, Davenport, California.
- Kelly JL, Warrick JW, Behrens DW. 1985. Intertidal fish community study at Diablo Canyon Power Plant. Environmental Investigations at Diablo Canyon, 1984: Volume 1-- Marine ecological studies. Pacific Gas and Electric Company. 76 p.
- Kendall AW Jr, Lenarz WH. 1986. Status of early life history studies of northeast Pacific rockfishes. In: Proceedings of the International Rockfish Symposium, Lowell Wakefield Fisheries Symposium, Anchorage, Alaska, USA, October 20-22, 1986. Alaska Sea Grant Report, No. 87-2, p. 99-128.
- Klingbeil R, Knaggs EH. 1976. Southern range extension of the blue rockfish, *Sebastes mystinus*, the flag rockfish, *S. rubrivinctus*, and the shortbelly rockfish, *S. jordani*. California Department of Fish and Game 62(2):160.
- Klyashtorin LB. 1970. Study of the greenlings (Hexagrammidae, Pisces) of the Kurile Islands. In: T.S. Rass (Editor), Greenlings: Taxonomy, Biology, Interoceanic Transplantation, p. 107-120. Academy of Sciences of the USSR, Transactions of the Institute of Oceanology, Volume 59. Translated from Russian by the Israel Program for Scientific Translations, Jerusalem.
- Klyashtorin LB. 2000. Global climate changes, ENSO events and main commercial fish production in the Pacific. In: Beyond El Niño: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. p. 55. Abstract 065.
- Krieger KJ. 1993. Distribution and abundance of rockfish determined from a submersible and by bottom trawling. Fish Bull. 91:87-96.
- Krigsman LM. 2000. A review of larval duration for Pacific coast temperate reef fishes; including kelp rockfish, *Sebastes atrovirens*. Senior Thesis, University of California Santa Cruz. 32 p.
- Kucera T. 1990. Black storm petrel, forktailed storm petrel, western grebe.  
<http://www.dfg.ca.gov/whdab/>
- Laidig TE, Pearson DE, Sinclair LL. Draft, in prep. (2000). Age and growth of blue rockfish (*Sebastes mystinus*) from central and southern California.

- Laidig TE, Sakuma KM. 1998. Description of pelagic larval and juvenile grass rockfish, *Sebastes rastrelliger* (family Scorpaenidae), with an examination of age and growth. Fishery Bulletin 96(4):788-796.
- Larson RJ. 1972. The food habits of four kelp-bed rockfishes (Scorpaenidae, *Sebastes*) off Santa Barbara, California. M.A. Thesis, University of California Santa Barbara. 57 p.
- Larson RJ. 1977. Habitat selection and territorial competition as the causes of bathymetric segregation of sibling rockfishes (*Sebastes*). Ph.D. Thesis, University of California Santa Barbara. 170 p.
- Larson RJ. 1980a. Competition, habitat selection, and the bathymetric segregation of two rockfish (*Sebastes*) species. Ecological Monographs 50(2):221-239.
- Larson RJ. 1980b. Influence of territoriality on adult density in two rockfishes of the Genus *Sebastes*. Mar. Biol. 58:123-132.
- Larson RJ. 1980c. Territorial behavior of the black and yellow rockfish and gopher rockfish (Scorpaenidae, *Sebastes*). Marine Biology 58:111-122.
- Larson RJ. 1991. Seasonal cycles of reserves in relation to reproduction in *Sebastes*. Environmental Biology of Fishes 30:57-70.
- Larson RJ. 1992. Other nearshore rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p. 130-131. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Larson RJ, DeMartini EE. 1984. Abundance and vertical distribution of fishes in a cobble-bottom kelp forest off San Onofre, California. Fishery Bulletin 82(1):37-53.
- Lauck T., C.W. Clark, M. Mangel, and G.R. Munro. 1998. Implementing the precautionary principle in fisheries management through marine reserves. Ecol. Appl. 8(suppl.):S72-S78.
- Lauth RR. 1987. Spawning ecology and nesting behavior of the cabezon, *Scorpaenichthys marmoratus* (Ayres), in Puget Sound, Washington. M.S. Thesis, University of Washington. 104 p.
- Lauth RR. 1988. Seasonal spawning cycle, spawning frequency, and batch fecundity of the cabezon, *Scorpaenichthys marmoratus*, in Puget Sound, Washington. Fishery Bulletin 87(1):145-154.
- Lawrence GE. 1950. The diving and feeding activity of the western grebe on the breeding grounds. Condor 52:3-16.
- Lea RN, McAllister RD, VenTresca DA. 1999. Biological aspects of nearshore rockfishes of the genus *Sebastes* from central California. California Department of Fish and Game; Fish Bulletin 177:1-109.
- Leaman, B.M. 1991. Reproductive styles and life history variables relative to exploitation and management of *Sebastes* stocks. Environmental Biology of Fishes. 30:253-271.
- Leos R. 1999. A rose(fish) by any other name would smell. California Department of Fish and Game, California Groundfish Samplers' Newsletter, April 1999, Volume 2, No. 2.
- Limbaugh C. 1955. Fish life in the kelp beds and the effects of kelp harvesting. Institute of Marine Resources, University of California La Jolla, IMR Reference 55-9, 158 p.

- Loftus KH, Holder AS, Regier HA. 1980. A necessary new strategy for allocating Ontario's fishery resources. In Allocation of fishery resources, J.H. Grover, ed. American Fisheries Society, p. 255-264.
- Long DJ. 1996. First confirmed record of teleost predation on a shark egg case. California Department of Fish and Game 82(2):103-104.
- Longhurst AR. 1998. Ecological geography of the sea. New York: Academic Press. 398 p.
- Loughlin TR, Rugh DJ, Fiscus CH. 1984. Northern sea lion distribution and abundance: 1956-1980. J. Wildl. Manage. 48:729-740.
- Love M. 1996. Probably More Than You Want To Know About The Fishes Of The Pacific Coast. Really Big Press, Santa Barbara, California, 381 p.
- Love MS. 1978. Aspects of the life history of the olive rockfish (*Sebastes serranoides*). Ph.D. Thesis, University of California Santa Barbara. 185 p.
- Love MS. 1980. Isolation of olive rockfish, *Sebastes serranoides*, populations off southern California. Fishery Bulletin 77(4):975-983.
- Love MS. 2001. In: Leet, B., Dewees C.W., Klingbeil R. (editors). California's living marine resources and their utilization. California Department of Fish and Game. Forthcoming.
- Love MS, Axell B, Morris P, Collins R, Brooks A. 1987. Life history and fishery of the California scorpionfish, *Scorpaena guttata*, within the southern California Bight. Fish. Bull. US 85(1):99-116.
- Love MS, Brooks A, Busatto D, Stephens JS Jr, Gregory PA. 1996. Aspects of the life histories of the kelp bass, *Paralabrax clathratus*, and barred sand bass, *Paralabrax nebulifer*, from the southern California Bight. Fishery Bulletin 94(3):472-481.
- Love MS, Carr MH, Halderson LJ. 1991. The ecology of substrate-associated juveniles of the genus *Sebastes*. Environmental Biology of Fishes 30:225-243.
- Love MS, Caselle JE, Herbinson K. 1998a. Declines in nearshore rockfish recruitment and population in the southern California Bight as measured by impingement rates in coastal electrical power generating stations. Fishery Bulletin 96(3):492-501.
- Love MS, Caselle JE, Van Buskirk W. 1998b. A severe decline in the commercial passenger fishing vessel rockfish (*Sebastes* spp.) catch in the southern California Bight, 1980-1996. CalCOFI Reports 39:180-195.
- Love MS, Ebeling AW. 1978. Food and habitat of three switch-feeding fishes in the kelp forests off Santa Barbara, California. Fishery Bulletin 76(1):257-271.
- Love MS, Johnson K. 1998. Aspects of the life histories of grass rockfish, *Sebastes rastrelliger*, and brown rockfish, *S. auriculatus*, from southern California. Fishery Bulletin 87:100-109.
- Love MS, Lea RN. 1997. Range extension of the quillback rockfish, *Sebastes maliger*, to the Southern California Bight. Calif. Fish and Game 83(2):78-83.
- Love MS, Lea RN, McAllister RD, VenTresca DA. 1999. Biological aspects of nearshore rockfishes of the genus *Sebastes* from central California. California Department of Fish and Game, Fish Bulletin 177, 109 p.

- Love MS, Morris P, McCrae M, Collins R. 1990. Life history aspects of 19 rockfish species (Scorpaenidae: *Sebastes*) from the Southern California Bight. NOAA Technical Report No. 87, 38 p.
- Love MS, Stephens JS Jr, Morris P, Singer MM, Sandhu M, Sciarrotta TC. 1986. Inshore soft substrate fishes in the southern California Bight: An overview. California Cooperative Oceanic Fisheries Investigations Reports 27:84-106.
- Love MS, Thorsteinson L, Mecklenburg CW, and Mecklenburg TA. 1996. A checklist of marine and estuarine fishes of the Northeast Pacific, from Alaska to Baja California. National Biological Service. Located at website: <http://id-www.ucsb.edu/lovelab/home.html>
- Love MS, Westphal WV. 1981. Growth, reproduction, and food habits of olive rockfish, *Sebastes serranoides*, off central California. Fishery Bulletin 79(3):533-545.
- McArdle, DA ed., California Marine Protected Areas. La Jolla:California Sea Grant College System, 268 pp.
- MacCall AD. 1999. Bocaccio rebuilding. Pacific Fisheries Management Council. 8 p.
- MacCall AD. 2000. Designing fishery management and stock rebuilding policies for conditions of low frequency climate variability. In: Beyond El Niño: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. p. 63. Abstract 080.
- MacGregor JS. 1970. Fecundity, multiple spawning, and description of the gonads in *Sebastes*. U.S. Fish and Wildlife Service, Report No. 596, 12 p.
- MacGregor JS. 1983. Growth of the blue rockfish (*Sebastes mystinus*). California Cooperative Oceanic Fisheries Investigations Reports 24:216-225.
- Malins DC, Hodgins HO. 1981. Petroleum and marine fishes: A review of uptake, disposition, and effects. Environmental Science and Technology, 15(11):1272-1280.
- Marine Reserve Working Group. Goals and Objectives. Unpublished Data.
- Marine Reserve Working Group Science Advisory Panel. 2001. How Large Should Marine Reserves Be? <http://www.cinms.nos.noaa.gov/SPpdfs/questions1A.pdf>.
- Mariave JB. 1975a. The behavioral transformations from the planktonic larval stage of some marine fishes reared in the laboratory. Ph.D. Thesis, University of British Columbia, Vancouver. 231 p.
- Marshall WH, Wyllie Echeverria T. 1992. Age, length, weight, reproductive cycle and fecundity of the monkeyface prickleback (*Cebidichthys violaceus*). California Department of Fish and Game 78(2):57-64.
- Martin KLM. 1993. Aerial release of CO<sub>2</sub> and respiratory exchange ratio in intertidal fishes out of water. Environmental Biology of Fishes 37:189-196.
- Martin KLM. 1995. Time and tide wait for no fish: intertidal fishes out of water. Environmental Biology of Fishes 44:165-181.
- Massey BW. 1977. Occurrence and nesting of the least tern and other endangered species in Baja California, Mexico. West. Birds 8:67-70
- Matarese AC, Kendall AW Jr, Blood DM, Vinter BM. 1989. Laboratory guide to early life history stages of northeast Pacific fishes. NOAA Technical Report No. 80. 652 p.

- Matthews KR. 1985. Species similarity and movements of fishes on natural and artificial reefs in Monterey Bay, California. *Bulletin of Marine Science* 37(1):252-270.
- Matthews KR. 1986. Movement of two nearshore, territorial rockfishes previously reported as non-movers and implications to management. *California Department of Fish and Game* 72(2):103-109.
- Matthews KR. 1988. Habitat use and movement patterns of copper, quillback, and brown rockfishes in Puget Sound, Washington. Ph.D. Thesis, University of Washington. 121 p.
- Matthews KR. 1990a. A comparative study of habitat use by young-of-the-year, subadult, and adult rockfishes on four habitat types in central Puget Sound. *Fishery Bulletin* 88(2):223-239.
- Matthews KR. 1990b. An experimental study of the habitat preference and movement patterns of copper, quillback, and brown rockfishes (*Sebastes* spp.). *Environmental Biology of Fishes* 30:161-178.
- Matthews KR. 1990c. A telemetric study of the home ranges and homing routes of copper and quillback rockfishes on shallow rocky reefs. *Canadian Journal of Zoology* 68:2243-2250.
- Matthews KR, Miller BS, Quinn TP. 1986. Movement studies of nearshore demersal rockfish in Puget Sound, Washington. In: *Proceedings of the International Rockfish Symposium, Lowell Wakefield Fisheries Symposium, Anchorage, Alaska, USA, October 20-22, 1986*. Alaska Sea Grant Report, No. 87-2, p 63-72.
- Matthews, K. R. and Richards, L. J. 1991. Rockfish (*Scorpaenidae*) assemblages of trawlable and untrawlable habitats off Vancouver Island, British Columbia. *N. Am. J. Fish. Manage.* 11:312-318.
- McArdle DA ed. 1997. *California marine protected areas*. La Jolla: California Sea Grant College System, University of California. 268 p.
- McClure RE. 1982. Neritic reef fishes off central Oregon: Aspects of life histories and the recreational fishery. M.S. Thesis, Oregon State University. 94 p.
- McFarlane GA, Beamish RJ. 1995. Validation of the otolith cross-section method of age determination for sablefish (*Anoplopoma fimbria*) using oxytetracycline. In: D.H. Secor, J.M. Dean and S.E. Campana eds. *The Belle W. Baruch Library in Marine Science Number 19: Recent Developments in Fish Otolith Research*, University of South Carolina Press, Columbia, South Carolina. p. 319-321.
- McWilliams B, Goldman G. 1994. *Commercial and Recreational Fishing in California; Their impact on the State economy*. University of California Berkeley, Division of Agriculture and Natural Resources. Publication CNR001.
- Melvin EF, Parrish JK, Conquest LL. 1999. Novel tools to reduce seabird bycatch in coastal gillnet fisheries. *Conservation Biology*. Vol.13. No. 6. December 1999. 1386-1397.
- Merkel TJ. 1957. Food habits of the king salmon *Oncorhynchus tshawytscha* (Walbaum), in the vicinity of San Francisco, California. *California Fish and Game* 43(4):249-270.
- Mid-Atlantic Fishery Management Council. 1997. Summer flounder: management and status. <http://www.mafmc.org/mid-atlantic/publications/pubs.htm> (27 April 2001).
- Miller DJ. 1960a. Blue Rockfish. In: *California Ocean Fisheries Resources of the Year 1960*, p 38-39. California Department of Fish and Game. 79 p.
- Miller DJ. 1960b. Olive rockfish. In: *California Ocean Fisheries Resources to the year 1960*, p 40. California Department of Fish and Game. 79 p.

- Miller DJ. 1974. The sea otter, *Enhydra lutris*, its life history, taxonomic status and some ecological relationships. Calif. Dept. Fish and Game, Sacramento. Marine Leaflet No. 7. 13 p.
- Miller DJ, Geibel JJ. 1973. Summary of blue rockfish and lingcod life histories; a reef ecology study; and giant kelp, *Macrocystis pyrifera*, experiments in Monterey Bay, California. California Department of Fish and Game, Fish Bulletin 158, 137 p.
- Miller DJ, Geibel JJ, Houk JL. 1974. Results of the 1972 skindiving assessment survey. Pismo Beach to Oregon. Calif. Dept. Fish and Game, Mar. Res. Tech. Rep. 23. 61 p.
- Miller DJ, Gotshall D. 1965. Ocean sportfish catch and effort from Oregon to Point Arguello, California July 1, 1957-June 30, 1961. Calif. Dept. Fish and Game, Fish Bull. 130, 135 p.
- Miller DJ, Herder MJ, Scholl JP. 1983. California marine mammal/fishery interaction study, 1979-1981. NOAA/NMFS/ SWFSC Admin. Rep. LJ8313C. 234 p.
- Miller DJ, Lea RN. 1972. Guide to the coastal marine fishes of California. California Department of Fish and Game, Fish Bulletin 157, 249 p.
- Miller DJ, Odemar MW, Gotshall DW. 1967. Life history and catch analysis of the blue rockfish (*Sebastes mystinus*) off central California, 1961-1965. California Department of Fish and Game, Marine Resources Operations Reference 67-14, 130 p.
- Miller KA, Marshall WH. 1987. Food habits of large monkeyface prickleback, *Cebidichthys violaceus*. California Department of Fish and Game 73(1):37-44.
- Minerals Management Service. 1987. Northern California proposed oil and gas lease sale 91: draft environmental impact statement. Vol 1. p. IV40-IV46.
- Minerals Management Service. 2000. Draft OCS environmental assessment: extended-reach exploratory drilling project cavern point unit, leases OCS-P 0210 and OCS-PO527 Venoco Inc. and Poseiden Petroleum LLC. 62 p.
- Mitchell CT, Hunter JR. 1970. Fishes associated with drifting kelp, *Macrocystis pyrifera*, off the coast of southern California and northern California. California Department of Fish and Game 56(4):288-297.
- Mitchell DF. 1953. An analysis of stomach contents of California tide pool fishes. The American Midland Naturalist 49(3):862-871.
- Montgomery WL. 1977. Diet and gut morphology in fishes, with special reference to the monkeyface prickleback, *Cebidichthys violaceus* (Stichaeidae: Blennioidei). Copeia 1977(1):178-182.
- Moore SL, Allen MJ. 2000. Distribution of anthropogenic and natural debris on the mainland shelf of the Southern California Bight. Marine Pollution Bulletin 40:83-88.
- Morejohn GV, Harvey JT, Krasnow LT. 1978. The importance of *Loligo opalescens* in the food web of marine vertebrates in Monterey Bay, California. In: C.W. Recksiek and H.W. Frey (Editors), Biological, oceanographic, and acoustic aspects of the market squid, *Loligo opalescens* Berry. California Department of Fish and Game, Fish Bulletin No. 169:67-98.
- Moreno G. 1993. Description of early larvae of four northern California species of rockfishes (Scorpaenidae: *Sebastes*) from rearing studies. NOAA Technical Report NMFS 116, 18 p.

Moser HG. 1996. Scorpaenidae: scorpionfishes and rockfishes. In: H.G. Moser (Editor), The early stages of fishes in the California Current region, California Cooperative Oceanic Fisheries Investigations, Atlas No. 33, p 733-795. Allen Press, Inc., Lawrence, Kansas.

Moser HG, Boehlert GW. 1991. Ecology of pelagic larvae and juveniles of the genus *Sebastes*. Environmental Biology of Fishes 30:203-224.

Moser HG, Charter RL, Watson W, Ambrose DA, Butler JL, Charter SR, Sandknop EM. 2000. Abundance and distribution of rockfish (*Sebastes*) larvae in the Southern California Bight in relation to environmental conditions and fishery exploitation. La Jolla, CA: California Cooperative Fisheries Investigations. Rep. 41:132-147.

Moulton LL. 1977. An ecological analysis of fishes inhabiting the rocky nearshore regions of northern Puget Sound, Washington. Ph.D. Thesis. University of Washington. 182 p.

Moyle PB, Cech JJ. 1996. Fishes: an introduction to ichthyology. University of California, Davis. Prentice Hall, New Jersey. p.174.

Murawski SA, R. Brown, H-L Lai, P.J. Rago, L. Hendrickson. 2000. Large-scale closed areas as a fishery-management tool in temperate marine systems: The Georges Bank experience. Bulletin of Marine Science 66(3).

Murie DJ. 1994. Comparative allometric growth of the gastrointestinal tract of two sympatric congeners, copper rockfish (*Sebastes caurinus*) and quillback rockfish (*S. maliger*). Journal of Fish Biology 44:597-605.

Murie DJ. 1995. Comparative feeding ecology of two sympatric rockfish congeners, *Sebastes caurinus* (copper rockfish) and *S. maliger* (quillback rockfish). Marine Biology 124:341-353.

Murie DJ, Parkyn DC, Clapp BG, and Krause GG. 1994. Observations of the distribution and activities of rockfish, *Sebastes* spp., in Saanich Inlet, British Columbia, from the *Pisces IV* submersible. Fishery Bulletin 92(2):313-323.

Murray SN. 1998. Effectiveness of marine life refuges on southern California shores. In: California and the world ocean '97. Taking a look at California's ocean resources: an agenda for the future, O.T. Magoon, H. Converse, B. Baird and M. Miller-Hensen, eds. Reston: American Society of Civil Engineers, p.1453-1465.

Murray SN, Ambrose RF, Bohnsack JA, Botsford LW, Carr MH, Davis GE, Dayton PK, Gotshall D, Gunderson DR, Hixon MA, Lubchenco J, Mangel M, MacCall A, McArdle DA, Ogden JC, Roughgarden J, Starr RM, Tenger MJ, Yoklavich MM. No-take reserve networks: protection for fishery populations and marine ecosystems. Fisheries 24(11):11-25.

National Marine Fisheries Service. 1995. Environmental assessment of proposed regulations to govern interactions between marine mammals and commercial fishing operations, under Section 118 of the Marine Mammal Protection Act. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Office of Protected Resources, June 1995. 139 p.

National Marine Fisheries Service. 1998. Marine Recreational Fisheries Statistical Survey. State and Regional Fact Sheets - Pacific Anglers. [http://www.st.nmfs.gov/st1/econ/1998\\_pacific\\_facts.html](http://www.st.nmfs.gov/st1/econ/1998_pacific_facts.html)

National Marine Fisheries Service. 2000. Biological Opinion, Section 7 Consultation on authorization to take listed marine mammals incidental to commercial fishing operations under Section 101(a)(5)(E) of the Marine Mammal Protection Act for the California/Oregon Drift Gillnet Fishery.

- National Marine Fisheries Service. 2001a. Marine Recreational Fisheries Statistical Survey. Pacific Coast Data Queries. <http://www.psmfc.org/recfin/data.htm>
- National Marine Fisheries Service. 2001b. Sitka Sound Local Area Management Plan. (4 March 2001). <http://www.fakr.noaa.gov/sustainablefisheries/lamp/sslamp.htm>
- National Marine Fisheries Service/NOAA/OPR. 2001. Commercial fishery interactions. [http://www.nmfs.noaa.gov/prot\\_res/PR2/Fisheries\\_Interactions/fisheriesinteractions.htm](http://www.nmfs.noaa.gov/prot_res/PR2/Fisheries_Interactions/fisheriesinteractions.htm)
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998a. Recovery plan for U.S. Pacific Populations of the leatherback turtle (*Dermodochelys coriacea*). National Marine Fisheries Service, Silver Spring, MD.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998b. Recovery plan for U.S. Pacific Populations of the loggerhead turtle (*Caretta caretta*). National Marine Fisheries Service, Silver Spring, MD.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998c. Recovery plan for U.S. Pacific populations of the East Pacific green turtle (*Chelonia mydas*). National Marine Fisheries Service, Silver Spring, MD.
- National Marine Fisheries Service and U.S. Fish and Wildlife Service. 1998d. Recovery plan for U.S. Pacific populations of the olive ridley turtle (*Lepidochelys olivacea*). National Marine Fisheries Service, Silver Spring, MD.
- National Oceanic and Atmospheric Administration. 1991. Coastal environmental quality in the United States, 1990.
- National Oceanic and Atmospheric Administration. 1998. Marine debris. Technical Memorandum NMFS F/AKR-9. Editors: Alan R. Bunn and James M. Coe. U.S. Department of Commerce, National Marine Fisheries Service.
- National Research Council. 1985. Oil in the sea: inputs, fates, and effects. National Academy Press, Washington, DC. 601+xviii p.
- National Research Council. 2001. Marine protected areas; Tools for sustaining ocean ecosystems. Nat. Acad. Press. Washington DC. 272 p.
- Neighbors MA, Horn MH. 1991. Nutritional quality of macrophytes eaten and not eaten by two temperate-zone herbivorous fishes: a multivariate comparison. *Marine Biology* 108:471-476.
- Nelson BV, Vance RR. 1979. Diel foraging patterns of the sea urchin *Centrostephanus coronatus* as a predator avoidance strategy. *Marine Biology* 51:251-258.
- New Zealand Ministry of Fisheries. 1998. Fishing for the future - review of the Fisheries Act 1996. <http://www.fish.govt.nz/information/reviewfishing.htm> (2 March 2001).
- Norris KS. 1963. The functions of temperature in the ecology of the percoid fish *Girella nigricans* (Ayres). *Ecological Monographs* 33(1):23-62.
- O'Connell CP. 1953. The life history of the cabezon *Scorpaenichthys marmoratus* (Ayres). Calif. Dept. Fish and Game, Fish Bull. 93. 76 p.
- O'Connell VM. 1987. Reproductive seasons for some *Sebastes* species in southeastern Alaska. Alaska Department of Fish and Game. Informational Leaflet No. 263, 21 p.

- O'Connell VM, Carlile DW. 1994. Comparison of a remotely operated vehicle and a submersible for estimating abundance of demersal shelf rockfishes in the Eastern Gulf of Alaska. *N. Am. J. Fish. Man.* 14:196-201.
- Orlov AM. 1998. Some aspects of trophic relations among Pacific predatory fishes off the northern Kuril Islands and southeastern Kamchatka. In: D. MacKinlay and D. Houlihan (Editors), *Fish Feeding Ecology and Digestion: Gutshop '98*, p 41-52.
- Orr JW, Blackburn J. 2000. The morphology and systematics of the dusky rockfishes: the *Sebastes ciliatus* problem. Abstract, 11th Western Groundfish Conference, April 24-28, 2000, Sitka, Alaska, p. 21.
- Orr RT, Helm RC. 1989. *Marine mammals of California*. California Natural History Guides: University of California Press, Berkeley. 93 p.
- Pacific Fishery Management Council. 1982. *The Pacific Coast Groundfish Fishery Management Plan: Fishery management plan for the California, Oregon, and Washington groundfish fishery as amended through Amendment 7*. Pacific Fishery Management Council. July 1993. 224 p.
- Pacific Fishery Management Council. 1992. *Pacific Coast Groundfish Fishery Management Plan, Amendment 6*. Pacific Fishery Management Council. 24 p.
- Pacific Fishery Management Council. 1993. *Pacific Coast Groundfish Plan: Fishery management plan for the California, Oregon and Washington groundfish fishery as amended through Amendment 7*. Pacific Fishery Management Council. July 1993. 224 p.
- Pacific Fishery Management Council. 1998. *The coastal pelagic species fishery management plan draft amendment eight*. p. A78-A90.
- Pacific Fishery Management Council Strategic Plan Development Committee. 2000. *Groundfish Fishery Strategic Plan "Transition to Sustainability"*. Pacific Fishery Management Council. 65 p.
- Paddack MJ. 1996. *The influence of marine reserves upon rockfish populations in central California kelp forests*. MS Thesis. University of California Santa Cruz. 40p.
- Paddack, M.J. and J.A. Estes 2000. *Kelp forest fish populations in marine reserves and adjacent exploited areas in Central California*. *Ecological Applications* 10(3):855-870.
- Palmer RS, ed. 1962. *Handbook of North American birds*. Vol. 1. Yale University Press, New Haven CT. 567 p.
- Palmer-Zwahlen M, O'Brien J, Laughlin L. 1993. *Live-fish trap fishery in southern California (1989-1992) and recommendations for management*. Unpublished report. Calif. Dept. Fish and Game, Marine Region. 23 p.
- Palsson WA. 1998. *Monitoring the response of rockfishes to protected areas*. In: M.M. Yoklavich (Editor), *Marine Harvest Refugia For West Coast Rockfish: A Workshop, August 1998*, p 64-73. NOAA/NMFS Technical Memorandum No. 255.
- Palsson WA, Northup TJ, Barker MW. 1998. *Puget Sound Groundfish Management Plan (revised)*. Washington Department of Fish and Wildlife. 43 p.
- Palsson WA, Pacunski RE. 1995. *The response of rocky reef fishes to harvest refugia in Puget Sound*. IN: *Puget Sound Research '95*, Vol 1, p 224-234. Puget Sound Water Quality Authority, Olympia, WA

- Palumbi SR. 2001. The Ecology of Marine Protected Areas. In: Marine Community Ecology, Bertness, M.D., S.D. Gaines, and M. Hay eds. Massachusetts: Sinauer Associates, Inc., p. 509-530.
- Parrish, R. 1999. Marine Reserves for Fisheries Management: Why Not. CalCOFI Rep. 40:77-86.
- Parrish, R., J. Seger, and M. Yoklavich. 2001. Marine Reserves to supplement West Coast Groundfish Resources: Phase I Technical Analysis. Pacific Fishery Management Council. [www.pcouncil.org](http://www.pcouncil.org)
- Patten BG. 1973. Biological information on copper rockfish in Puget Sound, Washington. Transactions of the American Fisheries Society 2:412-416.
- Pauly D, Hart PDB, Pitcher TJ. 1998. Speaking for themselves: new acts, new actors and a New Deal in a reinvented fisheries management. In: Pitcher TJ, Hart PJ B, Pauley D, eds. Reinventing fisheries management. Chapman & Hall, London. p. 409-415.
- Polacheck T. 1990. Year around closed areas as a management tool. Nat. Res. Model 4:327-354
- Pearcy WG, Myers SG. 1974. Larval fishes of Yaquina Bay, Oregon: A nursery ground for marine fishes. Fishery Bulletin 72(1):201-213.
- Phillips JB. 1939. The rockfish of the Monterey wholesale fish markets. California Department of Fish and Game 25(3):214-225.
- Phillips JB. 1957. A review of the rockfishes of California. California Department of Fish and Game, Fish Bulletin 104, 158 p.
- Phillips JB. 1959. A review of the lingcod, *Ophiodon elongatus*. Calif. Fish and Game 45 (1):19-27.
- Phillips JB. 1964. Life history studies on ten species of rockfish (Genus *Sebastes*). California Department of Fish and Game, Fish Bulletin 126:1-70.
- Phillips JB. 1968. Review of rockfish programs. California Department of Fish and Game, Marine Resource Operations Reference No. 68-1, 75 p.
- Polite C, Pratt J. 1990. Bald eagle. <http://www.dfg.ca.gov/whdab/>
- Prince ED, Gotshall DW. 1976. Food of the copper rockfish, *Sebastes caurinus* Richardson, associated with an artificial reef in southern Humboldt Bay, California. California Department of Fish and Game 62(4):274-285.
- Professional Association of Diving Instructors. 2001. PADI Diver Statistics. Facts for Commonly Asked Questions. (29 Jan 2001). <http://www.padi.com/news/stats/default.stm>
- Quast JC. 1968a. Estimates of the population and the standing crop of fishes. California Department of Fish and Game, Fish Bulletin 139:57-79.
- Quast JC. 1968b. Fish fauna of the rocky inshore zone. California Department of Fish and Game, Fish Bulletin 139:35-55.
- Quast JC. 1968c. Observations on the food of the kelp-bed fishes. California Department of Fish and Game, Fish Bulletin 139:109-142.
- Radtke H, DeWees C. 1987. The Fishing Industry and Pacific Coastal Communities: Understanding the assessment of economic impacts. Pacific Sea Grant College Program, University of California. PSGCP-15.

Ralston SL, Horn MH. 1986. High tide movements of the temperate-zone herbivorous fish *Cebidichthys violaceus* (Girard) as determined by ultrasonic telemetry. *Journal of Experimental Marine Biology and Ecology* 98:35-50.

Reeves RR, Stewart BS, Leatherwood S. 1992. *The Sierra Club handbook of seals and Sirenians*. Sierra Club Books. San Francisco, California.

Reilly PN, Wilson-Vandenberg D, Watters DL, Hardwick JE, Short DS. 1993. On board sampling of the rockfish and lingcod commercial passenger fishing vessel industry in northern and central California. May 1987 to December 1991. Calif. Dept. Fish and Game Admin. Rep. 93-4:242 p.

Reilly PN, Wilson-Vandenberg D, Wilson CE, Mayer K. 1998. Onboard sampling of the rockfish and lingcod commercial passenger fishing vessel industry in northern and central California, January through December 1995. Calif. Dept. Fish and Game Admin. Rep. 98-1:110 p.

Restrepo VR, Thompson GG, Mace PM, Gabriel WL, Low LL, MacCall AD, Methot RD, Powers JE, Taylor BL, Wade PR, Witzig JF. 1998. Technical guidance on the use of precautionary approaches to implementing National Standard 1 of the Magnuson-Stevens Fishery Conservation and Management Act. NOAA Technical Memorandum NMFS-F/SPO, forthcoming.

Rice DW. 1974. Sperm whale *Physeter macrocephalus*, Linnaeus 1758. p. 177-233 In: S. H. Ridgway and R. J. Harrison (eds.). *Handbook of Marine Mammals*, Vol. 4. Academic Press, London.

Richards LJ, Cass AJ. 1985. Transect counts of rockfish in the Strait of Georgia from the submersible PISCES IV, October and November 1984. *Canadian Data Report of Fisheries and Aquatic Sciences* No. 511, 99 p.

Richards LJ, Cass AJ. 1986. The British Columbia inshore rockfish fishery: Stock assessment and fleet dynamics of an unrestricted fishery. In: *Proceedings of the International Rockfish Symposium, Lowell Wakefield Fisheries Symposium, Anchorage, Alaska, USA, October 20-22, 1986*. Alaska Sea Grant Report, No. 87-2, p 299-308.

Richards LJ. 1986. Depth and habitat distributions of three species of rockfish (*Sebastes*) in British Columbia: observations from the submersible PISCES IV. *Environmental Biology of Fishes* 17(1):13-21.

Richards LJ. 1987. Copper rockfish (*Sebastes caurinus*) and quillback rockfish (*Sebastes maliger*) habitat in the Strait of Georgia, British Columbia. *Canadian Journal of Zoology* 65:3188-3191.

Richards LJ, McElderry HI, Carolsfeld J, Lauridsen CP. 1986. SCUBA survey of rockfish assemblages in the Strait of Georgia, B.C. (Statistical Areas 15 and 16), September to November 1985. *Canadian Data Report of Fisheries and Aquatic Sciences* Report No. 586. 10 p.

Richards LJ, Paul J, Cass AJ, Fitzpatrick L, van den Broek R, Lauridsen C. 1985. SCUBA survey of rockfish assemblages in the Strait of Georgia, July to October 1984. *Canadian Data Report Fisheries and Aquatic Sciences* No. 545, 91 p.

Richards LJ, Schnute JT. 1990. Use of a general dose-response model for rockfish fecundity-length relationships. *Canadian Journal of Fisheries and Aquatic Science* 47:1148-1156.

Riegle KC. 1977. Oxygen consumption, heart rates, whole body lactate levels and evaporative water loss in the monkey face eel, *Cebidichthys violaceus* (Family: Stichaeidae), an amphibious marine fish from California. M.S. Thesis, California State University Fullerton. 72 p.

Rigney M. 1990. California gull <http://www.dfg.ca.gov/whdab/>

- Rigney M, Granholm S. 1990. California least terns. <http://www.dfg.ca.gov/whdab/>
- Rijke AM. 1970. Wettability and phylogenetic development of feather structure in water birds. *J. Exp. Biol.* 52:469479.
- Roberts CM. 1998. Sources, sinks, and the design of marine reserve networks. *Fisheries.* 23:16-19.
- Roberts, C.M., S. Alderman, G. Branch, R. Bustamante, J.C. Castilla, J. Dugan, B. Halpren, K. Lafferty, H. Leslie, J. Lubchenco, D. McArdle, H. Possingham, M. Ruckelshaus, and R. Warner. Forthcoming. Ecological criteria for evaluating candidate sites for marine reserve network. *Ecological Applications.*
- Roberts, C.M., J.A. Bohnsack, F. Gell, J.P. Hawkins, and R. Goodridge. 2001. Effects of Marine Reserves on Adjacent Fisheries. *Science.* 294:1920-1923.
- Roberts DA. 1979. Food Habits as an ecological partitioning mechanism in the nearshore rockfishes (*Sebastes*) of Carmel Bay, California. M.A. Thesis, San Francisco State University. 77 p.
- Robins CR, Bailey RM, Bond CE, Brooker JR, Lachner EA, Lea RN, Scott WB. 1991. Common and scientific names of fishes from the United States and Canada. American Fisheries Society, Special Publication No. 20, Fifth Edition, 183 p.
- Robinson DG, Barraclough WE, Fulton JD. 1968a. Data Record. Number, size composition, weight and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia May 1-4, 1967. Fisheries Research Board of Canada Manuscript Report Series No. 964, 105 p.
- Robinson DG, Barraclough WE, Fulton JD. 1968b. Data Record. Number, size composition, weight and food of larval and juvenile fish caught with a two-boat surface trawl in the Strait of Georgia June 5-9, 1967. Fisheries Research Board of Canada Manuscript Report Series No. 972, 109 p.
- Robles C. 1987. Predator foraging characteristics and prey population structure on a sheltered shore. *Ecology* 68(5):1502-1514.
- Robles C, Robb J. 1993. Varied carnivore effects and the prevalence of intertidal algal turfs. *Journal of Experimental Marine Biology and Ecology* 166:65-91.
- Rodriguez-Sanchez R, Lluch-Belda D, Villalobos H, Ortega-Garcia S. 2000. Changes in the recruitment pattern of Northern Anchovy (*Engraulis mordax*) along the California Current during ENSO events. In: Beyond El Niño: a conference on Pacific climate variability and marine ecosystem impacts, from the tropics to the Arctic; 2000 March 23-26; La Jolla, CA. p. 81-82. Abstract 112.
- Roedel PM. 1948. Common marine fishes of California. California Department of Fish and Game, Fish Bulletin 68:153.
- Rogers JB, Pickett EK. 1992. Numerical definition of groundfish assemblages caught off the coasts of Oregon and Washington using commercial fishing strategies. *Can. J. Fish. Aquat. Sci.* 49:2648-2656.
- Romero M. 1988. Life history of the kelp rockfish, *Sebastes atrovirens* (Scorpaenidae). M.A. Thesis, San Francisco State University. 49 p.
- Rosenthal RJ, Field LJ, Myer D. 1981. Survey of nearshore bottomfish in the outside waters of southeastern Alaska. Alaska Department of Fish and Game. 91 p.
- Rosenthal RJ, Haldorson L, Field LJ, Moran-O'Connell V, LaRiviere MG. 1982. Inshore and shallow offshore bottomfish resources in the southeastern Gulf of Alaska. Alaska Coastal Research. 166 p.

- Rosenthal RJ, Moran-O'Connell V, Murphy MC. 1988. Feeding ecology of ten species of rockfishes (Scorpaenidae) from the Gulf of Alaska. California Department of Fish and Game 74(1):16-37.
- Rothrock GC. 1973. Age-length, weight, fecundity, and meristics of the kelp greenling (*Hexagrammos decagrammus*) off California. M.S. Thesis, University of California, Davis. 95 p.
- Rutenberg EP. 1970. Survey of the fishes of family Hexagrammidae. In: T.S. Rass (Editor), Greenlings: Taxonomy, Biology, Interoceanic Transplantation, p. 1-103. Academy of Sciences of the USSR, Transactions of the Institute of Oceanology, Volume 59. Translated from Russian by the Israel Program for Scientific Translations, Jerusalem.
- Sampson, D. B., and P. R. Crone. 1997. Commercial Fisheries Data Collection Procedures for U.S. Pacific Coast Groundfish. NOAA Tech. Memo. NMFS-NWFSC-31, 189 p.
- Sanders S. 1990. Marbled murrelet, <http://www.dfg.ca.gov/whdab/>
- Schroeder DM. 2001. Spatial and temporal patterns of shallow water reef fish assemblages on oil/gas production platforms and natural reefs. In: The Ecological Role of Natural Reefs and Oil and Gas Production Platforms and on Rocky Reef Fishes in Southern California: 1998-1999 Survey Report. U.S. Department of the Interior, U.S. Geological Survey, Biological Resources Division, Division Seattle, Washington 98104, OCS Study MMS2001-028.
- Sealy SG. 1972. Adaptive differences in breeding biology in the marine bird family Alcidae. Ph.D. Thesis, Univ. Michigan, Ann Arbor. 283 p.
- Setran AC. 1990. Distribution, abundance and ecological requirements for the larvae and early juveniles of two sympatric blennoid fishes, *Cebidichthys violaceus* and *Xiphister mucosus*. M.S. Thesis, San Diego State University. 125 p.
- Setran AC, Behrens DW. 1993. Transitional ecological requirements for early juveniles of two sympatric stichaeid fishes, *Cebidichthys violaceus* and *Xiphister mucosus*. Environmental Biology of Fishes 37:381-395.
- Sikkel PC. 1995. Diel periodicity of spawning activity in a permanently territorial damselfish: a test of adult feeding hypotheses. Environmental Biology of Fishes 42:241-251.
- Simenstad CA. 1971. The feeding ecology of the rock greenling, *Hexagrammos lagocephalus* in the inshore waters of Amchitka Island, Alaska. M.S. Thesis, University of Washington. 131 p.
- Singer MM. 1982. Food habit and activity patterns of juvenile rockfishes (*Sebastes*) in a central California kelp forest, M.A. Thesis, San Jose State University. 75 p.
- Six LD. 1976. Analysis of age determination methods for yellowtail rockfish, canary rockfish, and black rockfish off Oregon. M.S. Thesis, Oregon State University. 60 p.
- South Africa Department of Environmental Affairs and Tourism. 2000. Draft discussion document for the fisheries management plan to improve the process of allocating fishing rights. South Africa Department of Environmental Affairs and Tourism; Rights Allocation Unit.
- South Atlantic Fishery Management Council. 2000. Dolphin (*Mahi mahi*) management measures. [http://www.cca-florida.com/press\\_releases/2000/09-26-00\\_pr.htm](http://www.cca-florida.com/press_releases/2000/09-26-00_pr.htm) (4 March 2001).
- Sowls AL, DeGange AR, Nelson JW, Lester GS. 1980. Catalog of California seabird colonies. U.S. Dep. Inter., Fish and Wildlife Serv., Wash. DC. Biol. Serv. Program FWS/OBS-80/37. 371 p.

Sport Fish Restoration Act. 1999. Central and northern California commercial passenger fishing vessel (CPFV) sport fisheries monitoring. Final Performance Report. Grant Agreement F-5--R-11. Project No. 14. Submitted by California Department of Fish and Game. 29 p.

Sport Fish Restoration Act. 2000a. Annual Performance Report. Project 9; Job 1. California Department of Fish and Game: 19 p.

Sport Fish Restoration Act. 2000b. 1999-2000 Annual Performance Report. Project 10; Job 1. California Department of Fish and Game: 21 p.

STAR. 1999. Black rockfish. La Jolla: Southwest Fisheries Science Center. Stock Assessment Review Panel. 4 p.

Starr RM. 1998. Design principles for rockfish reserves on the U. S. West Coast. In: M.M. Yoklavich (Editor), Marine Harvest Refugia For West Coast Rockfish: A Workshop, August 1998, p 50-63. NOAA/NMFS Technical Memorandum No. 255.

Starr RM, Johnson KA, Laman EA, Cailliet GM. 1998. Fishery resources of the Monterey Bay National Marine Sanctuary. La Jolla, CA: California Sea Grant College System, University of California. 102 p.

State Water Resources Control Board. 1998. Nonpoint source assessment report. SWRCB, Division of Water Quality, Nonpoint Source Program, Sacramento, CA.

Stein D, Hassler TJ. 1989. Species profiles: life histories and environmental requirements of coastal fishes and invertebrates (Pacific Southwest). Brown rockfish, copper rockfish; and black rockfish. U. S. Fish and Wildlife Service, Report No. TR EL-82-4. 15 p.

Stephens JS. 2001. In: Leet, B., C.W. Dewees, and R. Klingbeil (editors). California's living marine resources and their utilization. Calif. Department of Fish and Game. Forthcoming .

Stephens JS Jr, Morris PA, Pondella DJ, Koonce TA, Jordan GA. 1994. Overview of the dynamics of an urban artificial reef fish assemblage at King Harbor, California, USA, 1974-1991: A recruitment driven system. Bulletin of Marine Science 55(2-3):1224-1239.

Stevens GB, Badgero GA, and Fisher HD. 1984. Food habits of the river otter *Lutra canadensis* in the marine environment of British Columbia. Canadian Journal of Zoology 62:81-91.

Stewart BS, Le Boeuf BJ, Yochem PK, Huber HR, DeLong RL, Jameson RJ, Sydeman W, Allen SG. 1994. History and present status of the northern elephant seal population. In: B. J. Le Boeuf and R. M. Laws (eds.) Elephant Seals. Univ. Calif. Press, Los Angeles.

Stock Assessment Team. 1999. Status of the canary rockfish resource off Oregon and Washington in 1999. In: Status of the Pacific Coast Groundfish Fishery Through 1999 and Recommended Acceptable Biological Catches for 2000. Appendix: Stock Assessments, 111 p. Pacific Fishery Management Council, Portland, Oregon.

Sullivan CM. 1995. Grouping of fishing locations using similarities in species composition for the Monterey Bay area commercial passenger fishing vessel industry, 1987-1992. Calif. Dept. Fish and Game Tech. Rep. 59:37 p.

Sumida BY, Moser HG, and Ahlstrom EH. 1985. Descriptions of larvae of California yellowtail, *Seriola lalandi*, and three other carangids from the eastern tropical Pacific: *Chloroscombrus orqueta*, *Caranx caballus*, and *Caranx sexfasciatus*. California Cooperative Oceanic Fisheries Investigations Reports 26:139-159.

- Swartz S. 1986. Gray whale migratory, social and breeding behavior. Report to the International Whaling Commission (Special Issue 8), p. 207-229.
- Tegner MJ. 1980. Multispecies considerations of resource management in southern California kelp beds. Canadian Technological Report of Fisheries and Aquatic Science 954:125-143.
- Tegner MJ, Dayton PK. 1977. Sea urchin recruitment patterns and implications of commercial fishing. Science 196:324-326.
- Tegner MJ, Dayton P.K. 1981. Population structure, recruitment and mortality of two sea urchins (*Strongylocentrotus franciscanus* and *S. purpuratus*) in a kelp forest. Marine Ecology Progress Series 5:255-268.
- Tenera Environmental Services. 2000. Diablo Canyon Power Plant 316(b) Demonstration Report. Document No. E9-055.0. Tenera Environmental Services, P.O. Box 400, Avila Beach, California, 93424.
- Townsend CH. 1931. The fur seal of the California Islands with new descriptive and historical matter. Zoologica 9:443-457.
- Turner CH, Ebert EE. 1962. The nesting of *Chromis punctipinnis* (Cooper) and a description of their eggs and larvae. California Department of Fish and Game 48(4):243-248.
- Turner CH, Ebert EE, Given RR. 1969. Man-made reef ecology. California Department of Fish and Game, Fish Bulletin 146, 221 p.
- Urquhart AF. 1984. Macroalgal digestion by *Cebidichthys violaceus*, a temperate marine fish with highly acidic stomach fluids. M.A. Thesis, California State University Fullerton. 93 p.
- US Department of Commerce. 1997. RIMS II Regional Input-Output Modeling System multipliers. Regional Economic Analysis Division, Bureau of Economic Analysis, Washington, D.C.
- US Department of Commerce. 2000. Current and Future Participation in Marine Recreational Fishing in the Pacific U.S. Region, NOAA Technical Memorandum, NMFS-F/SPO-45, September 2000.
- US Department of the Interior. 1997. 1996 National Survey of Fishing, Hunting, and Wildlife-Associated Recreation. Fish and Wildlife Service and U.S. Department of Commerce, Bureau of the Census.
- US Fish and Wildlife Service. 1983. The California brown pelican recovery plan. Prepared by the USFWS under contract to Franklin Gress and Daniel W. Anderson (University of California, Davis) Published by USFWS, Portland, Oregon. p. 5052
- US Fish and Wildlife Service. 2000. Reinitiation of formal consultation on the containment program for the southern sea otter (1989/FW81). Biological Opinion. 40 p.
- Van Horn W, Melancon A, Sun J. (eds.). 1988. Outer continental shelf oil and gas program: cumulative effects. U.S. Department of the Interior, Minerals Management Service, Herndon, VA. OCS Report MMS 88-0005.
- Vance RR, Schmitt RJ. 1979. The effect of the predator-avoidance behavior of the sea urchin *Centrostephanus coronatus*, on the breadth of its diet. Oecologia 44:21-25.
- VanDykhuizen GS. 1983. Activity pattern and feeding chronology of the kelp rockfish, *Sebastes atrovirens*, in a central California kelp forest. M.A. Thesis, San Jose State University. 61 p.

- VenTresca D. 2000. Monterey sport skiff creel survey 1981-82, 1983-84, 1999. Marine Life Management Act Progress Report. 13 p.
- VenTresca DA, Gingras ML, Donnellan M, Fisher J, Brady B, King H, King C. 2000a. Potential of marine reserves to enhance nearshore fisheries: Assessing fish populations in the recently established Big Creek Ecological Reserve. Submitted. California Sea Grant Colleges. MERRP Grant 8-BC-N.
- VenTresca DA, Gingras ML, Donnellan M, Fisher J, Brady B. 2000b. Kelp forest fish density estimates from a priori habitat-stratified random sampling: Implications for efficient stock assessment. Submitted. California Sea Grant Colleges. MERRP Grant 8-BC-N-Extension.
- VenTresca DA, Houk JL, Paddock MJ, Gingras ML, Crane NL, Short SD. 1996. Early life-history studies of nearshore rockfishes and lingcod off central California, 1987-92. California Department of Fish and Game, Marine Resources Division 96-4, 77 p.
- Victor BC. 1987. Growth, dispersal, and identification of planktonic labrid and pomacentrid reef fish larvae in the Eastern Pacific ocean. *Mar. Biol.* 95(1):145-152.
- Wakefield WW, Smith KL Jr. 1990. Ontogenetic vertical migration in *Sebastes altivelis* as a mechanism for transport of particulate organic matter at continental slope depths. *Limnology and Oceanography* 35(6):1314-1328.
- Wales JH. 1953. Life history of the blue rockfish *Sebastes mystinus*. California Department of Fish and Game 39(4):485-499.
- Wallace FR, Hoffman A, Tagart JV. 1999. Status of the black rockfish resource in 1999. In: Status of the Pacific Coast Groundfish Fishery Through 1999 and Recommended Acceptable Biological Catches for 2000. Appendix: Stock Assessments. Pacific Fishery Management Council, Portland, Oregon. 85 p.
- Wallace FR, Tagart JV. 1994. Status of the coastal black rockfish stocks in Washington and northern Oregon in 1994. In: Status of the Pacific coast groundfish fishery through 1994 and recommended acceptable biological catches for 1995, Appendix F. Pacific Fishery Management Council, Portland, Oregon. 57 p.
- Walton JM. 1979. Puget Sound artificial reef study. State of Washington Department of Fisheries, Report No. 50, 130 p.
- Warner RR. 1975. The reproductive biology of the protogynous hermaphrodite, *Pimelometopon pulchrum* (Pisces: Labridae) *Fish. Bull. U.S.* 73:262-283.
- Washington Department of Fish and Wildlife. 1999. Live fish fishery prohibition. Concise Explanatory Statement. December 15, 1999.
- Washington PM, Gowan R, Ito DH. 1978. A biological report on eight species of rockfish (*Sebastes* spp.) from Puget Sound, Washington. NOAA/NMFS, Northwest and Alaska Fisheries Center Processed Report, Reprint F, 50 p.
- Watters DL. 1992. Olive rockfish. In: W.S. Leet, C.M. Dewees, and C.W. Haugen (Editors), California's living marine resources and their utilization, p 123. California Sea Grant Extension Program, Department of Wildlife and Fisheries Biology, University of California, Davis, California Sea Grant Extension Publication UCSGEP-92-12.
- Weber ML, Heneman B. 2000. Guide to California's Marine Life Management Act. Common Knowledge Press, Bolinas, California. 133 p.

- West JE, Buckley RM, Doty DC. 1994. Ecology and habitat use of juvenile rockfishes (*Sebastes* spp.) associated with artificial reefs in Puget Sound, Washington. *Bulletin of Marine Science* 55(2-3):344-350.
- Westrheim SJ. 1975. Reproduction, maturation, and identification of larvae of some *Sebastes* (Scorpaenidae) species in the northeast Pacific Ocean. *Journal of the Fisheries Research Board of Canada* 32:2399-2411.
- Westrheim SJ, Harling WR. 1975. Age-length relationships for 26 scorpaenids in the northeast Pacific Ocean. *Research Board of Canada Technical Report No. 565*, 12 p.
- Wicksten MK. 1978. The exterior decorator. *Sea Frontiers*, p. 277-280.
- Wiley JW. 1974. Observations on the use of mucus envelopes by the California sheephead, *Pimelometopon pulchrum*, on southern California rock reefs. *Copeia* 1974(3):789-790.
- Wilson CE, Halko LA, Wilson-Vandenberg D, Reilly PN. 1996. Onboard sampling of the rockfish and lingcod commercial passenger fishing vessel industry in northern and central California, 1992. *Calif. Dept. Fish and Game Mar. Res. Div. Admin. Rep. 96-2*: 103 p.
- Wilson-Vandenberg D, Reilly PN, Halko LA. 1995. Onboard sampling of the rockfish and lingcod commercial passenger fishing vessel industry in northern and central California, January through December 1993. *Calif. Dept. Fish and Game Mar. Res. Div. Admin. Rep. 95-2*: 122 p.
- Winget RR. 1968. Trophic relationships and metabolic energy budget of the California spiny lobster, *Panulirus interruptus* (Randall). M.S. Thesis, San Diego State University. 232 p.
- Worton C. 2000. Age and growth of black rockfish from the westward region. Abstract, 11<sup>th</sup> Western Groundfish Conference, April 24-28, 2000, Sitka, Alaska, p. 12.
- Wyllie Echeverria T. 1987. Thirty-four species of California rockfishes: maturity and seasonality of reproduction. *Fishery Bulletin* 85(2):229-250.
- Wynne K, Folkens P. 1992. Guide to marine mammals of Alaska. Alaska Sea Grant Program. University of Alaska Fairbanks, Fairbanks, AK.
- Yamanaka KL, Kronlund AR. 1997. Inshore rockfish stock assessment for the west coast of Canada in 1996 and recommended yields for 1997. *Canadian Technical Report of Fisheries and Aquatic Sciences* No. 2175, 80 p.
- Yoklavich M, ed. 1998. Marine harvest refugia for West Coast rockfish: a workshop. NOAA TM/NMFS/SWFSC/255.
- Yoklavich MM, Greene HG, Cailliet GM, Sullivan DE, Lea RN, Love MS. 2000. Habitat associations of deep-water rockfishes in a submarine canyon: An example of a natural refuge. *Fish. Bull.* 98:625-641.
- Yoklavich MM, Loeb VJ, Nishimoto M, Daly B. 1996. Nearshore assemblages of larval rockfishes and their physical environment off central California during an extended El Niño event, 1991-1993. *Fishery Bulletin* 94(4):766-782.
- Yoshiyama RM, Sassman C, Lea RN. 1986. Rocky intertidal fish communities of California: temporal and spatial variation. *Environmental Biology of Fishes* 17(1):23-40.
- Zaitlin JA. 1986. Geographical variation in the life history of *Sebastes chrysomelas*. M.A. Thesis, San Francisco State University. 87 p.

Zolomov OG, Tokranov AM. 1991. Feeding characteristics of greenlings and Irish lords during spawning in the upper sublittoral of Eastern Kamchatka. *Journal of Ichthyology*. 31(3):146-155.

### **Personal Communications**

Lea, Robert N. Associate Marine Biologist. Marine Resources Division, California Department of Fish and Game. Monterey, CA.

Moser, Geoffrey. National Marine Fisheries Service. Southwest Fisheries Science Center. La Jolla, CA.

Vetter, Russ. National Marine Fisheries Service. La Jolla, CA