

Table 2.3-1. Ambient Air Standards

Pollutant	Averaging Time	California Standards	Federal Standards	
			Primary	Secondary
Ozone (O ₃)	1 hour	0.09 ppm	0.12 ppm	same as primary
	8 hour	---	0.08 ppm	same as primary
Carbon Monoxide	1 hour	20.0 ppm	35.0 ppm	---
	8 hour	9.0 ppm	9.0 ppm	---
Nitrogen Dioxide	1 hour	0.25 ppm	---	same as primary
	Annual avg.	---	0.053 ppm (100 ug/m ³)	primary
Sulfur Dioxide	1 hour	0.25 ppm	---	---
	3 hour	---	---	0.5 ppm
	24 hour	0.04 ppm	0.14 ppm	---
	Annual avg.	---	0.03 ppm (80 ug/m ³)	---
Lead	30 day avg.	1.5 ug/m ³	---	---
	Calendar qtr.	---	1.5 ug/m ³	same as primary
Particulate Matter (PM ₁₀)	24 hour avg.	50 ug/m ³	150 ug/m ³	same as primary
	Annual avg.	30 ug/m ³	50 ug/m ³	primary
Particulate Matter (PM _{2.5})	24 hour avg.	None	65 ug/m ³	same as primary
	Annual avg.	None	15 ug/m ³	primary
Sulfates	24 hour	25 ug/m ³	---	---
Hydrogen Sulfide	1 hour	0.03 ppm	---	---