1917	Year	Bank ⁵ Rockfish Pounds	Blackgill ^{2; 5} Rockfish Pounds	Bocaccio/ Chilipepper ³ Rockfish Pounds	Bocaccio ^{4; 5} Rockfish Pounds	Chilipepper ⁵ Rockfish Pounds	Shortbelly ⁵ Rockfish Pounds	Widow ^{5: 6} Rockfish Pounds	Yellowtail ^s Rockfish Pounds	Unspecified Rockfish Pounds
1917	1916									4,918,952
1919										7,774,026
1920										8,242,754
1971										5,398,109
1922 1924 1925 1926 1927 1928 1929 19										5,633,077
1923										4,761,658
1924										4,312,014
1925										5,096,622
1926										4,742,885 5,488,621
1927	1926									7,540,969
1928										6,390,604
1929										6,419,909
1930										6,036,409
1931	1930									7,225,424
1933	1931									7,277,688
1934										5,636,319
1935										4,787,744
1936	1934									4,603,536
1937	1935									4,831,174
1938										4,603,904
1939										4,291,214
1940										3,637,137 3,333,126
1942										3,570,636
1942										3,405,622
1944										1,423,440
1944										2,762,192
1946										6,422,230
1947										13,286,076
1948										11,161,222
1949										8,498,584
1950										6,507,205
1951 <td< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td></td><td>5,962,267</td></td<>										5,962,267
1952										8,115,102 10,993,502
1953										10,793,502
1954										12,228,663
1955										12,640,729
1956	1955									12,681,697
1957	1956									14,943,515
1959										16,091,279
1960										17,842,163
1960										15,281,282
1962										13,713,886
1963	1961									10,830,762
1964										9,834,393
1965	1703									11,749,460 8,117,912
1966										9,392,424
1967	1966									10,063,592
1968										9,798,951
1969	1968									9,444,493
1970	1969									9,227,451
1971	1970									10,686,844
1973	1971									11,168,746
1974										16,421,252
1975 2 1976 2 1977 2	1973									22,052,455
1976 2 1977 2										21,498,984
1977 2	1975									23,624,150
1978 832.144 232.341 6.611.589 2.613.559 7.195 1.167.141 805.076 2										24,603,179 20,900,305
1770 002,177	1977									
	1979									19,632,482

Year	Bank ⁵ Rockfish Pounds	Blackgill ^{2; 5} Rockfish Pounds	Bocaccio/ Chilipepper ³ Rockfish Pounds	Bocaccio ^{4; 5} Rockfish Pounds	Chilipepper ⁵ Rockfish Pounds	Shortbelly ^s Rockfish Pounds	Widow ^{5: 6} Rockfish Pounds	Yellowtail ^s Rockfish Pounds	Unspecified Rockfish Pounds
1980	158,725	976,735	10,115,735	9,111,594	6,248,294	6,567	11,780,969	595,152	25,692,416
1981	2,202,588	2,104,908	7,831,367	9,816,582	5,087,316	609	11,071,879	862,289	27,295,022
1982	2,210,769	2,924,400	10,604,864	11,774,442	4,131,231	14,416	23,856,732	1,632,561	19,827,921
1983	2,613,466	2,023,211	9,841,652	11,118,007	4,639,861	7,654	8,781,700	1,956,643	19,599,497
1984	4,046,635	1,187,141	7,196,636	8,296,616	5,489,532	5,092	6,565,481	1,931,196	18,181,423
1985	2,760,142	1,420,096	6,299,317	4,799,757	5,669,493	62,749	7,101,038	1,381,153	14,383,905
1986	3,940,317	1,973,521	6,766,491	4,630,024	4,829,518	42,601	5,499,235	1,335,237	13,815,096
1987	2,922,307	1,736,977	5,029,313	5,420,165	3,759,112	1,811	5,655,481	834,014	15,816,720
1988	2,361,829	2,336,632	4,023,966	4,143,162	4,608,400	567	4,051,348	490,820	13,090,228
1989	1,585,979	1,133,985	4,110,006	5,166,105	6,437,291	4,215	4,828,775	1,978,450	15,358,303
1990	1,598,223	1,358,878	3,853,439	4,415,613	5,678,528	13,873	4,929,551	1,985,856	16,036,264
1991	1,595,339	827,030	4,122,938	2,997,035	6,502,562	7,427	2,928,155	1,412,624	11,326,256
1992	1,165,990	1,785,896		3,237,769	5,626,573	1,568	2,525,230	1,604,573	8,613,030
1993	758,709	883,202		3,031,592	5,135,472	5,299	2,655,014	645,218	7,177,482
1994	728,970	855,640		2,168,035	4,043,163	10,619	2,031,959	723,745	4,329,766
1995	957,140	772,323		1,604,367	4,406,698	25,169	3,853,755	684,933	4,329,467
1996	1,245,261	815,583		1,050,403	3,951,518	70,953	3,023,829	596,949	3,851,420
1997	937,738	595,059		707,066	4,468,794	134,178	2,959,535	925,866	3,859,850
1998	1,231,818	503,921		339,060	3,115,112	39,962	2,018,093	969,512	3,019,099
1999	72,213	120,773		160,987	2,082,043	17,683	1,390,413	210,986	639,655

⁻⁻⁻⁻ Landing data not available.

- Aggregated by DFG as rockfish prior to 1986.
- Aggregated by DFG as rockfish prior to 1979.
- Aggregated as by DFG as Bocaccio/Chilipeper prior to 1992.
- 5 Data derived from CalCom Database utilizing DFG commercial landing receipts. Expansions, based on port samples, are conducted by CalCom with input from PacFin, NMFS, and DFG.
- 6 Aggregated by DFG as as rockfish prior to 1981.
- Prior to 1931, all soles were combined as one group; individual species were tabulated separately when they became sufficiently important.
- The reduction in commercial landings of Pacific hake in 1960 is due to a change in the recording method for hake landed for animal feed.
- Aggregated as as rockfish prior to 1982.
- Aggregated as as rockfish prior to 1983.
- 11 Aggregated as as rockfish prior to 1994.

¹ Except where noted, rockfish commercial landings are presented as market category landings for all fishing modes rather than as individual species landings.

	Sole ⁶	F 1-1	n . I	
	Dover Sole	English Sole	Petrale Sole	Rex Sole
Year	Pounds	Pounds	Pounds	Pounds
1916				
1917 1918				
1919				
1920				
1921 1922				
1923				
1924				
1925 1926				
1927				
1928				
1929				
1930 1931			1,375,535	831,240
1932			1,227,223	555,558
1933			953,424	559,743
1934 1935		5,280,154 6,035,966	2,456,989 1,988,325	715,498 631,432
1936		6,286,867	1,126,527	515,648
1937		5,750,060	1,802,721	451,497
1938		4,953,934	2,026,166	515,254
1939 1940		6,270,424 5,056,535	2,558,461 1,575,489	667,496 593,359
1941		3,278,638	893,426	371,130
1942		2,020,562	611,580	387,545
1943 1944		3,092,170 3,066,865	918,925 1,123,986	495,672 413,286
1945		5,857,240	1,232,801	442,179
1946		7,176,727	2,666,285	570,418
1947	7 00 4 400	8,379,502	2,947,177	842,968
1948 1949	7,234,438 7,890,073	8,171,645 5,713,258	5,089,684 4,952,156	893,248 982,307
1950	9,548,379	8,080,693	4,366,598	1,068,456
1951	8,621,238	5,631,659	2,726,304	1,013,890
1952 1953	11,748,215 8,904,367	4,911,468 4,099,106	2,893,619 3,350,163	1,185,451 1,020,877
1954	9,930,438	3,748,245	4,171,901	1,183,538
1955	8,185,501	4,134,779	3,619,530	1,094,437
1956 1957	8,268,424 7,932,137	3,826,297 4,819,872	2,830,158 3,456,819	1,147,523 1,234,494
1958	8,053,040	5,150,234	3,157,678	1,422,891
1959	7,327,420	4,617,491	2,632,451	1,443,005
1960	9,184,814	2,375,383	2,475,661	1,107,372
1961 1962	7,826,617 8,581,091	3,645,918 4,206,048	3,390,739 3,041,164	1,208,829 1,408,245
1963	9,781,732	4,254,545	3,317,948	1,565,672
1964	9,265,238	4,592,752	2,697,670	1,410,647
1965 1966	10,759,963 10,311,633	4,892,391 4,844,868	2,662,257 2,927,190	1,490,475 1,635,399
1967	7,215,037	5,821,909	2,768,537	1,766,038
1968	8,535,521	5,811,438	2,946,605	1,930,583
1969 1970	12,918,982 15,160,886	3,804,047	2,867,064	2,259,165
1970	14,248,719	3,282,316 2,964,015	3,415,708 3,704,384	1,741,479 1,467,875
1972	22,081,697	3,001,965	3,575,245	1,661,610
1973	22,485,725	3,209,733	2,876,989	1,584,734
1974 1975	19,087,485 22,688,520	3,813,499 4,314,262	3,430,685 3,269,998	1,381,737 1,646,421
1976	22,756,812	4,282,998	2,977,557	2,012,820
1977	21,923,851	3,403,057	2,200,713	1,548,006
1978 1979	20,770,086 23,394,091	3,974,782 5,006,960	2,634,044 3,061,810	1,537,347
17/7	Z3,374,U71	5,006,960	3,001,010	1,914,805

	Sole ⁶			
	Dover	English	Petrale	Rex
	Sole	Sole	Sole	Sole
Year	Pounds	Pounds	Pounds	Pounds
1980	18,046,924	4,573,524	2,350,525	1,899,609
1981	20,418,283	3,773,262	1,775,054	1,727,754
1982	22,089,490	3,221,471	1,741,721	1,466,411
1983	18,913,890	2,607,636	1,287,287	1,410,762
1984	21,563,452	2,098,964	1,301,912	1,252,976
1985	26,499,393	2,341,942	1,888,394	1,979,244
1986	24,365,419	2,385,989	1,600,400	1,856,179
1987	23,723,648	2,914,768	1,815,856	1,818,777
1988	18,071,140	2,351,350	1,752,940	1,854,324
1989	17,027,320	2,321,586	1,853,165	1,651,684
1990	13,933,132	1,967,050	1,495,680	1,226,691
1991	17,021,228	1,789,777	1,619,211	1,369,558
1992	19,054,146	1,268,119	1,172,949	970,859
1993	14,426,111	1,044,544	1,021,859	1,007,925
1994	9,888,498	1,019,307	1,211,845	1,256,861
1995	13,417,995	1,101,103	1,305,154	1,517,177
1996	14,107,539	1,281,212	1,803,549	1,097,983
1997	11,693,676	1,430,131	1,830,750	1,000,369
1998	7,874,411	941,187	1,042,029	637,697
1999	8,417,498	849,836	1,249,628	629,453

---- Landing data not available.

- 1 Except where noted, rockfish commercial landings are presented as market category landings for all fishing modes rather than as individual species landings.
- Aggregated by DFG as rockfish prior to 1986.
- Aggregated by DFG as rockfish prior to 1979.
- Aggregated as by DFG as Bocaccio/Chilipeper prior to 1992.
- Data derived from CalCom Database utilizing DFG commercial landing receipts. Expansions, based on port samples, are conducted by CalCom with input from PacFin, NMFS, and DFG.
- Aggregated by DFG as as rockfish prior to 1981.
- Prior to 1931, all soles were combined as one group; individual species were tabulated separately when they became sufficiently important.
- 9 Aggregated as as rockfish prior to 1982.10 Aggregated as as rockfish prior to 1983.
- Aggregated as as rockfish prior to 1994.

	Cowcod 5	Pacific Hake ⁷	Sablefish	All Thornyhead ⁵	Longspine Thornyhead ⁵	Shortspine Thornyhead ⁵	Unspecified Thornyhead ⁵	
Year	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	
1916		189,219	83,623					
1917		254,331	909,846					
1918 1919		193,018 133,181	498,937 334,950					
1920		141,981	781,032					
1921		90,218	1,022,642					
1922		74,516	268,554					
1923 1924		78,969 60,780	538,292 933,310					
1925		22,017	722,472					
1926		58,335	175,642					
1927		84,553	992,654					
1928		108,648	916,955	••••				
1929 1930		145,669 56,088	1,439,408 1,359,147					
1931		12,501	1,021,215					
1932		29,001	975,373					
1933		37,539	1,332,573					
1934 1935		56,901 73,843	2,117,048 2,848,672					
1936		50,791	1,035,530					
1937		63,454	733,499					
1938		36,428	415,836					
1939 1940		13,661	767,044 572 705					
1940		18,049 15,044	573,785 536,540					
1942		41,981	1,972,522					
1943		10,505	3,205,374					
1944		4,751	4,116,451					
1945 1946		2,415 550	6,264,397 2,656,873					
1947		876	902,110					
1948		4,600	2,068,439					
1949		1,535	1,743,372					
1950 1951		500 24,972	1,584,301 2,585,513					
1952		6,145	1,343,867					
1953		103,926	1,655,653					
1954		611,522	2,357,531					
1955 1956		956,545 1,376,217	2,065,737 2,868,407					
1957		1,150,006	2,000,407					
1958		1,135,138	1,732,992					
1959		1,097,069	1,938,356					
1960		325,088	2,419,024					
1961 1962		3,275 78,530	1,616,528 2,015,237					
1963		139,699	1,809,349					
1964		111,529	2,463,452					
1965		119,255	2,863,550					
1966 1967		69,002 14,430	3,215,939 3,798,493					
1968		6,494	3,219,455					
1969		27,047	4,156,846					
1970		9,775	4,428,077					
1971		34,685	4,424,463					
1972 1973		10,525 34,175	8,395,714 8,550,071					
1974		32,210	12,038,542					
1975		38,508	14,131,964					
1976		28,521	13,331,261					
1977	24 652	86,813 747,709	13,315,975	2,668,993	432,833	2,229,418	6 7/12	
1978 1979	24,653	1,836,264	17,715,724 28,573,600	2,668,993 4,095,918	432,833 310,877	3,755,624	6,742 29,417	
1/17		1,030,204	20,3/3,000	4,073,710	310,077	3,1 33,024	47,417	

		Pacific			Longspine	Shortspine	Unspecified
	Cowcod ⁵	Hake ⁷	Sablefish	All Thornyhead⁵	Thornyhead 5	Thornyhead ⁵	Thornyhead ⁵
Year	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
1980	32,435	1,527,992	10,284,930	3,411,449	699,083	2,339,704	372,662
1981	190,424	1,467,276	14,727,481	3,805,719	238,829	3,542,348	24,542
1982	141,863	2,251,253	20,996,253	4,506,242	842,307	3,651,959	11,976
1983	166,142	2,160,904	14,613,392	3,596,221	436,599	3,124,112	35,510
1984	352,869	5,147,912	10,633,321	4,695,974	589,932	4,089,042	17,000
1985	294,987	6,604,729	11,305,795	6,485,049	1,140,992	5,315,642	28,415
1986	339,676	6,574,845	13,585,936	6,501,347	1,306,111	5,138,999	56,237
1987	198,967	9,959,960	9,585,601	6,438,777	1,790,910	2,872,981	1,774,886
1988	209,633	14,401,883	8,360,454	10,008,902	5,587,483	4,310,853	110,566
1989	96,880	16,088,904	8,715,410	11,906,498	4,911,249	6,905,965	89,284
1990	74,945	12,166,681	8,042,899	11,898,501	7,600,557	4,243,813	54,131
1991	48,244	15,196,946	7,300,661	6,329,277	4,085,076	2,192,086	52,115
1992	153,820	10,868,278	8,078,145	9,654,483	6,344,552	3,228,425	81,506
1993	110,041	6,834,597	5,676,270	9,182,924	5,637,099	3,471,866	73,959
1994	76,102	7,964,783	4,784,967	7,289,241	4,503,103	2,629,627	156,511
1995	145,648	9,018,285	6,185,954	8,016,679	5,681,269	2,122,323	213,087
1996	105,483	6,395,184	6,998,149	7,309,101	5,353,926	1,713,345	241,830
1997	117,747	14,028,191	6,481,886	6,194,508	4,415,693	1,531,749	247,066
1998	34,188	12,617,919	3,155,536	4,173,425	2,667,011	1,399,066	107,348
1999	27,157	2,883,014	4,342,086	3,296,044	2,255,859	952,219	87,966

---- Landing data not available.

- Except where noted, rockfish commercial landings are presented as market category landings for all fishing modes rather than as individual species landings.
- Aggregated by DFG as rockfish prior to 1986.
- Aggregated by DFG as rockfish prior to 1979.
- Aggregated as by DFG as Bocaccio/Chilipeper prior to 1992.
- Data derived from CalCom Database utilizing DFG commercial landing receipts. Expansions, based on port samples, are conducted by CalCom with input from PacFin, NMFS, and DFG.
- Aggregated by DFG as as rockfish prior to 1981.
- Prior to 1931, all soles were combined as one group; individual species were tabulated separately when they became sufficiently important. The reduction in commercial landings of Pacific hake in 1960 is due to a change in the recording method for hake landed for animal feed.
- Aggregated as as rockfish prior to 1982.
- Aggregated as as rockfish prior to 1983.
- Aggregated as as rockfish prior to 1994.

Year	Rockfish ¹ Group Bolina ³ Pounds	Group Deep ⁹ Pounds	Group Gopher ¹⁰ Pounds	Group Red ³ Pounds	Group Rosefish ⁹ Pounds	Group Small ³ Pounds	Group Black/Blue ¹¹ Pounds	Group Canary/ Vermilion ¹¹ Pounds
1916								
1917								
1918								
1919								
1920								••••
1921 1922								
1923								
1924								
1925								
1926								
1927								
1928								
1929								
1930								••••
1931								
1932 1933								
1933								
1935								
1936								
1937								
1938								
1939								
1940								••••
1941								
1942								••••
1943 1944								
1945								
1946								
1947								
1948								
1949								
1950								
1951								
1952								••••
1953 1954								
1955								
1956								
1957								
1958								
1959								
1960								
1961								
1962								••••
1963 1964								
1965								
1966								
1967								
1968								
1969								
1970								
1971								
1972								
1973								
1974 1975								
1976								
1977								
1978								
1979								

V	Rockfish ¹ Group Bolina ³	Group Deep ⁹	Group Gopher ¹⁰	Group Red ³	Group Rosefish ⁹	Group Small ³	Group Black/Blue ¹¹	Group Canary/ Vermilion ¹¹
Year	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds	Pounds
1980	39,213			263,829		35,608		
1981				208				
1982	58,421	36,025		250,750	361,583	3,487		
1983	94,343	50	53	2,203,793	1,077,155	86,560		
1984	84,585	405	26,103	3,834,957	1,343,759	356,287		
1985	84,095	40,430	43,811	243,999	1,593,975	549,829		
1986	95,834	681	72,714	2,090,707	1,359,133	560,443		
1987	96,714	1,876	95,702	1,670,231	1,143,584	620,535		
1988	163,983		156,017	2,045,468	911,889	1,016,713		
1989	168,133		158,110	2,623,254	803,828	687,511		
1990	135,187	578	147,435	2,804,469	1,028,221	1,030,960		
1991	203,945	257	183,231	2,326,611	910,364	808,536		
1992	162,071	1,063	172,256	168,459	854,455	497,502		
1993	102,927	500	170,079	1,274,651	756,903	774,437		
1994	73,732	2,368	147,069	1,354,763	549,425	1,099,405	10,309	147
1995	56,230	36,572	167,911	1,044,059	650,930	924,333	384	227
1996	97,338	6,138	221,345	1,225,811	594,180	1,210,981	2,226	33
1997	126,021	4,332	141,643	850,384	773,483	1,487,399	8,192	58
1998	125,799	379	135,196	710,134	2,761,055	1,236,840	2,695	
1999	108,878		28,375	242,840	409,839	288,096	487	164

---- Landing data not available.

- 1 Except where noted, rockfish commercial landings are presented as market category landings for all fishing modes rather than as individual species landings.
- ² Aggregated by DFG as rockfish prior to 1986.
- ³ Aggregated by DFG as rockfish prior to 1979.
- Aggregated as by DFG as Bocaccio/Chilipeper prior to 1992.
- 5 Data derived from CalCom Database utilizing DFG commercial landing receipts. Expansions, based on port samples, are conducted by CalCom with input from PacFin, NMFS, and DFG.
- Aggregated by DFG as as rockfish prior to 1981.
- Prior to 1931, all soles were combined as one group; individual species were tabulated separately when they became sufficiently important.
- The reduction in commercial landings of Pacific hake in 1960 is due to a change in the recording method for hake landed for animal feed.
- Aggregated as as rockfish prior to 1982.
- Aggregated as as rockfish prior to 1983.
- Aggregated as as rockfish prior to 1994.