

Information page for enclosed trapping summaries

General Information

1. All data are preliminary, are subject to revision, and should be cited as such.
2. Trapping numbers and totals at Junction City and Willow Creek weirs are **not** total population estimates.
3. Fish trapped at the weirs are a sub-sample of the population. These fish are tagged for the purpose of estimating the population size using what's known as a "mark and recapture" estimator. Population estimates are formulated at the end of each run year.
4. Trinity River Hatchery totals are actual counts reflective of all fish which have entered and been processed at the facility.
5. Tags placed on fish trapped at the weirs are used for population estimates and angler harvest estimates.
6. Fishing is not allowed within 750 feet of the weirs which are marked with signs at the upstream and downstream ends of the closure.
7. Fin clip totals (Ad and RM) at the weirs and hatchery are used to estimate the hatchery contributions to each run. Currently, 100% of the steelhead (AD clip) and coho (RM clip) are marked at the hatchery prior to release as juveniles. Chinook salmon (AD clip) are marked at a rate of approximately 25% prior to release.
8. Weir installation and removal dates are variable from year to year and are affected by river flow and funding levels.
9. Previous year totals are not always for the same time periods and should not be used for absolute comparisons, note installation date notes for each site.
10. Adult and grilse(jack) counts are based on provisional cut-off sizes. The actual composition of the run is determined post season.

Junction City weir

1. This weir is designed to capture and estimate the population of spring Chinook salmon and is typically operated from June or early July (depending on river flow) through September. The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow fish passage.
2. Fall Chinook, steelhead, coho and brown trout are also captured at Junction City weir. We do not attempt to make population estimates for these species at Junction City weir.
3. Chinook salmon are tagged with a "spaghetti tag" which is pvc tubing placed behind the dorsal fin. Each tag has a number and is inscribed with our address.
4. Brown trout and steelhead are tagged with a "floy" tag which is inserted below the dorsal fin. Floy tags are short pieces of tubing inserted into the side of the fish and are also inscribed with our address.

Willow Creek weir

1. This weir is designed to capture and estimate the population of fall Chinook salmon, coho salmon and adult fall-run steelhead and is typically operated from late August through November (flows permitting). The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow for fish passage.
2. The tail end of the spring chinook run is captured at Willow Creek, however we do not attempt to estimate this run of Chinook salmon above Willow Creek weir.
3. All fish deemed in good condition at Willow Creek weir are tagged with spaghetti tags inscribed with our address.

Trinity River Hatchery

1. Hatchery summaries are not always posted on a weekly basis due to the large amount of data collection and entry.
2. All hatchery totals are complete counts of what has been processed at the facility.
3. Hatchery totals do not include fish which are being held in on-site ponds for ripening and future spawning.
4. There is a break in spawning operations, usually in October, to facilitate separation of spring and fall-run Chinook salmon.
5. The hatchery serves as our main recovery point for fish tagged at the two weirs.

Willow Creek Weir trapping summary for the 2011 season. ¹

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead					
			Grilse ²		Adults		Combined		Grilse ²		Adults		Combined		1/2 lbers ²		Adults		Combined	
			Total	Ads ³	Total	Ads ³	Total	Ads ³	Total	RMs ³	Total	RMs ³	Total	RMs ³	Total	Ads ³	Total	Ads ³	Total	Ads ³
36	3-Sep -- 9-Sep	2	73	0	60	3	133	3	2	2	0	0	2	2	8	6	95	60	103	66
37	10-Sep -- 16-Sep	5	239	2	269	37	508	39	3	3	0	0	3	3	14	11	223	155	237	166
38	17-Sep -- 23-Sep	5	174	7	285	48	459	55	18	17	1	0	19	17	9	8	139	89	148	97
39	24-Sep -- 30-Sep	5	82	7	151	24	233	31	57	57	8	5	65	62	27	22	268	190	295	212
40	1-Oct -- 7-Oct	3	11	1	48	6	59	7	54	51	1	1	55	52	29	18	456	294	485	312
41	8-Oct -- 14-Oct	2	2	0	6	2	8	2	37	35	2	2	39	37	41	32	108	79	149	111
42	15-Oct -- 21-Oct	7	11	2	68	10	79	12	44	43	53	47	97	90	14	10	104	79	118	89
43	22-Oct -- 28-Oct	5	10	1	40	9	50	10	14	13	31	24	45	37	1	1	13	8	14	9
44	29-Oct -- 4-Nov	5	12	0	32	7	44	7	3	3	20	14	23	17	2	2	27	19	29	21
45	5-Nov -- 11-Nov	5	12	0	9	0	21	0	0	0	11	6	11	6	0	0	57	37	57	37
46	12-Nov -- 18-Nov	5	16	1	58	5	74	6	0	0	4	2	4	2	1	1	39	22	40	23
47	19-Nov -- 25-Nov	1	0	0	2	0	2	0	0	0	0	0	0	0	0	0	1	0	1	0
2011 Season Totals:		50	642	21	1,028	151	1,670	172	232	224	131	101	363	325	146	111	1,530	1,032	1,676	1,143
2010 Season Totals:		46	306	10	993	119	1,299	129	146	139	763	666	909	805	101	69	822	449	923	518

Notes:

1/ Summary based on real time unedited data. Not to be used for analysis.

2/ Provisionally, Chinook and coho grilse are < 56 cm FL. Steelhead <42 cm FL are considered half-pounders.

3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

Junction City Weir trapping summary for the 2011 season. ¹

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead						Brown trout			
			Grilse ²		Adults		Combined		Grilse ²		Adults		Combined		1/2 lbers ²		Adults		Combined		<42 cm	>41 cm	Total	
			Total	Ads ³	Total	Ads ³	Total	Ads ³	Total	RMs ³	Total	RMs ³	Total	RMs ³	Total	Ads ³	Total	Ads ³	Total	Ads ³				
31	30-Jul -- 5-Aug	4	19	0	43	4	62	4	0	0	0	0	0	0	0	0	0	7	5	7	5	6	27	33
32	6-Aug -- 12-Aug	5	13	4	8	2	21	6	0	0	0	0	0	0	0	0	1	1	1	1	21	36	57	
33	13-Aug -- 19-Aug	5	12	2	13	3	25	5	0	0	0	0	0	0	0	0	0	0	0	0	0	13	12	25
34	20-Aug -- 26-Aug	5	24	4	12	0	36	4	0	0	0	0	0	0	0	0	0	0	0	0	0	9	8	17
35	27-Aug -- 2-Sep	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
36	3-Sep -- 9-Sep	4	0	0	3	0	3	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	2
37	10-Sep -- 16-Sep	5	2	0	3	0	5	0	0	0	0	0	0	0	0	1	1	3	1	4	2	1	2	3
38	17-Sep -- 23-Sep	5	16	1	31	3	47	4	0	0	0	0	0	0	0	1	0	5	4	6	4	1	4	5
39	24-Sep -- 30-Sep	5	17	0	31	3	48	3	0	0	0	0	0	0	0	5	3	31	25	36	28	2	3	5
2011 Season Totals:			38	103	11	144	15	247	26	0	0	0	0	0	0	7	4	48	37	55	41	54	93	147
2010 Season Totals:			43	43	2	179	22	222	24	0	0	3	3	3	3	3	2	18	9	21	11	47	97	144

Notes:

1/ Summary based on real time unedited data. Not to be used for analysis.

2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.

3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

Trinity River Hatchery trapping summary for the 2011-12 season. ^{1/}																	
Julian week	Inclusive dates	Chinook								Coho						Steelhead	
		Grilse ²		Adults		Combined		Grilse 2/		Adults		Combined		Adults			
		Total	Ads ³	Total	Ads ³	Total	Ads ³	Total	RMs ³	Total	RMs ³	Total	RMs ³	Total	Ads ³		
36	3-Sep -- 9-Sep	82	10	79	23	161	33	0	0	0	0	0	0	1	1		
37	10-Sep -- 16-Sep	161	38	321	81	482	119	0	0	0	0	0	0	1	1		
38	17-Sep -- 23-Sep	369	89	890	210	1,259	299	0	0	0	0	0	0	1	1		
39	24-Sep -- 30-Sep	741	181	1,436	339	2,177	520	0	0	0	0	0	0	4	4		
40	1-Oct -- 7-Oct	702	157	994	199	1,696	356	0	0	1	1	1	1	13	13		
41	8-Oct -- 14-Oct	351	83	454	104	805	187	8	8	1	1	9	9	10	10		
Spring Chinook subtotal:		2,406	558	4,174	956	6,580	1,514										
Chinook spawning break																	
42	15-Oct -- 21-Oct																
43	22-Oct -- 28-Oct	325	78	761	173	1,086	251	334	324	51	51	385	375	241	238		
44	29-Oct -- 4-Nov	268	59	2,794	649	3,062	708	571	569	150	140	721	709	56	56		
45	5-Nov -- 11-Nov	443	105	4,918	1,112	5,361	1,217	531	526	150	134	681	660	27	25		
46	12-Nov -- 18-Nov	340	81	2,981	655	3,321	736	576	575	147	119	723	694	47	47		
47	19-Nov -- 25-Nov	81	18	1,228	271	1,309	289	421	418	502	447	923	865	91	88		
48	26-Nov -- 2-Dec	53	10	1,066	241	1,119	251	248	247	574	524	822	771	467	452		
49	3-Dec -- 9-Dec	16	5	321	62	337	67	74	72	210	181	284	253	201	191		
50	10-Dec -- 16-Dec	4	1	99	28	103	29	40	40	88	80	128	120	153	138		
51	17-Dec -- 23-Dec	0	0	22	5	22	5	29	29	57	42	86	71	222	218		
52	24-Dec -- 31-Dec	0	0	1	1	1	1	1	0	8	4	9	4	63	63		
1	1-Jan -- 7-Jan	0	0	0	0	0	0	3	3	9	9	12	12	338	331		
2	8-Jan -- 14-Jan	0	0	0	0	0	0	0	0	0	0	0	0	666	663		
3	15-Jan -- 21-Jan	0	0	1	0	1	0	0	0	0	0	0	0	399	396		
4	22-Jan -- 28-Jan	0	0	0	0	0	0	0	0	0	0	0	0	328	328		
5	29-Jan -- 4-Feb	0	0	0	0	0	0	0	0	0	0	0	0	672	667		
6	5-Feb -- 11-Feb	0	0	0	0	0	0	0	0	0	0	0	0	755	751		
7	12-Feb -- 18-Feb	0	0	0	0	0	0	0	0	0	0	0	0	510	505		
8	19-Feb -- 25-Feb	0	0	0	0	0	0	0	0	0	0	0	0	161	160		
9	26-Feb -- 4-Mar	0	0	0	0	0	0	0	0	0	0	0	0	141	137		
10	5-Mar -- 11-Mar	0	0	0	0	0	0	0	0	0	0	0	0	123	122		
11	12-Mar -- 18-Mar	0	0	0	0	0	0	0	0	0	0	0	0	93	93		
Fall Chinook subtotal:		1,530	357	14,192	3,197	15,722	3,554										
2011 Season Totals: ^{4,5}		3,936	915	18,366	4,153	22,302	5,068	2,836	2,811	1,948	1,733	4,784	4,544	5,784	5,699		
2010 Season Totals:		1,077	231	10,831	2,521	11,908	2,752	526	516	3,905	3,699	4,431	4,215	2,037	1,999		
Notes:																	
1/ Summary based on real time unedited data. Not to be used for analysis.																	
2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.																	
3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.																	
4/ Totals reflect only the numbers of fish which have been processed; fish held for ripening are not included in totals shown.																	
5/ Preliminarily, Chinook processed prior to Julian week 42 are considered spring Chinook, those after Julian week 42 are considered fall Chinook.																	

Willow Creek weir, cumulative weekly trapping totals, 2004-2010.

Julian week	Inclusive dates	2004			2005			2006		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug				108	0	244	170	0	206
35	27-Aug ---- 2-Sep				153	0	337	272	0	353
36	3-Sep ---- 9-Sep				316	2	481	452	4	518
37	10-Sep ---- 16-Sep	274	9	31	676	4	584	565	12	658
38	17-Sep ---- 23-Sep	686	36	132	1,054	36	834	677	44	771
39	24-Sep ---- 30-Sep	1,304	145	503	1,162	133	1,028	826	66	1,073
40	1-Oct ---- 7-Oct	1,642	472	962	1,254	245	1,406	973	115	1,950
41	8-Oct ---- 14-Oct	1,906	897	1,560	1,342	514	1,808	1,061	182	2,471
42	15-Oct ---- 21-Oct	2,060	948	1,826	1,383	554	1,989	1,111	220	3,271
43	22-Oct ---- 28-Oct	2,062	978	1,988	1,403	687	2,094	1,133	230	3,296
44	29-Oct ---- 4-Nov	2,079	989	2,006	1,426	772	2,219	1,173	235	3,455
45	5-Nov ---- 11-Nov	2,118	998	2,025				1,181	247	3,880
46	12-Nov ---- 18-Nov	2,139	1,010	2,034				1,181	249	3,884
47	19-Nov ---- 25-Nov	2,140	1,010	2,034						

Season totals in bold

Willow Creek weir, cumulative we

Julian week	Inclusive dates	2007			2008			2009		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug	96	0	420	201	1	119			
35	27-Aug ---- 2-Sep	135	0	953	397	3	184	94	0	33
36	3-Sep ---- 9-Sep	261	0	1,220	687	3	225	264	0	68
37	10-Sep ---- 16-Sep	368	0	1,345	1,139	4	262	521	10	221
38	17-Sep ---- 23-Sep	547	0	1,438	1,387	17	307	830	35	535
39	24-Sep ---- 30-Sep	762	2	1,627	1,676	71	416	1,021	109	870
40	1-Oct ---- 7-Oct	835	26	2,781	1,792	188	710	1,046	118	893
41	8-Oct ---- 14-Oct	974	51	4,108	1,856	335	849	1,082	138	1,118
42	15-Oct ---- 21-Oct	1,021	84	4,742	1,967	401	884	1,109	154	1,373
43	22-Oct ---- 28-Oct	1,022	84	4,897	2,024	439	896	1,126	170	1,396
44	29-Oct ---- 4-Nov	1,031	88	5,018	2,122	447	901	1,144	178	1,405
45	5-Nov ---- 11-Nov	1,039	88	5,026	2,122	447	901	1,180	197	1,657
46	12-Nov ---- 18-Nov	1,056	97	5,189	2,128	447	906	1,191	201	1,670
47	19-Nov ---- 25-Nov				2,143	448	919	1,191	202	1,677

Season totals in bold

Willow Creek weir, cumulative we

Julian week	Inclusive dates	2010		
		Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug	188	0	72
35	27-Aug ---- 2-Sep	330	0	136
36	3-Sep ---- 9-Sep	475	2	212
37	10-Sep ---- 16-Sep	599	7	239
38	17-Sep ---- 23-Sep	733	27	519
39	24-Sep ---- 30-Sep	921	300	649
40	1-Oct ---- 7-Oct	1,118	628	718
41	8-Oct ---- 14-Oct	1,181	898	816
42	15-Oct ---- 21-Oct	1,292	909	822
43	22-Oct ---- 28-Oct	1,299	909	822
44	29-Oct ---- 4-Nov			
45	5-Nov ---- 11-Nov			
46	12-Nov ---- 18-Nov			
47	19-Nov ---- 25-Nov			

Season totals in bold

Junction City weir, cumulative weekly trapping totals, 2004-2010.

Julian week	Inclusive dates	Trapping year									
		2004			2005 1/			2006			
		Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	
24	11-Jun ---- 17-Jun										
25	18-Jun ---- 24-Jun										
26	25-Jun ---- 1-Jul										
27	2-Jul ---- 8-Jul										
28	9-Jul ---- 15-Jul										
29	16-Jul ---- 22-Jul	151	40	11	11	14	2				
30	23-Jul ---- 29-Jul	235	136	31	24	70	17	67	86	76	
31	30-Jul ---- 5-Aug	258	167	35	57	167	29	75	116	83	
32	6-Aug ---- 12-Aug	411	199	41	82	207	29	206	153	87	
33	13-Aug ---- 19-Aug	465	212	47	88	215	30	296	167	93	
34	20-Aug ---- 26-Aug	-----	-----	-----	153	222	38	326	170	94	
35	27-Aug ---- 2-Sep	-----	-----	-----	159	224	46	341	171	97	
36	3-Sep ---- 9-Sep	-----	-----	-----	185	224	52	352	177	99	
37	10-Sep ---- 16-Sep	517	215	58	204	225	55	362	177	101	
38	17-Sep ---- 23-Sep	588	223	78	310	226	63	382	179	121	
39	24-Sep ---- 30-Sep	711	229	96	372	239	92	401	184	174	
40	1-Oct ---- 7-Oct	897	254	176	448	255	179				

Season totals in bold

Junction City weir, cumulative weekly

Julian week	Inclusive dates	2007			2008			2009		
		Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead
24	11-Jun ---- 17-Jun							0	1	0
25	18-Jun ---- 24-Jun	15	60	23				10	28	3
26	25-Jun ---- 1-Jul	114	114	59				55	73	12
27	2-Jul ---- 8-Jul	381	192	113				95	103	26
28	9-Jul ---- 15-Jul	436	286	152				141	114	27
29	16-Jul ---- 22-Jul	461	302	165	26	10	5	174	133	29
30	23-Jul ---- 29-Jul	785	324	203	32	15	9	177	148	33
31	30-Jul ---- 5-Aug	839	331	219	103	37	17	178	154	35
32	6-Aug ---- 12-Aug	854	333	224	123	63	25	180	155	35
33	13-Aug ---- 19-Aug	897	335	234	144	76	28	203	155	35
34	20-Aug ---- 26-Aug	911	335	239	153	88	30	206	155	35
35	27-Aug ---- 2-Sep	915	335	252	156	92	32	208	157	38
36	3-Sep ---- 9-Sep	923	336	259	165	95	35	225	158	40
37	10-Sep ---- 16-Sep	928	337	265	179	96	37	236	162	45
38	17-Sep ---- 23-Sep	939	337	274	201	99	41	246	165	48
39	24-Sep ---- 30-Sep	958	338	283	206	101	41	268	168	56
40	1-Oct ---- 7-Oct									

Season totals in bold

Junction City weir, cumulative weekly

Julian week	Inclusive dates		2010			
			Chinook	Brown T.	Steelhead	
24	11-Jun	----	17-Jun			
25	18-Jun	----	24-Jun			
26	25-Jun	----	1-Jul			
27	2-Jul	----	8-Jul			
28	9-Jul	----	15-Jul			
29	16-Jul	----	22-Jul			
30	23-Jul	----	29-Jul			
31	30-Jul	----	5-Aug	43	54	1
32	6-Aug	----	12-Aug	80	103	2
33	13-Aug	----	19-Aug	111	118	2
34	20-Aug	----	26-Aug	126	123	2
35	27-Aug	----	2-Sep	134	126	2
36	3-Sep	----	9-Sep	143	127	2
37	10-Sep	----	16-Sep	167	131	2
38	17-Sep	----	23-Sep	187	134	4
39	24-Sep	----	30-Sep	222	144	11
40	1-Oct	----	7-Oct			

Season totals in bold

Trinity River Hatchery, cumulative weekly trapping totals, 2004-2010.

Julian week	Inclusive dates	Recovery Year								
		2004			2005			2006		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug									
35	27-Aug ---- 2-Sep	Spring-run			Spring-run			Spring-run		
36	3-Sep ---- 9-Sep	212	0	14	109	0	0	6	0	1
37	10-Sep ---- 16-Sep	870	0	19	572	0	2	193	0	2
38	17-Sep ---- 23-Sep	2,888	0	20	1,798	0	5	591	0	4
39	24-Sep ---- 30-Sep	4,535	0	20	5,334	0	7	1,452	2	4
40	1-Oct ---- 7-Oct	6,017	11	27	6,584	8	13	2,661	8	8
41	8-Oct ---- 14-Oct	6,550	51	29	6,990	22	14	3,818	100	33
42	15-Oct ---- 21-Oct	Fall-run			Fall-run			Fall-run		
43	22-Oct ---- 28-Oct	1,807	998	145	1,060	967	31	392	423	45
44	29-Oct ---- 4-Nov	4,355	2,225	186	4,449	1,666	53	1,887	1,139	63
45	5-Nov ---- 11-Nov	9,033	4,245	261	9,142	4,959	200	4,987	2,437	172
46	12-Nov ---- 18-Nov	11,625	7,877	458	12,084	7,993	354	7,513	4,947	391
47	19-Nov ---- 25-Nov	12,528	9,065	589	12,981	10,238	434	10,141	6,478	878
48	26-Nov ---- 2-Dec	12,962	10,138	708	13,517	12,860	515	11,084	7,884	1,075
49	3-Dec ---- 9-Dec	13,054	10,416	748	13,749	15,531	908	11,451	8,839	1,153
50	10-Dec ---- 16-Dec	13,107	10,850	1,313	13,798	17,018	1,468	11,550	10,068	1,978
51	17-Dec ---- 23-Dec	13,127	10,900	1,575	13,802	18,146	2,298	11,560	10,292	3,221
52	24-Dec ---- 31-Dec	13,129	10,977	1,979	13,802	18,302	3,392		10,364	3,980
1	1-Jan ---- 7-Jan		10,982	2,532	13,802	18,349	5,083		10,387	4,838
2	8-Jan ---- 14-Jan		10,982	2,991	13,803	18,356	6,335		10,391	5,823
3	15-Jan ---- 21-Jan		10,982	3,468		18,357	7,074		10,399	6,304
4	22-Jan ---- 28-Jan		10,983	4,010			7,501		10,400	6,702
5	29-Jan ---- 4-Feb			4,561			7,753			7,582
6	5-Feb ---- 11-Feb			4,937			7,960			8,875
7	12-Feb ---- 18-Feb			5,211			8,037			9,879
8	19-Feb ---- 25-Feb			5,468			8,066			10,633
9	26-Feb ---- 4-Mar			5,649			8,100			11,003
10	5-Mar ---- 11-Mar			5,712			8,129			11,310
11	12-Mar ---- 18-Mar			5,731			8,143			11,547
12	19-Mar ---- 25-Mar									

Season totals in bold

Trinity River Hatchery, cumulative wee

Julian week	Inclusive dates	2007			2008			2009		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug									
35	27-Aug ---- 2-Sep	Spring-run			Spring-run					
36	3-Sep ---- 9-Sep				66	0	0	106	0	2
37	10-Sep ---- 16-Sep	132	0	5	338	0	0	235	0	3
38	17-Sep ---- 23-Sep	748	0	5	1,006	0	1	953	0	5
39	24-Sep ---- 30-Sep	2,635	0	9	2,495	0	4	1,963	0	6
40	1-Oct ---- 7-Oct	5,499	0	16	3,659	5	12	2,836	1	7
41	8-Oct ---- 14-Oct	6,034	2	71	3,766	10	21	3,069	1	7
42	15-Oct ---- 21-Oct	Fall-run	---	---	Fall-run	---	---	Fall-run	---	---
43	22-Oct ---- 28-Oct	120	34	111	334	404	26	329	535	40
44	29-Oct ---- 4-Nov	605	252	254	1,045	611	40	1,036	1,143	69
45	5-Nov ---- 11-Nov	1,922	397	304	2,789	959	110	3,189	1,586	107
46	12-Nov ---- 18-Nov	5,422	874	379	4,169	3,334	218	5,641	1,932	158
47	19-Nov ---- 25-Nov	10,263	1,481	627	5,005	4,040	332	7,162	3,050	202
48	26-Nov ---- 2-Dec	13,490	2,184	685	5,207	4,644	470	7,383	3,162	214
49	3-Dec ---- 9-Dec	16,050	2,602	854	5,241	4,942	557	7,465	3,253	260
50	10-Dec ---- 16-Dec	17,328	2,802	1,847	5,248	5,081	607	7,479	3,290	267
51	17-Dec ---- 23-Dec	17,859	2,884	2,496	5,248	5,142	665	7,487	3,343	528
52	24-Dec ---- 31-Dec	18,057	2,905	2,910	5,248	5,175	787	7,492	3,346	826
1	1-Jan ---- 7-Jan	18,102	2,917	3,374	5,248	5,178	901	7,494	3,351	1,200
2	8-Jan ---- 14-Jan	18,110	2,919	4,477	5,249		1,170		3,351	1,995
3	15-Jan ---- 21-Jan	18,112	2,919	5,711			1,440		3,352	2,733
4	22-Jan ---- 28-Jan		2,923	7,211			1,671			3,189
5	29-Jan ---- 4-Feb		2,927	8,116			1,918			3,452
6	5-Feb ---- 11-Feb			8,683			2,083			3,738
7	12-Feb ---- 18-Feb			9,530			2,184			3,956
8	19-Feb ---- 25-Feb			10,370			2,327			4,088
9	26-Feb ---- 4-Mar			11,168			2,459			4,191
10	5-Mar ---- 11-Mar			11,342			2,495			4,244
11	12-Mar ---- 18-Mar			11,399						
12	19-Mar ---- 25-Mar									

Season totals in bold

Trinity River Hatchery, cumulative wee

Julian week	Inclusive dates		2010			
			Chinook	Coho	Steelhead	
34	20-Aug	----	26-Aug			
35	27-Aug	----	2-Sep	Spring-run		
36	3-Sep	----	9-Sep	119		0
37	10-Sep	----	16-Sep	609		2
38	17-Sep	----	23-Sep	1,174		3
39	24-Sep	----	30-Sep	2,029		4
40	1-Oct	----	7-Oct	2,702	6	6
41	8-Oct	----	14-Oct	2,859	58	9
42	15-Oct	----	21-Oct	Fall-run	---	---
43	22-Oct	----	28-Oct	549	987	31
44	29-Oct	----	4-Nov	1,916	1,732	74
45	5-Nov	----	11-Nov	3,470	2,144	114
46	12-Nov	----	18-Nov	6,608	2,527	130
47	19-Nov	----	25-Nov	7,785	3,129	148
48	26-Nov	----	2-Dec	8,594	3,586	158
49	3-Dec	----	9-Dec	8,969	4,153	221
50	10-Dec	----	16-Dec	9,046	4,371	490
51	17-Dec	----	23-Dec	9,048	4,411	710
52	24-Dec	----	31-Dec	9,049	4,424	873
1	1-Jan	----	7-Jan		4,429	946
2	8-Jan	----	14-Jan		4,431	992
3	15-Jan	----	21-Jan			1,217
4	22-Jan	----	28-Jan			1,466
5	29-Jan	----	4-Feb			1,627
6	5-Feb	----	11-Feb			1,749
7	12-Feb	----	18-Feb			1,840
8	19-Feb	----	25-Feb			1,952
9	26-Feb	----	4-Mar			1,987
10	5-Mar	----	11-Mar			2,037
11	12-Mar	----	18-Mar			
12	19-Mar	----	25-Mar			

Season totals in bold