

## Literature Citations

- Abbott I.A. and G.J. Hollenberg. 1976. Marine algae of California. Stanford University Press. Stanford, CA. 827 p.
- Agardh, C.A. 1820. Species algarum... Vol. I, Part I. Lund. 1-168.
- Albright, L.J., J. Chocair, K. Masuda, and M. Valdes. 1982. Degradation of the kelps *Macrocystis integrifolia* and *Nereocystis luetkeana* in British Columbia coastal waters. In Synthetic and Degradative Processes in Marine Macrophytes. Walter de Gruyter & Co., Berlin. pp. 215-233.
- Allen, L.G., and M.P. Franklin. 1992. Abundance, distribution, and settlement of young-of-the-year white seabass *Atractoscion nobilis* in the Southern California Bight, 1988-89. Fishery Bulletin, U.S. 90:633-641
- Ambrose, R.F., and B. Nelson. 1982. Inhibition of giant kelp recruitment by an introduced brown alga. Bot. Mar. 25:265-267.
- Amsler, C.D. 1988. Kelp spore photosynthesis, respiration, and pigmentation. Journal of Phycology. Vol 24(suppl.) 4 p.
- Amsler, C.D., and M. Neushul. 1991. Photosynthetic physiology and chemical composition of spores of the kelps *Macrocystis pyrifera*, *Nereocystis luetkeana*, *Laminaria farlowii*, and *Pterygophora californica* (Phaeophyceae). J. Phycology 27(I):26-34.
- Amsler, C.D. and M. Neushul. 1989. Diel periodicity of spore release from the kelp *Nereocystis luetkeana* (Mertens) Postels et ruprecht. J. Exp. Mar. Bio. Ecol. 134:117-127.
- Anderson, E.K., and W.J. North. 1967. Zoospore release rates in giant kelp, *Macrocystis*. Bull. So. Calif. Acad. Sci. 66(4):223-232.
- Anderson, D.W., D.G. Ainley, H.R. Carter, K.T. Briggs, and A.D. MacCall. 1992. Marine Bird Resources. In California's living marine resources and their utilization. W.S. Leet, C.M. DeWees, and C.W. Haugen (eds.). California Sea Grant Extension Publication UCSGEP-92-12. p. 221-227.
- Anderson, J., K. Marcus and J. Wilson. 1990. California, Oregon, and Washington Archaeological Resource Study. Volume II: Geology. Editors: R.L. Gearhart II, C.L. Bond, and S.D. Hoyt. Prepared under MMS Contract 14-35-0001-30439 by Espey, Huston & Assoc. U.S. Dept. of Interior. Mineral Management Service. Pacific OCS Region. 81pgs.
- Andrews, H.L. 1925. Animals living on kelp. Puget Sound Marine Station Publications 5:25-27.
- Andrews, H.L. 1945. The kelp beds of the Monterey region. Ecology 26:24-37.
- Andrews, J.H. 1976. The pathology of marine algae. Biological Reviews 51(2):211-253.
- Aneer G. 1987. High natural mortality of Baltic herring (*Clupea harengus*) eggs caused by algal exudates? Marine Biology 94: 163-169.
- Angell, T., and K.C. Balcomb. 1982. Marine birds and mammals of Puget Sound. Puget Sound Books, Seattle, Wash. 145p.
- Antrim, L.D., R.M. Thom, W.W. Gardiner, V.I. Cullinan, D.K. Shreffler, R.W. Bienert. 1995. Effects of petroleum products on bull kelp (*Nereocystis luetkeana*). Mar. Biol. 122(1):23-31.
- Apt, K.E. 1988. Etiology and development of hyperplasia induced by *Streblonema* sp. (phaeophyta) on members of the laminariales (phaeophyta). Journal of Phycology 24:28-34.
- Arntz, W.E. 1985. El Niño and Peru: positive aspects. Oceanus 27(2):36-40.
- Bakun, A. and R.H. Parrish. 1980. Environmental inputs to fishery population models for eastern boundary current regions. In: Workshop on the Effects of

- Environmental Variation on the Survival of Larval Pelagic Fishes (G.D. Sharp ed.). Workshop Rep. No. 28, Intergovernmental Oceanographic Commission, UNESCO, Paris, pp.67-104.
- Baldridge, A. 1972. Killer whales attack and eat a grey whale. J. Mammalogy 53:898-900.
- Barber, R.T., and F.P. Chavez. 1983. Biological consequences of El Niño. Science 222:1203-1210.
- Barilotti, D.C., R.H. McPeak, and P.K. Dayton. 1985. Experimental studies on the effects of commercial kelp harvesting in central and southern California *Macrocystis pyrifera* kelp beds. Calif. Fish and Game 71(1):4-20.
- Barilotti, D.C., and J.A. Zertuche-González. 1990. Ecological effects of seaweed harvesting in the Gulf of California and Pacific Ocean off Baja California and California. Proc. Thirteenth Int. Seaweed Sym. 13:35-40.
- Barns, A. and P. Kalvass. 1993. Bull kelp, *Nereocystis luetkeana*, abundance in Van Damme Bay, Mendocino county, California. California Department of Fish and Game. Marine Resources Division Administration Report No.93-6. 9 p.
- Bay, S.M., D. Greenstein, S. Lau, M. Stenstrom, and C. Kelley. 1996. Toxicity of dry weather flow from the Santa Monica Bay watershed. Bull. South. Calif. Acad. Sci. 95(1) : 33-45.
- Bernstein, B.B., and N. Jung. 1979. Selective pressures and coevolution in a kelp canopy community in southern California. Ecological Monographs 49:335-355.
- Bernstein, R.L., L. Breaker, and R. Whritner. 1977. California Current eddy formation:Ship, air and satellite results. Science 195:353-359.
- Blaxter J.H.S. and F.G.T. Holliday. 1963. The Behaviour and Physiology of Herring and Other Clupeids. Advances in Marine Biology 1: 261-393.
- Bodkin, J.L. 1986. Fish assemblages in *Macrocystis* and *Nereocystis* kelp forests off central California. Fishery Bulletin 84(4):799-808.
- Bodkin, J.L. 1988. Effects of kelp forest removal on associated fish assemblages in central California. J. Exp. Mar. Bio. Ecol. 117:227-238.
- Bradley, R.A., and D.W. Bradley. 1993. Wintering shorebirds increase after kelp (*Macrocystis*) recovery. The Condor 95:372-376.
- Brandt, R.P. 1923. Potash from kelp: early development and growth of giant kelp, *Macrocystis pyrifera*. U. S. Dep. Agr. Bull. 1191. 40 p.
- Bray, R.N., and A.J. Ebeling. 1975. Food, activity and habitat of three "picker-type" microcarnivorous fishes in the kelp forests off Santa Barbara, California. Fishery Bulletin 73(4):815-829.
- Breda, V.A. 1982. Composition, abundance and phenology of foliose red algae associated with two *Macrocystis pyrifera* forests in Monterey Bay, California. Master's Thesis, San Jose State University, California. 67 p.
- Breda, V.A., and M.S. Foster. 1985. Composition, abundance, and phenology of foliose red algae associated with two central California kelp forests. J. Exp. Mar. Bio. and Ecol. 94(1-3):115-130.
- Breen, P.A., D.C. Miller, and B.E. Adkins. 1976. An examination of harvested sea urchin populations in the Tofino area. Fisheries Research Board of Canada. Manuscript Report Series No. 1401. 23 p.
- Breen, P.A., B.E. Adkins, and D.C. Miller. 1978. Recovery rate in three exploited sea urchin populations from 1972 to 1977. Fisheries and Marine Services Manuscript Report 1446. 27 p.
- Briggs, K.T., W.B. Tyler, D.B. Lewis, and K.F. Dettman. 1983. Seabirds of Central and Northern California, 1980-1983: Status, Abundance and Distribution. Center for Marine Studies, University of California, Santa Cruz. 246 p.

- Briggs, K.T., D.G. Ainley, D.R. Carlton, D.B. Lewis, W.B. Tyler, L.B. Spear, and L.A. Ferris. 1987. Final Report: California seabird ecology study. Volume I: Feeding ecology of California nesting seabirds. Institute of Marine Sciences, University of California, Santa Cruz. 153 p.
- Brostoff, W.N. 1988. Taxonomic studies of *Macrocystis pyrifera* (L.) C. Agardh (Phaeophyta) in southern California - holdfasts and basal stipes. Aquatic Botany 31:289-305.
- Brown, L.B. 1915. Experiments with marine algae in freshwater. Puget Sound Biological Station Publication. 1:31-34.
- Bureau of Land Management. 1974. A summary of knowledge of the southern California coastal zone and offshore areas, Vol. I - physical environment. Prep. by Southern California Ocean Studies Consortium of the California State Universities and Colleges. Contract No. 08550-CT4-1.
- Burge, R.T. and S.A. Schultz. 1973. The marine environment in the vicinity of Diablo Cove with special reference to abalone and bony fishes. Marine Resources Technical Report No. 19. California Department of Fish and Game. 433 p.
- Cailliet, G.M., and R.N. Lea. 1977. Abundance of the "rare" zoarcid, *Mayneus californica* Gilbert, 1915, in the Monterey Canyon, Monterey Bay, California. Calif. Fish and Game 63:253-261.
- California Air Resources Board (CARB). 1991a. Inventory of air pollutant emissions from marine vessels. Prepared by California Air Resources Board Mobile Source Division. Technical Assistance by Booz, Allen & Hamilton, Inc. 47 p.
- California Air Resources Board (CARB). 1991b. Methods for assessing air source emissions in California - 1989. Sacramento, California. 100 p.
- California Air Resources Board (CARB). 1994. Emission inventory - 1991. Prepared by Technical Support Division. Air Resources Board. California Environmental Protection Agency. Sacramento, California. 36 p. + appendices.
- California Department of Finance. 1992. California Statistical Abstract. Sacramento, California. 212 p.
- California Department of Fish and Game. 1987. Marine Sportfish identification - California. California Department of Fish and Game, National Marine Fisheries Service and University of California Sea Grant Advisory Program. 164 p.
- California Department of Fish and Game (CDFG). 1991a. Final supplemental environmental document - abalone ocean sport fishing. The Resources Agency. State of California. Sacramento, California.
- California Department of Fish and Game (CDFG). 1991b. Final supplemental environmental document - red sea urchin commercial fishing regulations. The Resources Agency. State of California. Sacramento, California.
- California Department of Fish and Game (CDFG). 2000. Digest of California commercial fishing laws and licensing requirements. M. Melchiorre (ed.). The Resources Agency. State of California. Sacramento, California. 131 p.
- California Department of Fish and Game (CDFG), Sport Fish Survey and Analysis Unit. Unpublished Data.
- California Department of Navigation and Ocean Development. 1971. California comprehensive ocean area plan, fish and wildlife in the marine and coastal zone; Part A, summary of planning information, and recommendations. 159 p.
- California Department of Navigation and Ocean Development. 1977. Inventory of California Boating Facilities. 71 p.
- California Department of Parks and Recreation. 1971. California coastline

- preservation and recreation plan. The Resources Agency. State of California. Sacramento, California. 123 p.
- California State Water Resources Control Board. 1979. California marine waters – Areas of special biological significance. Reconnaissance survey report: Carmel Bay, Monterey County. Water Quality Monitoring Report 79–10. 159p.
- Cameron, F.K. 1915. Potash from kelp. I. Pacific kelp beds as a source of potassium salts. U. S. Dep. Agric., Rep. No. 100:9-32.
- Car, M.H. 1989. Effects of macroalgal assemblages on the recruitment of temperate zone reef fishes. *J. Exp. Mar. Bio. Ecol.* 126 p. 59-76.
- Chapman, A.R. and E.M. Burrows. 1970. Experimental investigations into the controlling effects of light conditions on the development and growth of *Desmarestia aculeata* (L.) Lamour. *Phycologia*. 9:103–108.
- Clark, M.E. 1969. Dissolved free amino acids in sea water and their contribution to the nutrition of sea urchins. Kelp Habitat Improvement Proj., Ann. Rpt. 1968-69, Calif. Inst. Tech., Pasadena, CA. 70-93 p.
- Clark, M.E., G.A. Jackson, and W.J. North. 1972. Dissolved free amino acids in southern California coastal waters. *Limnol. Oceanogr.* 17:749-758.
- Clarke, W.D., and M.N. Neushul. 1967. Subtidal ecology of the southern California coast. T.A. Olson and F.J. Burgess, (eds.). Pollution and marine ecology. J. Wiley and Sons, New York. p. 29-42.
- Clendenning, K.A. 1960. Organic productivity of giant kelp areas. *Kelp Investigations Program (KIP) quarterly Report*, 1 July-30 Sep. 1959. University of California Institute of Marine Resources (IMR), San Diego, California. 34 p.
- Clendenning, K.A. 1968a. Harvesting effects on canopy invertebrates and on kelp plants. In W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 219-222.
- Clendenning, K.A. 1971a. Gross composition of kelp. In *The Biology of giant kelp beds (*Macrocystis*) in California*. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 197-209.
- Clendenning, K.A. 1971b. Organic productivity in kelp areas. *The Biology of giant kelp beds (*Macrocystis*) in California*. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 259-263.
- Clendenning, K.A. 1971c. Photosynthesis and general development in *Macrocystis*. *The Biology of giant kelp beds (*Macrocystis*) in California*. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 169-190.
- Clendenning, K.A. 1971d. Phytoplankton as light absorbing agents in the La Jolla kelp bed. *The Biology of giant kelp beds (*Macrocystis*) in California*. W. J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 255-258.
- Conner, D.E., and R.H. McPeak. 1982. Kelp harvesting and state organizational structures for the management of living marine resources. In *Proceeding of the Ocean Studies Symposium*. California Coastal Commission. Sacramento. p. 91-115.
- Coon, D.A. 1981a. Studies of whole plant growth in *Macrocystis angustifolia*. *Bot. Mar.* 24:19-27.
- Coon, D.A. 1981b. Measurements of harvested and unharvested populations of the marine crop plant *Macrocystis*. *Proc. Eighth Int. Seaweed Symp.* 8:678-687.
- Coon, D.A. 1982. Primary productivity of macroalgae in North Pacific America. CRC Handbook of Biosolar Resources. O. R. Zaborsky (ed.). CRC Press. Boca Raton. p. 447-454.
- Coon, L.M., W. Roland, E.J. Field, and W.E.L. Clayton. 1979. Kelp inventory, 1976. Part 3. North & West Coasts Graham Island (Queen Charlotte Islands). Fisheries Development Report No. 13. Marine Resources Branch. Ministry of Environment.

- Province of British Columbia. 26 p.
- Costa, D.P. 1978. The biological energetics, water and electrolyte balance of the California sea otter *Enhydra lutris*. Ph.D., University of California, Santa Cruz. 75 p.
- County of Santa Barbara Resources Management Division (SBC RMD). 1992. Final environmental impact report/statement GTC Gaviota marine terminal project. Prepared by County of Santa Barbara, California State Lands Commission, U.S. Army Corps of Engineers, California Environmental Protection Agency. Technical assistance by Aspen Environmental Group. p. C.11-1-C.2-63.
- Cowen, R.K., C.R. Agegian, and M.S. Foster. 1982. The maintenance of community structure in a central California giant kelp forest. *J. Exp. Mar. Bio. Ecol.* 64:189-201.
- Cox, K.W. 1962. California abalone, family Haliotidae. Calif. Dept. of Fish and Game. Fish Bulletin 118. 133 p.
- Coyer, J.A. 1979. The invertebrate assemblage associated with *Macrocystis pyrifera* and its utilization as a food source by kelp forest fishes. Ph.D. Dissertation, University of Southern California, Los Angeles, California, 364 p.
- Coyer, J.A. 1984. The invertebrate assemblage associated with the giant kelp, *Macrocystis pyrifera*, at Santa Catalina Island, California: A general description with emphasis on amphipods, copepods, mysids, and shrimps. *Fishery Bulletin* 82(1):55-66.
- Coyer, J.A. 1986. The mollusk assemblage associated with fronds of giant kelp (*Macrocystis pyrifera*) off Santa Catalina Island, California. *Bull. So. Calif. Acad. Sci.* 85(3):129-138.
- Crandall, W.C. 1915. The kelp beds from lower California to Puget Sound. In F. K. Cameron, (ed.). Potash from kelp. Dep. of Agric. Rep. 100, Washington, D.C. p. 33-49 plus plates.
- Davis, D.H. 1968. Statistic analysis of the relation between kelp harvesting and sportfishing in California kelp beds. In Utilization of kelp-bed resources in southern California. Fish Bulletin 139. W.J. North and C.L. Hubbs (eds.). California Department of Fish and Game. Sacramento, CA. p. 151-212.
- Dawson, E.Y. 1966. Marine botany, an introduction. Holt, Rinehart and Winston, Inc. New York. 371 p.
- Dawson, E.Y. and M.S. Foster. 1982. Seashore plants of California. California Natural History Guides: 47. University of California Press. Berkeley. 226 p.
- Dayton, P.K. 1985. Ecology of kelp communities. *Ann. Rev. Ecological Systems* 16:215-245.
- Dayton, P.K., and M.J. Tegner. 1984. Catastrophic storms, El Niño, and patch stability in a southern California kelp community. *Science* 224:283-285.
- Dayton, P.K., R.J. Seymour, P.E. Parnell, and M.J. Tegner. 1989. Unusual marine erosion in San Diego County from a single storm. *Estuarine, Coastal, and Shelf Science* 29:151-160.
- Dayton, P.K., V. Currie, T. Gerrodette, B.D. Keller, R. Rosenthal, and D. Ven Tresca. 1984. Patch dynamics and stability of some California kelp communities. *Ecological Monographs* 54(3):253-289.
- De Santis, M. 1985. California currents - an exploration of the oceans' pleasures, mysteries, and dilemmas. Presidio Press. Novato, California. 238 p.
- Dean, T.A., S.C. Schroeter, and J.D. Dixon. 1984. Effects of grazing by two species of sea urchins (*Strongylocentrotus franciscanus* and *Lytechinus anamesus*) on recruitment and survival of two species of kelp (*Macrocystis pyrifera* and *Pterygophora californica*). *Mar. Bio.* 78(3):301-313.

- Dean, T.A., and L.E. Deysher. 1983. The effects of suspended solids and thermal discharges on kelp. In *The Effects of Waste Disposal on Kelp Communities*. W. Bascom (ed.). Southern California Coastal Water Research Project. Long Beach, California. p. 114-135.
- Dean, T.A. and F.R. Jacobson. 1986. Nutrient-limited growth of juvenile kelp, *Macrocystis pyrifera*, during the 1982-1984 "El Niño" in southern California. *Marine Biology*. 90(4):597-601.
- Dean, T.A., M.S. Stekoll, and R.O. Smith. 1996. Kelps and oil: The effects of the Exxon Valdez oil spill on subtidal algae. In *Proceedings of the Exxon Valdez Oil Spill Symposium*. S.D. Rice, R.B. Spies, D.A. Wolfe and B.A. Wright (eds.). AFS. Bethesda, Maryland. 18:412-426.
- Dean, T.A., L. Deysher, K. Theis, and S. Lagos, F. Jacobsen, and L. Bost. 1983. The effects of the San Onofre Nuclear Generating Station (SONGS) on the giant kelp *Macrocystis pyrifera*: final preoperational monitoring report. *Marine Review Committee*, Inc., Encinitas, California.
- DeBoer, J.A. 1981. Nutrients. In C.S. Lobban and M.J. Wynne, (eds.). *The biology of seaweeds*. University of California Press, Berkeley. p. 356-392.
- DeBurgh, M.E. and P.V. Frankboner. 1978. A nutritional association between the bull kelp *Nereocystis luetkeana* and its epizoic bryozoan *Membranipora membranacea*. *Oikos* 31:69-72.
- DeMartini, E.E., and D.A. Roberts. 1990. Effects of giant kelp (*Macrocystis*) on the density and abundance of fishes in a cobble-bottom kelp forest. *Bull. Mar. Sci.* 46(2):287-300.
- Department of Fisheries and Oceans. 2000. Fisheries and Oceans Canada, *Backgrounder*: <http://www-comm.pac.dfo-mpo.gc.ca/english/release/bckgrnd/2000/bg0006.htm>
- Devinny, J.S., and P.D. Kirkwood. 1974. Algae associated with kelp beds on the Monterey Peninsula, California. *Botanica Marina* 17:100-106.
- Devinny, J.S., and L.A. Volse. 1978. Effects of sediments on the development of *Macrocystis pyrifera* gametophytes. *Marine Biology* 48(4):343-348.
- Deysher, L.E., and T.A. Dean. 1984. Critical irradiance levels and the interactive effects of quantum irradiance and dose on gametogenesis in the giant kelp, *Macrocystis pyrifera*. *J. Phycology* 20(4):520-524.
- Dorr, H.W. 1991. Variation in the elk kelp, *Pelagophycus porra* (Leman) Setch., in two different environments. Masters Thesis, University of San Diego, San Diego, California. 52 p.
- Druehl, L.D. 1970. The pattern of Laminariales distribution in the northeast Pacific. *Phycologia* 9(3/4):237-247.
- Duggin, D.O. 1980. Kelp beds and sea otters: an experimental approach. *Ecology* 61(3):447-453.
- Dykzeul, J.E., and R.R. Given. 1979. Areas of special biological significance, reconnaissance survey report: Santa Catalina Island, subareas one-four, Los Angeles County. California State Water Resources Control Board, Water Quality Monitoring Rep. 79-b. Sacramento, Calif. 192 p.
- Ebeling, A.W., R.J. Larson, W.S. Alevizon, and R.N. Bray. 1980. Annual variability of reef-fish assemblages in kelp forests off Santa Barbara, California. *Fish. Bull.* 78(2) p. 361-376.
- Ebeling, A.W., D.R. Laur, and R.J. Rowley. 1985. Severe storm disturbances and reversal of community structure in a southern California kelp forest. *Mar. Bio.*

- 84(3):287-294.
- Ebeling, A.W., and D.R. Laur. 1988. Fish populations in kelp forests without sea otters: effects of severe storm damage and destructive sea urchin grazing. In The community ecology of sea otters. G.R. VanBlaricom and J.A. Estes (eds.). Springer-Verlag, Berlin, F.R.G. p. 169-191.
- Ebert, E.E. 1968. A food habits study of the southern sea otter, *Enhydra nereis*. California Fish and Game 54(1):33-42.
- Ecoscan. 1989. California coastal kelp resources - Summer 1989. Rept. for California Department of Fish & Game.
- Edwards, M.S. 1998. Effects of long-term kelp canopy exclusion on the abundance of the annual alga *Desmarestia ligulata* (Light). J. Exp. Mar. Biol. Ecol. 228(2) : 309-326.
- Eschmeyer, W.N., E.S. Herald, and H. Hammann. 1983. A field guide to Pacific Coast fishes. Houghton Mifflin Co., Boston, MA. 336 p.
- Estes, J.A. and D.O. Duggins. 1995. Sea otters and kelp forests in Alaska: generality and variation in a community ecological paradigm. Ecological Monographs, 65(1):75-100.
- Estes, J.A. and J.F. Palmisano. 1974. Sea Otters: their role in structuring nearshore communities. Science. 185(4156):1058-1060.
- Fager, E.W. 1971. Pattern in the development of a marine community. Limnol. Oceanogr. 16:241-253.
- Fallis, A.L. 1915. Growth of the fronds of *Nereocystis luetkeana*. Puget Sound Marine Station Publications 1(1):1-8.
- Feder, H.M., C.H. Turner, and C. Limbaugh. 1974. Observations on fishes associated with kelp beds in southern California. Fish Bulletin #160. California Dept. Fish & Game, Sacramento, California. 144 p.
- Fitch J.E. 1963. Offshore fishes of California. 2nd revision. California Department of Fish and Game, Sacramento, CA. 80 p.
- Foreman, R.E. 1970. Physiology, ecology, and development of the brown alga *Nereocystis luetkeana* (Mertens) P. & R. Ph.D Dissertation, University of California, Berkeley. iii + 114 p.
- Foster, M.S. 1975a. Regulation of algal community development in a *Macrocystis pyrifera* forest. Mar. Bio. 32:331-342.
- Foster, M.S. 1975b. Algal succession in a *Macrocystis pyrifera* forest. Mar. Bio. 32: 313-329.
- Foster, M.S. 1982. The regulation of macroalgal associations in kelp forests. Synthetic and Degradative Processes in Marine Macrophytes. L. Srivastava (ed.). Walter de Gruyter Co., Berlin. p. 185-205.
- Foster, M.S., A.C. Charters, and M. Neushul. 1971a. The Santa Barbara oil spill. Part 1. Initial quantities and distribution of pollutant crude oil. Environ. Pollut. 2:97-113.
- Foster, M.S., M. Neushul, and R. Zingmark. 1971b. The Santa Barbara oil spill. Part 2. Initial effects on intertidal and kelp bed organisms. Environ. Pollut. 2:115-134.
- Foster, M.S., C. Agegan, R. Cowen, R. Van Wagenen, D. Rose, and A. Hurley. 1979a. Toward an understanding of the effects of sea otter foraging on kelp forest communities in central California. Final Rept. to U.S. Marine Mammal Commission, Contract No. NM7ACCO23. National Technical Information Service, Springfield, VA, Publ. PB293891. 60 p.
- Foster, M.S., R. Cowen, C. Agegan, D. Rose, R. Van Wagenen, and A. Hurley. 1979b. Continued studies of the effects of sea otter foraging on kelp forest communities in central California. Mimeo. Report to California Department of Fish and Game, Sacramento, in fulfillment of contract No. S-1156. 107 p.
- Foster, M.S., and D. Reed. 1980. Studies of the effects of sea otter foraging on kelp

- forest communities in central California. Year Three. Mimeo. Rept. to Calif. Dep. Fish and Game, Sacramento, in fulfillment of Contract No. S-1156. 57 p.
- Foster, M.S. and D.R. Schiel. 1985. The ecology of giant kelp forests in California: a community profile. Biological Report 85 (7.2). United States Fish and Wildlife Service. 152 p.
- Foster, M.S., and J.S. Heine. 1981. Studies of the effects of sea otter foraging on kelp forest communities in central California. Year Four. Mimeo. Rept. to Calif. Dep. Fish and Game, Sacramento, in fulfillment of Contract No. S-1156. 38 p.
- Foreman, R.E. 1984. Studies on *Nereocystis* growth in British Columbia, Canada. *Hydrobiologia* 116/117:325–332.
- Frye, T.C. 1930. Splitting of the leaf of *Nereocystis*. Puget Sound Biological Station Publication 7:413–417.
- Gadgil, M. 1971. Dispersal: population consequences and evolution. *Ecology* 51(1):253–261.
- Gerard, V.A. 1976. Some aspects of material dynamics and energy flow in a kelp forest in Monterey Bay, California. Ph.D. Dissertation, University of California, Santa Cruz. 173 p.
- Gerard, V.A. 1982a. *In situ* rates of nitrate uptake by giant kelp, *Macrocystis pyrifera* (L.) C. Agardh: tissue differences, environmental effects, and predictions of nitrogen-limited growth. *J. Exp. Mar. Biol. Ecol.* 62:211-224.
- Gerard, V.A. 1982b. *In situ* water motion and nutrient uptake by the giant kelp, *Macrocystis pyrifera*. *Mar. Biol.* 69:51-54.
- Gerard, V.A. 1982c. Growth and utilization of internal nitrogen reserves by the giant kelp *Macrocystis pyrifera* in a low-nitrogen environment. *Mar. Biol.* 66:27-35.
- Gerard, V.A. 1984. Physiological effects of El Niño on giant kelp in southern California. *Marine Biology Letters* 11 p.
- Ghelardi, R.J. 1971. "Species" structure of the animal community that lives in *Macrocystis pyrifera* holdfasts. In *The biology of giant kelp beds (Macrocystis)* in California. W.J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre, p. 381-420.
- Glantz, D.A. 1991. 1990 kelp forest enhancement report to Director of California Department of Fish & Game. 9 p.
- Glantz, D.A. 1992a. 1991 kelp forest enhancement report to Director of California Department of Fish & Game. 15 p.
- Glantz, D.A. 1992b. Supplemental feeding of sea urchins to protect and enhance kelp. Report #T-CSGCP-029. California Sea Grant college, San Diego, California. 2 p.
- Glantz, D.A. 1993. 1992 kelp forest enhancement report to Director of California Department of Fish & Game. 13 p.
- Goff, L.J. and J.C. Glasgow. 1980. Pathogens of marine plants. Special Publication Number 7. Center for Coastal Marine Studies. University of California. Santa Cruz, CA. 236 p.
- Gonzalez-Fragoso, J., S.E. Ibarra-Obando, and W.J. North. 1991. Frond elongation rates of shallow water *Macrocystis pyrifera* (L.) Ag. in northern Baja California, Mexico. *J. Appl. Phycol.* 3(4):311-318.
- Gotshall, D.W., L.L. Laurent, S.L. Owens, J. Grant, and P. Law. 1984. A quantitative ecological study of selected nearshore marine plants and animals at the Diablo Canyon power plant site: a pre-operational baseline, 1973 – 1978. California Department of Fish and Game. Marine Resources Technical Report No. 48. 726 p.
- Gotshall, D.W., J.R. Ally, D.L. Vaughan, B.B. Hatfield, and P. Law. 1986. Pre-operational baseline studies of selected nearshore marine biota at the Diablo Canyon power plant site: 1979 – 1982. California Department of Fish

- and Game. Marine Resources Technical Report No. 50. 370 p.
- Graham, M. H. 1996. Effect of high irradiance on recruitment of the giant kelp *Macrocystis* (Phaeophyta) in shallow water. *J. Phycol.* 32(6) : 903-906.
- Graham, M. H. 1997. Factors determining the upper limit of giant kelp, *Macrocystis pyrifera* (Agardh), along the Monterey Peninsula, central California, USA. *J. Exp. Mar. Biol. Ecol.* 218(1) : 127-149.
- Grant, J.J., K.C. Wilson, A. Grover, and H.A. Togstad. 1982. Early development of Pendleton artificial reef. *Mar. Fish. Rev.* 44(6-7):53-60.
- Graham, Joseph J. and David W. Townsend. 1985. Mortality, Growth, and Transport of Larval Atlantic Herring *Clupea harengus* in Maine Coastal Waters. *Transactions of the American Fisheries Society* 114: 490-498.
- Graham, M. H. 1996. Effect of high irradiance on recruitment of the giant kelp *Macrocystis* (Phaeophyta) in shallow water. *J. Phycol.* 32(6) : 903-906.
- Graham, M. H. 1997. Factors determining the upper limit of giant kelp, *Macrocystis pyrifera* (Agardh), along the Monterey Peninsula, central California, USA. *J. Exp. Mar. Biol. Ecol.* 218(1) : 127-149.
- Grigg, R.W., and R.S. Kiwala. 1970. Some ecological effects of discharged wastes on marine life. *Calif. Fish Game.* 56:145-155.
- Grove, R.S. 1993. Coastal mitigation at a nuclear generating station. *Shore and Beach.*
- Guzman del Proo, S.A., S. de la Campa de Guzman, and J.L. Granados Gallegos. 1971. El sargazo gigante (*Macrocystis pyrifera*) y su explotacion en Baja California. *Rev. Soc. Mex. Hist. Nat.* 32:15-49.
- Haegele, C.W. and J.F. Schweigert. 1985. Distribution and characteristics of herring spawning grounds and description of spawning behavior. *Can. J. Fish Aquat. Sci.* 42 (Supplement 1):39-55
- Halliwell, G.R., K.C. Vierra, C.N.K. Mooers, M.D. Earle, and K. Bush. 1980. A Climatology and Oceanographic Analysis of the California Pacific Outer Continental Shelf Region. Final Report to the Bureau of Land Management, USDI, NOAA, Washington D.C.
- Hanan, D., and J. Sisson. 1992. Pinnipeds. In California's living marine resources and their utilization. W.S. Leet, C.M. DeWees, and C.W. Haugen (eds.). California Sea Grant Extension Publication UCSGEP-92-12. p. 208-211.
- Harris, L.G., A.W. Ebeling, D.R. Laur, and R.J. Rowley. 1984. Community recovery after storm damage: A case of facilitation primary succession. *Science* 224(4655):1336-1338.
- Harrold, C. 1981. Feeding ecology of the asteroid *Pisaster giganteus* in a kelp forest: prey selection, predator-prey interactions, and energetics. Ph.D. Dissertation, University of California, Santa Cruz. 163 p.
- Harrold, C., and D.C. Reed. 1985. Food availability, sea urchin grazing, and kelp forest community structure. *Ecology* 66(4):1160-1169.
- Harrold, C. and J.S. Pearse. 1987. The ecological role of echinoderms in kelp forests. *Echinoderm Studies* 2:137-233.
- Harrold, C., J. Watanabe, and S. Lisin. 1988. Spatial variation in the structure of kelp forest communities along a wave gradient. *Publication della Strzione Zoologica di Napoli I: Marine Ecology* 9(2):131-156.
- Harrold, C., K. Light, and S. Lisin. 1998. Organic enrichment of submarine-canyon and continental-shelf benthic communities by macroalgal drift imported from nearshore kelp forests. *Linol. Oceanogr.* 43(4) : 669-678.
- Hartge, L.A. 1928. On *Nereocystis*. Puget Sound Biological Station Publications 6:207-237.
- Hartney, K.B. 1996. Site fidelity and homing behaviour of some kelp-bed fishes. *J. Fish. Bio.* 49(6) p.1062-1069.

- Hawkes, M.W., C.E. Tanner, and P.A. Lebednik. 1978. The benthic marine algae of northern British Columbia. *Sysis* 11:81-115.
- Hernandez, C.G. 1996. Frond elongation rates of *Macrocystis pyrifera* (L.) AG. At Bahia Tortugas, Baja California Sur, Mexico. *Cienc. Mar.* 22(1) : 57-72.
- Hertlein, L.G. and U.S. Grant, IV. 1954. The geology and paleontology of the marine pliocene of San Diego, California. *Memoirs of the San Diego Society of Natural History*, v. 2.
- Hickey, B.M. 1979. The California Current System-hypothesis and facts. *Progress in Oceanography* 8:191-279.
- Hilborn,R. and C.J.Walters.1992. Quantitative Fisheries Stock Assessment:Choice, Dynamics and Uncertainty. Chapman and Hall. 570 pp.
- Hines, A.H. 1982. Coexistence in a kelp forest: size, population dynamics, and resource partitioning in a guild of spider crabs (Brachyura, Majidae). *Ecological Monographs* 52(2):179-198.
- Hobday, A.J. 2000. Abundance and dispersal of drifting kelp *Macrocystis pyrifera* rafts in the Southern California Bight. *Mar. Ecol. Prog. Ser.* 195:101-116.
- Hobson, E.S. 1989. Changes in the nearshore environment attributed to the sea urchin fishery. NMFS-Tiburon Lab. Newsletter. p. 25.
- Hobson, E.S., and J.R. Chess. 1976. Trophic interactions among fishes and zooplankters near shore at Santa Catalina Island, California. *Fishery Bulletin* 74(3):567-598.
- Hobson, E.S. and J.R. Chess. 1988. Trophic relations of the blue rockfish, *Sebastodes mystinus*, in a coastal upwelling system off northern California. *Fishery Bulletin* 86(4):715-743.
- Hodder, D.T., and M.R. Mel. 1977. A kelp survey of the southern California bight and appendices to report 2.6. So. Calif. Baseline Study Final Rept. Vol. III, Report 2.6 Submitted to BLM. 80 p.
- Holbrook, S.J., M.H. Carr, R.J. Schmitt, and J.A. Coyer. 1990. Effect of giant kelp on local abundance of reef fishes - the importance of ontogenetic resource requirements. *Bull. Mar. Sci.* 47(1):104-114.
- Houk, J.L., and K. McCleneghan. 1993. Effects of kelp canopy removal on young-of-the-year rockfish abundance, using two census methods. *Calif. Dept. Fish & Game, Marine Resources Admin. Rept.* 93-5. 29 p.
- Hubbs, C.L., A.L. Kelly, and C. Limbaugh. 1970. Diversity in feeding by Brandt's cormorant near San Diego. *Calif. Fish Game* 56:156-165.
- Hurd, A.M. 1916. Factors Influencing the growth and distribution of *Nereocystis luetkeana*. *Puget Sound Marine Station Publications* 1(17):185-197.
- Huyer, A. 1983. Coastal Upwelling in the California Current System. *Prog.Oceanog.* Vol. 12:259-284.
- IMR. 1963. Kelp habitat improvement project final report. IMR Ref. 63-13. 123 p.
- Ingmanson, D.E. and W.J. Wallace. 1973. Oceanology: an introduction. Wadsworth Publishing Company. 325 p.
- Jackson, G.A. 1977. Nutrients and the production of giant kelp, *Macrocystis pyrifera*, off southern California. *Limnology and Ecology* 22:979-995.
- Jackson, G.A. 1983. The physical and chemical environment of a kelp community.in W. Bascom, (ed.). The effects of waste disposal on kelp communities. Southern California Coastal Water Research Project, Long Beach. p. 11-37.
- Jackson, G.A., D.E. James, and W.J. North. 1985. Morphological relationships among fronds of giant kelp, *Macrocystis pyrifera* , off La Jolla, California. *Mar. Ecol. Progress Series.* 26(3):261-270.
- Jahn, A.E., W.J. North, J.B. Palmer, and R.S. Grove. 1998. Coastal power plant discharge enhances nitrogen content of kelp (*Macrocystis pyrifera*). *J. Coast.*

- Res. 14(2) : 600-603.
- James, D.E., S.L. Manley, M.C. Carter, and W.J. North. 1987. Effects of PCB's and hydrazine on life processes in microscopic stages of selected brown seaweeds. *Hydrobiologia* 151/152:411-415
- Johnson, S.R., J.J. Burns, C.I. Malme, and R.A. Davis. 1989. Synthesis of information on the effects of noise and disturbance on major haulout concentrations of Bering Sea pinnipeds. U.S. Department of Interior. U.S. Minerals Management Service. Alaskan Outer Continental Shelf Region. Contract No. 14-12-0001-30361. 267 p.
- Jones, L.G. 1971. Studies on selected small herbivorous invertebrates inhabiting *Macrocystis* canopies and holdfasts in southern California kelp beds. In *The biology of giant kelp beds (Macrocystis)* in California. W.J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre. p. 343-367.
- Jones and Stokes Associates, Inc. 1981. Ecological characterization of the central and northern California coastal region. Vol. III, Part 1, Habitats. U.S. Fish and Wildlife Service, Office of Biological Services, and Bureau of Land Management, Pacific Outer Continental Shelf Office, Washington, D.C. FWS/OBS-80/47.1. 473 p.
- Kain, J.M. 1966. The role of light in the ecology of *Laminaria hyperborea*. In: R. Bairebridge, G.C. Evans, and O. Rackham (ed.). Light as an ecological factor. Symp. British Ecological Society. Blackwell Sci. Publ., Oxford, p. 319-334.
- Kain, J.M. 1971. Continuous recording of underwater light in relation to *Laminaria* distribution. In D.J. Crisp (ed.). 4th European Mar. Biol. Symp. Cambridge Univ. Press. p. 335-346.
- Kain, J.M. 1982. Morphology and growth of the giant kelp *Macrocystis pyrifera* in New Zealand and California. *Mar. Bio.* 67:143-157.
- Kain, J.M. 1987. Patterns of relative growth in *Nereocystis luetkeana* (Phaeophyta). *J. Phycol.* 23:181-187.
- Kain, J.M. and T.A. Norton. 1987. Growth of blades of *Nereocystis luetkeana* (Phaeophyta) in darkness. *J. Phycol.* 24:464-469.
- Kalvass, P.E. and J.M. Hendrix. 1997. The California red sea urchin (*Strongylocentrotus franciscanus*) fishery: catch, effort and management trends. *Marine Fish. Rev.* 59(2):1-17.
- Karpov, K.A., P. Haaker, I. Taniguchi, and L. Rogers-Bennett. In Press. Serial depletion and the collapse of the California abalone (*Haliotis spp.*) Fishery. In Workshop on rebuilding abalone stocks in British Columbia. A. Campbell (ed.). *Can. Spec. Publ. Fish. Aquat. Sci.* 130 : xx-xx.
- Karpov, K.A. and M.J. Tegner. 1992. Abalones. In Leet, W.S., C.M. Dewees, and C.W. Haugen (eds.). California's Living Marine Resources and their Utilization. California Sea Grant Extension Program. Department of Wildlife and Fisheries Biology, University of California, Davis, CA. p 33-36.
- Karpov, K.A., P.L. Haaker, I.K. Taniguchi, and L. Rogers-Bennett. In Press. Serial depletion and the collapse of the California abalone (*Haliotis spp.*) fishery. *Canadian Journal of Fish. and Aq. Sci.* 13p.
- Karpov, K.A., J. Geibel and P. Law. In Press. The red abalone, *Haliotis rufescens*, sport fishery in central and northern California from creel 1974-94, aerial 1975-85, and telephone 1985-89 survey. *Calif. Dept. of Fish and Game Marine Resources Admin. Rpt.*
- Kato, S. and S.C. Schroeter. 1985. Biology of the red sea urchin, *Strongylocentrotus franciscanus*, and its fishery in California. *Mar. Fish. Rev.* 47(3):1-20.
- Kelco Division of Merck & Co., Inc. 1990. Santa Barbara County kelp restoration in sand habitats. California Department of Fish & Game contract No. 6C-1887 final

- report. 34 p.
- Kelco Division of Merck & Co., Inc. 1992. 1991 Santa Barbara kelp restoration project. California Department of Fish & Game contract No. FG-0322. Final report 1992. MBC Applied Environmental Sciences, Costa Mesa, California. 33 p.
- Kenyon, K. 1969. The sea otter in the eastern Pacific Ocean. North American Fauna 68:1-352.
- Kerwin, J.L., L.M. Johnson, H.C. Whisler, and A.R. Tuininga. 1992. Infection and morphogenesis of *Pythium marinum* in species of *Porphyra* and other red algae. Can. J. Bot. Rev. Can. Bot. 70(5):1017-1024.
- Kimura, R.S., and M.S. Foster. 1984. The effects of harvesting *Macrocystis pyrifera* on the algal assemblage in a giant kelp forest. Hydrobiologia 116/117:425-428.
- Koehl, M.A.R. and S.A. Wainwright. 1977. Mechanical adaptations of a giant kelp. Limnology and Oceanography 22(6):1067-1071.
- Koehl, M.A.R. and R.S. Alberte. 1988. Flow, flapping, and photosynthesis of *Nereocystis luetkeana*: a functional comparison of undulate and flat blade morphologies. Marine Biology 99:435-444.
- Konar, B. and C. Roberts. 1996. Large scale landslide effects on two exposed rocky subtidal areas in California. Botanica Marina 39(6):517-524.
- Larson, R.J. and E.E. DeMartini. 1984. Abundance and vertical distribution of fishes in a cobble-bottom kelp forest off San Onofre, California. Fish. Bull. 82(1) p. 37-53.
- Laur, D.R., and A.W. Ebeling. 1983. Predator-prey relationships in surfperches. Environmental Biology of Fishes 8(3-4):217-229.
- Larson, R. J. and E.E. DeMartini. 1984. Abundance and vertical distribution of fishes in a cobble-bottom kelp forest of San Onofre. California Fish. Bull. 82(1):37-53.
- Lawrence, J.M. 1975. On the relationships between marine plants and sea urchins. Oceanography and Marine Biology an Annual Review 13:213-286.
- Leaman, B.M. 1980. The ecology of fishes in British Columbia kelp beds. I. Barkley sound *Nereocystis* beds. Fisheries Development Report No. 22. Marine Resources Branch. Ministry of Environment. Province of British Columbia. 100 p.
- Leet, W.S., C.M. Dewees, C.W. Haugen. 1992. California living marine resources and their utilization. California Sea Grant Extension Program. UCSGEP-92-12. 257 p.
- Leighton, D.L. 1966. Studies of food preference in algivorous invertebrates of southern California kelp beds. Pacific Science 20:104-113.
- Leighton, D.L. 1971. Grazing activities of benthic invertebrates in southern California kelp beds. In The biology of giant kelp beds (*Macrocystis*) in California. W. J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre. p. 421-453.
- Leighton, D.L., L.G. Jones, and W.J. North. 1966. Ecological relationships between giant kelp and sea urchins in southern California. Proc. Fifth Inter. Seaweed Symp. 5:141-153.
- Limbaugh, C. 1955. Fish life in the kelp beds and the effects of kelp harvesting. IMR Reference 55-9. 158 p.
- Kingsford, M.J. 1995. Drift algae: a contribution to near-shore habitat complexity in the

- pelagic environment and an attractant for fish. Mar. Ecol. Prog. Ser. 116:297-301.
- Kirkman, H., and G.A. Kendrick. 1997. Ecological significance and commercial harvesting of drifting and beach-cast macro-algae and seagrasses in Australia: a review. J. Appl. Phycol. 9:311-326.
- Lobban, C.S. 1978. Translocation of  $^{14}\text{C}$  in *Macrocystis pyrifera*. Plant Physiology 61:585-589.
- Lobban, C. S., P. J. Harrison and M.J. Duncan. 1985. *The physiological ecology of seaweeds*. Cambridge University Press, New York.
- Lowry, L.F., and J.S. Pearse. 1973. Abalones and sea urchins in an area inhabited by sea otters. Mar. Bio. 23:213-219.
- Lowry, L.F., A.J. McElroy, and J.S. Pearse. 1974. The distribution of six species of gastropod molluscs in a California kelp forest. Biological Bulletin 147:386-396.
- Lüning, K., and M. Neushul. 1978. Light and temperature demands for growth and reproduction of Laminarian gametophytes in southern and central California. Mar. Bio. 45:297-309.
- Lüning, K. 1981. Photobiology of seaweeds: ecophysiological aspects. Proc. Tenth Int. Seaweed Symp. 10:35-55.
- Lüning, K. and W. Freshwater. 1988. Temperature tolerance of northeast Pacific marine algae. Journal of Phycology 24(3):310-315.
- MacMillan, C. 1899. Observations on *Nereocystis*. Bulletin of the Torrey Botanical Club 26(6):273-296.
- Manley, S.L. 1985. Phosphate uptake by blades of *Macrocystis pyrifera* (Phaeophyta). Bot. Mar. 28:237-244.
- Manley, S.L., and W.J. North. 1984. Phosphorus and the growth of juvenile *Macrocystis pyrifera* (Phaeophyta) sporophytes. J. Phycol. 20:389-393.
- Markham, J.W. 1969. Vertical distribution of epiphytes on the stipe of *Nereocystis luetkeana* (Mertens) Postels and Ruprecht. Syesis 2(1/2):227-240.
- MBC, Applied Environmental Sciences. 1990. Orange County kelp restoration project 1987-1989. California Department of Fish & Game contract No. 6C-1388. Sacramento, California. 74 p.
- McClennahan, K., and J.L. Houk. 1985. The effects of canopy removal on holdfast growth in *Macrocystis pyrifera* (Phaeophyta; Laminariales). Calif. Fish and Game 71:21-27.
- McFarland, F.M. 1912. The kelps of the central California coast. In F.K. Cameron (ed.). A preliminary report on the fertilizer resources of the United States. U.S. Senate, 62nd Congress; 2nd session. Document 190, Washington D. C., p.194-208.
- McFarland, W.N., and J. Prescott. 1959. Standing crop, chlorophyll content and in situ metabolism of a giant kelp community in southern California. Texas Univ., Inst. Marine Science Pub. 6:109-132.
- McLean, J.G. 1962. Sublittoral ecology of kelp beds of the open coast area near Carmel, California. Biological Bulletin 122(1):95-114.
- McPeak, R.H. 1977. Observations and transplantation studies at Point Loma and

- La Jolla. In Kelp habitat improvement project (KHIP) annual report 1 July, 1974 - 30 June, 1975. California Institute of Technology, Pasadena, California. p. 92-102.
- McPeak, R.H., and D.A. Glantz. 1984. Harvesting California's kelp forests. *Oceanus* 27(1):19-26.
- McPeak, R.H., D.A. Glantz, and C.R. Shaw. 1988. The amber forest. Watersport Publishing, Inc. San Diego, CA. 144 p.
- McPeak, R.H., and D.C. Barilotti. 1993. Techniques for managing and restoring *Macrocystis pyrifera* kelp forests in California, USA. Universidad Católica del Norte, Coquimbo, Chile. Occasional Series 2:271-284.
- Meistrell, J.C., and D.E. Montagne. 1983. Waste disposal in southern California and its effects on the rocky subtidal habitat. In *The effects of waste disposal on kelp communities*. W. Bascom, (ed.). Southern California Coastal Water Research Project. Long Beach. p. 84-102.
- Merrill, J.E. 1989. Cultivation of bull kelp in Washington State, USA. *Appl. Phycol. Forum*. 6(3):6-7.
- Merrill, J.E. 1991. Environmental mitigation with *Nereocystis* using long-line cultivation methods. *Appl. Phycol. Forum*. 8(1):1-2.
- Mertz, R.C. 1959. Determination of the quantity of oily substances on beaches and in nearshore waters. California State Water Pollution Control Board, Sacramento. Publ. 21. 45 p.
- Miller, D.J., and J.J. Geibel. 1973. Summary of blue rockfish and lingcod life histories; a reef ecology study; and giant kelp, *Macrocystis pyrifera*, experiments in Monterey Bay, California. Fish Bulletin 158. Calif. Dep. Fish and Game, Sacramento, California. 137 p.
- Miller, K.A. and R.N. Lea. 1972. Guide to the coastal marine fishes of California. Fish Bulletin 157. California Department of Fish and Game. Sacramento. 249 p.
- Miller, K.A. and J.A. Estes. 1989. Western range extension for *Nereocystis luetkeana* in the north Pacific Ocean. *Botanica Marina* 32:535-538.
- Mitchell, C.T., and J.R. Hunter. 1970. Fishes associated with drifting kelp, *Acrocystis pyrifera*, off the coast of southern California and northern Baja California. *Calif. Fish & Game* 56(4):288-297.
- Moore, T.O. and P.N. Reilly. 1989. Pacific Herring, *Clupea harengus pallasi*, Experimental Roe-on-Kelp Open Pound Fishery Studies in San Francisco Bay, December 1987 to February 1988. California Department of Fish and Game, Marine Resources Division, Administrative Report No. 89-3. 27p.
- MRC. 1989. Final report of the Marine Review Committee to the California Coastal Commission. MRC Document No. 89-02.
- Namias, J. and Cayan, D.R. 1984. El Niño: implications for forecasting. *Oceanus* 27:41-47.
- National Oceanic and Atmospheric Administration (NOAA). 1980. United States coast pilot 7 – pacific coast: California, Oregon, Washington, and Hawaii. (16th edition). U.S. Department of Commerce. NOAA. National Ocean

- Service. Rockville, MD. 466 p.
- National Marine Fisheries Service (NMFS). 1990. West coast of North America – coastal and oceans zones strategic assessment: Data atlas invertebrates and fish volume. 100+ p.
- National Oceanic and Atmospheric Administration (NOAA). 1990a. Draft environmental impact statement and management plan for the proposed Monterey Bay national marine sanctuary. Vol. I. U.S. Department of Commerce. NOAA. National Ocean Service. Office of Ocean and Coastal Resource Mgt. Marine and Estuarine Mgt. Div., Washington, D.C. 100 p.
- National Oceanic and Atmospheric Administration (NOAA). 1990b. Estuaries of the United States. Vital statistics of a national resource base. A special NOAA 20th anniversary report. Rockville, MD: Strategic Assessment Branch. Ocean Assessment Division. 79 p.
- Neushul, M., M.S. Foster, D.A. Coon, J.W. Woessner, and W.W. Harger. 1976. An in situ study of recruitment, growth and survival of subtidal marine algae: techniques and preliminary results. *J. Phycol.* 12:397-408.
- Neushul, M. 1971a. The species of *Macrocystis* with particular reference to those of North and South America. *In The Biology of Giant Kelp Beds (Macrocystis) in California.* W.J. North (ed.). J. Cramer. Lehre. p. 211-222.
- Neushul, M. 1971b. Submarine illumination in *Macrocystis* beds. *In The Biology of Giant Kelp Beds (Macrocystis) in California.* W.J. North, (ed.). J. Cramer. Lehre. p. 241-254.
- Neushul, M. 1981. Historical review of kelp beds in the southern California bight. Southern California Edison Company Research Report Series, Number 81-RD-98. Neushul Mariculture Incorporated, Goleta, California. 74 p.
- Neushul, M., W.D. Clarke, and D.W. Brown. 1967. Subtidal plant and animal communities of the southern California Islands. *Symp. Biol. California Isl.* p. 37-55.
- Neushul, P. 1987. Energy from marine biomass: the historical record. *Seaweed Cultivation for Renewable Resources.* K.T. Bird and P.H. Benson (eds.). Elsevier, New York. 37 p.
- Nicholson, N.L. 1968. The role of translocation of photosynthate in *Nereocystis luetkeana*. Ph.D. Dissertation. Stanford University. vii + 95 p.
- Nicholson, N.L. 1970. Field studies of the giant kelp *Nereocystis*. *Journal of Phycology.* 6:177-182.
- Nicholson, N.L. 1976. Order Laminariales. *Marine Algae of California.* Abbott, I. A., Hollenberg, G. J. (ed.). Stanford University Press, Stanford. p. 228-259.
- Nicholson, N.L., H. Hosmer, K. Bird, L. Hart, W. Sandlin, C. Shoemaker, and C. Sloan. 1981. The biology of *Sargassum muticum* (Yendo) Fensholt at Santa Catalina Island, California. *Proc. Eighth Int. Seaweed Symposium.* 8:416-424.
- North, W.J. 1964. Ecology of the rocky nearshore environment in southern California and possible influences of discharged wastes. *Advances in Water Pollution Research* 3:247-274.

- North, W.J. 1967. Kelp Habitat Improvement Project: Annual Report 1966-1967. W.M. Keck Laboratory of Environmental Health Engineering. California Institute of Technology, Pasadena. 105 p.
- North, W.J. 1968a. Studies of kelp deterioration at south Point Loma. Kelp Habitat Improvement Project; Ann. Rept. 1967-1968. Calif. Insti. Tech., Pasadena, p. 75-84.
- North, W.J. 1968b. Effects of canopy cutting on kelp growth: comparison of experimentation with theory. In W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 223-254.
- North, W.J. 1968c. Concluding discussion. In W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 255-260.
- North, W.J. 1969. Kelp Habitat Improvement Project: Annual Report 1968-1969. W.M. Keck Laboratory of Environmental Health Engineering. California Institute of Technology, Pasadena. 142 p.
- North, W.J. 1971a. The Biology of Giant Kelp Beds (*Macrocystis*) in California. Beihefte zur Nova Hedwigia. 32. J. Cramer, Lehre. 600 p.
- North, W.J. 1971b. Introduction and background. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer, Lehre. p. 1-97.
- North, W.J. 1971c. Growth of individual fronds of the mature giant kelp *Macrocystis*. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer, Lehre. p. 123-168.
- North, W.J. 1972. Observations on populations of *Macrocystis*. In Contributions to the systematics of benthic algae of the North Pacific. M. Kurogi and I. A. Abbott (ed.). Japanese Society of Phycology, Kobe, p. 75-82.
- North, W.J. 1974. Operations in San Diego County. In Kelp Habitat Improvement Project; Ann. Rept. 1973-1974. Calif. Insti. Tech., Pasadena. p. 13-28.
- North, W.J. 1979. Adverse factors affecting giant kelp and associated seaweeds. Experientia 35(4):445-447.
- North, W.J. 1980. Trace metals in giant kelp, *Macrocystis*. Am. J. Bot. 67(7):1097-1101.
- North, W.J. 1983. The sea urchin problem. In The Effects of Waste Disposal on Kelp Communities. W. Bascom (ed.). Southern California Coastal Water Research Project, Long Beach, California. p. 147-162.
- North, W.J. 1986. Biology of the *Macrocystis* resource in North America. Fisheries Technology Papers # 281. Food and Agriculture Organization (FAO), United Nations. p. 265-312.
- North, W.J. 1994. Review of *Macrocystis* Biology. Biology of economic algae. Akatsuka (ed.). Academic Publishing, The Hague, The Netherlands. 545 p.
- North, W.J., M. Neushul, and K.A. Clendenning. 1964. Successive biological changes observed in a marine cove exposed to a large spillage of mineral oil.

- In: Proc. symposium on pollution of marine organisms. Prod. Petrol., Monaco. p. 335-354.
- North, W.J., and C.L. Hubbs (eds.). 1968. Utilization of kelp-bed resources in southern California. Fish Bulletin 139. California Department of Fish and Game. Sacramento, CA. 264 p.
- North, W.J., and J.S. Pearse. 1970. Sea urchin population explosion in southern California coastal waters. Science 167:209.
- North, W.J., V.A. Gerard, and J. Kuwabara. 1982. Farming *Macrocystis* at coastal and oceanic sites. In L. Srivastava, (ed.). Synthetic and degradative processes in marine macrophytes. Walter de Gruyter, Berlin. p. 247-264
- North, W.J., G.A. Jackson, and S.L. Manley. 1986. *Macrocystis* and its environment, knowns and unknowns. Aquatic Botany 26:9-26.
- North, W.J., D.E. James, and L.G. Jones. 1993. History of kelp beds (*Macrocystis*) in Orange and San Diego Counties, California. Proc. Fourteenth Int. Seaweed Sym. 14:277-283.
- Norton, J., D. McLain, R. Brainard, and D. Husby. 1985. The 1982-83 El Niño event of Baja and Alta California and its ocean climate context. In El Niño North: Niño effects in the eastern subarctic pacific ocean. W.S. Wooster and D.L. Fluharty, (eds.). p. 44-72.
- Oda, K.T. 1989. The pacific herring, *Clupea harengus pallasi*, open pound roe-on-kelp experimental fishery in San Francisco Bay, 1988 to 1989. California Department of Fish and Game. Marine Resources Division Administrative Report No. 89-7. 18 p.
- Owen, R.W. 1980. Eddies of the California Current system:Physical and ecological characteristics. Pp. 237-263 in, D.M. Power (ed.), The California Islands:Proceedings of a Multidisciplinary Symposium. Santa Barbara Museum of Natural History, Santa Barbara, California.
- Pace, D. 1981. Kelp community development in Barkley Sound, British Columbia following sea urchin removal. In G.E. Fogg and W.E. Jones (eds.). Proceedings of the eighth international seaweed symposium. p 457-463.
- Pacific Gas and Electric (PGandE). 1987. Thermal effects monitoring program. 1986 annual report. Diablo Canyon Power Plant. May 1987.
- Paine, R.T. and R.L. Vadas. 1969. The effects of grazing by sea urchins, *Strongylocentrotus* spp. on benthic algal populations. Limnology and Oceanography 14:710-719.
- Palmer-Zwahlen, M., J. O'Brien, and L. Laughlin. 1993. Live-fish trap fishery in southern California (1989-1992) and recommendations for management. California Department of Fish and Game. Marine Resources Division. Unpublished report. 24 p.
- Parker, B.C. 1963. Translocation in the giant kelp *Macrocystis*. Science 40:891-892.
- Parker, B.C. 1971a. The internal structure of *Macrocystis*. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 99-121.

- Parker, B.C. 1971b. Studies of translocation in *Macrocystis*. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 190-195.
- Parrish, R.H., C.S. Nelson, and A. Bakun. 1981. Transport mechanisms and reproductive success of fishes in the California Current. Biological Oceanography 1(2):175-203.
- Patton, M.L., C.F. Valle, and R.S. Grove. 1994. Effects of bottom relief and fish grazing on the density of the giant kelp, *Macrocystis*. Bull. Mar. Sci. 55 (2-3) p. 631-644.
- Pearse, J.S., M. Clark, D.L. Leighton, C. Mitchell, and W.J. North. 1970. Marine waste disposal and sea urchin ecology. Final Report; Grant 18050 DNV. 123 p.
- Pearse, J.S. and A.H. Hines. 1979. Expansion of a central California kelp forest following mass mortality of sea urchins. Marine Biology 51(1):83-91.
- Pondella, D.J. and J.S. Stephens, Jr. 1994. Factors affecting the abundance of juvenile fish species on a temperate artificial reef. Bull. Mar. Sci. 55 (2-3) p. p. 1216-1223.
- Quast, J.C. 1968a. Fish fauna of the rocky inshore zone. In W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 35-55.
- Quast, J.C. 1968b. Estimates of the populations and the standing crop of fishes. In W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 57-79.
- Quast, J.C. 1968c. Observations on the food of the kelp-bed fishes. In W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 109-142.
- Quast, J.C. 1968d. Effects of kelp harvesting on fishes. In: W.J. North and C.L. Hubbs (eds.). Utilization of kelp-bed resources in southern California. Calif. Dep. Fish and Game, Fish Bull. 139. p. 143-149.
- Quast, J.C. 1971a. Fish fauna of the rocky inshore zone. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre. p. 481-507.
- Quast, J.C. 1971b. Estimates of the populations and standing crop of kelp bed fishes. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre. p. 509-540.
- Quast, J.C. 1971c. Some physical aspects of the inshore environment, particularly as it affects kelp bed fishes. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre. p. 229-240.
- Quast, J.C. 1971d. Observations on the food of the kelp bed fishes. In The biology of giant kelp beds (*Macrocystis*) in California. W.J. North (ed.). Beihefte zur Nova Hedwigia, 32. J. Cramer. Lehre. p. 541-579.
- Rasmusson, E.M. 1984. El Niño: The ocean/atmosphere connection. Oceanus 27(2):5-12.
- Reed, D.C. 1987. Factors affecting the production of sporophylls in the giant kelp

- Macrocystis pyrifera* (L.) C. Ag. J. Exp. Mar. Bio. Ecol. 113(1):61-69.
- Reed, D.C. 1990. The effects of variable settlement and early competition on patterns of kelp recruitment. Ecology 71(2):776-787.
- Reed, D.C., and M.S. Foster. 1982. The effects of canopy shading on algal recruitment and growth in a giant kelp forest. Ecology 65(3):937-948.
- Reed, D.C., D.R. Laur, and A.W. Ebeling. 1988. Variation in algal dispersal and recruitment: the importance of episodic events. Ecological Monographs 58(4):321-335.
- Reed, D.C., C.D. Amsler, and A.W. Ebeling. 1992. Dispersal in kelps: Factors affecting spore swimming and competency. Ecology 73(5):1577-1585.
- Reilly, P.N., K. Oda, and F. Wendell. 1989. Pacific herring, *Clupea harengus pallasi*, studies in San Francisco and Tomales Bays, April 1988 to March 1989. California Department of Fish and Game. Marine Resources Division Administrative Report No. 89-4. 62 p.
- Riedman, M. L., A. H. Hines, and J. S. Pearse. 1981. Spatial segregation of four species of turban snails (Gastropoda: *Tegula*) in central California. Veliger 24:97-102.
- Rigg, G.S. 1915. Seasonal development of bladder kelp. Puget Sound Biological Station Publication 1:309-318.
- Roland, W.G. 1984. Effects of Lamina harvest on the bull kelp, *Nereocystis luetkeana*. Can. J. Bot. 63:333-336.
- Rosell, K.G. and L.M. Srivastava. 1984. Seasonal variation in the chemical constituents of the brown algae *Macrocystis intergrifolia* and *Nereocystis luetkeana*. Can. J. Bot. 62:2229-2236.
- Rosenthal, R.J., W.D. Clarke, and P.K. Dayton. 1974. Ecology and natural history of a stand of giant kelp, *Macrocystis pyrifera*, off Del Mar, California. Fisheries Bulletin 72(3):670-684.
- Sandegren, F.E., E.W. Chu, and J.E. Vandevere. 1973. Maternal behavior in the California sea otter. J. Mammalogy 54:668-679.
- Scagel, R.F. 1947. An investigation on marine plants near Hardy Bay, B.C. Provincial Department of Fisheries. Victoria, British Columbia, Canada. Report No. 1. 70 p.
- Scagel, R.F., D.J. Garbary, L. Golden and M.W. Hawkes. 1986. A synopsis of the benthic marine algae of British Columbia, Northern Washington and Southeast Alaska. Phycological contribution number 1, Department of Botany, University of British Columbia , Vancouver, British Columbia, Canada. 444 pgs.
- Schiel, D.R., and M.S. Foster. 1986. The structure of subtidal algal stands in temperate waters. Oceanography and Marine Biology an Annual Review 24:265-307.
- Schmitz, K. and C.S. Lobban. 1976. A survey of translocation in Laminariales (Phaeophyta). Marine Biology 36:207-216.
- Schott, J. 1976. Dago Ban and its "Horshoe Kelp" bed. Marine Resources Information Bulletin. No. 2. 21p.

- Schroeter, S.C., J.D. Dixon, J. Kastendiek, R.O. Smith and J.R. Bence. 1993. Detecting the ecological effects of environmental impacts: a case study of kelp forest invertebrates. *Ecological Applications*, 3(2):331-350.
- Scofield, W.L. 1959. History of kelp harvesting in California. *California Fish and Game* 45(3):135-157.
- Scotten, H. 1971. Microbiological aspects of the kelp bed environment. In *The biology of giant kelp beds (*Macrocystis*) in California*. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 315-318.
- Setchell, W.A. 1908. *Nereocystis* and *Pelagophycus*. *Botanical Gazette* 45:125-134.
- Setchell, W.A. and N.L. Gardner. 1925. The marine algae of the Pacific coast of North America. III. Melanophyceae. *Univ. Calif. Publ. Bot.*, 8:383-739. 73 pls.
- Seymour, R.J., R.R. Strange III, D.R. Cayan, and R.A. Nathan. 1984. Influence of El Niños on California's wave climate. In: *Nineteenth Coastal Engineering Conference, Proceedings of the International Conference, Sept. 3-7, 1984, Houston, Texas*. B.L. Edge (ed.). Am. Soc. Civil Engineers, New York, vol. 1:577-592.
- Seymour, R.J., M.J. Tegner, P.K. Dayton, and P.E. Parnell. 1989. Storm wave induced mortality of giant kelp, *Macrocystis pyrifera*, in southern California. *Estuarine, Coastal and Shelf Science* 28(6):277-292.
- Sheldon, S.M. 1915. Notes on the growth of the stipe of *Nereocystis luetkeana*. *Puget Sound Marine Station Publications* 1(3):15-18.
- Shields, T.L., G.S. Jamieson, and P.E. Sprout. 1985. Spawn-on-Kelp Fisheries in the Queen Charlotte Islands and Northern British Columbia Coast – 1982 and 1983. Canadian Technical Report of Fisheries and Aquatic Sciences, No. 1372. Department of Fisheries and Oceans, British Columbia, Canada.
- Singer, M. M. 1985. Food habits of juvenile rockfishes (*Sebastodes*) in a central California kelp forest. *Fish Bulletin* 83(4): 531-542.
- Singer, M.M., S. George, S. Jacobson, I. Lee, L.L. Weetman, R.S. Tjeerdema, and M.L. Sowby. 1995. Acute toxicity of the oil dispersant Corexit 9554 to marine organisms. *Ecotoxicol. Environ. Saf.* 32(1) : 81-86.
- Smith, A.I. 1939. The comparative histology of some of the Laminariales. *American Journal of Botany* 26:571-585.
- Smith, C.R. 1983. Enrichment disturbance and deep sea community structure - the significance of large organic falls to bathyal benthos in Santa Catalina Basin. Ph.D. Dissertation, University of California, San Diego. 310 p.
- Smith, E.J. and T.H. Johnson. 1989. The marine life refuges and reserves of California. Revised by D. Zeiner. Marine Resources Information Bulletin No. 1. California Department of Fish and Game. Sacramento, CA. 63 p.
- Smith, R.I. and J.T. Carlton (eds.). 1975. Light's manual: intertidal invertebrates of the central California coast. Third edition. University of California Press. Berkeley. 716 p.
- Snider, L.J. 1985. Demersal zooplankton of the giant kelp *Macrocystis pyrifera*: Patterns of emergence and the population structure of three gammarid

- amphipod species. Ph.D. Dissertation, University of California, San Diego. 294 p.
- Sowles, A.L., A.R. DeGrange, J.W. Nelson, and G.S. Lester. 1980. Catalog of California seabird colonies. U.S. Department of Interior, Fish and Wildlife Service, Biological Services Program. FWS/OBS 37/80. 371 p.
- Spies, R.B., and P.H. Davis. 1979. The infaunal benthos of a natural oil seep in the Santa Barbara Channel. Mar. Biol. 50:227-237.
- Spratt, J. D. 1981. Status of the Pacific Herring, *Clupea harengus pallasi*, Resource in California 1972 to 1980. California Department of Fish & Game Bulletin (171) 1-107.
- Srb, A.M., R.D. Owen, and R.S. Edgar. 1965. General genetics. 2nd edition. W.H. Freeman and Company. San Francisco, CA. 557 p.
- Stephan, J.A. 1979. Analysis of aerial photographs to determine the areal extent of kelp beds near the Diablo Canyon power plant. In Environmental investigations at Diablo Canyon 1975-1977. PGandE, Dept. of Engrg. Res. Vol. I. 61 p.
- Stephens, J.S., P.A. Morris, K. Zerba, and M. Love. 1984. Factors affecting fish diversity on a temperate reef: The fish assemblage of Palos Verdes Point, 1974-1981. Environmental Biology of Fishes 11(4): 259-275.
- Sverdrup, H.V., M.W. Johnson, and R.H. Fleming. 1942. The oceans. Prentice, Hall Inc. 1087 p.
- Tarpley, J.A., and D.A. Glantz. 1992. Marine plant resources: giant kelp. In California's living marine resources and their utilization. W.S. Leet, C.M. DeWees, and C.W. Haugen (eds.). California Sea Grant Extension Publication UCSGEP-92-12. p. 2-5.
- Tegner, M.J. 1980. Multispecies considerations of resource management in southern California kelp beds. In Proceedings of the workshop on the relationship between sea urchin grazing and commercial plant/animal harvesting. J.D. Pringle, G.J. Sharp, and J.F. Caddy (eds.). Canadian Technical Report of Fisheries and Aquatic Sciences 954. Department of Fisheries and Oceans, Canada. p. 125-143.
- Tegner, M.J., and P.K. Dayton. 1981. Population structure, recruitment and mortality of two sea urchins (*Strongylocentrotus franciscanus* and *S. purpuratus*) in a kelp forest near San Diego. Marine Ecology Progress Series 5(3):255-268.
- Tegner, M.J., and P.K. Dayton. 1987. El Niño effects on southern California kelp forest communities. Advances in Ecological Research 17:243-279.
- Tegner, M.J., and P.K. Dayton. 1991. Sea urchins, El Niños, and the long term stability of southern California kelp forest communities. Marine Ecology Progress Series 77:49-63.
- Tegner, M.J., P.K. Dayton, P.B. Edwards, and K.L. Riser. 1995a. Sea urchin cavitation of giant kelp (*Macrocystis pyrifera* C. Agardh) holdfasts and its effects on kelp mortality across a large California forest. J. Exp. Mar. Biol. Ecol. 191(1) : 83-99.
- Tegner, M.J., Dayton, P.B. Edwards, K.L. Riser, D.B. Chadwick, T.A. Dean, and L. Deysher. 1995b. Effects of a large sewage spill on a kelp forest community: Catastrophe or disturbance. Mar. Environ. Res. 40(2) : 181-224.

- Tegner, M.J., P.K. Dayton, P.B. Edwards, and K.L. Riser. 1997. Large-scale, low-frequency oceanographic effects on kelp succession: A tale of two cohorts. *Mar. Ecol. Prog. Ser.* 146(1-3) : 117-134.
- Tera Corporation, Inc. 1982a. Compendium of thermal effects laboratory studies. Vol. I. Submitted to Pacific Gas and Electric Company. 330 p.
- Tera Corporation, Inc. 1982b. Compendium of thermal effects laboratory studies. Vol. II. Submitted to Pacific Gas and Electric Company. 573 p.
- Tera Corporation. 1982c. Diablo Canyon power plant thermal discharge assessment. Prepared for: Pacific Gas and Electric Company. San Francisco. 115 p. + appendices.
- Thurman, H.V. 1975. *Introductory Oceanography*. Charles E. Merrill Publishing Co., Columbus, Ohio. 441pp.
- Towle, D.W., and J.S. Pearse. 1973. Production of the giant kelp *Macrocystis* estimated by in situ incorporation of <sup>14</sup>C in polyethylene bags. *Limnology and Oceanography* 18:155-159.
- Turner, C.T., E.E. Ebert, and R.R. Given. 1968. The marine environment offshore from Point Loma, San Diego County. *Fish Bulletin # 140*. California Department of Fish and Game. Sacramento, California, 84 p.
- Turrentine, J.W. 1912. The technology of the seaweed industry. Appendix Q. Fertilizer resources of the United States. U. S. Senate Document no. 190. p. 232-262.
- U.S. Army Corps of Engineers. 1971. National shoreline study – California regional inventory. Prepared by Dames and Moore. U.S. Army Engineer Division. South Pacific Corps of Engineers, San Francisco, California. 207 p.
- Vadas, R.L. 1972. Ecological implications of culture studies on *Nereocystis luetkeana*. *J. Phycol.* 8:196-203.
- VanBlaricom, G.R. 1984. Relationships of sea otters to living marine resources in California: A new perspective. *In Proceeding of the Ocean Studies Symposium*. California Coastal Commission, Sacramento. p. 361-381.
- VanBlaricom, G.R., and R.A. Hardy. 1992. Sea Otter. *In California's living marine resources and their utilization*. W.S. Leet, C.M. DeWees, and C. W. Haugen (eds.). California Sea Grant Extension Publication UCSGEP-92-12. p. 216-219.
- Vasquez, J.A., and R.H. McPeak. 1998. A new tool for kelp restoration. *California Fish and Game*. 84(4) : 149-158.
- Vasquez, J.A., and R.H. McPeak. 1998. A new tool for kelp restoration. *California Fish and Game*. 84(4) : 149-158.
- Walker, D.C. 1980. sorus abscission from laminae of *Nereocystis luetkeana* (Mert.) Post. and Rup. Ph.D. Dissertation. University of British Columbia. 464 p.
- Watanabe, J.M. 1983. Anti-predator defenses of three kelp forest gastropods: contrasting adaptations of closely-related prey species. *J. Exp. Mar. Bio. and Ecol.* 71(3):257-270.
- Watanabe, J.M. 1984a. Food preference, food quality and diets of three

- herbivorous gastropods (Trochidae: *Tegula*) in a temperate kelp forest habitat. *Oecologia* 62(1):47-52.
- Watanabe, J.M. 1984b. The influence of recruitment, competition, and benthic predation on spatial distributions of three species of kelp forest gastropods (Trochidae: *Tegula*). *Ecology* 65(3):920-936.
- Weaver, A.M. 1978. Aspects of the effects of particulate matter on the ecology of a kelp forest near a small domestic sewer outfall. Ph.D. Dissertation, Stanford University, Palo Alto, California. 174 p.
- Webber, H.H. 1981. Growth Rates of benthic algae and invertebrates in Puget Sound: I. Literature review, and II. field studies of *Laminaria* and *Nereocystis*. U.S. Department of Commerce. National Oceanic and Atmospheric Administration. Office of Marine Pollution Assessment. NOAA Technical Memorandum OMPA-4. 44 p.
- Wellington, G.M., and S. Anderson. 1978. Surface feeding by a juvenile gray whale, *Eschrichtius robustus*. U.S. National Marine Fisheries Service. Fishery Bulletin 76:290-293.
- Wells, R.A. 1983. Disturbance mediated competition between *Macrocystis pyrifera* and articulated coralline algae. In The effects of waste disposal on kelp communities. W. Bascom (ed.). Southern California Coastal Water Research Project. Long Beach, California. p. 181-198.
- Wheeler, W.N. 1978. Ecophysiological studies on the giant kelp, *Macrocystis*. Ph.D. Dissertation, University of California, Santa Barbara, California. 179 p.
- Wheeler, W.N. 1980. Effect of boundary layer transport on the fixation of carbon by the giant kelp *Macrocystis pyrifera*. *Mar. Biol.* 56:103-110.
- Wheeler, P.A., and W.J. North. 1981. Nitrogen supply, tissue composition and frond growth rates for *Macrocystis pyrifera* off the coast of southern California. *Marine Biology* 64(1):59-69.
- Whyte, J.N.C. and J.R. Engler. 1974. Commercial kelp drying operation at Masset, 1973. Fisheries Research Board of Canada Technical Report No.453. 30 p.
- Whyte, J.N.C. and J.R. Englart. 1980a. Seasonal Variation in the inorganic constituents of the marine alga *Nereocystis luetkeana*. Part I, metallic elements. *Botanica Marina* 23:13-17.
- Whyte J.N.C. and J.R. Englart. 1980b. Seasonal variation in the inorganic constituents of the marine algae *Nereocystis luetkeana*. Part II, Non-metallic elements. *Botanica Marina* 23:19-24.
- Willenbrink, J., B.P. Kremer, K. Schmitz, and L.M. Srivastava. 1979. Photosynthetic and light-independent carbon fixation in *Macrocystis*, *Nereocystis*, and some selected Pacific Laminariales. *Can. J. Bot.* 57:890-897.
- Williams, R.G., R.W. Reeves, F.A. Godshall, S.W. Fehler, P.J. Pytlowany, and Wilson, K.C. 1982. The kelp forests of Palos Verdes Peninsula. Southern California Coastal Water Resource Project, Biennial Report 1981-82. Long Beach, California. 67-70 p.
- Wilson, K.C., P.L. Haaker, and D.A. Hanan. 1977. Kelp restoration in southern

- California. In *The marine plant biomass of the Pacific northwest coast*. R.W. Krauss, (ed.). Oregon State University Press. p. 183-202.
- Wilson, K.C., P.L. Haaker, and D.A. Hanan. 1979. Restoration of *Macrocystis pyrifera* (Phaeophyceae) at Palos Verdes Peninsula, California. Proc. Ninth Inter. Seaweed Symposium. Science Press, Princeton. 9:85-89.
- Wilson, K.C., and R.H. McPeak. 1983. Kelp restoration. In *The effects of waste disposal on kelp communities*. W. Bascom, (ed.). Southern California Coastal Water Research Project. Long Beach. p. 77-92.
- Wing, B.L., and K.A. Clendinning. 1971. Kelp surfaces and associated invertebrates. In *The biology of giant kelp beds (Macrocystis) in California*. W.J. North (ed.). Beihefte zur Nova Hedwigia. 32. J. Cramer. Lehre. p. 319-341.
- Witzig, J.F., M.C. Holliday, R.J. Essig, and D.L. Sutherland. 1992. Marine recreational fishery statistics survey, Pacific coast, 1987-1989. U.S. Department of Commerce. National Oceanic and Atmospheric Administration. National Marine Fisheries Service. Current Fisheries Statistic Number 9205. Silver Spring, MD. 367 p.
- Woodhouse, C.D., R.K. Cowen, and L.R. Wilcoxen. 1977. A summary of knowledge of the sea otter *Enhydra lutris*, L., in California, and an appraisal of the completeness of biological understanding of the species. Rep. MMC-76/02. National Technical Information Service, Springfield, VA. 71 p.
- Wort, D.J. 1955. The seasonal variation in chemical composition of *Macrocystis integrifolia* and *Nereocystis luetkeana* in British Columbia coastal waters. Canadian Journal of Botany 33(4):323-340.
- Yaninek, J.S. 1980. Beach wrack; phenology of an imported resource and utilization by macroinvertebrates of sandy beaches. Master's Thesis, University of California, Berkeley. 159 p.
- Yellin, M.B., C.R. Agegan, and J.S. Pearse. 1977. Ecological benchmarks in the Santa Cruz County kelp forests before re-establishment of sea otters. Final Rept. to Marine Mammal Commission, PB 272813. National Technical Information Service, Springfield, VA.
- Yoshioka, P.M. 1973. The population dynamics and ecology of the encrusting ectoproct *Membranipora serrilamella*. Ph.D. Dissertation, University of California, San Diego. 143 p.
- Zimmerman, R.C. 1983. Seasonal patterns in the productivity of a giant kelp (*Macrocystis pyrifera*) forest: the effect of nutrient availability. Ph.D. Dissertation. University of Southern California. Los Angeles, California. 82 p.
- Zimmerman, R.C., and D.L. Robertson. 1985. Effects of El Niño on local hydrography and growth of the giant kelp, *Macrocystis pyrifera*, at Santa Catalina Island, California. Limnol. Oceanogr. 30:1298-1302.
- Zimmerman, R.C., and J.N. Kremer. 1984. Episodic nutrient supply to a kelp forest ecosystem in southern California. J. of Marine Research 42:591-604.
- ZoBell, C.E. 1971. Drift seaweeds on San Diego County beaches. In *The Biology of giant kelp beds (Macrocystis) in California*. W.J. North (ed.). Beihefte zur

Nova Hedwigia. 32. J. Cramer. Lehre. p. 269-314.

## PERSONAL COMMUNICATION

Crooke, Steve. Senior Biologist. CDFG. Los Alamitos, CA

Drown, Dan. Industrial Hygienist. Kelco - Division of Merck Co. San Diego, CA

Fanning, Rick. Commercial Kelp Harvester. Port Orford, OR

Foreman, Ronald. Professor of Marine Science. University of British Columbia. British Columbia, Canada

Glantz, Dale. Manager, Harvesting Marine Resources. Kelco - Division of Merck Co. San Diego, CA

Haaker, Pete. Senior Biologist. CDFG. Los Alamitos, CA

Hatfield, Brian. Biologist. U.S. Fish and Wildlife Service. San Luis Obispo, CA

Hernandez, Juan. Marine Biologist. CDFG. Los Alamitos, CA

Hodgson, Christine. Biologist. Aquaculture and Commercial Fisheries Branch. Ministry of Agriculture, Fisheries and Food. Courtenay, British Columbia, Canada

Kalvass, Pete. Associate Marine Biologist. CDFG. Fort Bragg, CA

North, Wheeler. Professor of Marine Sciences (retired). Pasadena, CA

Oda, Ken. Associate Marine Biologist. CDFG. Menlo Park, CA

Ramos, Ed. Game Warden. CDFG. Fort Bragg, CA

Rasmussen, Robert. Botany Professor. Humboldt State University. Arcata, CA

Scott, George. Kelp harvester captain (retired). Kelco - Division of Merck Co. San Diego, CA

Taniguchi, Ian. Marine Biologist. CDFG. Los Alamitos, CA

VenTresca, David. Associate Marine Biologist. CDFG. Monterey, CA

Van Hook, Chris. Abalone International, Inc. Crescent City, CA

Vandenberg, Debra. Associate Marine Biologist. CDFG. Monterey, CA

Warner, Ron. Associate Marine Bioloigst. CDFG. Eureka, CA

Yoakum, Daniel. Commercial Herring roe-on-kelp Harvester. Albion, CA

Zwahlen, Melodie Palmer. Associate Marine Biologist. CDFG. Los Alamitos, CA