

## **Information page for enclosed trapping summaries**

### **General Information**

1. All data are preliminary, are subject to revision, and should be cited as such.
2. Trapping numbers and totals at Junction City and Willow Creek weirs are **not** total population estimates.
3. Fish trapped at the weirs are a sub-sample of the population. These fish are tagged for the purpose of estimating the population size using what's known as a "mark and recapture" estimator. Population estimates are formulated at the end of each run year.
4. Trinity River Hatchery totals are actual counts reflective of all fish which have entered and been processed at the facility.
5. Tags placed on fish trapped at the weirs are used for population estimates and angler harvest estimates.
6. Fishing is not allowed within 750 feet of the weirs which are marked with signs at the upstream and downstream ends of the closure.
7. Fin clip totals (Ad and RM) at the weirs and hatchery are used to estimate the hatchery contributions to each run. Currently, 100% of the steelhead (AD clip) and coho (RM clip) are marked at the hatchery prior to release as juveniles. Chinook salmon (AD clip) are marked at a rate of approximately 25% prior to release.
8. Weir installation and removal dates are variable from year to year and are affected by river flow and funding levels.
9. Previous year totals are not always for the same time periods and should not be used for absolute comparisons, note installation date notes for each site.
10. Adult and grilse(jack) counts are based on provisional cut-off sizes. The actual composition of the run is determined post season.

### **Junction City weir**

1. This weir is designed to capture and estimate the population of spring Chinook salmon and is typically operated from June or early July (depending on river flow) through September. The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow fish passage.
2. Fall Chinook, steelhead, coho and brown trout are also captured at Junction City weir. We do not attempt to make population estimates for these species at Junction City weir.
3. Chinook salmon are tagged with a "spaghetti tag" which is pvc tubing placed behind the dorsal fin. Each tag has a number and is inscribed with our address.
4. Brown trout and steelhead are tagged with a "floy" tag which is inserted below the dorsal fin. Floy tags are short pieces of tubing inserted into the side of the fish and are also inscribed with our address.

### **Willow Creek weir**

1. This weir is designed to capture and estimate the population of fall Chinook salmon, coho salmon and adult fall-run steelhead and is typically operated from late August through November (flows permitting). The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow for fish passage.
2. The tail end of the spring chinook run is captured at Willow Creek, however we do not attempt to estimate this run of Chinook salmon above Willow Creek weir.
3. All fish deemed in good condition at Willow Creek weir are tagged with spaghetti tags inscribed with our address.

### **Trinity River Hatchery**

1. Hatchery summaries are not always posted on a weekly basis due to the large amount of data collection and entry.
2. All hatchery totals are complete counts of what has been processed at the facility.
3. Hatchery totals do not include fish which are being held in on-site ponds for ripening and future spawning.
4. There is a break in spawning operations, usually in October, to facilitate separation of spring and fall-run Chinook salmon.
5. The hatchery serves as our main recovery point for fish tagged at the two weirs.

Junction City Weir trapping summary for the 2012 season.<sup>1</sup>

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead						Brown trout				
			Grilse <sup>2</sup>		Adults		Combined		Grilse <sup>2</sup>		Adults		Combined		1/2 lbers <sup>2</sup>		Adults		Combined		<42 cm	>41 cm	Total		
			Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>					
30	23-Jul -- 29-Jul	4	1	1	77	13	78	14	0	0	0	0	0	0	0	0	0	0	1	1	1	1	2	13	15
31	30-Jul -- 5-Aug	5	1	0	37	8	38	8	0	0	0	0	0	0	0	0	0	0	1	1	1	1	3	15	18
32	6-Aug -- 12-Aug	5	4	0	67	8	71	8	0	0	0	0	0	0	0	0	0	8	4	8	4	2	4	6	
33	13-Aug -- 19-Aug	1	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2
34	20-Aug -- 26-Aug	0					0	0					0	0											0
35	27-Aug -- 2-Sep	0					0	0					0	0											0
36	3-Sep -- 9-Sep						0	0					0	0											0
37	10-Sep -- 16-Sep						0	0					0	0											0
38	17-Sep -- 23-Sep						0	0					0	0											0
39	24-Sep -- 30-Sep						0	0					0	0											0
<b>2012 Season Totals:</b>		<b>15</b>	<b>6</b>	<b>1</b>	<b>183</b>	<b>29</b>	<b>189</b>	<b>30</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>10</b>	<b>6</b>	<b>10</b>	<b>6</b>	<b>8</b>	<b>33</b>	<b>41</b>	
<b>2011 Season Totals<sup>4</sup>:</b>		<b>38</b>	<b>103</b>	<b>11</b>	<b>144</b>	<b>15</b>	<b>247</b>	<b>26</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>4</b>	<b>48</b>	<b>37</b>	<b>55</b>	<b>41</b>	<b>54</b>	<b>93</b>	<b>147</b>

Notes:

1/ Summary based on real time unedited data. Not to be used for analysis.

2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.

3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

4/ Totals are for entire season

Willow Creek Weir trapping summary for the 2012 season. <sup>1</sup>

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead								
			Grilse <sup>2</sup>		Adults		Combined		Grilse <sup>2</sup>		Adults		Combined		1/2 lbers <sup>2</sup>		Adults		Combined				
			Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>			
33	13-Aug -- 19-Aug				0	0																	
34	20-Aug -- 26-Aug	4	8	0	100	2	108	2	0	0	0	0	0	0	0	0	0	109	52	109	52		
35	27-Aug -- 2-Sep	5	27	0	242	4	269	4	0	0	0	0	0	0	0	0	0	113	50	113	50		
36	3-Sep -- 9-Sep	5	39	1	263	12	302	13	0	0	1	1	1	1	1	0	0	71	37	72	37		
37	10-Sep -- 16-Sep	5	35	1	247	19	282	20	0	0	0	0	0	0	0	0	0	160	87	160	87		
38	17-Sep -- 23-Sep	5	26	2	325	30	351	32	1	1	10	8	11	9	3	3	3	266	152	269	155		
39	24-Sep -- 30-Sep	5	53	4	346	67	399	71	37	35	120	104	157	139	4	3	4	594	375	598	378		
40	1-Oct -- 7-Oct	5	37	1	403	80	440	81	50	47	182	150	232	197	1	0	1	759	486	760	486		
41	8-Oct -- 14-Oct					0	0						0	0						0	0		
42	15-Oct -- 21-Oct					0	0						0	0						0	0		
43	22-Oct -- 28-Oct					0	0						0	0						0	0		
44	29-Oct -- 4-Nov					0	0						0	0						0	0		
45	5-Nov -- 11-Nov					0	0						0	0						0	0		
46	12-Nov -- 18-Nov					0	0						0	0						0	0		
47	19-Nov -- 25-Nov					0	0						0	0						0	0		
48	26-Nov -- 2-Dec					0	0						0	0						0	0		
<b>2012 Season Totals:</b>		<b>34</b>	<b>0</b>	<b>225</b>	<b>9</b>	<b>1,926</b>	<b>214</b>	<b>2,151</b>	<b>223</b>	<b>0</b>	<b>88</b>	<b>83</b>	<b>313</b>	<b>263</b>	<b>401</b>	<b>346</b>	<b>0</b>	<b>9</b>	<b>6</b>	<b>2,072</b>	<b>1,239</b>	<b>2,081</b>	<b>1,245</b>
<b>2011 Season Totals:</b>		<b>50</b>		<b>732</b>	<b>25</b>	<b>944</b>	<b>147</b>	<b>1,676</b>	<b>172</b>		<b>234</b>	<b>228</b>	<b>128</b>	<b>99</b>	<b>362</b>	<b>327</b>		<b>146</b>	<b>113</b>	<b>1,508</b>	<b>1,030</b>	<b>1,654</b>	<b>1,143</b>

Notes:

1/ Summary based on real time unedited data. Not to be used for analysis.

2/ Provisionally, Chinook and coho grilse are < 56 cm FL. Steelhead <42 cm FL are considered half-pounders.

3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

Trinity River Hatchery trapping summary for the 2012-13 season. <sup>1/</sup>																	
Julian week	Inclusive dates	Chinook								Coho						Steelhead	
		Grilse <sup>2</sup>		Adults		Combined		Grilse 2/		Adults		Combined		Adults			
		Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	Ads <sup>3</sup>		
36	3-Sep -- 9-Sep	4	1	59	13	63	14	0	0	0	0	0	0	4	0		
37	10-Sep -- 16-Sep	12	4	314	70	326	74	0	0	0	0	0	0	0	0		
38	17-Sep -- 23-Sep	20	5	1,032	243	1,052	248	0	0	0	0	0	0	0	0		
39	24-Sep -- 30-Sep	50	12	2,515	579	2,565	591	0	0	0	0	0	0	5	0		
40	1-Oct -- 7-Oct	37	5	1,690	386	1,727	391	0	0	3	2	3	2	6	0		
41	8-Oct -- 14-Oct																
<b>Spring Chinook subtotal:</b>		<b>123</b>	<b>27</b>	<b>5,610</b>	<b>1,291</b>	<b>5,733</b>	<b>1,318</b>										
42	15-Oct -- 21-Oct	<b>Tentative Chinook spawning break</b>															
43	22-Oct -- 28-Oct																
44	29-Oct -- 4-Nov																
45	5-Nov -- 11-Nov																
46	12-Nov -- 18-Nov																
47	19-Nov -- 25-Nov																
48	26-Nov -- 2-Dec																
49	3-Dec -- 9-Dec																
50	10-Dec -- 16-Dec																
51	17-Dec -- 23-Dec																
52	24-Dec -- 31-Dec																
1	1-Jan -- 7-Jan																
2	8-Jan -- 14-Jan																
3	15-Jan -- 21-Jan																
4	22-Jan -- 28-Jan																
5	29-Jan -- 4-Feb																
6	5-Feb -- 11-Feb																
7	12-Feb -- 18-Feb																
8	19-Feb -- 25-Feb																
9	26-Feb -- 4-Mar																
10	5-Mar -- 11-Mar																
11	12-Mar -- 18-Mar																
<b>Fall Chinook subtotal:</b>		<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>												
<b>2012 Season Totals: <sup>4,5</sup></b>								<b>0</b>	<b>0</b>	<b>3</b>	<b>2</b>	<b>3</b>	<b>2</b>	<b>15</b>	<b>0</b>		
<b>2011 Season Totals:</b>		<b>4,454</b>	<b>1,028</b>	<b>17,849</b>	<b>4,041</b>	<b>22,302</b>	<b>5,069</b>	<b>2,886</b>	<b>2,865</b>	<b>1,924</b>	<b>1,710</b>	<b>4,810</b>	<b>4,575</b>	<b>5,885</b>	<b>5,834</b>		
Notes:																	
1/ Summary based on real time unedited data. Not to be used for analysis.																	
2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.																	
3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.																	
4/ Totals reflect only the numbers of fish which have been processed; fish held for ripening are not included in totals shown.																	
5/ Preliminarily, Chinook processed prior to Julian week 42 are considered spring Chinook, those after Julian week 42 are considered fall Chinook.																	

Junction City weir, cumulative weekly trapping totals, 2004-2011.

Junction City weir, cumulative weekly trapping totals, 2004-2

Julian week	Inclusive dates	Trapping year														
		2004			2005 1/			2006			2007			2008		
		Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	
24	11-Jun ---- 17-Jun															
25	18-Jun ---- 24-Jun											15	60	23		
26	25-Jun ---- 1-Jul											114	114	59		
27	2-Jul ---- 8-Jul											381	192	113		
28	9-Jul ---- 15-Jul											436	286	152		
29	16-Jul ---- 22-Jul	151	40	11	11	14	2					461	302	165	26 10	
30	23-Jul ---- 29-Jul	235	136	31	24	70	17	67	86	76		785	324	203	32 15	
31	30-Jul ---- 5-Aug	258	167	35	57	167	29	75	116	83		839	331	219	103 37	
32	6-Aug ---- 12-Aug	411	199	41	82	207	29	206	153	87		854	333	224	123 63	
33	13-Aug ---- 19-Aug	465	212	47	88	215	30	296	167	93		897	335	234	144 76	
34	20-Aug ---- 26-Aug	-----	-----	-----	153	222	38	326	170	94		911	335	239	153 88	
35	27-Aug ---- 2-Sep	-----	-----	-----	159	224	46	341	171	97		915	335	252	156 92	
36	3-Sep ---- 9-Sep	-----	-----	-----	185	224	52	352	177	99		923	336	259	165 95	
37	10-Sep ---- 16-Sep	517	215	58	204	225	55	362	177	101		928	337	265	179 96	
38	17-Sep ---- 23-Sep	588	223	78	310	226	63	382	179	121		939	337	274	201 99	
39	24-Sep ---- 30-Sep	711	229	96	372	239	92	<b>401</b>	<b>184</b>	<b>174</b>		<b>958</b>	<b>338</b>	<b>283</b>	<b>206 101</b>	
40	1-Oct ---- 7-Oct	<b>897</b>	<b>254</b>	<b>176</b>	<b>448</b>	<b>255</b>	<b>179</b>									

Season totals in bold

Junction City weir, cumulative weekly011

Junction City weir, cumulative weekly trapping totals, 2004-2011.

Julian week	Inclusive dates			Trapping year											
				2009			2010			2011					
				Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead		
24	11-Jun	----	17-Jun		0	1	0								
25	18-Jun	----	24-Jun		10	28	3								
26	25-Jun	----	1-Jul		55	73	12								
27	2-Jul	----	8-Jul		95	103	26								
28	9-Jul	----	15-Jul		141	114	27								
29	16-Jul	----	22-Jul	5	174	133	29								
30	23-Jul	----	29-Jul	9	177	148	33								
31	30-Jul	----	5-Aug	17	178	154	35	43	54	1	62	33	7		
32	6-Aug	----	12-Aug	25	180	155	35	80	103	2	83	90	8		
33	13-Aug	----	19-Aug	28	203	155	35	111	118	2	108	115	9		
34	20-Aug	----	26-Aug	30	206	155	35	126	123	2	144	132	13		
35	27-Aug	----	2-Sep	32	208	157	38	134	126	2	147	134	19		
36	3-Sep	----	9-Sep	35	225	158	40	143	127	2	152	137	55		
37	10-Sep	----	16-Sep	37	236	162	45	167	131	2	199	142			
38	17-Sep	----	23-Sep	41	246	165	48	187	134	4	247	147			
39	24-Sep	----	30-Sep	<b>41</b>	<b>268</b>	<b>168</b>	<b>56</b>	<b>222</b>	<b>144</b>	<b>11</b>	<b>247</b>	<b>147</b>	<b>55</b>		
40	1-Oct	----	7-Oct												

Season totals in bold

Willow Creek weir, cumulative weekly trapping totals, 2004-2011.

Julian week	Inclusive dates	2004			2005			2006			2007			2008			2009			2010			2011																							
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead																					
34	20-Aug --- 26-Aug				108	0	244	170	0	206	96	0	420	201	1	119				188	0	72																								
35	27-Aug --- 2-Sep				153	0	337	272	0	353	135	0	953	397	3	184	94	0	33	330	0	136																								
36	3-Sep --- 9-Sep				316	2	481	452	4	518	261	0	1,220	687	3	225	264	0	68	475	2	212	134	2	102																					
37	10-Sep --- 16-Sep	274	9	31	676	4	584	565	12	658	368	0	1,345	1,139	4	262	521	10	221	599	7	239	646	5	333																					
38	17-Sep --- 23-Sep	686	36	132	1,054	36	834	677	44	771	547	0	1,438	1,387	17	307	830	35	535	733	27	519	1109	24	477																					
39	24-Sep --- 30-Sep	1,304	145	503	1,162	133	1,028	826	66	1,073	762	2	1,627	1,676	71	416	1,021	109	870	921	300	649	1338	89	770																					
40	1-Oct --- 7-Oct	1,642	472	962	1,254	245	1,406	973	115	1,950	835	26	2,781	1,792	188	710	1,046	118	893	1,118	628	718	1396	144	1249																					
41	8-Oct --- 14-Oct	1,906	897	1,560	1,342	514	1,808	1,061	182	2,471	974	51	4,108	1,856	335	849	1,082	138	1,118	1,181	898	816	1404	183	1398																					
42	15-Oct --- 21-Oct	2,060	948	1,826	1,383	554	1,989	1,111	220	3,271	1,021	84	4,742	1,967	401	884	1,109	154	1,373	1,292	909	822	1483	280	1516																					
43	22-Oct --- 28-Oct	2,062	978	1,988	1,403	687	2,094	1,133	230	3,296	1,022	84	4,897	2,024	439	896	1,126	170	1,396	1,299	909	822	1533	325	1530																					
44	29-Oct --- 4-Nov	2,079	989	2,006	1,426	772	2,219	1,173	235	3,455	1,031	88	5,018	2,122	447	901	1,144	178	1,405				1578	348	1557																					
45	5-Nov --- 11-Nov	2,118	998	2,025				1,181	247	3,880	1,039	88	5,026	2,122	447	901	1,180	197	1,657				1599	359	1613																					
46	12-Nov --- 18-Nov	2,139	1,010	2,034				1,181	249	3,884	1,056	97	5,189	2,128	447	906	1,191	201	1,670				1674	362	1654																					
47	19-Nov --- 25-Nov	2,140	1,010	2,034										2,143	448	919	1,191	202	1,677				1676	362	1654																					
<b>Season totals in bold</b>																																												<b>1676</b>	<b>362</b>	<b>1654</b>

Trinity River Hatchery, cumulative weekly trapping totals, 2004-2011.

Julian week	Inclusive dates	Recovery Year								
		2004			2005			2006		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug									
35	27-Aug ---- 2-Sep	Spring-run			Spring-run			Spring-run		
36	3-Sep ---- 9-Sep	212	0	14	109	0	0	6	0	1
37	10-Sep ---- 16-Sep	870	0	19	572	0	2	193	0	2
38	17-Sep ---- 23-Sep	2,888	0	20	1,798	0	5	591	0	4
39	24-Sep ---- 30-Sep	4,535	0	20	5,334	0	7	1,452	2	4
40	1-Oct ---- 7-Oct	6,017	11	27	6,584	8	13	2,661	8	8
41	8-Oct ---- 14-Oct	<b>6,550</b>	51	29	<b>6,990</b>	22	14	<b>3,818</b>	100	33
42	15-Oct ---- 21-Oct	Fall-run			Fall-run			Fall-run		
43	22-Oct ---- 28-Oct	1,807	998	145	1,060	967	31	392	423	45
44	29-Oct ---- 4-Nov	4,355	2,225	186	4,449	1,666	53	1,887	1,139	63
45	5-Nov ---- 11-Nov	9,033	4,245	261	9,142	4,959	200	4,987	2,437	172
46	12-Nov ---- 18-Nov	11,625	7,877	458	12,084	7,993	354	7,513	4,947	391
47	19-Nov ---- 25-Nov	12,528	9,065	589	12,981	10,238	434	10,141	6,478	878
48	26-Nov ---- 2-Dec	12,962	10,138	708	13,517	12,860	515	11,084	7,884	1,075
49	3-Dec ---- 9-Dec	13,054	10,416	748	13,749	15,531	908	11,451	8,839	1,153
50	10-Dec ---- 16-Dec	13,107	10,850	1,313	13,798	17,018	1,468	11,550	10,068	1,978
51	17-Dec ---- 23-Dec	13,127	10,900	1,575	13,802	18,146	2,298	<b>11,560</b>	10,292	3,221
52	24-Dec ---- 31-Dec	<b>13,129</b>	10,977	1,979	13,802	18,302	3,392		10,364	3,980
1	1-Jan ---- 7-Jan		10,982	2,532	13,802	18,349	5,083		10,387	4,838
2	8-Jan ---- 14-Jan		10,982	2,991	<b>13,803</b>	18,356	6,335		10,391	5,823
3	15-Jan ---- 21-Jan		10,982	3,468		<b>18,357</b>	7,074		10,399	6,304
4	22-Jan ---- 28-Jan		<b>10,983</b>	4,010			7,501		<b>10,400</b>	6,702
5	29-Jan ---- 4-Feb			4,561			7,753			7,582
6	5-Feb ---- 11-Feb			4,937			7,960			8,875
7	12-Feb ---- 18-Feb			5,211			8,037			9,879
8	19-Feb ---- 25-Feb			5,468			8,066			10,633
9	26-Feb ---- 4-Mar			5,649			8,100			11,003
10	5-Mar ---- 11-Mar			5,712			8,129			11,310
11	12-Mar ---- 18-Mar			<b>5,731</b>			<b>8,143</b>			<b>11,547</b>
12	19-Mar ---- 25-Mar									

Season totals in bold



Trinity River Hatchery, cumulative wee

Julian week	Inclusive dates	2007			2008			2009		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug									
35	27-Aug ---- 2-Sep	Spring-run			Spring-run					
36	3-Sep ---- 9-Sep				66	0	0	106	0	2
37	10-Sep ---- 16-Sep	132	0	5	338	0	0	235	0	3
38	17-Sep ---- 23-Sep	748	0	5	1,006	0	1	953	0	5
39	24-Sep ---- 30-Sep	2,635	0	9	2,495	0	4	1,963	0	6
40	1-Oct ---- 7-Oct	5,499	0	16	3,659	5	12	2,836	1	7
41	8-Oct ---- 14-Oct	<b>6,034</b>	2	71	<b>3,766</b>	10	21	<b>3,069</b>	1	7
42	15-Oct ---- 21-Oct	Fall-run			Fall-run			Fall-run		
43	22-Oct ---- 28-Oct	120	34	111	334	404	26	329	535	40
44	29-Oct ---- 4-Nov	605	252	254	1,045	611	40	1,036	1,143	69
45	5-Nov ---- 11-Nov	1,922	397	304	2,789	959	110	3,189	1,586	107
46	12-Nov ---- 18-Nov	5,422	874	379	4,169	3,334	218	5,641	1,932	158
47	19-Nov ---- 25-Nov	10,263	1,481	627	5,005	4,040	332	7,162	3,050	202
48	26-Nov ---- 2-Dec	13,490	2,184	685	5,207	4,644	470	7,383	3,162	214
49	3-Dec ---- 9-Dec	16,050	2,602	854	5,241	4,942	557	7,465	3,253	260
50	10-Dec ---- 16-Dec	17,328	2,802	1,847	5,248	5,081	607	7,479	3,290	267
51	17-Dec ---- 23-Dec	17,859	2,884	2,496	5,248	5,142	665	7,487	3,343	528
52	24-Dec ---- 31-Dec	18,057	2,905	2,910	5,248	5,175	787	7,492	3,346	826
1	1-Jan ---- 7-Jan	18,102	2,917	3,374	5,248	<b>5,178</b>	901	<b>7,494</b>	3,351	1,200
2	8-Jan ---- 14-Jan	18,110	2,919	4,477	<b>5,249</b>		1,170		3,351	1,995
3	15-Jan ---- 21-Jan	<b>18,112</b>	2,919	5,711			1,440		<b>3,352</b>	2,733
4	22-Jan ---- 28-Jan		2,923	7,211			1,671			3,189
5	29-Jan ---- 4-Feb		<b>2,927</b>	8,116			1,918			3,452
6	5-Feb ---- 11-Feb			8,683			2,083			3,738
7	12-Feb ---- 18-Feb			9,530			2,184			3,956
8	19-Feb ---- 25-Feb			10,370			2,327			4,088
9	26-Feb ---- 4-Mar			11,168			2,459			4,191
10	5-Mar ---- 11-Mar			11,342			<b>2,495</b>			<b>4,244</b>
11	12-Mar ---- 18-Mar			<b>11,399</b>						
12	19-Mar ---- 25-Mar									

Season totals in bold

Trinity River Hatchery, cumulative week

Julian week	Inclusive dates	2010			2011		
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug						
35	27-Aug ---- 2-Sep	Spring-run			Spring-run		
36	3-Sep ---- 9-Sep	119		0	162		1
37	10-Sep ---- 16-Sep	609		2	644		2
38	17-Sep ---- 23-Sep	1,174		3	1903		3
39	24-Sep ---- 30-Sep	2,029		4	4083		7
40	1-Oct ---- 7-Oct	2,702	6	6	5777	1	20
41	8-Oct ---- 14-Oct	<b>2,859</b>	58	9	6581	10	30
42	15-Oct ---- 21-Oct	Fall-run	---	---	Fall-run	---	---
43	22-Oct ---- 28-Oct	549	987	31	7667	399	277
44	29-Oct ---- 4-Nov	1,916	1,732	74	10728	1127	335
45	5-Nov ---- 11-Nov	3,470	2,144	114	16091	1812	363
46	12-Nov ---- 18-Nov	6,608	2,527	130	19412	2537	415
47	19-Nov ---- 25-Nov	7,785	3,129	148	20720	3464	506
48	26-Nov ---- 2-Dec	8,594	3,586	158	21839	4288	973
49	3-Dec ---- 9-Dec	8,969	4,153	221	22176	4573	1174
50	10-Dec ---- 16-Dec	9,046	4,371	490	22280	4703	1325
51	17-Dec ---- 23-Dec	9,048	4,411	710	22302	4789	1554
52	24-Dec ---- 31-Dec	<b>9,049</b>	4,424	873	<b>22302</b>	4798	1620
1	1-Jan ---- 7-Jan		4,429	946		<b>4810</b>	1963
2	8-Jan ---- 14-Jan		<b>4,431</b>	992			2648
3	15-Jan ---- 21-Jan			1,217			3060
4	22-Jan ---- 28-Jan			1,466			3391
5	29-Jan ---- 4-Feb			1,627			4076
6	5-Feb ---- 11-Feb			1,749			4837
7	12-Feb ---- 18-Feb			1,840			5362
8	19-Feb ---- 25-Feb			1,952			5524
9	26-Feb ---- 4-Mar			1,987			5668
10	5-Mar ---- 11-Mar			<b>2,037</b>			5792
11	12-Mar ---- 18-Mar						<b>5885</b>
12	19-Mar ---- 25-Mar						

Season totals in bold