

## **Information page for enclosed trapping summaries**

### **General Information**

1. All data are preliminary, are subject to revision, and should be cited as such.
2. Trapping numbers and totals at Junction City and Willow Creek weirs are **not** total population estimates.
3. Fish trapped at the weirs are a sub-sample of the population. These fish are tagged for the purpose of estimating the population size using what's known as a "mark and recapture" estimator. Population estimates are formulated at the end of each run year.
4. Trinity River Hatchery totals are actual counts reflective of all fish which have entered and been processed at the facility.
5. Tags placed on fish trapped at the weirs are used for population estimates and angler harvest estimates.
6. Fishing is not allowed within 750 feet of the weirs which are marked with signs at the upstream and downstream ends of the closure.
7. Fin clip totals (Ad and RM) at the weirs and hatchery are used to estimate the hatchery contributions to each run. Currently, 100% of the steelhead (AD clip) and coho (RM clip) are marked at the hatchery prior to release as juveniles. Chinook salmon (AD clip) are marked at a rate of approximately 25% prior to release.
8. Weir installation and removal dates are variable from year to year and are affected by river flow and funding levels.
9. Previous year totals are not always for the same time periods and should not be used for absolute comparisons, note installation date notes for each site.
10. Adult and grilse(jack) counts are based on provisional cut-off sizes. The actual composition of the run is determined post season.

### **Junction City weir**

1. This weir is designed to capture and estimate the population of spring Chinook salmon and is typically operated from June or early July (depending on river flow) through September. The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow fish passage.
2. Fall Chinook, steelhead, coho and brown trout are also captured at Junction City weir. We do not attempt to make population estimates for these species at Junction City weir.
3. Chinook salmon are tagged with a "spaghetti tag" which is pvc tubing placed behind the dorsal fin. Each tag has a number and is inscribed with our address.
4. Brown trout and steelhead are tagged with a "floy" tag which is inserted below the dorsal fin. Floy tags are short pieces of tubing inserted into the side of the fish and are also inscribed with our address.

### **Willow Creek weir**

1. This weir is designed to capture and estimate the population of fall Chinook salmon, coho salmon and adult fall-run steelhead and is typically operated from late August through November (flows permitting). The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow for fish passage.
2. The tail end of the spring chinook run is captured at Willow Creek, however we do not attempt to estimate this run of Chinook salmon above Willow Creek weir.
3. All fish deemed in good condition at Willow Creek weir are tagged with spaghetti tags inscribed with our address.

### **Trinity River Hatchery**

1. Hatchery summaries are not always posted on a weekly basis due to the large amount of data collection and entry.
2. All hatchery totals are complete counts of what has been processed at the facility.
3. Hatchery totals do not include fish which are being held in on-site ponds for ripening and future spawning.
4. There is a break in spawning operations, usually in October, to facilitate separation of spring and fall-run Chinook salmon.
5. The hatchery serves as our main recovery point for fish tagged at the two weirs.

Junction City Weir trapping summary for the 2013 season. <sup>1</sup>

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead						Brown trout		
			Grilse <sup>2</sup>		Adults		Combined		Grilse <sup>2</sup>		Adults		Combined		1/2 lbers <sup>2</sup>		Adults		Combined		<42 cm	>41 cm	Total
			Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>			
23	4-Jun --- 10-Jun	2	0	0	1	0	1	0	0	0	0	0	0	0	0	0	1	0	1	0	0	3	3
24	11-Jun --- 17-Jun	4	0	0	6	0	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8	8
25	18-Jun --- 24-Jun	7	2	0	102	19	104	19	0	0	0	0	0	0	0	0	4	0	4	0	2	40	42
26	25-Jun --- 1-Jul	4	3	1	179	28	182	29	0	0	0	0	0	0	0	10	1	10	1	4	21	25	
27	2-Jul --- 8-Jul	4	3	1	221	37	224	38	0	0	0	0	0	0	0	8	0	8	0	1	25	26	
28	9-Jul --- 15-Jul	5	0	0	42	7	42	7	0	0	0	0	0	0	0	7	0	7	0	13	44	57	
29	16-Jul --- 22-Jul	5	2	0	33	4	35	4	0	0	0	0	0	0	0	1	0	1	0	9	20	29	
30	23-Jul --- 29-Jul	5	0	0	43	9	43	9	0	0	0	0	0	0	0	3	0	3	0	6	10	16	
31	30-Jul --- 5-Aug	5	0	0	8	3	8	3	0	0	0	0	0	0	0	1	0	1	0	6	4	10	
32	6-Aug --- 12-Aug	5	2	0	15	3	17	3	0	0	0	0	0	0	0	2	2	2	2	2	0	2	
33	13-Aug --- 19-Aug	5	2	0	30	4	32	4	0	0	0	0	0	0	0	3	0	3	0	0	0	0	
34	20-Aug --- 26-Aug	4	1	1	9	1	10	1	0	0	0	0	0	0	0	1	1	1	1	0	1	1	
35	27-Aug --- 2-Sep	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
36	3-Sep --- 9-Sep	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	2	
37	10-Sep --- 16-Sep	5	1	0	14	3	15	4	0	0	0	0	0	0	4	1	4	1	0	1	1	1	
38	17-Sep --- 23-Sep	5	0	0	46	9	46	9	0	0	0	0	0	0	3	2	3	2	1	0	1	1	
39	24-Sep --- 30-Sep	5	4	0	57	12	61	12	0	0	0	0	0	0	14	9	14	9	0	9	9	9	
40	1-Oct --- 7-Oct	1	0	0	7	1	7	7	0	0	1	0	1	0	0	0	22	15	22	15	0	0	0
<b>2013 Season Totals:</b>		<b>74</b>	<b>20</b>	<b>3</b>	<b>813</b>	<b>140</b>	<b>833</b>	<b>149</b>	<b>0</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>1</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>84</b>	<b>31</b>	<b>84</b>	<b>31</b>	<b>44</b>	<b>188</b>	<b>232</b>
<b>2012 Season Totals<sup>4</sup>:</b>		<b>15</b>	<b>6</b>	<b>1</b>	<b>183</b>	<b>29</b>	<b>189</b>	<b>30</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>10</b>	<b>6</b>	<b>10</b>	<b>6</b>	<b>8</b>	<b>33</b>	<b>41</b>
<b>2011 Season Totals<sup>4</sup>:</b>		<b>38</b>	<b>103</b>	<b>11</b>	<b>144</b>	<b>15</b>	<b>247</b>	<b>26</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>0</b>	<b>7</b>	<b>4</b>	<b>48</b>	<b>37</b>	<b>55</b>	<b>41</b>	<b>54</b>	<b>93</b>	<b>147</b>

- Notes:  
 1/ Summary based on real time unedited data. Not to be used for analysis.  
 2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.  
 3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.  
 4/ Totals are for entire season

Willow Creek Weir trapping summary for the 2013 season. <sup>1</sup>

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead					
			Grilse <sup>2</sup>		Adults		Combined		Grilse <sup>2</sup>		Adults		Combined		1/2 lbers <sup>2</sup>		Adults		Combined	
			Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>
33	13-Aug -- 19-Aug																			
34	20-Aug -- 26-Aug																			
35	27-Aug -- 2-Sep	4	11	0	32	1	43	1	0	0	1	1	1	1	7	2	223	62	230	64
36	3-Sep -- 9-Sep	5	14	0	75	4	89	4	0	0	0	0	0	0	7	4	140	62	147	66
37	10-Sep -- 16-Sep	5	16	0	99	12	115	12	2	2	3	3	5	5	7	3	211	103	218	106
38	17-Sep -- 23-Sep	5	6	0	44	4	50	4	1	1	0	0	1	1	5	3	143	74	148	77
39	24-Sep -- 30-Sep	4	14	0	26	4	40	4	9	9	13	11	22	20	21	11	260	104	281	115
40	1-Oct -- 7-Oct	5	4	0	22	6	26	6	20	18	44	32	64	50	30	20	266	132	296	152
41	8-Oct -- 14-Oct	5	10	1	39	7	49	8	12	12	31	23	43	35	3	1	203	109	206	110
42	15-Oct -- 21-Oct	5	13	0	39	5	52	5	9	9	25	18	34	27	3	2	60	33	63	35
43	22-Oct -- 28-Oct	5	5	1	44	5	49	6	15	15	108	85	123	100	3	3	67	38	70	41
44	29-Oct -- 4-Nov	5	5	0	29	3	34	3	5	4	68	56	73	60	3	3	30	19	33	22
45	5-Nov -- 11-Nov	5	12	0	49	9	61	9	1	1	28	22	29	23	6	4	23	14	29	18
46	12-Nov -- 18-Nov	5	25	0	78	6	103	6	2	2	54	40	56	42	2	0	29	14	31	14
47	19-Nov -- 25-Nov	5	15	0	80	7	95	7	1	0	108	83	109	83	3	1	365	132	368	133
48	26-Nov -- 2-Dec	4	4	0	7	0	11	0	0	0	5	4	5	4	10	4	2	0	12	4
49	3-Dec 9-Dec	5	1	0	5	0	6	0	0	0	6	3	6	3	2	1	11	2	13	3
50	10-Dec 16-Dec	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
<b>2013 Season Totals:</b>		<b>73</b>	<b>155</b>	<b>2</b>	<b>668</b>	<b>73</b>	<b>823</b>	<b>75</b>	<b>77</b>	<b>73</b>	<b>494</b>	<b>381</b>	<b>571</b>	<b>454</b>	<b>112</b>	<b>62</b>	<b>2033</b>	<b>898</b>	<b>2145</b>	<b>960</b>
<b>2012 Season Totals:</b>		<b>64</b>	<b>271</b>	<b>12</b>	<b>2,332</b>	<b>266</b>	<b>2,603</b>	<b>278</b>	<b>121</b>	<b>114</b>	<b>468</b>	<b>409</b>	<b>589</b>	<b>523</b>	<b>22</b>	<b>12</b>	<b>3,594</b>	<b>2,121</b>	<b>3,616</b>	<b>2,133</b>
<b>2011 Season Totals:</b>		<b>50</b>	<b>732</b>	<b>25</b>	<b>944</b>	<b>147</b>	<b>1,676</b>	<b>172</b>	<b>234</b>	<b>228</b>	<b>128</b>	<b>99</b>	<b>362</b>	<b>327</b>	<b>146</b>	<b>113</b>	<b>1,508</b>	<b>1,030</b>	<b>1,654</b>	<b>1,143</b>

- Notes:
- 1/ Summary based on real time unedited data. Not to be used for analysis.
  - 2/ Provisionally, Chinook and coho grilse are < 56 cm FL. Steelhead <42 cm FL are considered half-pounders.
  - 3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

Trinity River Hatchery trapping summary for the 2013-14 season. <sup>1/</sup>																			
Julian week	Inclusive dates			Chinook						Coho						Steelhead			
				Grilse <sup>2</sup>		Adults		Combined		Grilse 2/		Adults		Combined		Adults			
				Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	Ads <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	RMs <sup>3</sup>	Total	Ads <sup>3</sup>		
36	3-Sep	--	9-Sep	11	3	109	28	120	31	0	0	0	0	0	0	3	3		
37	10-Sep	--	16-Sep	20	4	354	87	374	91	0	0	0	0	0	0	3	2		
38	17-Sep	--	23-Sep	29	9	722	183	751	192	0	0	0	0	0	0	2	2		
39	24-Sep	--	30-Sep	25	6	973	237	998	243	0	0	0	0	0	0	5	5		
40	1-Oct	--	7-Oct	17	3	259	66	276	69	1	1	3	3	4	4	2	2		
41	8-Oct	--	14-Oct	5	0	54	13	59	13	0	0	2	2	2	2	16	15		
42	15-Oct	--	21-Oct	spawning break <sup>6</sup>															
<b>2013 Spring Chinook subtotal:</b>				<b>107</b>	<b>25</b>	<b>2,471</b>	<b>614</b>	<b>2,578</b>	<b>639</b>										
43	22-Oct	--	28-Oct	20	3	462	101	482	104	20	20	7	0	27	20	6	5		
44	29-Oct	--	4-Nov	39	9	595	151	634	160	84	83	295	258	379	341	9	7		
45	5-Nov	--	11-Nov	24	9	885	216	909	225	32	32	722	692	754	724	7	6		
46	12-Nov	--	18-Nov	65	12	1,174	307	1,239	319	172	172	1,111	1,064	1,283	1,236	27	22		
47	19-Nov	--	25-Nov	8	2	290	71	298	73	93	92	2,241	2,176	2,334	2,268	83	81		
48	26-Nov	--	2-Dec	3	0	215	43	218	43	32	32	842	791	874	823	89	87		
49	3-Dec	--	9-Dec	1	0	63	14	64	14	10	10	350	312	360	322	30	30		
50	10-Dec	--	16-Dec	0	0	5	3	5	3	15	15	335	298	350	313	25	24		
51	17-Dec	--	23-Dec	0	0	1	0	1	0	6	4	98	78	104	82	32	32		
52	24-Dec	--	31-Dec	0	0	1	0	1	0	2	2	113	94	115	96	141	141		
1	1-Jan	--	7-Jan	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
2	8-Jan	--	14-Jan	0	0	0	0	0	0	0	0	42	38	42	38	427	420		
3	15-Jan	--	21-Jan	0	0	0	0	0	0	0	0	3	2	3	2	305	297		
4	22-Jan	--	28-Jan	0	0	0	0	0	0	0	0	0	0	0	0	165	152		
5	29-Jan	--	4-Feb	0	0	0	0	0	0	0	0	0	0	0	0	281	276		
6	5-Feb	--	11-Feb	0	0	0	0	0	0	0	0	0	0	0	0	278	272		
7	12-Feb	--	18-Feb	0	0	0	0	0	0	0	0	0	0	0	0	265	253		
8	19-Feb	--	25-Feb																
9	26-Feb	--	4-Mar																
10	5-Mar	--	11-Mar																
11	12-Mar	--	18-Mar																
<b>2013 Fall Chinook subtotal:</b>				<b>160</b>	<b>35</b>	<b>3,691</b>	<b>906</b>	<b>3,851</b>	<b>941</b>										
<b>2013 Season Totals:</b>				<b>267</b>	<b>60</b>	<b>6,162</b>	<b>1,520</b>	<b>6,429</b>	<b>1,580</b>	<b>467</b>	<b>463</b>	<b>6,164</b>	<b>5,808</b>	<b>6,631</b>	<b>6,271</b>	<b>2,201</b>	<b>2,134</b>		
<b>2012 Season Totals:</b> <sup>4,5</sup>				<b>449</b>	<b>92</b>	<b>23,966</b>	<b>5,592</b>	<b>24,415</b>	<b>5,684</b>	<b>949</b>	<b>939</b>	<b>7,289</b>	<b>7,091</b>	<b>8,238</b>	<b>8,030</b>	<b>5,737</b>	<b>5,678</b>		
<b>2011 Season Totals:</b>				<b>4,454</b>	<b>1,028</b>	<b>17,849</b>	<b>4,041</b>	<b>22,302</b>	<b>5,069</b>	<b>2,886</b>	<b>2,865</b>	<b>1,924</b>	<b>1,710</b>	<b>4,810</b>	<b>4,575</b>	<b>5,885</b>	<b>5,834</b>		
Notes:																			
1/ Summary based on real time unedited data. Not to be used for analysis.																			
2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.																			
3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.																			
4/ Totals reflect only the numbers of fish which have been processed; fish held for ripening are not included in totals shown.																			
5/ Preliminarily, Chinook processed prior to Julian week 42 are considered spring Chinook, those after Julian week 42 are considered fall Chinook.																			
6/ Jweek 42 clean out during spawning break																			

Junction City weir, cumulative weekly trapping totals, 2004-2012.

Junction City weir, cumulative weekly trapping totals, 2004-;

Julian week	Inclusive dates	Trapping year														
		2004			2005 1/			2006			2007			2008		
		Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	
23	4-Jun ---- 10-Jun															
24	11-Jun ---- 17-Jun															
25	18-Jun ---- 24-Jun											15	60	23		
26	25-Jun ---- 1-Jul											114	114	59		
27	2-Jul ---- 8-Jul											381	192	113		
28	9-Jul ---- 15-Jul											436	286	152		
29	16-Jul ---- 22-Jul	151	40	11	11	14	2					461	302	165	26	10
30	23-Jul ---- 29-Jul	235	136	31	24	70	17	67	86	76		785	324	203	32	15
31	30-Jul ---- 5-Aug	258	167	35	57	167	29	75	116	83		839	331	219	103	37
32	6-Aug ---- 12-Aug	411	199	41	82	207	29	206	153	87		854	333	224	123	63
33	13-Aug ---- 19-Aug	465	212	47	88	215	30	296	167	93		897	335	234	144	76
34	20-Aug ---- 26-Aug	-----	-----	-----	153	222	38	326	170	94		911	335	239	153	88
35	27-Aug ---- 2-Sep	-----	-----	-----	159	224	46	341	171	97		915	335	252	156	92
36	3-Sep ---- 9-Sep	-----	-----	-----	185	224	52	352	177	99		923	336	259	165	95
37	10-Sep ---- 16-Sep	517	215	58	204	225	55	362	177	101		928	337	265	179	96
38	17-Sep ---- 23-Sep	588	223	78	310	226	63	382	179	121		939	337	274	201	99
39	24-Sep ---- 30-Sep	711	229	96	372	239	92	<b>401</b>	<b>184</b>	<b>174</b>		<b>958</b>	<b>338</b>	<b>283</b>	<b>206</b>	<b>101</b>
40	1-Oct ---- 7-Oct	<b>897</b>	<b>254</b>	<b>176</b>	<b>448</b>	<b>255</b>	<b>179</b>									

Season totals in bold

Junction City weir, cumulative weekly 2011

Junction City weir, cumulative weekly trapping totals, 2004-2011.

Julian week	Inclusive dates	Trapping year						Trapping year								
		2009			2010			2011			2012					
		Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead		
23	4-Jun ---- 10-Jun															
24	11-Jun ---- 17-Jun		0	1	0											
25	18-Jun ---- 24-Jun		10	28	3											
26	25-Jun ---- 1-Jul		55	73	12											
27	2-Jul ---- 8-Jul		95	103	26											
28	9-Jul ---- 15-Jul		141	114	27											
29	16-Jul ---- 22-Jul	5	174	133	29											
30	23-Jul ---- 29-Jul	9	177	148	33								78	15		1
31	30-Jul ---- 5-Aug	17	178	154	35	43	54	1		62	33	7	116	33		3
32	6-Aug ---- 12-Aug	25	180	155	35	80	103	2		83	90	8	187	39		13
33	13-Aug ---- 19-Aug	28	203	155	35	111	118	2		108	115	9	189	41		13
34	20-Aug ---- 26-Aug	30	206	155	35	126	123	2		144	132	13	189	41		13
35	27-Aug ---- 2-Sep	32	208	157	38	134	126	2		147	134	19				
36	3-Sep ---- 9-Sep	35	225	158	40	143	127	2		152	137	55				
37	10-Sep ---- 16-Sep	37	236	162	45	167	131	2		199	142	55				
38	17-Sep ---- 23-Sep	41	246	165	48	187	134	4		247	147	55				
39	24-Sep ---- 30-Sep	41	268	168	56	222	144	11								
40	1-Oct ---- 7-Oct															

Season totals in bold

**Willow Creek weir, cumulative weekly trapping totals, 2004-2012.**

week	Julian	Inclusive dates	2004			2005			2006			2007			2008			2009			2010			2011			2012		
			Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug	--- 26-Aug				108	0	244	170	0	206	96	0	420	201	1	119			188	0	72			108	0	109		
35	27-Aug	--- 2-Sep				153	0	337	272	0	353	135	0	953	397	3	184			330	0	136			377	0	222		
36	3-Sep	--- 9-Sep				316	2	481	452	4	518	261	0	1,220	687	3	225	94	0	33					678	1	293		
37	10-Sep	--- 16-Sep	274	9	31	676	4	584	565	12	658	368	0	1,345	1,139	4	262	521	10	221				134	2	102			
38	17-Sep	--- 23-Sep	686	36	132	1,054	36	834	677	44	771	547	0	1,438	1,387	17	307	830	35	535				646	5	333			
39	24-Sep	--- 30-Sep	1,304	145	503	1,162	133	1,028	826	66	1,073	762	2	1,627	1,676	71	416	1,021	109	870				1109	24	477			
40	1-Oct	--- 7-Oct	1,642	472	962	1,254	245	1,406	973	115	1,950	835	26	2,781	1,792	188	710	1,046	118	893				1338	89	770			
41	8-Oct	--- 14-Oct	1,906	897	1,560	1,342	514	1,808	1,061	182	2,471	974	51	4,108	1,856	335	849	1,082	138	1,118				1396	144	1249			
42	15-Oct	--- 21-Oct	2,060	948	1,826	1,383	554	1,989	1,111	220	3,271	1,021	84	4,742	1,967	401	884	1,109	154	1,373				1483	280	1516			
43	22-Oct	--- 28-Oct	2,062	978	1,988	1,403	687	2,094	1,133	230	3,296	1,022	84	4,897	2,024	439	896	1,126	170	1,396				1533	325	1530			
44	29-Oct	--- 4-Nov	2,079	989	2,006	<b>1,426</b>	<b>772</b>	<b>2,219</b>	1,173	235	3,455	1,031	88	5,018	2,122	447	901	1,144	178	1,405				<b>1,299</b>	<b>909</b>	<b>822</b>			
45	5-Nov	--- 11-Nov	2,118	998	2,025				1,181	247	3,880	1,039	88	5,026	2,122	447	901	1,180	197	1,657				1578	348	1557			
46	12-Nov	--- 18-Nov	2,139	1,010	2,034				<b>1,181</b>	<b>249</b>	<b>3,884</b>	<b>1,056</b>	<b>97</b>	<b>5,189</b>	2,128	447	906	1,191	201	1,670				1599	359	1613			
47	19-Nov	--- 25-Nov	<b>2,140</b>	<b>1,010</b>	<b>2,034</b>									<b>2,143</b>	<b>448</b>	<b>919</b>	<b>1,191</b>	<b>202</b>	<b>1,677</b>				1674	362	1654	<b>2603</b>	<b>589</b>	<b>3616</b>	
																								1676		1654			
																								<b>1676</b>	<b>362</b>	<b>1654</b>			

Season totals in bold

Trinity River Hatchery, cumulative weekly trapping totals, 2004-2012.

Julian week	Inclusive dates	Recovery Year										
		2004			2005			2006			Chinook	
		Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	
34	20-Aug ---- 26-Aug											
35	27-Aug ---- 2-Sep	Spring-run			Spring-run			Spring-run			Spring-run	
36	3-Sep ---- 9-Sep	212	0	14	109	0	0	6	0	1		
37	10-Sep ---- 16-Sep	870	0	19	572	0	2	193	0	2	132	
38	17-Sep ---- 23-Sep	2,888	0	20	1,798	0	5	591	0	4	748	
39	24-Sep ---- 30-Sep	4,535	0	20	5,334	0	7	1,452	2	4	2,635	
40	1-Oct ---- 7-Oct	6,017	11	27	6,584	8	13	2,661	8	8	5,499	
41	8-Oct ---- 14-Oct	<b>6,550</b>	51	29	<b>6,990</b>	22	14	<b>3,818</b>	100	33	<b>6,034</b>	
42	15-Oct ---- 21-Oct	Fall-run	---	---	Fall-run	---	---	Fall-run	---	---	Fall-run	
43	22-Oct ---- 28-Oct	1,807	998	145	1,060	967	31	392	423	45	120	
44	29-Oct ---- 4-Nov	4,355	2,225	186	4,449	1,666	53	1,887	1,139	63	605	
45	5-Nov ---- 11-Nov	9,033	4,245	261	9,142	4,959	200	4,987	2,437	172	1,922	
46	12-Nov ---- 18-Nov	11,625	7,877	458	12,084	7,993	354	7,513	4,947	391	5,422	
47	19-Nov ---- 25-Nov	12,528	9,065	589	12,981	10,238	434	10,141	6,478	878	10,263	
48	26-Nov ---- 2-Dec	12,962	10,138	708	13,517	12,860	515	11,084	7,884	1,075	13,490	
49	3-Dec ---- 9-Dec	13,054	10,416	748	13,749	15,531	908	11,451	8,839	1,153	16,050	
50	10-Dec ---- 16-Dec	13,107	10,850	1,313	13,798	17,018	1,468	11,550	10,068	1,978	17,328	
51	17-Dec ---- 23-Dec	13,127	10,900	1,575	13,802	18,146	2,298	<b>11,560</b>	10,292	3,221	17,859	
52	24-Dec ---- 31-Dec	<b>13,129</b>	10,977	1,979	13,802	18,302	3,392		10,364	3,980	18,057	
1	1-Jan ---- 7-Jan		10,982	2,532	13,802	18,349	5,083		10,387	4,838	18,102	
2	8-Jan ---- 14-Jan		10,982	2,991	<b>13,803</b>	18,356	6,335		10,391	5,823	18,110	
3	15-Jan ---- 21-Jan		10,982	3,468		<b>18,357</b>	7,074		10,399	6,304	<b>18,112</b>	
4	22-Jan ---- 28-Jan		<b>10,983</b>	4,010			7,501		<b>10,400</b>	6,702		
5	29-Jan ---- 4-Feb			4,561			7,753			7,582		
6	5-Feb ---- 11-Feb			4,937			7,960			8,875		
7	12-Feb ---- 18-Feb			5,211			8,037			9,879		
8	19-Feb ---- 25-Feb			5,468			8,066			10,633		
9	26-Feb ---- 4-Mar			5,649			8,100			11,003		
10	5-Mar ---- 11-Mar			5,712			8,129			11,310		
11	12-Mar ---- 18-Mar			<b>5,731</b>			<b>8,143</b>			<b>11,547</b>		
12	19-Mar ---- 25-Mar											

Season totals in bold



Trinity River Hatchery, cumulative wee

Julian week	Inclusive dates	2007		2008			2009			2010	
		Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho
34	20-Aug ---- 26-Aug										
35	27-Aug ---- 2-Sep			Spring-run						Spring-run	
36	3-Sep ---- 9-Sep			66	0	0	106	0	2	119	
37	10-Sep ---- 16-Sep	0	5	338	0	0	235	0	3	609	
38	17-Sep ---- 23-Sep	0	5	1,006	0	1	953	0	5	1,174	
39	24-Sep ---- 30-Sep	0	9	2,495	0	4	1,963	0	6	2,029	
40	1-Oct ---- 7-Oct	0	16	3,659	5	12	2,836	1	7	2,702	6
41	8-Oct ---- 14-Oct	2	71	<b>3,766</b>	10	21	<b>3,069</b>	1	7	<b>2,859</b>	58
42	15-Oct ---- 21-Oct	---	---	Fall-run	---	---	Fall-run	---	---	Fall-run	---
43	22-Oct ---- 28-Oct	34	111	334	404	26	329	535	40	549	987
44	29-Oct ---- 4-Nov	252	254	1,045	611	40	1,036	1,143	69	1,916	1,732
45	5-Nov ---- 11-Nov	397	304	2,789	959	110	3,189	1,586	107	3,470	2,144
46	12-Nov ---- 18-Nov	874	379	4,169	3,334	218	5,641	1,932	158	6,608	2,527
47	19-Nov ---- 25-Nov	1,481	627	5,005	4,040	332	7,162	3,050	202	7,785	3,129
48	26-Nov ---- 2-Dec	2,184	685	5,207	4,644	470	7,383	3,162	214	8,594	3,586
49	3-Dec ---- 9-Dec	2,602	854	5,241	4,942	557	7,465	3,253	260	8,969	4,153
50	10-Dec ---- 16-Dec	2,802	1,847	5,248	5,081	607	7,479	3,290	267	9,046	4,371
51	17-Dec ---- 23-Dec	2,884	2,496	5,248	5,142	665	7,487	3,343	528	9,048	4,411
52	24-Dec ---- 31-Dec	2,905	2,910	5,248	5,175	787	7,492	3,346	826	<b>9,049</b>	4,424
1	1-Jan ---- 7-Jan	2,917	3,374	5,248	<b>5,178</b>	901	<b>7,494</b>	3,351	1,200		4,429
2	8-Jan ---- 14-Jan	2,919	4,477	<b>5,249</b>		1,170		3,351	1,995		<b>4,431</b>
3	15-Jan ---- 21-Jan	2,919	5,711			1,440		<b>3,352</b>	2,733		
4	22-Jan ---- 28-Jan	2,923	7,211			1,671			3,189		
5	29-Jan ---- 4-Feb	<b>2,927</b>	8,116			1,918			3,452		
6	5-Feb ---- 11-Feb		8,683			2,083			3,738		
7	12-Feb ---- 18-Feb		9,530			2,184			3,956		
8	19-Feb ---- 25-Feb		10,370			2,327			4,088		
9	26-Feb ---- 4-Mar		11,168			2,459			4,191		
10	5-Mar ---- 11-Mar		11,342			<b>2,495</b>			<b>4,244</b>		
11	12-Mar ---- 18-Mar		<b>11,399</b>								
12	19-Mar ---- 25-Mar										

Season totals in bold

Trinity River Hatchery, cumulative week

Julian week	Inclusive dates	2011			2012			
		Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead
34	20-Aug ---- 26-Aug							
35	27-Aug ---- 2-Sep		Spring-run			Spring-run		
36	3-Sep ---- 9-Sep	0	162		1	63	0	4
37	10-Sep ---- 16-Sep	2	644		2	389	0	0
38	17-Sep ---- 23-Sep	3	1,903		3	1441	0	0
39	24-Sep ---- 30-Sep	4	4,083		7	4006	0	9
40	1-Oct ---- 7-Oct	6	5,777	1	20	5733	3	15
41	8-Oct ---- 14-Oct	9	<b>6,581</b>	10	30	<b>6820<sup>a</sup></b>	24	19
42	15-Oct ---- 21-Oct	---	Fall-run	---	---	Fall-run		
43	22-Oct ---- 28-Oct	31	1,086	399	277	1,460	592	165
44	29-Oct ---- 4-Nov	74	4,147	1,127	335	7,146	918	243
45	5-Nov ---- 11-Nov	114	9,510	1,812	363	11,639	2739	465
46	12-Nov ---- 18-Nov	130	12,831	2,537	415	14,247	4682	489
47	19-Nov ---- 25-Nov	148	14,139	3,464	506	16,379	6909	631
48	26-Nov ---- 2-Dec	158	15,258	4,288	973	17,411	7714	1106
49	3-Dec ---- 9-Dec	221	15,595	4,573	1,174	17,576	8140	2566
50	10-Dec ---- 16-Dec	490	15,699	4,703	1,325	17,590	8201	2914
51	17-Dec ---- 23-Dec	710	15,721	4,789	1,554	17,594	8228	2997
52	24-Dec ---- 31-Dec	873	<b>15,721</b>	4,798	1,620	17,594	8236	3011
1	1-Jan ---- 7-Jan	946		<b>4,810</b>	1,963	<b>17,595</b>	<b>8238</b>	3240
2	8-Jan ---- 14-Jan	992			2,648			3547
3	15-Jan ---- 21-Jan	1,217			3,060			3788
4	22-Jan ---- 28-Jan	1,466			3,391			3947
5	29-Jan ---- 4-Feb	1,627			4,076			4382
6	5-Feb ---- 11-Feb	1,749			4,837			4752
7	12-Feb ---- 18-Feb	1,840			5,362			5191
8	19-Feb ---- 25-Feb	1,952			5,524			5241
9	26-Feb ---- 4-Mar	1,987			5,668			5386
10	5-Mar ---- 11-Mar	<b>2,037</b>			5,792			5559
11	12-Mar ---- 18-Mar				<b>5,885</b>			<b>5737</b>
12	19-Mar ---- 25-Mar							

a: includes 33 chinook cleaned out during spawning break

Season totals in bold