P.O. Box 248 Drifting, PA 16834 Phone: (814) 345-6690 CUTTING EDGE
BULLETS

Website: <u>www.cuttingedgebullets.com</u>

Certified Non-Lead Projectiles/Ammunition

Pursuant to Section 250.1, Title 14, California Code of Regulations, the listed projectiles and/or ammunition are certified as containing 1% or less of lead and may be used for the take of various wildlife species in California. It is the responsibility of the hunter to verify the individual projectile or ammunition is compliant with the method of take regulations for the individual species or species group.

Projectile							
Trade Name	Product or				% Content of		
or Marketing	Catalog Number	Caliber	Weight in	Composition	Lead by	Deteiled Unione Identifying	
Line (if established	(SKUs or UPCs are acceptable)	(diameter in inches)	Grains of the Projectile(s)	of the Projectile	Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
established	FBH_B07	mones)	Frojectile(s)	Frojectile	Frojectile	Characteristics	Filoto
	MTH_B55	22 (.224)	40-55-65				
	MTH_B65 MTH_F04						
	MTH_F05	6mm (.243)	77-88-90-100				
	MTH_F17 MTH_243_100						
	MTH_K01 MTH_K02	25 (.257)	100-115				
	MTH_G06						
	MTH_264_130 MTH_G05	6.5mm (.264)	120-130-140				
	MTH_G10						
	MTH_H01 MTH_H02	270 (.277)	120-130-140				
	MTH_H03	,					
	MTH_J03 MTH_J145		100 115 155				
	MTH_J07 MTH_J01	7mm (.284)	130-145-155- 160-168-170-				
	MTH_284_168_MAX	7111111 (.204)	180				
	MTH_J02 MTH_284_180_MAX						
	MTH_308_140						
	MTH_308_150 MTH_308_165	30 (.308)	140-150-165- 180-190-200				
	MTH_308_180_MAX						
	MTH_308_180 MTH_190_MAX						
	MTH_200_MAX						
	MTH_338_175 MTH_338_200						
MTH	MTH_338_225						
(Match/	MTH_338_252_MAX MTH_338_252	220 (220)	175-200-225-			Solid copper, CNC turned monolithic controlled expansion bullets, hollow	
Tactical/	MTH_338_265 MTH_338_265 MAX	338 (.338)	252-260-275- 300	Copper	< 1%	point, flat base or boattail design, with	
Hunting)	MTH_338_275_MAX					SealTite Band technology	
	MTH_338_275 MTH 338 300 MAX						10.7387
	MTH_E02	358 (.358)	315-340				
	MTH_E01	336 (.336)	315-340				
	MTH_L08						
	MTH_L04 (L01) MTH_L02		300-320-330-				
	MTH_L350	375 (.375)	350-375-400-				
	MTH_L12 MTH_L14	,	425-450				
	MTH_L16 MTH_L18						
	FBH M01	395 (.395)	230				
	MTAC_LU_EXP1	400 (.400)	420				
	MTH_U02	100 (. 100)	120				
	MTH_U03 MTH_U04	408 (.408)	390-415-430				
	MTH_V15						
	MTH_V12/V11 MTH_V13	440 (440)	340-350-375-				
ĺ	MTH_V14	416 (.416)	420-444-470				
	MTH_V08 MTH 416 470 MAX						
	MTH_W01	423 (.423)	320				
	MTH_Y01	50 (.500)	430				
	MTH_X04	50 (.510)	798				
	MTH_550_600	550 (.550)	600				

P.O. Box 248 Drifting, PA 16834 Phone: (814) 345-6690

Website: <u>www.cuttingedgebullets.com</u>



Certified Non-Lead Projectiles/Ammunition

Pursuant to Section 250.1, Title 14, California Code of Regulations, the listed projectiles and/or ammunition are certified as containing 1% or less of lead and may be used for the take of various wildlife species in California. It is the responsibility of the hunter to verify the individual projectile or ammunition is compliant with the method of take regulations for the individual species or species group.

Projectile Trade Name or Marketing Line (if established	Product or Catalog Number (SKUs or UPCs are acceptable)	Caliber (diameter in inches)	Weight in Grains of the Projectile(s)	Composition of the Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
FBH (Flat Base Hunting; discontinued	FB_B07	22 (.224	40	Copper	<1%	Solid copper, CNC turned monolithic controlled expansion bullets, hollow point, flat base design, with SealTite Band technology	
now classified as MTH)	FB_C36 FB_C37 FBH_C35 FB_M01	30 (.308) 395 (.395)	150-165-180 230				
	FB_452_160_CU FB_452_250_CU	452 (.452)	160-250				
Projectile	FB_S265_CU	458 (.458)	265				
Trade Name or Marketing Line (if established	Product or Catalog Number (SKUs or UPCs are acceptable)	Caliber (diameter in inches)	Weight in Grains of the Projectile(s)	Composition of the Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
	MTAC_B08	22 (.224)	55	Copper	< 1%		
	MTAC_F10 MTAC_F11 MTAC_F03 MTAC_F15 MTAC_F14 MTAC_243_102	6mm (.243)	63-64-75-90- 100-102				
	MTAC_G01 MTAC_G11 MTAC_G09 MTAC G09	6.5mm (.264)	120-133-141- 143			Solid copper, CNC turned monolithic	
	MTAC_J08 MTAC_J06 MTAC_308_155	7mm (.284)	157-192				
MTAC	MTAC_308_155 MTAC_308_168 MTAC_C45 MTAC_308_182_MAX MTAC_308_182	30 (.308)	155-168-180- 182				
(Match/ Tactical)	MTAC_338_227 MTAC_338_254_MAX MTAC_338_254 MTAC_338_267_MAX MTAC_338_277_MAX MTAC_D79	338 (.338)	227-254-267- 277-278			non-expanding bullets, solid point, boattail design, with SealTite Band technology	
	MTAC_L09 MTAC_L11 MTAC_L13 MTAC_L15 MTAC_L17	375 (.375)	352-377-402- 427-452				
	MTAC_L13_MOD MTAC_L15_MOD	375 MOD (.375/.365)	402-427				
	MTAC_U395 MTAC_U420	408 (.408)	395-420				
	MTAC_V04 MTAC_V422 MTAC_V07 MTAC_16	416 (.416)	416-422-446- 472				
	MTAC_X03 MTAC_X02 MTAC_X01	50 (.510)	720-762-802				
	MTAC_X01M	50 MOD (.509/.499)	802				

P.O. Box 248 Drifting, PA 16834 Phone: (814) 345-6690

Website: <u>www.cuttingedgebullets.com</u>



Certified Non-Lead Projectiles/Ammunition

Pursuant to Section 250.1, Title 14, California Code of Regulations, the listed projectiles and/or ammunition are certified as containing 1% or less of lead and may be used for the take of various wildlife species in California. It is the responsibility of the hunter to verify the individual projectile or ammunition is compliant with the method of take regulations for the individual species or species group.

Projectile Trade Name or Marketing Line (if established	Product or Catalog Number (SKUs or UPCs are acceptable)	Caliber (diameter in inches)	Weight in Grains of the Projectile(s)	Composition of the Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
	ER_A45_CU_Raptor ER_A60_CU_Raptor	22 (.224)	45-60				
	ER_F60_CU_Raptor	6mm (.243)	60			Solid copper CNC turned monolithic	
COPPER	ER_I90_CU_Raptor	25 (.257)	90	Copper with		bullets with Talon polymer tip, internal hexagon hollow point designed for	
RAPTOR	ER_G110_ER_CU_	6.5mm (.264)	110	polymer tip	< 1%	controlled expansion and 6 petal	
(Cu Raptor)	Raptor ER_H90_CU_Raptor ER_H115_ER_CU_	6.8mm / 270(.277)	90-115	polymor up		fragmentation, boattail design, with SealTite Band technology	
	Raptor ER_J120_CU_Raptor	7mm (.284)	120-135				
	ER_C135_CU_Raptor	30 (.308)	135-150				
	ER_C150_CU_Raptor ER_D185_CU_TSG_ Raptor ER_D225_CU_TSG_	338 (.338)	185-225				
	Raptor ER_E160_CU_Raptor	35 (.358)	160				
Projectile	EK_E100_CO_Kaptor	33 (.336)	100				
Trade Name	Product or				% Content of		
or Marketing	Catalog Number	Caliber	Weight in	Composition	Lead by		
Line (if established	(SKUs or UPCs are acceptable)	(diameter in inches)	Grains of the Projectile(s)	of the Projectile	Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
	HGHP_22_30 (tipped) HGHP_22_32	22 (.224)	30-32				
	HGHP_380-75	380 (.355)	75			Solid copper CNC turned monolithic bullets, large hollow point cavity designed for controlled expansion and 4 petal fragmentation, flat base	
HG Raptor	HGHP_9MM_90 HGHP_357_105	9 mm (.355)	90				
(Handgun	HGHP_357_140	357 (.357)	105-140	Copper	< 1%		The state of the s
Raptor)	HGHP_375_200 HGHP 40 120	375 (.375) 40 / 10mm	200			design (Talon polymer tip in .224),	
	HGHP_40_150	(.400)	120-150			with SealTite Band technology	- The state of the
	HGHP_41_135 HGHP 41 180	41 (.410)	135-180				
	HGHP_44_150 HGHP_44_200	44 (.431)	150-200				
	HGHP_45_150 HGHP_45_240 HGHP_45_240_FA97	45 (.452)	150-240				
	HGHP_475_220 HGHP_475_280 HGHP_500_340	475 (.475) 500 (.500)	220-280 340				

P.O. Box 248 Drifting, PA 16834 Phone: (814) 345-6690

Website: www.cuttingedgebullets.com



Certified Non-Lead Projectiles/Ammunition

Pursuant to Section 250.1, Title 14, California Code of Regulations, the listed projectiles and/or ammunition are certified as containing 1% or less of lead and may be used for the take of various wildlife species in California. It is the responsibility of the hunter to verify the individual projectile or ammunition is compliant with the method of take regulations for the individual species or species group.

							•
Projectile Trade Name or Marketing Line (if established	Product or Catalog Number (SKUs or UPCs are acceptable)	Caliber (diameter in inches)	Weight in Grains of the Projectile(s)	Composition of the Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
	HGS_357_165	357 (.357)	165	Copper			
	HGS_375_220	375 (.375)	220				
HG Solid	HGS_40_190	40 / 10mm (.400)	190			Solid copper CNC turned monolithic bullets, solid non-expanding flat base	
(Handgun	HGS_41_220	41 (.410)	220		< 1%	design, with SealTite Band	
Solid)	HGS_44_240	44 (.431)	240			technology	
	HGS_45_200 HGS_45_300 HGS_45_300_FA_97	45 (.452)	200-300				
	HGS_475_340	475 (.475)	340				
	HGS_500_400	500 (.500)	400				
Projectile Trade Name or Marketing Line (if established	Product or Catalog Number (SKUs or UPCs are acceptable)	Caliber (diameter in inches)	Weight in Grains of the Projectile(s)	Composition of the Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics	Photo
Lazer	LZR_308_165 LZR_308_180 LZR_308_180_MAX LZR_308_200_MAX	30 (.308)	165-180-200	Copper with polymer tip	< 1%	Solid copper CNC turned monolithic bullets, polymer tipped hollow point cavity designed for controlled expansion and 3 petal fragmentation, boattail design, with SealTite Band technology	
	LZR_338_225 LZR_338_250_MAX LZR_338_275_MAX LZR_338_300_MAX	338 (.338)	225-250-275- 300				
	LZR_375_325 LZR_375_350 LZR_375_375_MAX LZR_375_400_MAX LZR_375_425_MAX LZR_375_425_MAX LZR_375_450	375 (.375)	325-350-375- 400-425-450				
Projectile							
Trade Name or Marketing	Product or Catalog Number	Caliber	Weight in	Composition	% Content of Lead by		
Line (if	(SKUs or UPCs	(diameter in	Grains of the	of the	Weight of	Detailed Unique Identifying	
established	are acceptable)	inches)	Projectile(s)	Projectile	Projectile	Characteristics	Photo
MZL Raptor (Muzzleloader)	MZL_400_240 MZL_400_310	40 (.400)	240-310	Copper	< 1%	Solid copper CNC turned monolithic bullets, hollow point cavity designed for controlled expansion and 4 petal fragmentation, flat base design (Talon polymer tip and sabot in 50 cal.), with SealTite Band technology	
	MZL_458_323 MZL_S458_550	45 (.458)	323-550				
	MZL_50_160 MZL_50_250	50 (Saboted .451)	160-250				

P.O. Box 248 Drifting, PA 16834 Phone: (814) 345-6690

Website: <u>www.cuttingedgebullets.com</u>



Certified Non-Lead Projectiles/Ammunition

Pursuant to Section 250.1, Title 14, California Code of Regulations, the listed projectiles and/or ammunition are certified as containing 1% or less of lead and may be used for the take of various wildlife species in California. It is the responsibility of the hunter to verify the individual projectile or ammunition is compliant with the method of take regulations for the individual species or species group.

	Loaded Ammunition									
Ammunition/ Projectile Trade Name or Marketing Line (if established	Product or Catalog Number (SKUs or UPCs are acceptable)	Cartridge/ Caliber (diameter in inches)	Weight in Grains of the Projectile(s)	Composition of the Projectile	% Content of Lead by Weight of Projectile	Detailed Unique Identifying Characteristics	Photo			
PHD (Personal Home Defense Loaded Ammunition;	PHD_380ACP_75	380 ACP (.355)	75	Copper < 1%	< 1%	Solid copper CNC turned monolithic bullets, large hollow point cavity designed for controlled expansion and 4 petal fragmentation, flat base design with SealTite Band				
Handgun	PHD_9MM_90	9mm (.355)	90			technology; Handgun Raptor projectile				
Raptor projectiles)	PHD_40SW_120	40 S&W / 10mm (.400)	120			F. 5,0000				
	PHD_45ACP_150	45 ACP (.452)	150							