

TABLE 6a. 2005 Reported Deer Kill by CDF&G Region, Sex, Antler Class and Percent by Antler Class of Bucks (a).

CDF&G Region of Kill	Total Region Doe Kill	Unclassified Point Count (b)		Spike Bucks		2 Point Bucks		3 Point Bucks		4 Point Bucks		> 4 Point Bucks		Total Region Buck Kill	TOTAL REGION DEER KILL
		Region Buck Kill	% of Region Buck Kill	Region Buck Kill	% of Region Buck Kill	Region Buck Kill	% of Region Buck Kill	Region Buck Kill	% of Region Buck Kill	Region Buck Kill	% of Region Buck Kill	Region Buck Kill	% of Region Buck Kill		
Region 1 - Northern California and North Coast	5	36	0.6%	4	0.1%	2,244	40.0%	2,020	36.0%	1,126	20.1%	175	3.1%	5,605	5,610
Region 2 - Sacramento Valley and Central Sierra	62	25	0.9%	5	0.2%	1,264	47.7%	804	30.4%	452	17.1%	99	3.7%	2,649	2,711
Region 3 - Central Coast	50	20	0.6%	3	0.1%	1,953	54.2%	1,186	32.9%	402	11.2%	38	1.1%	3,602	3,652
Region 4 - San Joaquin Valley and Southern Sierra	0	13	0.8%		0.0%	902	53.8%	487	29.0%	216	12.9%	60	3.6%	1,678	1,678
Region 5 - South Coast	193	34	3.1%	12	1.1%	655	60.3%	274	25.2%	98	9.0%	13	1.2%	1,086	1,279
Region 6 - Eastern Sierra and Inland Deserts	4	6	0.7%		0.0%	342	42.3%	244	30.2%	170	21.0%	46	5.7%	808	812
STATEWIDE TOTALS:	314	134	0.9%	24	0.2%	7,360	47.7%	5,015	32.5%	2,464	16.0%	431	2.8%	15,428	15,742

TABLE 6a NOTES:

- (a) Table 6a does not include PLM kill data. PLM kill analysis is included in TABLES 7a through 7f.
- (b) Unclassified Point Count may be bucks without a reported point count or bucks with no points (antlerless and either-sex hunts).