

UPPER TRUCKEE RIVER 1997

Lahontan cutthroat trout survey

Sep 8-10, 1997

Date:	Sep 11	Sep 8	Sep 9	Sep 9	Sep 10	Sep 10	Sep 10	Sep 9	Sep 9	Sep 9	Sep 10	Sep 10	Sep 10	TOTALS	
Site:	UPPER TRUCKEE			UPPER TRUCKEE		UPPER TRUCKEE		Lower Meiss Ck in Beaver Ponds offish & net	Meiss Lake (gill net)	Meiss Ck Above Meiss Lake	TRIB 7	TRIB 5	Meadow Runoff	TRIB 4	TOTALS
TL (in)	Falls #1 to USFS Falls	Above falls to USFS Test	USFS TEST 0-500M	USFS TEST 500-1000M	USFS TEST 1000-1500M	Above test to Cabin	Above Cabin								
FRY	23	20	93	16	95	50	24				3				329
2.5		3			1										4
3		17		2			1			1					21
3.5		8		1		3	2			1					15
4		10	3	2	2		2			4	2				27
4.5		2		13											15
5 Under 5:		13	2	18		3	4			5	1				46
5.5	46	10	4	5	14	6	5	2	1	1	6				54
6		15	16	20	45	27	47			9	8				248
6.5		51	24	33	38	40	57			4	5			1	259
7		54	14	41	29	22	28	3		11	3	1	2		208
7.5		39	19	18	14	20	12	4		2	1				120
8		29	8	10	4	9	3			4	1				69
8.5		6	4	4	1	2	2	3					1	1	24
9		9	3	4	1	1		1							13
9.5		8		1	2			1					1		13
10		8						3							11
10.5 Over 6:		6													6
11	56	2			1										3
11.5															0
unknown			4			3							4		11
TOTALS	102	331	165	187	152	136	163	17	42	29	1	8	3		1173


TOTAL FISH: 1904

CUTTHROAT TROUT POPULATION EXTRAPOLATION:
 Adult CT-L (using 70% recapture success) = 1,460
 Juvenile CT-L (using 40% recapture success) = 455
 TOTAL (excluding fry) = 1,935
 note: recapture success based on 3 pass BK removal

FROM : CA-FISH 2 BONE HILD TROUT RD 2 PHONE NO. : 4516 347 3120 FAX : 4516 347 3120

Lahontan Cutthroat Trout

Upper Truckee River, Sep 8 - 10, 1997



all fish caught in basin
fish lengths estimated to nearest 1/2 inch

UPPER TRUCKEE RIVER 1998

Laborator Outbreak Trout Survey September 1998


Date	Sep 17	Sep 17	Sep 1	Sep 2	Sep 3	Sep 3	Sep 3	Sep 3	Sep 3	Sep 3	Sep 4	Sep 4	Sep 1	Sep 1	Sep 2	Sep 3	Sep 4	Sep 3.4	Sep 4	Sep 4	TOTALS
Site	Falls #1 to Falls #2	Falls #2 to USFS Falls	USFS Falls Recapt. Dam	Beaver Dam to USFS Falls	0-500ft	500-1000ft	1000-1500ft	Above last to Cabin	Above Cabin	Above PCT Trail X #2	Above PCT Trail X #1	Lower Meiss In Beaver Ponds	Meiss Lk Oil Hat	Meiss Cr Above Meiss Lk	TRB #2	TRB #5	TRB #5	TRB #4	TRB #5	TOTALS	
1.5				1	2	2		1						1							7
2				4	1	4		9	1					2							23
2.5		3		41	18	11		5	4	1				2							87
3	7	16	6	25	10	8		4	3	3	1			2					1		95
3.5	3	3	1	2	7	4		1	2	1				1							27
4	2	6	6	3	1	1		4	4					1							35
4.5				2	1	1		1	1	1				1							12
5	1	10	6	5	5	4		6	3	2	5			6							50
5.5	3	1		4	3	4		2	4	1	2			1					2		43
6	8	16	26	1	6	11		15	11	6	10			2							106
6.5	4	4	6	5	7	13		17	20	6	13			1					1		140
7	11	18	25	23	30	22		17	24	16	41			4							251
7.5	6	10		36	18	15		15	15	3	14			13		3					186
8	8	14	27	31	20	9		12	12	11	13			3		4					180
8.5	2	4	5	16	6	7		4	2		3			3		1					61
9	1	3	16	15	7	5		2	3	3	3			2							70
9.5	2	3	2	10	4	4		2		1				3		5					27
10				4		1											1		2		8
10.5			6																		6
11		1	1		1																3
11.5																					0
12																					0
12.5																					0
13																					0
TOTALS	57	123	190	217	146	126		115	106	60	113		13	47	22	9	56	8	41	1482	

TOTAL FRY: 3
TOTAL JUVENILES: 386
TOTAL ADULTS: 1122
TOTAL FISH: 1415

OUTTHROAT TROUT POPULATION EXTRAPOLATION:
 Adult CT-L (using 64% recapture success) = 2,336
 Juvenile CT-L (using 33% recapture success) = 1,176
 TOTAL (including fry) = 3,512
 Note: recapture success based on 3 pass BK removal

Lahontan Cutthroat Trout

Upper Truckee River, September 1998



all fish caught in basin
fish lengths estimated to nearest 1/2 inch