

Information page for enclosed trapping summaries

General Information

1. All data are preliminary, are subject to revision, and should be cited as such.
2. Trapping numbers and totals at Junction City and Willow Creek weirs are **not** total population estimates.
3. Fish trapped at the weirs are a sub-sample of the population. These fish are tagged for the purpose of estimating the population size using what's known as a "mark and recapture" estimator. Population estimates are formulated at the end of each run year.
4. Trinity River Hatchery totals are actual counts reflective of all fish which have entered and been processed at the facility.
5. Tags placed on fish trapped at the weirs are used for population estimates and angler harvest estimates.
6. Fishing is not allowed within 750 feet of the weirs which are marked with signs at the upstream and downstream ends of the closure.
7. Fin clip totals (Ad and RM) at the weirs and hatchery are used to estimate the hatchery contributions to each run. Currently, 100% of the steelhead (AD clip) and coho (RM clip) are marked at the hatchery prior to release as juveniles. Chinook salmon (AD clip) are marked at a rate of approximately 25% prior to release.
8. Weir installation and removal dates are variable from year to year and are affected by river flow and funding levels.
9. Previous year totals are not always for the same time periods and should not be used for absolute comparisons, note installation date notes for each site.
10. Adult and grilse(jack) counts are based on provisional cut-off sizes. The actual composition of the run is determined post season.

Junction City weir

1. This weir is designed to capture and estimate the population of spring Chinook salmon and is typically operated from June or early July (depending on river flow) through September. The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow fish passage.
2. Fall Chinook, steelhead, coho and brown trout are also captured at Junction City weir. We do not attempt to make population estimates for these species at Junction City weir.
3. Chinook salmon are tagged with a "spaghetti tag" which is pvc tubing placed behind the dorsal fin. Each tag has a number and is inscribed with our address.
4. Brown trout and steelhead are tagged with a "floy" tag which is inserted below the dorsal fin. Floy tags are short pieces of tubing inserted into the side of the fish and are also inscribed with our address.

Willow Creek weir

1. This weir is designed to capture and estimate the population of fall Chinook salmon, coho salmon and adult fall-run steelhead and is typically operated from late August through November (flows permitting). The weir is "fished" Sunday evening through Friday afternoon. The weir is not fished on weekends and afternoons to allow for fish passage.
2. The tail end of the spring chinook run is captured at Willow Creek, however we do not attempt to estimate this run of Chinook salmon above Willow Creek weir.
3. All fish deemed in good condition at Willow Creek weir are tagged with spaghetti tags inscribed with our address.

Trinity River Hatchery

1. Hatchery summaries are not always posted on a weekly basis due to the large amount of data collection and entry.
2. All hatchery totals are complete counts of what has been processed at the facility.
3. Hatchery totals do not include fish which are being held in on-site ponds for ripening and future spawning.
4. There is a break in spawning operations, usually in October, to facilitate separation of spring and fall-run Chinook salmon.
5. The hatchery serves as our main recovery point for fish tagged at the two weirs.

Junction City Weir trapping summary for the 2014 season.¹

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead						Brown trout				
			Grilse ²		Adults		Combined		Grilse ²		Adults		Combined		1/2 lbers ²		Adults		Combined		<42 cm	>41 cm	Total		
			Total	Ads ³	Total	Ads ³	Total	Ads ³	Total	RM ³	Total	RM ³	Total	RM ³	Total	RM ³	Total	Ads ³	Total	Ads ³					
23	4-Jun --- 10-Jun	1	0	0	2	0	2	0	0	0	0	0	0	0	0	0	0	0	0	0	1	8	9		
24	11-Jun --- 17-Jun	5	2	0	121	24	123	24	0	0	0	0	0	0	0	0	0	1	0	1	0	1	35	36	
25	18-Jun --- 24-Jun	5	1	0	205	29	206	29	0	0	0	0	0	0	0	0	0	6	0	6	0	1	18	19	
26	25-Jun --- 1-Jul	5	4	0	230	36	234	36	0	0	0	0	0	0	0	0	1	0	0	0	1	0	5	22	27
27	2-Jul --- 8-Jul	4	9	2	132	21	141	23	0	0	0	0	0	0	0	0	0	3	0	3	0	2	18	20	
28	9-Jul --- 15-Jul	5	6	0	65	10	71	10	0	0	0	0	0	0	0	0	0	4	0	4	0	10	28	38	
29	16-Jul --- 22-Jul	5	6	0	34	5	40	5	0	0	0	0	0	0	0	0	0	2	0	2	0	4	13	17	
30	23-Jul --- 29-Jul	5	2	1	9	2	11	3	0	0	0	0	0	0	0	0	0	3	1	3	1	4	5	9	
31	30-Jul --- 5-Aug	5	21	3	39	6	60	9	0	0	0	0	0	0	0	0	0	6	0	6	0	2	0	2	
32	6-Aug --- 12-Aug	5	9	2	19	0	28	2	0	0	0	0	0	0	0	0	0	1	0	1	0	1	0	1	
33	13-Aug --- 19-Aug	5	19	3	58	8	77	11	0	0	0	0	0	0	0	0	0	1	0	1	0	0	1	1	
34	20-Aug --- 26-Aug	3	3	2	16	1	19	3	0	0	0	0	0	0	0	0	0	1	0	1	0	2	0	2	
35	27-Aug --- 2-Sep	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
36	3-Sep --- 9-Sep	4	1	0	5	0	6	0	0	0	0	0	0	0	0	0	0	1	0	1	0	1	2	3	
37	10-Sep --- 16-Sep	4	1	0	8	2	0	2	0	0	0	0	0	0	0	3	1	0	0	3	1	0	1	1	
38	17-Sep --- 23-Sep	0 ⁵	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
39	24-Sep --- 30-Sep																								
40	1-Oct --- 7-Oct																								
2014 Season Totals:		61	84	13	943	144	1018	157	0	0	0	0	0	0	0	4	1	29	1	33	2	34	151	185	
2013 Season Totals⁴:		74	20	3	813	140	833	149	0	0	1	0	1	0	0	0	0	84	31	84	31	44	188	232	

Notes:

1/ Summary based on real time unedited data. Not to be used for analysis.

2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.

3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

4/ Totals are for entire season

5/ Weir out of operation jweek 38 due to emergency augmentation flow release from Lewiston Dam and will not be reinsalled in 2014.

Willow Creek Weir trapping summary for the 2014 season. ¹

Julian week	Inclusive dates	Trap days	Chinook						Coho						Steelhead					
			Grilse ²		Adults		Combined		Grilse ²		Adults		Combined		1/2 lbers ²		Adults		Combined	
			Total	Ads ³	Total	Ads ³	Total	Ads ³	Total	RM's ³	Total	RM's ³	Total	RM's ³	Total	Ads ³	Total	Ads ³	Total	Ads ³
36	3-Sep -- 9-Sep	4	26	1	50	7	76	8	0	0	0	0	0	0	1	0	69	30	70	30
37	10-Sep -- 16-Sep	5	56	2	180	22	236	24	25	25	13	9	38	34	14	10	147	68	161	78
38	17-Sep -- 23-Sep	1 ⁴	8	0	27	3	35	3	3	3	1	1	4	4	1	1	55	15	56	16
39	24-Sep -- 30-Sep	5	10	1	63	3	73	4	109	105	183	167	292	272	54	45	173	71	227	116
40	1-Oct -- 7-Oct	5	30	0	248	50	278	50	95	95	246	224	341	319	11	8	111	48	122	56
41	8-Oct -- 14-Oct	5	16	0	156	26	172	26	47	44	258	232	305	276	2	1	67	47	69	48
42	15-Oct -- 21-Oct	5	5	0	85	10	90	10	12	11	83	79	95	90	8	6	244	112	252	118
43	22-Oct -- 28-Oct	2	2	0	11	1	13	1	2	1	16	14	18	15	8	8	121	34	129	42
44	29-Oct -- 4-Nov	2	0	0	6	2	6	2	0	0	0	0	0	0	2	2	4	0	6	2
45	5-Nov -- 11-Nov																			
46	12-Nov -- 18-Nov																			
47	19-Nov -- 25-Nov																			
48	26-Nov -- 2-Dec																			
49	3-Dec -- 9-Dec																			
50	10-Dec -- 16-Dec																			
2014 Season Totals:		33	153	4	826	124	979	128	293	284	800	726	1093	1010	101	81	991	425	1092	506
2013 Season Totals:		73	155	2	668	73	823	75	77	73	494	381	571	454	112	62	2,033	898	2,145	960

Notes:

1/ Summary based on real time unedited data. Not to be used for analysis.

2/ Provisionally, Chinook and coho grilse are < 56 cm FL. Steelhead <42 cm FL are considered half-pounders.

3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.

4/ Weir out of operation for 4 days during jweek 38 due to emergency augmentation flow release from Lewiston Dam

Trinity River Hatchery trapping summary for the 2014-15 season. ^{1/}																
Julian	week	Inclusive dates	Chinook						Coho						Steelhead	
			Grilse ²		Adults		Combined		Grilse 2/		Adults		Combined		Adults	
			Total	Ads ³	Total	Ads ³	Total	Ads ³	Total	RMs ³	Total	RMs ³	Total	RMs ³	Total	Ads ³
	35	2-Sep	18	6	126	24	144	30	0	0	0	0	0	0	5	4
	36	3-Sep -- 9-Sep	37	8	78	22	115	30	0	0	0	0	0	0	6	6
	37	10-Sep -- 16-Sep	71	12	451	108	522	120	0	0	0	0	0	0	1	1
	38	17-Sep -- 23-Sep	104	22	757	178	861	200	1	1	0	0	1	1	23	22
	39	24-Sep -- 30-Sep	93	19	1,560	323	1653	342	2	2	2	2	4	4	65	60
	40	1-Oct -- 7-Oct	41	7	217	45	258	52	10	10	4	4	14	14	18	18
	41	8-Oct -- 14-Oct	19	7	311	73	330	80	22	22	15	15	37	37	3	3
	42	15-Oct -- 21-Oct	38	12	31	7	69	19	164	163	82	81	246	244	7	7
	2013 Spring Chinook subtotal:		421	93	3,531	780	3,952	873								
	43	22-Oct -- 28-Oct	9	1	382	90	391	91	9	8	1	1	10	9	0	0
	44	29-Oct -- 4-Nov	103	29	1,095	232	1198	261	315	314	9	9	324	323	54	54
	45	5-Nov -- 11-Nov														
	46	12-Nov -- 18-Nov														
	47	19-Nov -- 25-Nov														
	48	26-Nov -- 2-Dec														
	49	3-Dec -- 9-Dec														
	50	10-Dec -- 16-Dec														
	51	17-Dec -- 23-Dec														
	52	24-Dec -- 31-Dec														
	1	1-Jan -- 7-Jan														
	2	8-Jan -- 14-Jan														
	3	15-Jan -- 21-Jan														
	4	22-Jan -- 28-Jan														
	5	29-Jan -- 4-Feb														
	6	5-Feb -- 11-Feb														
	7	12-Feb -- 18-Feb														
	8	19-Feb -- 25-Feb														
	9	26-Feb -- 4-Mar														
	10	5-Mar -- 11-Mar														
	11	12-Mar -- 18-Mar														
	2014 Fall Chinook subtotal:		112	30	1,477	322	1,589	352								
	2014 Season Totals:		533	123	5,008	1,102	5,541	1,225	523	520	113	112	636	632	182	175
	2013 Season Totals: ^{4,5}		267	60	6,162	1,520	6,429	1,580	467	463	6,164	5,808	6,631	6,271	2,392	2,310
	Notes:															
	1/ Summary based on real time unedited data. Not to be used for analysis.															
	2/ Provisionally, Chinook and coho grilse are < 56 cm, FL. Steelhead <42 cm, FL are considered half-pounders.															
	3/ Ads denote adipose fin-clipped fish; RMs denote right maxillary clipped fish. Both clip counts are a subset of the total shown.															
	4/ Totals reflect only the numbers of fish which have been processed; fish held for ripening are not included in totals shown.															
	5/ Preliminarily, Chinook processed prior to Julian week 42 are considered spring Chinook, those after Julian week 42 are considered fall Chinook.															

Junction City weir, cumulative weekly trapping totals, 2004-2013.

Junction City weir, cumulative weekly trapping totals, 2004-2013.

Julian week	Inclusive dates	Trapping year														
		2004			2005 1/			2006			2007			2008		
		Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	
23	4-Jun ---- 10-Jun															
24	11-Jun ---- 17-Jun															
25	18-Jun ---- 24-Jun										15	60	23			
26	25-Jun ---- 1-Jul										114	114	59			
27	2-Jul ---- 8-Jul										381	192	113			
28	9-Jul ---- 15-Jul										436	286	152			
29	16-Jul ---- 22-Jul	151	40	11	11	14	2				461	302	165	26	10	
30	23-Jul ---- 29-Jul	235	136	31	24	70	17	67	86	76	785	324	203	32	15	
31	30-Jul ---- 5-Aug	258	167	35	57	167	29	75	116	83	839	331	219	103	37	
32	6-Aug ---- 12-Aug	411	199	41	82	207	29	206	153	87	854	333	224	123	63	
33	13-Aug ---- 19-Aug	465	212	47	88	215	30	296	167	93	897	335	234	144	76	
34	20-Aug ---- 26-Aug	-----	-----	-----	153	222	38	326	170	94	911	335	239	153	88	
35	27-Aug ---- 2-Sep	-----	-----	-----	159	224	46	341	171	97	915	335	252	156	92	
36	3-Sep ---- 9-Sep	-----	-----	-----	185	224	52	352	177	99	923	336	259	165	95	
37	10-Sep ---- 16-Sep	517	215	58	204	225	55	362	177	101	928	337	265	179	96	
38	17-Sep ---- 23-Sep	588	223	78	310	226	63	382	179	121	939	337	274	201	99	
39	24-Sep ---- 30-Sep	711	229	96	372	239	92	401	184	174	958	338	283	206	101	
40	1-Oct ---- 7-Oct	897	254	176	448	255	179									

Season totals in bold

Junction City weir, cumulative weekly2013

Junction City weir, cumulative weekly trapping totals, 2004-2013.

Julian week	Inclusive dates	Trapping year				Trapping year											
		2009				2010			2011			2012					
		Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead	Chinook	Brown T.	Steelhead			
23	4-Jun ---- 10-Jun																
24	11-Jun ---- 17-Jun		0	1	0												
25	18-Jun ---- 24-Jun		10	28	3												
26	25-Jun ---- 1-Jul		55	73	12												
27	2-Jul ---- 8-Jul		95	103	26												
28	9-Jul ---- 15-Jul		141	114	27												
29	16-Jul ---- 22-Jul	5	174	133	29												
30	23-Jul ---- 29-Jul	9	177	148	33							78	15				1
31	30-Jul ---- 5-Aug	17	178	154	35	43	54	1	62	33	7	116	33				3
32	6-Aug ---- 12-Aug	25	180	155	35	80	103	2	83	90	8	187	39				13
33	13-Aug ---- 19-Aug	28	203	155	35	111	118	2	108	115	9	189	41				13
34	20-Aug ---- 26-Aug	30	206	155	35	126	123	2	144	132	13	189	41				13
35	27-Aug ---- 2-Sep	32	208	157	38	134	126	2	147	134	19						
36	3-Sep ---- 9-Sep	35	225	158	40	143	127	2	152	137	55						
37	10-Sep ---- 16-Sep	37	236	162	45	167	131	2	199	142	55						
38	17-Sep ---- 23-Sep	41	246	165	48	187	134	4	247	147	55						
39	24-Sep ---- 30-Sep	41	268	168	56	222	144	11									
40	1-Oct ---- 7-Oct																

Season totals in bold

Junction City weir, cumulative weekly

Julian week	Inclusive dates	2013		
		Chinook	Brown T.	Steelhead
23	4-Jun ---- 10-Jun	1	3	1
24	11-Jun ---- 17-Jun	7	11	5
25	18-Jun ---- 24-Jun	111	53	15
26	25-Jun ---- 1-Jul	293	78	23
27	2-Jul ---- 8-Jul	517	104	30
28	9-Jul ---- 15-Jul	559	161	31
29	16-Jul ---- 22-Jul	594	190	34
30	23-Jul ---- 29-Jul	637	206	35
31	30-Jul ---- 5-Aug	645	216	37
32	6-Aug ---- 12-Aug	662	218	40
33	13-Aug ---- 19-Aug	694	218	41
34	20-Aug ---- 26-Aug	704	219	41
35	27-Aug ---- 2-Sep	704	219	41
36	3-Sep ---- 9-Sep	704	221	45
37	10-Sep ---- 16-Sep	719	222	48
38	17-Sep ---- 23-Sep	765	223	62
39	24-Sep ---- 30-Sep	826	232	84
40	1-Oct ---- 7-Oct	833	232	84

Season totals in bold

Trinity River Hatchery, cumulative weekly trapping totals, 2004-2013.

Julian week	Inclusive dates		Recovery Year												
			2004			2005			2006						
			Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook			
34	20-Aug	----	26-Aug												
35	27-Aug	----	2-Sep	Spring-run			Spring-run			Spring-run					Spring-run
36	3-Sep	----	9-Sep	212	0	14	109	0	0	6	0	1			
37	10-Sep	----	16-Sep	870	0	19	572	0	2	193	0	2			132
38	17-Sep	----	23-Sep	2,888	0	20	1,798	0	5	591	0	4			748
39	24-Sep	----	30-Sep	4,535	0	20	5,334	0	7	1,452	2	4			2,635
40	1-Oct	----	7-Oct	6,017	11	27	6,584	8	13	2,661	8	8			5,499
41	8-Oct	----	14-Oct	6,550	51	29	6,990	22	14	3,818	100	33			6,034
42	15-Oct	----	21-Oct	Fall-run	---	---	Fall-run	---	---	Fall-run	---	---			Fall-run
43	22-Oct	----	28-Oct	1,807	998	145	1,060	967	31	392	423	45			120
44	29-Oct	----	4-Nov	4,355	2,225	186	4,449	1,666	53	1,887	1,139	63			605
45	5-Nov	----	11-Nov	9,033	4,245	261	9,142	4,959	200	4,987	2,437	172			1,922
46	12-Nov	----	18-Nov	11,625	7,877	458	12,084	7,993	354	7,513	4,947	391			5,422
47	19-Nov	----	25-Nov	12,528	9,065	589	12,981	10,238	434	10,141	6,478	878			10,263
48	26-Nov	----	2-Dec	12,962	10,138	708	13,517	12,860	515	11,084	7,884	1,075			13,490
49	3-Dec	----	9-Dec	13,054	10,416	748	13,749	15,531	908	11,451	8,839	1,153			16,050
50	10-Dec	----	16-Dec	13,107	10,850	1,313	13,798	17,018	1,468	11,550	10,068	1,978			17,328
51	17-Dec	----	23-Dec	13,127	10,900	1,575	13,802	18,146	2,298	11,560	10,292	3,221			17,859
52	24-Dec	----	31-Dec	13,129	10,977	1,979	13,802	18,302	3,392		10,364	3,980			18,057
1	1-Jan	----	7-Jan		10,982	2,532	13,802	18,349	5,083		10,387	4,838			18,102
2	8-Jan	----	14-Jan		10,982	2,991	13,803	18,356	6,335		10,391	5,823			18,110
3	15-Jan	----	21-Jan		10,982	3,468		18,357	7,074		10,399	6,304			18,112
4	22-Jan	----	28-Jan		10,983	4,010			7,501		10,400	6,702			
5	29-Jan	----	4-Feb			4,561			7,753			7,582			
6	5-Feb	----	11-Feb			4,937			7,960			8,875			
7	12-Feb	----	18-Feb			5,211			8,037			9,879			
8	19-Feb	----	25-Feb			5,468			8,066			10,633			
9	26-Feb	----	4-Mar			5,649			8,100			11,003			
10	5-Mar	----	11-Mar			5,712			8,129			11,310			
11	12-Mar	----	18-Mar			5,731			8,143			11,547			
12	19-Mar	----	25-Mar												

Season totals in bold

Trinity River Hatchery, cumulative wee

Julian week	Inclusive dates	2007		2008			2009			2010	
		Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho
34	20-Aug ---- 26-Aug										
35	27-Aug ---- 2-Sep			Spring-run						Spring-run	
36	3-Sep ---- 9-Sep			66	0	0	106	0	2	119	
37	10-Sep ---- 16-Sep	0	5	338	0	0	235	0	3	609	
38	17-Sep ---- 23-Sep	0	5	1,006	0	1	953	0	5	1,174	
39	24-Sep ---- 30-Sep	0	9	2,495	0	4	1,963	0	6	2,029	
40	1-Oct ---- 7-Oct	0	16	3,659	5	12	2,836	1	7	2,702	6
41	8-Oct ---- 14-Oct	2	71	3,766	10	21	3,069	1	7	2,859	58
42	15-Oct ---- 21-Oct	---	---	Fall-run	---	---	Fall-run	---	---	Fall-run	---
43	22-Oct ---- 28-Oct	34	111	334	404	26	329	535	40	549	987
44	29-Oct ---- 4-Nov	252	254	1,045	611	40	1,036	1,143	69	1,916	1,732
45	5-Nov ---- 11-Nov	397	304	2,789	959	110	3,189	1,586	107	3,470	2,144
46	12-Nov ---- 18-Nov	874	379	4,169	3,334	218	5,641	1,932	158	6,608	2,527
47	19-Nov ---- 25-Nov	1,481	627	5,005	4,040	332	7,162	3,050	202	7,785	3,129
48	26-Nov ---- 2-Dec	2,184	685	5,207	4,644	470	7,383	3,162	214	8,594	3,586
49	3-Dec ---- 9-Dec	2,602	854	5,241	4,942	557	7,465	3,253	260	8,969	4,153
50	10-Dec ---- 16-Dec	2,802	1,847	5,248	5,081	607	7,479	3,290	267	9,046	4,371
51	17-Dec ---- 23-Dec	2,884	2,496	5,248	5,142	665	7,487	3,343	528	9,048	4,411
52	24-Dec ---- 31-Dec	2,905	2,910	5,248	5,175	787	7,492	3,346	826	9,049	4,424
1	1-Jan ---- 7-Jan	2,917	3,374	5,248	5,178	901	7,494	3,351	1,200		4,429
2	8-Jan ---- 14-Jan	2,919	4,477	5,249		1,170		3,351	1,995		4,431
3	15-Jan ---- 21-Jan	2,919	5,711			1,440		3,352	2,733		
4	22-Jan ---- 28-Jan	2,923	7,211			1,671			3,189		
5	29-Jan ---- 4-Feb	2,927	8,116			1,918			3,452		
6	5-Feb ---- 11-Feb		8,683			2,083			3,738		
7	12-Feb ---- 18-Feb		9,530			2,184			3,956		
8	19-Feb ---- 25-Feb		10,370			2,327			4,088		
9	26-Feb ---- 4-Mar		11,168			2,459			4,191		
10	5-Mar ---- 11-Mar		11,342			2,495			4,244		
11	12-Mar ---- 18-Mar		11,399								
12	19-Mar ---- 25-Mar										

Season totals in bold

Trinity River Hatchery, cumulative we

Julian week	Inclusive dates	2011				2012				2013	
		Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	Steelhead	Chinook	Coho	
34	20-Aug ---- 26-Aug										
35	27-Aug ---- 2-Sep		Spring-run			Spring-run					
36	3-Sep ---- 9-Sep	0	162		1	63	0	4	120	0	
37	10-Sep ---- 16-Sep	2	644		2	389	0	0	494	0	
38	17-Sep ---- 23-Sep	3	1,903		3	1441	0	0	1,245	0	
39	24-Sep ---- 30-Sep	4	4,083		7	4006	0	9	2,243	0	
40	1-Oct ---- 7-Oct	6	5,777	1	20	5733	3	15	2,519	4	
41	8-Oct ---- 14-Oct	9	6,581	10	30	6820^a	24	19	2578^a	6	
42	15-Oct ---- 21-Oct	---	Fall-run	---	---	Fall-run	---	---	Fall run	---	
43	22-Oct ---- 28-Oct	31	1,086	399	277	1,460	592	165	482	33	
44	29-Oct ---- 4-Nov	74	4,147	1,127	335	7,146	918	243	1116	412	
45	5-Nov ---- 11-Nov	114	9,510	1,812	363	11,639	2739	465	2025	1166	
46	12-Nov ---- 18-Nov	130	12,831	2,537	415	14,247	4682	489	3264	2449	
47	19-Nov ---- 25-Nov	148	14,139	3,464	506	16,379	6909	631	3562	4783	
48	26-Nov ---- 2-Dec	158	15,258	4,288	973	17,411	7714	1106	3780	5657	
49	3-Dec ---- 9-Dec	221	15,595	4,573	1,174	17,576	8140	2566	3844	6017	
50	10-Dec ---- 16-Dec	490	15,699	4,703	1,325	17,590	8201	2914	3849	6367	
51	17-Dec ---- 23-Dec	710	15,721	4,789	1,554	17,594	8228	2997	3850	6471	
52	24-Dec ---- 31-Dec	873	15,721	4,798	1,620	17,594	8236	3011	3851	6586	
1	1-Jan ---- 7-Jan	946		4,810	1,963	17,595	8238	3240	3851	6586	
2	8-Jan ---- 14-Jan	992			2,648			3547		6628	
3	15-Jan ---- 21-Jan	1,217			3,060			3788		6631	
4	22-Jan ---- 28-Jan	1,466			3,391			3947		6631	
5	29-Jan ---- 4-Feb	1,627			4,076			4382			
6	5-Feb ---- 11-Feb	1,749			4,837			4752			
7	12-Feb ---- 18-Feb	1,840			5,362			5191			
8	19-Feb ---- 25-Feb	1,952			5,524			5241			
9	26-Feb ---- 4-Mar	1,987			5,668			5386			
10	5-Mar ---- 11-Mar	2,037			5,792			5559			
11	12-Mar ---- 18-Mar				5,885			5737			
12	19-Mar ---- 25-Mar										

a: includes 33 chinook cleaned out during spawning break

Season totals in bold

Trinity River Hatchery, cumulative wee

Julian week	Inclusive dates		Steelhead
34	20-Aug	---- 26-Aug	
35	27-Aug	---- 2-Sep	
36	3-Sep	---- 9-Sep	3
37	10-Sep	---- 16-Sep	6
38	17-Sep	---- 23-Sep	8
39	24-Sep	---- 30-Sep	13
40	1-Oct	---- 7-Oct	15
41	8-Oct	---- 14-Oct	31
42	15-Oct	---- 21-Oct	---
43	22-Oct	---- 28-Oct	37
44	29-Oct	---- 4-Nov	46
45	5-Nov	---- 11-Nov	53
46	12-Nov	---- 18-Nov	80
47	19-Nov	---- 25-Nov	163
48	26-Nov	---- 2-Dec	252
49	3-Dec	---- 9-Dec	282
50	10-Dec	---- 16-Dec	307
51	17-Dec	---- 23-Dec	339
52	24-Dec	---- 31-Dec	480
1	1-Jan	---- 7-Jan	480
2	8-Jan	---- 14-Jan	907
3	15-Jan	---- 21-Jan	1212
4	22-Jan	---- 28-Jan	1377
5	29-Jan	---- 4-Feb	1658
6	5-Feb	---- 11-Feb	1936
7	12-Feb	---- 18-Feb	2201
8	19-Feb	---- 25-Feb	2297
9	26-Feb	---- 4-Mar	2350
10	5-Mar	---- 11-Mar	2391
11	12-Mar	---- 18-Mar	2392
12	19-Mar	---- 25-Mar	

Season totals in bold